Maharashtra State Electricity Distribution Co. Ltd.

No.VS/Sec/ NO 0 0 3 5 9 24th Feb. 2011 CONFIDENTIAL

To

The Dy. Directors
M S E D C Ltd
(MR) Kalyan, (PR) Pune (NR) Nagpur

Sub: Duties and responsibilities of vigilance

personnel on "Security" - Assessment of

Security of installations

Ref: T.O.Circular No. VS/Sec/39 dated 5.1.2011

In continuation to this office circular quoted in the reference above on the above subject, enclosed herewith please find a format of Report on Security Assessment of MSEDCL's installations where security arrangements are to be provided.

They are directed to get prepared a list of premises (zone/circle/division/sub-division/stores/sub-station) where security arrangements are to be provided and get them assessed from security point of view as per format. In case, they notice any items additional, the same be assessed and included in the report. While the security assessment of zonal offices may be done by the Dy. Directors themselves, security assessment of circle offices may be got done from the Asstt. Directors and the rest from the Dy. Vigilance Officers and Asstt. Vigilance Officers. In this process, the Asstt. Director HQs and Vigilance Officer HQs may also be included. The assessment reports should be

Directorate of Vigilance & Security

3rd Floor, Hongkong Bank Building, M.G. Road, Fort,

Mumbai - 400 001. • Tel.: 2261 9100 • Fax: 2261 9699

E-mail: dovs@mahadiscom.com • Website: www.mahadiscom.in

consolidated, circle-wise, by the Dy. Directors and send to Head Office along with their remarks about its feasibility. The whole process should be completed within a period of two months positively and not later than 15th of April 2011.

They are, therefore, directed to get the MSEDCL's installations assessed from security point of view and furnish reports, circle-wise as above.

(Javan Nath, IPS)

Spl. IG of Police

& Director, V&S

Copy to:
The Asstt. Director HQs MSEDCL Corporate Office,
Mumbai

He is directed to consolidate the proposals when received and put up a consolidated report for early consideration

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION COMPANY LIMITED

DIRECTORATE

· OF

VIGILANCE & SECURITY

SECURITY ASSESSMENT REPORT

ON

DATED

SECURITY ASSESSMENT REPORT

I.GENERAL INFORMATION

1	Name of office/				
1	premises				
	premises				
2	Location with	-	* * () · (
2	address				
	address		The state of the s		
3	Whether owned/				
3	rental ?				
	Tencar:	Para Carlo			
4	Total area of				
	premises (in				
	Sq. Ft.)	(attach blue print of premises)			
5	Details of in-	Name	promise of promises,		
	charge officer	Designation	on		
		Phone No.			
		Fax No.			
		E-mail id			
6	Details of	Name			
	second-in- charge officer	Designation			
		Phone No.			
		E-mail id			
7	Details of	Name			
	custodian of	Designatio	on		
	office premises	Phone No			
		Mobile No			
		Fax No			
		E-mail id			
8	Details of	Technical			
	personnel	Non Technical			
	working	Outsourced			
		Total			
9	Details of	Police	Name		
	other offices	Station	Address		
	in case of	under	Contact No.		
	emergency	which	Fax No.		
		falls	Nama		
		Office of	Name		
		the Supdt. Of	Address		
		Police	Contact No.		
		LOTTOR	rax NU.		

	Nearest	Name
	hospitals	Address
		Contact No.
		Name
		Address
		Contact No.
Lumenus		
and the same of th		Name
		Address
		Contact No.
	Nearest	Name
	Fire	Address
	Station	Contact No.

B. ASSETS STACKED

10	Description of	Cost in lacs	
	Immovable property	Land and building	
	Movable property	Tables and chairs Cup-boards	
		Fans and electrical fittings	
		Air conditioners/coolers Racks	
		Office equipments Like computers. Fax Xerox etc.	
		Others	
	Other articles		
	Total		

C. SECURITY ARRANGEMENTS

11	Personnel	Category	Avail-	Propos-	Total
	(in all 3		able	ed	
	shifts	Security			
	including	Supervisor			
	leave	Head			
	reserve)	Security			
		Guard			
		Security	THE REAL PROPERTY.	- 4	
		guard			
		Total			

Details of				
Agency from				
which				
security	Control of the Contro			
personnel				
hired/can be				
hired				
Identity	Issued	4 1		
cards	Balance			
	Requirement,	, if any		
Gate-pass system	Exists/not	exist s		
No. of persons	Visitors			
visiting	Agents	Agents		31=
Equipments	Category	Avail- able	Propose d	Total
	H.H.M.D			
	D.M.D.			
	C.C.T.V.			
Fire fighting	Category	Avail-	Propose	Total
equipments		able	d	
cquipmono	Fixed Fire			
	Hydrant			
	system			
	Fire			
And the residence	extin-			
	quishers/			
	Hose pipes			
	Portable			
	fire			w
	extin-			
	quishers			
Lighting	Within the	Within the periphery		
arrangements		Inside the office		
Fencing	Wall fencing			
- 3	Barbed fencing			

D TAROUR UNION INFORMATION

12	Name of unions in accordance with majority	Strength	Effective- ness
	majoratoj		110

13	Whether the installation needs to be declared as Prohibited Place under the Official Secrets Act ? If yes, clarify why ?	
14	Total value of assets (inclusive of land / building /movable properties etc.)	1 2
15	Amount of repatriation per month (Approx.)	
16	Suggestions	
		5.

(Name and designation of officer reported)