

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 302 / Ganesh Mandir

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .7392 | .724 | .6859 | .7762 | .8048 | .9145 | .9907 |
| 2 | .6653 | .6478 | .6478 | .7023 | .7316 | .7621 | .8764 |
| 3 | .6283 | .6097 | .6097 | .6283 | .695 | .6859 | .7621 |
| 4 | .5914 | .6097 | .5335 | .5914 | .6584 | .6478 | .6859 |
| 5 | .5914 | .5335 | .4954 | .5914 | .6219 | .6478 | .6478 |
| 6 | .6653 | .5335 | .4954 | .5914 | .6584 | .6859 | .6478 |
| 7 | .7392 | .6859 | .5914 | .6283 | .7316 | .724 | .7621 |
| 8 | .6653 | .695 | .6283 | .6653 | .7023 | .7023 | .6859 |
| 9 | .583 | .7316 | .7392 | .7023 | .7762 | .7762 | .7888 |
| 10 | .9259 | 1.0242 | .924 | 1.1458 | .9979 | 1.1458 | 1.0631 |
| 11 | 1.3032 | 1.2803 | 1.1827 | 1.1458 | 1.2197 | 1.4415 | 1.3032 |
| 12 | 1.2003 | 1.39 | 1.3306 | 1.2936 | 1.2197 | 1.7002 | 1.4403 |
| 13 | 1.2346 | 1.3169 | 1.2567 | 1.2197 | .9979 | | 1.4403 |
| 14 | 1.0974 | 1.1706 | 1.1088 | 1.1827 | 1.2936 | | 1.2346 |
| 15 | 1.0631 | 1.134 | 1.1088 | 1.3676 | 1.2936 | | 1.3375 |
| 16 | 1.0974 | 1.134 | 1.1458 | 1.1827 | 1.2567 | | 1.4415 |
| 17 | 1.2071 | 1.2803 | 1.2071 | 1.4415 | 1.2437 | 2.0576 | 1.4784 |
| 18 | 1.2803 | 1.3535 | 1.4632 | 1.4632 | 1.2071 | 2.0195 | 1.5524 |
| 19 | 1.5364 | 1.5729 | 1.5364 | 1.6095 | 1.3535 | 2.0576 | 1.7002 |
| 20 | 1.39 | 1.4998 | 1.4632 | 1.6095 | 1.3169 | 1.9814 | 1.6632 |
| 21 | 1.2803 | 1.5623 | 1.4266 | 1.5364 | 1.134 | 1.6004 | 1.4045 |
| 22 | .9511 | 1.0669 | 1.0608 | 1.0974 | 1.134 | 1.2193 | 1.1827 |
| 23 | .8764 | .8764 | .924 | 1.0608 | 1.1431 | 1.2574 | 1.1458 |
| 24 | .8871 | .8002 | .8002 | .8871 | .9877 | 1.1812 | 1.2193 |
| Max | 1.5364 | 1.5729 | 1.5364 | 1.6095 | 1.3535 | 2.0576 | 1.7002 |
| Min | .583 | .5335 | .4954 | .5914 | .6219 | .6478 | .6478 |
| Avg | .9666 | 1.0097 | .9736 | 1.0467 | 1.0075 | 1.2104 | 1.1439 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 305 / Tilak Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.2197 | 1.2955 | 1.3336 | 1.4045 | 1.5729 | 1.7909 | 1.7909 |
| 2 | 1.2197 | 1.2193 | 1.2193 | 1.2197 | 1.3535 | 1.5242 | 1.6004 |
| 3 | 1.1458 | 1.1812 | 1.1431 | 1.1088 | 1.2437 | 1.3717 | 1.3717 |
| 4 | 1.1088 | 1.1431 | 1.1431 | 1.0719 | 1.134 | 1.2955 | 1.2955 |
| 5 | 1.1088 | 1.1431 | 1.105 | 1.0719 | 1.0974 | 1.2574 | 1.3336 |
| 6 | 1.2197 | 1.0669 | 1.0669 | 1.1827 | 1.134 | 1.2574 | 1.2955 |
| 7 | 1.2567 | 1.3336 | 1.1827 | 1.2197 | 1.3169 | 1.3717 | 1.4098 |
| 8 | 1.4415 | 1.39 | 1.2936 | 1.2936 | 1.3676 | 1.3676 | 1.5623 |
| 9 | 1.3032 | 1.39 | 1.3306 | 1.2936 | 1.4045 | 1.4045 | 1.4403 |
| 10 | 1.7147 | 1.7558 | 1.5154 | 1.5893 | 1.6632 | 1.885 | 1.8861 |
| 11 | 1.989 | 2.0119 | 2.1068 | 2.1068 | 2.0328 | 2.4394 | 2.332 |
| 12 | 1.9204 | 2.0485 | 2.1437 | 2.1068 | 1.7741 | 2.6242 | 2.2977 |
| 13 | 1.7147 | 2.0485 | 2.1068 | 2.0328 | 2.1068 | | 2.2291 |
| 14 | 1.8176 | 1.9616 | 1.848 | 1.848 | 2.0328 | | 2.0576 |
| 15 | 1.749 | 1.829 | 1.885 | 2.0328 | 1.9959 | | 2.1262 |
| 16 | 1.9022 | 1.829 | 1.848 | 2.2177 | 1.9959 | | 2.1807 |
| 17 | 2.0851 | 2.1216 | 2.0485 | 1.885 | 2.0485 | 3.2007 | 2.1437 |
| 18 | 2.1582 | 2.1948 | 2.1948 | 1.9387 | 2.1216 | 2.934 | 2.5503 |
| 19 | 2.4143 | 2.4508 | 2.5606 | 2.0485 | 2.2314 | | 2.6981 |
| 20 | 2.0485 | 2.3777 | 2.5606 | 2.0485 | 2.268 | 3.1626 | 2.6981 |
| 21 | 2.1582 | 2.2862 | 2.3411 | 2.2314 | 2.1502 | 2.7435 | 2.4394 |
| 22 | 1.6827 | 1.7528 | 1.7924 | 1.829 | 1.9022 | 2.3243 | 1.885 |
| 23 | 1.5623 | 1.6004 | 1.6263 | 1.8656 | | 2.3624 | 1.922 |
| 24 | 1.5893 | 1.4861 | 1.4861 | 1.6263 | 1.8656 | | 2.1719 |
| Max | 2.4143 | 2.4508 | 2.5606 | 2.2314 | 2.268 | 3.2007 | 2.6981 |
| Min | 1.1088 | 1.0669 | 1.0669 | 1.0719 | 1.0974 | 1.2574 | 1.2955 |
| Avg | 1.6471 | 1.7049 | 1.7034 | 1.6781 | 1.7310 | 2.0176 | 1.9466 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 306 / Ram Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.7342 | 3.7342 | 3.8104 | 4.0329 | 4.2067 | 4.763 | 4.4582 |
| 2 | 3.5475 | 3.6199 | 3.6961 | 3.6222 | 3.7677 | 4.382 | 4.2676 |
| 3 | 3.4355 | 3.5056 | 3.5818 | 3.3608 | 3.5117 | 3.8104 | 3.8104 |
| 4 | 3.3608 | 3.3913 | 3.4294 | 3.2114 | 3.2922 | 3.658 | 3.3532 |
| 5 | 3.3234 | 3.4294 | 3.3532 | 3.1367 | 3.219 | 3.7342 | 3.4294 |
| 6 | 3.5475 | 3.4675 | 3.315 | 3.2861 | 3.5117 | 3.6961 | 3.5437 |
| 7 | 3.5101 | 3.5818 | 3.3981 | 3.2487 | 3.6946 | 3.8485 | 3.5056 |
| 8 | 3.5475 | 3.3653 | 3.3234 | 3.3608 | 3.5475 | 3.6222 | 2.9835 |
| 9 | 3.155 | 3.2922 | 3.3234 | 3.2861 | 3.5475 | 3.6969 | 2.7778 |
| 10 | 3.6351 | 3.658 | 3.5475 | 3.7342 | 3.6969 | 4.0329 | 2.8464 |
| 11 | 3.8409 | 3.8775 | 4.0703 | 4.2196 | 3.9582 | 4.5931 | 2.8464 |
| 12 | 3.738 | 4.0969 | 4.3317 | 4.5184 | 4.2943 | 4.6677 | 2.9835 |
| 13 | 3.8409 | 4.2067 | 4.369 | 4.5557 | 4.481 | | 3.0178 |
| 14 | 3.4637 | 3.7311 | 4.0329 | 4.369 | 4.2196 | | 2.915 |
| 15 | 3.6008 | 3.7677 | 4.1076 | 4.1823 | 4.369 | | 3.1207 |
| 16 | 3.8409 | 3.8409 | 4.0329 | 4.257 | 4.4437 | | 3.1741 |
| 17 | 4.0238 | 3.8409 | 4.1335 | 4.257 | 4.1335 | 4.5344 | 3.2487 |
| 18 | 4.1335 | 4.2798 | 4.4993 | | 4.2067 | 4.1533 | 3.2861 |
| 19 | 4.8651 | 5.048 | 5.048 | 3.8775 | 4.5725 | 4.382 | 3.6969 |
| 20 | 5.1943 | 5.2309 | 5.4138 | 5.7796 | 5.0114 | 4.6106 | 4.1076 |
| 21 | | 5.4489 | 5.3041 | 5.5236 | 5.0114 | 4.6868 | 4.3317 |
| 22 | 4.7188 | 5.144 | 4.9383 | 5.1578 | 5.3407 | 4.763 | 4.369 |
| 23 | 4.6106 | 4.6868 | 4.8918 | 3.7342 | | 5.2965 | 4.6677 |
| 24 | 4.257 | 4.2295 | 4.3058 | 4.481 | 4.7554 | | 5.0297 |
| Max | 5.1943 | 5.4489 | 5.4138 | 5.7796 | 5.3407 | 5.2965 | 5.0297 |
| Min | 3.155 | 3.2922 | 3.315 | 3.1367 | 3.219 | 3.6222 | 2.7778 |
| Avg | 3.8663 | 4.0198 | 4.0941 | 4.0519 | 4.1214 | 4.2596 | 3.5738 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 309 / Nalanda

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|
| HR | Load (MW) | Load (MW) |
| 1 | | .4572 |
| 2 | | .4191 |
| 3 | | .381 |
| 4 | | .3429 |
| 5 | | .3429 |
| 6 | | .381 |
| 7 | | .381 |
| 8 | | .3772 |
| 9 | | .4115 |
| 10 | | .9259 |
| 11 | | 1.2689 |
| 12 | | 1.3032 |
| 13 | | 1.3375 |
| 14 | | 1.2689 |
| 15 | | 1.3032 |
| 16 | | 1.3203 |
| 17 | 1.829 | 1.4335 |
| 18 | 1.829 | 1.5089 |
| 19 | 1.8671 | 1.5844 |
| 20 | 1.9052 | 1.773 |
| 21 | 1.3717 | 1.358 |
| 22 | .9145 | .9054 |
| 23 | .724 | .7922 |
| 24 | | .5335 |
| Max | 1.9052 | 1.773 |
| Min | .724 | .3429 |
| Avg | 1.4915 | .9213 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 312 / Datta Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.3265 | 3.2895 | | 3.7342 |
| 2 | 2.9569 | 2.8829 | | 3.658 |
| 3 | 2.6981 | 2.6981 | | 3.0483 |
| 4 | 2.5873 | 2.5873 | | 2.9721 |
| 5 | 2.4764 | 2.5503 | | 2.8197 |
| 6 | 2.4764 | 2.7721 | | 3.0102 |
| 7 | 2.5133 | 2.7721 | | 2.934 |
| 8 | 2.6242 | 2.6612 | 2.6242 | 2.572 |
| 9 | 2.6612 | 2.5133 | 2.5873 | 2.332 |
| 10 | | 2.4025 | 2.4394 | 2.2634 |
| 11 | 2.8829 | 2.3285 | 2.3655 | 2.2634 |
| 12 | | 2.3285 | | 2.2977 |
| 13 | 2.4025 | 2.3655 | | 2.2291 |
| 14 | 2.2546 | 2.4394 | | 2.332 |
| 15 | 2.5873 | 2.5873 | | 2.4691 |
| 16 | 2.4764 | 2.5133 | | 2.6242 |
| 17 | 2.6242 | 2.4508 | 3.5437 | 2.4394 |
| 18 | 2.6242 | 2.5606 | | 2.7721 |
| 19 | 3.0308 | 2.9995 | 3.6199 | 3.2156 |
| 20 | 3.1047 | 3.2556 | 3.658 | 3.4004 |
| 21 | 3.4004 | 3.5117 | 3.8485 | 3.6961 |
| 22 | 3.6222 | 3.8775 | 4.0771 | 3.9179 |
| 23 | 3.6961 | | 4.4201 | 4.1027 |
| 24 | 3.733 | 3.6961 | | 4.3439 |
| Max | 3.733 | 3.8775 | 4.4201 | 4.3439 |
| Min | 2.2546 | 2.3285 | 2.3655 | 2.2291 |
| Avg | 2.8527 | 2.7845 | 3.3184 | 2.9770 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 310 / Phule Road

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .583 | .5601 | .5144 | .5144 | .6348 | .6859 | .6859 |
| 2 | .5144 | .4481 | .4458 | .4801 | .5601 | .583 | .583 |
| 3 | .4458 | .4481 | .4115 | .4115 | .5601 | .4801 | .4801 |
| 4 | .4115 | .4108 | .4115 | .4115 | .5228 | .5144 | .5144 |
| 5 | .4458 | .4108 | .4115 | .4115 | .4854 | .4458 | .4458 |
| 6 | .4458 | .5228 | .4801 | .4115 | .5601 | .4801 | .6173 |
| 7 | .5144 | .5228 | .4801 | .4458 | .5975 | .5487 | .5487 |
| 8 | .4801 | .4801 | | .6348 | .4801 | .5144 | .5228 |
| 9 | .4854 | .4115 | .4115 | .4854 | .4801 | .5487 | .4854 |
| 10 | .4854 | .3429 | | .5228 | .4458 | .5144 | .5228 |
| 11 | .5228 | .3772 | | .5228 | .5144 | .5144 | .5601 |
| 12 | .4854 | .4801 | .5487 | .5228 | .4115 | .5144 | .5601 |
| 13 | .4854 | .4458 | .5144 | .4854 | .5144 | .5144 | .5601 |
| 14 | | .4458 | .4458 | .5601 | .5487 | .583 | .5975 |
| 15 | .5228 | 1.4746 | .4458 | .4854 | .5144 | | .5975 |
| 16 | .5228 | .4801 | .4801 | .5601 | .6173 | .583 | .6722 |
| 17 | .4481 | .3772 | .4458 | .4854 | .5487 | .5144 | .5601 |
| 18 | .4854 | .4458 | .4801 | .5228 | .4801 | .4801 | .5228 |
| 19 | .5601 | .5487 | .583 | .6348 | .6173 | .5144 | .5601 |
| 20 | .6348 | .5487 | .583 | .6348 | .6173 | .6516 | .6348 |
| 21 | .6348 | .583 | .6173 | .6722 | .6516 | .6859 | 1.0456 |
| 22 | .7842 | .6859 | .6859 | .7842 | .7545 | .6859 | .8215 |
| 23 | .7842 | .6859 | .7202 | .8215 | .7888 | .7888 | .8962 |
| 24 | .6173 | | .583 | .583 | .7468 | .7545 | .7888 |
| Max | .7842 | 1.4746 | .7202 | .8215 | .7888 | .7888 | 1.0456 |
| Min | .4115 | .3429 | .4115 | .4115 | .4115 | .4458 | .4458 |
| Avg | .5348 | .5277 | .5095 | .5419 | .5689 | .5696 | .6160 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 311 / Gaondevi Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.4348 | 2.8829 | 1.5432 | 1.5432 | 1.7741 | 1.7147 | 1.749 |
| 2 | 2.2291 | 2.6242 | 1.3717 | 1.3375 | 1.6632 | 1.5775 | 1.5432 |
| 3 | 2.0919 | 2.2177 | 1.2346 | 1.2689 | 1.5524 | 1.5089 | 1.5089 |
| 4 | 2.0576 | 2.1068 | 1.2003 | 1.2003 | 1.4784 | 1.4403 | 1.406 |
| 5 | 2.0576 | 2.0698 | 1.2689 | 1.2346 | 1.4784 | 1.4746 | 1.4403 |
| 6 | 2.1605 | 2.4025 | 1.406 | 1.3375 | 1.6263 | 1.4746 | 1.5775 |
| 7 | 2.2634 | 2.3285 | 1.3375 | 1.406 | 1.6632 | 1.4746 | 1.6118 |
| 8 | 2.0233 | 1.9204 | | 1.4415 | 1.3375 | 1.3375 | 1.5524 |
| 9 | 1.7741 | 1.8519 | 1.0631 | 1.2936 | 1.1317 | 1.2346 | 1.2936 |
| 10 | 1.6632 | 1.5775 | 1.0288 | 1.2567 | 1.0631 | 1.0974 | 1.1458 |
| 11 | 1.6632 | 1.5432 | .9602 | 1.1827 | | 1.0974 | 1.1088 |
| 12 | | | .8573 | 1.2197 | 1.2346 | .9602 | 1.1088 |
| 13 | | | .8573 | 1.2567 | 1.1317 | 1.0974 | 1.1827 |
| 14 | 1.9959 | | .9602 | 1.3306 | 1.2346 | 1.2346 | 1.2197 |
| 15 | 1.7372 | | .8916 | 1.2936 | 1.1317 | 1.2689 | 1.3306 |
| 16 | 1.5893 | .9945 | .8573 | 1.2567 | 1.1317 | 1.166 | 1.2567 |
| 17 | 1.5893 | .9602 | | 1.2567 | 1.1317 | 1.166 | 1.1458 |
| 18 | 1.6263 | 1.0288 | | 1.2197 | 1.1317 | 1.166 | 1.1827 |
| 19 | 1.885 | 1.2689 | 1.6118 | 1.5154 | 1.6461 | 1.5089 | 1.4415 |
| 20 | 2.6612 | 1.4746 | 1.7147 | 1.885 | 1.7147 | 1.6804 | 1.848 |
| 21 | 2.6981 | 1.406 | 1.6804 | 1.8111 | 1.749 | 1.7833 | 1.848 |
| 22 | 2.8829 | 1.5432 | 1.8861 | 1.9959 | 2.0576 | 1.8861 | 1.9959 |
| 23 | 2.8829 | 1.7147 | 1.8861 | 2.0328 | 2.0919 | 2.0233 | 2.1807 |
| 24 | 2.6063 | | 1.6118 | 1.6461 | 1.885 | 1.9204 | 1.8861 |
| Max | 2.8829 | 2.8829 | 1.8861 | 2.0328 | 2.0919 | 2.0233 | 2.1807 |
| Min | 1.5893 | .9602 | .8573 | 1.1827 | 1.0631 | .9602 | 1.1088 |
| Avg | 2.1170 | 1.7851 | 1.2966 | 1.4259 | 1.4800 | 1.4289 | 1.4819 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 312 / Garibacha Wada

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.2977 | 2.2314 | 2.1948 | 2.2634 | 2.6703 | 2.8464 | 2.7435 |
| 2 | 2.1262 | 2.0485 | 2.0576 | 2.2634 | 2.524 | 2.6749 | 2.6063 |
| 3 | 2.0233 | 1.9387 | 2.0576 | 2.0576 | 2.3411 | 2.4006 | 2.4006 |
| 4 | 1.8861 | 1.9387 | 1.8861 | 1.8861 | 2.1948 | 2.2291 | 2.1948 |
| 5 | 2.0576 | 1.9753 | 1.9204 | 1.9204 | 2.1948 | 2.1948 | 2.2291 |
| 6 | 2.1605 | 2.3045 | 2.0233 | 1.8861 | 2.4508 | 2.2977 | 2.5377 |
| 7 | 2.2977 | 2.3411 | 2.0919 | 1.989 | 2.3777 | 2.2634 | 2.4348 |
| 8 | 1.989 | 1.8861 | | 2.1948 | 2.0233 | 2.1262 | 2.3045 |
| 9 | 1.9387 | 1.7147 | 1.749 | 2.0119 | 1.7833 | 1.9204 | 1.9753 |
| 10 | 1.7193 | 1.6118 | 1.7147 | 2.0485 | 1.6804 | 1.8176 | 1.9753 |
| 11 | 1.6827 | 1.5432 | 1.6804 | 2.0851 | 1.6118 | 1.7833 | 1.8656 |
| 12 | 1.6095 | 1.4403 | 1.6118 | 1.9753 | | 1.7833 | 1.829 |
| 13 | 1.8656 | 1.6804 | 1.8861 | 2.3045 | | 1.7833 | 2.0851 |
| 14 | 1.9022 | 1.5432 | 1.8176 | 2.1582 | 2.2291 | 1.9204 | 2.2314 |
| 15 | 1.6461 | 1.4746 | 1.6461 | 2.0851 | 1.9204 | 1.8861 | 2.1216 |
| 16 | 1.5364 | 1.4403 | 1.5775 | 2.0119 | 1.8176 | 1.8519 | 1.9753 |
| 17 | 1.5364 | 1.3717 | 1.5775 | 1.829 | 1.7833 | 1.7833 | 1.829 |
| 18 | 1.5364 | 1.406 | 1.6461 | 1.9022 | 1.6804 | 1.7833 | 1.8656 |
| 19 | 2.0119 | 1.406 | 2.1262 | 2.3045 | 2.1948 | 2.1948 | 2.2314 |
| 20 | 2.3777 | 2.2291 | 2.4348 | 2.5606 | 2.572 | 2.5377 | 2.6337 |
| 21 | 2.5606 | 2.332 | 2.5034 | 2.7069 | 2.7092 | 2.6749 | 2.7801 |
| 22 | 2.7435 | 2.5377 | 2.6406 | 2.8898 | 3.0521 | 2.915 | 3.0727 |
| 23 | 2.7801 | 2.6406 | 2.7435 | 3.1459 | 3.3608 | 3.2579 | 3.3288 |
| 24 | 2.572 | 2.524 | 2.3663 | 2.572 | 2.9995 | 3.2236 | 3.155 |
| Max | 2.7801 | 2.6406 | 2.7435 | 3.1459 | 3.3608 | 3.2579 | 3.3288 |
| Min | 1.5364 | 1.3717 | 1.5775 | 1.829 | 1.6118 | 1.7833 | 1.829 |
| Avg | 2.0357 | 1.8983 | 1.9980 | 2.2105 | 2.2805 | 2.2562 | 2.3503 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 313 / Jai Hind Colony

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.5432 | 1.5565 | 1.3717 | 1.4403 | 1.7375 | 1.749 | 1.749 |
| 2 | 1.406 | 1.3032 | 1.3032 | 1.3717 | 1.6289 | 1.5432 | 1.5432 |
| 3 | 1.2689 | 1.1946 | 1.2003 | 1.2003 | 1.448 | 1.406 | 1.406 |
| 4 | 1.2003 | 1.1584 | 1.1317 | 1.1317 | 1.3032 | 1.2003 | 1.2003 |
| 5 | 1.2003 | 1.1584 | 1.166 | 1.0974 | 1.267 | 1.2346 | 1.5089 |
| 6 | 1.2346 | 1.3032 | 1.2003 | 1.1317 | 1.3756 | 1.2689 | 1.406 |
| 7 | 1.3032 | 1.3394 | 1.2003 | 1.2308 | 1.4118 | 1.3032 | 1.4403 |
| 8 | 1.2689 | 1.2689 | | 1.3394 | 1.3717 | 1.3375 | 1.3032 |
| 9 | 1.267 | 1.2689 | 1.166 | 1.448 | 1.2689 | 1.2346 | 1.4842 |
| 10 | 1.3394 | 1.2346 | 1.2689 | 1.3756 | 1.2689 | 1.2346 | 1.267 |
| 11 | 1.448 | 1.3717 | 1.406 | 1.5203 | 1.3717 | 1.3375 | 1.448 |
| 12 | 1.6651 | 1.5432 | 1.5775 | 1.8099 | 1.6804 | 1.3032 | 1.8099 |
| 13 | 1.6651 | 1.3717 | 1.4746 | 1.7013 | 1.5432 | 1.2689 | 1.8461 |
| 14 | 1.3394 | 1.2003 | 1.2346 | 1.4118 | 1.3032 | 1.406 | 1.5927 |
| 15 | 1.2308 | 1.166 | 1.2003 | 1.3756 | 1.2346 | 1.4403 | 1.5203 |
| 16 | 1.1946 | 1.1317 | 1.166 | 1.3756 | 1.2346 | 1.3375 | 1.4842 |
| 17 | 1.1946 | 1.0974 | 1.2003 | 1.267 | 1.2346 | 1.2689 | 1.3394 |
| 18 | 1.2308 | 1.166 | 1.2003 | 1.3394 | 1.2689 | 1.3375 | 1.267 |
| 19 | 1.4842 | 1.3717 | 1.5089 | 1.5565 | 1.5089 | 1.5089 | 1.6651 |
| 20 | 1.6289 | 1.5432 | 1.5775 | 1.6289 | 1.6461 | 1.4937 | 1.7375 |
| 21 | 1.7375 | 1.5432 | 1.6461 | 1.6651 | 1.6804 | 1.7147 | 1.7737 |
| 22 | 1.7013 | 1.6118 | 1.5775 | 1.7013 | 1.8519 | 1.7833 | 1.9185 |
| 23 | 1.5927 | 1.5775 | 1.6804 | 1.7737 | 1.9204 | 1.9547 | 2.0271 |
| 24 | 1.6804 | | 1.5432 | 1.5775 | 1.8461 | 1.9204 | 1.989 |
| Max | 1.7375 | 1.6118 | 1.6804 | 1.8099 | 1.9204 | 1.9547 | 2.0271 |
| Min | 1.1946 | 1.0974 | 1.1317 | 1.0974 | 1.2346 | 1.2003 | 1.2003 |
| Avg | 1.4094 | 1.3253 | 1.3479 | 1.4363 | 1.4753 | 1.4411 | 1.5719 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 314 / Umeshnagar Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | | .7888 | .823 | .8779 | .8916 | .9602 |
| 2 | | .7545 | .7545 | .8048 | .823 | .823 |
| 3 | | .6859 | .7202 | .7682 | .7888 | .7888 |
| 4 | | .6173 | .6173 | .7316 | .6859 | .6859 |
| 5 | | .6173 | .6173 | .7316 | .6859 | .6859 |
| 6 | | .7545 | .6859 | .8779 | .7545 | .823 |
| 7 | | .6516 | .6173 | .7316 | .7202 | .7888 |
| 8 | | | .6584 | .6516 | .6859 | .7316 |
| 9 | | .6173 | .6584 | .583 | .6516 | .6584 |
| 10 | | .583 | .695 | .5487 | .6173 | .6219 |
| 11 | | .5487 | .6219 | .583 | .6516 | .6584 |
| 12 | | .5487 | .6584 | .6173 | .583 | .6219 |
| 13 | | .6173 | .695 | .6173 | .6173 | .695 |
| 14 | | .5487 | .695 | .6516 | .6859 | .7316 |
| 15 | | .5487 | .695 | .6173 | .6516 | .695 |
| 16 | .7202 | .5487 | .695 | .583 | .6516 | .695 |
| 17 | .6516 | .5487 | .6219 | .583 | .6173 | .6584 |
| 18 | .6859 | .6173 | .6584 | .6173 | .6516 | .6584 |
| 19 | .7888 | .7888 | .8048 | .7545 | .7888 | .8048 |
| 20 | .8573 | .823 | .8779 | | .9259 | .9511 |
| 21 | .8573 | .8573 | .9145 | .8916 | .9259 | .9511 |
| 22 | .8916 | .8573 | .9511 | 1.0288 | .9945 | .9877 |
| 23 | .8916 | .9259 | 1.0608 | 1.1317 | 1.0631 | 1.134 |
| 24 | | .823 | .8573 | .9877 | | 1.0631 |
| Max | .8916 | .9259 | 1.0608 | 1.1317 | 1.0631 | 1.134 |
| Min | .6516 | .5487 | .6173 | .5487 | .583 | .6219 |
| Avg | .7930 | .6814 | .7356 | .7379 | .7440 | .7864 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 315 / 22 KV Subhash Road

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.8519 | 2.1948 | 1.749 | 1.8176 | 2.0851 | 2.332 | 2.1948 |
| 2 | 1.6461 | 1.6827 | 1.5432 | 1.6118 | 1.9387 | 2.0576 | 2.0233 |
| 3 | 1.4746 | 1.4998 | 1.3717 | 1.4403 | 1.7193 | 1.7147 | 1.7147 |
| 4 | 1.3717 | 1.4266 | 1.3032 | 1.3032 | 1.5364 | 1.5775 | 1.4746 |
| 5 | 1.406 | 1.3535 | 1.2689 | 1.2689 | 1.4998 | 1.5089 | 1.4403 |
| 6 | 1.5089 | 1.5364 | 1.3717 | 1.3717 | 1.6095 | 1.5432 | 1.4746 |
| 7 | 1.5775 | 1.6095 | 1.3717 | .6173 | 1.829 | 1.6461 | 1.4746 |
| 8 | 1.5089 | 1.4746 | | 1.6461 | 1.5775 | 1.6804 | 1.4632 |
| 9 | 1.6095 | 1.5432 | 1.5089 | 1.6827 | 1.5775 | 1.6461 | 1.4998 |
| 10 | 1.6095 | 1.5775 | 1.4746 | 1.7558 | 1.5775 | 1.6804 | 1.4266 |
| 11 | 1.6095 | 1.4746 | 1.4403 | 1.7558 | 1.5089 | 1.749 | 1.4266 |
| 12 | 1.4632 | 1.4403 | 1.406 | 1.5729 | 1.5089 | 1.6461 | 1.7558 |
| 13 | 1.4266 | 1.406 | 1.406 | 1.6095 | 1.5432 | 1.6461 | 1.6827 |
| 14 | 1.4266 | 1.3717 | 1.3375 | .695 | 1.5432 | 1.9204 | 1.7193 |
| 15 | 1.39 | | 1.4403 | 1.5729 | 1.6804 | 1.8519 | 1.8656 |
| 16 | 1.6095 | 1.2689 | 1.5432 | 1.7924 | 1.7833 | 1.6804 | 2.1216 |
| 17 | 1.4266 | 1.3375 | 1.4746 | 1.5364 | 1.7147 | 1.6804 | 1.829 |
| 18 | 1.4632 | 1.406 | 1.4746 | 1.6095 | 1.5775 | 1.7147 | 1.829 |
| 19 | 1.7558 | 1.6804 | 1.8176 | 1.9022 | 1.8861 | 1.9204 | 2.0485 |
| 20 | 1.8656 | 1.749 | 1.8176 | 1.9022 | 1.9204 | 2.0919 | 2.0851 |
| 21 | 1.8656 | 1.7833 | 1.8861 | 1.9753 | 1.989 | 2.1262 | 2.1216 |
| 22 | 2.0485 | 1.9547 | 2.0233 | 2.1216 | 2.6749 | 2.2634 | 2.4143 |
| 23 | 2.268 | 2.0576 | 2.1262 | 2.4874 | 2.7778 | 2.6063 | 2.8532 |
| 24 | 2.0576 | | 1.8861 | 1.9547 | 2.3045 | 2.5377 | 2.572 |
| Max | 2.268 | 2.1948 | 2.1262 | 2.4874 | 2.7778 | 2.6063 | 2.8532 |
| Min | 1.3717 | 1.2689 | 1.2689 | .6173 | 1.4998 | 1.5089 | 1.4266 |
| Avg | 1.6350 | 1.5831 | 1.5671 | 1.6251 | 1.8068 | 1.8676 | 1.8546 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
StationFeeder No / Name : 305 / Gograswadi
Feeder KV- 22 / OUTGOING

SHEDDABLE URBAN

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.9433 | 1.8671 | 1.9433 | 2.1338 | 2.4387 | 2.6292 | 2.5911 |
| 2 | 1.9433 | 1.7147 | 1.7147 | 1.829 | 2.4387 | 2.2862 | 2.3624 |
| 3 | 1.9433 | 1.4861 | 1.5242 | 1.6004 | 2.4387 | 2.1338 | 2.1338 |
| 4 | 1.9052 | 1.448 | 1.4861 | 1.5242 | 2.4768 | 1.9433 | 1.9814 |
| 5 | | 1.4098 | 1.448 | 1.5623 | 1.7147 | 1.9433 | 1.8671 |
| 6 | 1.9052 | 1.5242 | 1.5242 | 1.6004 | 1.9052 | 1.9052 | 1.9052 |
| 7 | 1.9052 | 1.7528 | 1.6766 | 1.6385 | 1.7909 | 1.9433 | 1.9052 |
| 8 | 1.8671 | 1.7528 | 1.7147 | 1.7528 | 1.9052 | 1.8671 | 1.9052 |
| 9 | 1.7528 | 1.7147 | 1.7528 | 1.7909 | 1.7528 | 1.7147 | 1.7528 |
| 10 | 1.6004 | 1.5623 | 1.5623 | 1.7528 | 1.7147 | 1.6766 | 1.6385 |
| 11 | 1.5242 | 1.5242 | 1.5623 | 1.7147 | 1.5242 | 1.6385 | 1.6004 |
| 12 | 1.448 | 1.4861 | 1.6004 | 1.7147 | 1.5623 | 1.5623 | 1.6766 |
| 13 | 1.4861 | 1.3717 | 1.5242 | 1.6385 | 1.5242 | 1.5623 | 1.6766 |
| 14 | 1.3336 | 1.3336 | 1.448 | 1.6004 | 1.5623 | 1.7909 | 1.7147 |
| 15 | 1.2574 | 1.2955 | 1.3717 | 1.6385 | 1.5623 | 1.7909 | 1.7528 |
| 16 | 1.2193 | 1.2193 | 1.2955 | 1.6004 | 1.5242 | 1.7147 | 1.6766 |
| 17 | 1.2955 | 1.2193 | 1.3336 | 1.4861 | 1.4861 | 1.6004 | 1.6004 |
| 18 | 1.3717 | 1.3336 | 1.4861 | 1.6004 | 1.4861 | 1.5623 | 1.6766 |
| 19 | 1.7147 | 1.829 | 1.8671 | 1.9433 | 1.8671 | 1.9433 | 2.0195 |
| 20 | 1.9433 | 1.9052 | 2.0195 | 1.9814 | 2.0576 | 2.21 | 2.2481 |
| 21 | 2.0576 | 2.0195 | 2.0576 | 2.0576 | 2.21 | 2.3243 | 2.2481 |
| 22 | 2.0957 | 2.0195 | 2.1338 | 2.1719 | 2.3624 | 2.553 | 2.4006 |
| 23 | 2.1338 | 2.2481 | 2.3243 | 2.6292 | 3.0102 | 2.934 | 2.8959 |
| 24 | 2.3624 | 2.1719 | 2.1719 | 2.4006 | 2.6673 | 3.0864 | 2.934 |
| Max | 2.3624 | 2.2481 | 2.3243 | 2.6292 | 3.0102 | 3.0864 | 2.934 |
| Min | 1.2193 | 1.2193 | 1.2955 | 1.4861 | 1.4861 | 1.5623 | 1.6004 |
| Avg | 1.7395 | 1.6337 | 1.6893 | 1.8068 | 1.9576 | 2.0132 | 2.0068 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 306 / KARADE BRAHAMAN

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .9526 | .9526 | 1.0288 | 1.105 | 1.2955 | 1.448 | 1.4098 |
| 2 | .9526 | .8764 | .9145 | .9526 | 1.2955 | 1.2574 | 1.2574 |
| 3 | .9526 | .8002 | .8002 | .8383 | 1.2955 | 1.1431 | 1.1812 |
| 4 | .9526 | .724 | .7621 | .7621 | 1.1431 | 1.0288 | 1.0288 |
| 5 | .9145 | .724 | .724 | .8002 | .8764 | .9526 | .9526 |
| 6 | .9145 | .7621 | .7621 | .8002 | .9145 | .9907 | .9526 |
| 7 | .9145 | .8383 | .7621 | .8383 | .9526 | 1.0288 | .9145 |
| 8 | .9145 | .9145 | .9145 | .9145 | .9145 | 1.0288 | .9145 |
| 9 | .9526 | .9145 | .9526 | .9526 | .9526 | .9907 | .9145 |
| 10 | 1.0288 | .9526 | .9907 | .9907 | .9145 | .9907 | 1.0669 |
| 11 | 1.0288 | .9145 | .9907 | 1.0288 | .8764 | | 1.0288 |
| 12 | .9907 | .9145 | .9907 | .9526 | .9526 | 1.0669 | 1.1431 |
| 13 | 1.0288 | .9145 | 1.0288 | .8002 | 1.0669 | 1.0288 | 1.1812 |
| 14 | 1.0288 | .9145 | .9526 | .8764 | 1.0669 | 1.1812 | 1.1812 |
| 15 | .9145 | .8383 | .8383 | .9907 | 1.0288 | 1.2574 | 1.1812 |
| 16 | .8002 | .8383 | .9145 | .9145 | .9907 | 1.105 | 1.0669 |
| 17 | .9526 | .9526 | 1.6004 | .9526 | .9526 | 1.0288 | 1.0669 |
| 18 | .9526 | .9145 | .9526 | .9526 | .9526 | 1.0288 | 1.105 |
| 19 | 1.0288 | 1.0669 | 1.105 | 1.0669 | 1.1431 | 1.2193 | 1.1812 |
| 20 | 1.0669 | 1.105 | 1.1431 | 1.105 | 1.1431 | 1.2574 | 1.2574 |
| 21 | 1.105 | 1.105 | 1.1812 | 1.1431 | 1.1812 | 1.2955 | 1.2574 |
| 22 | 1.0669 | 1.105 | 1.2193 | 1.1431 | 1.3717 | 1.4861 | 1.3336 |
| 23 | 1.105 | 1.2193 | 1.2193 | 1.448 | 1.7528 | 1.7147 | 1.6766 |
| 24 | 1.1431 | 1.1812 | 1.1812 | 1.2955 | 1.4098 | 1.7147 | 1.7528 |
| Max | 1.1431 | 1.2193 | 1.6004 | 1.448 | 1.7528 | 1.7147 | 1.7528 |
| Min | .8002 | .724 | .724 | .7621 | .8764 | .9526 | .9145 |
| Avg | .9859 | .9351 | .9971 | .9844 | 1.1018 | 1.1845 | 1.1669 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 308 / STAR COLONY

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.2574 | 1.1812 | 1.2574 | 1.3336 | 1.448 | 1.6004 | 1.6004 |
| 2 | 1.2574 | 1.0669 | .9907 | 1.1431 | 1.1431 | 1.4098 | 1.448 |
| 3 | 1.2193 | .9907 | .8383 | 1.0288 | 1.0669 | 1.3336 | 1.3717 |
| 4 | 1.2193 | .9145 | .9145 | .9907 | 1.0669 | 1.2574 | 1.2193 |
| 5 | 1.2193 | .8764 | .9145 | .9907 | 1.0669 | 1.1431 | 1.1431 |
| 6 | 1.1812 | .9526 | .9526 | .9907 | 1.105 | 1.1812 | 1.2193 |
| 7 | 1.1812 | 1.0669 | 1.0288 | 1.0669 | 1.1812 | 1.2574 | 1.2574 |
| 8 | 1.2193 | 1.105 | .9907 | 1.1431 | 1.1431 | 1.1812 | .8002 |
| 9 | 1.1431 | 1.105 | 1.0669 | 1.1431 | 1.0288 | 1.105 | 1.2193 |
| 10 | 1.2955 | 1.105 | 1.1812 | 1.1812 | 1.2193 | 1.2193 | 1.2574 |
| 11 | 1.2193 | 1.105 | 1.2193 | 1.1812 | 1.1812 | 1.2574 | 1.2193 |
| 12 | 1.1431 | 1.0288 | 1.105 | 1.105 | 1.1812 | 1.3336 | 1.2574 |
| 13 | 1.1431 | 1.0288 | | 1.1431 | 1.1812 | 1.2955 | 1.2193 |
| 14 | 1.1431 | .9907 | 1.105 | 1.1431 | 1.2193 | 1.4098 | 1.3336 |
| 15 | 1.105 | | 1.105 | 1.2193 | 1.3336 | 1.4861 | 1.3717 |
| 16 | 1.0288 | 1.0288 | 1.1431 | 1.1431 | 1.2574 | 1.4098 | 1.3336 |
| 17 | 1.105 | 1.0669 | 1.105 | 1.1431 | 1.1812 | 1.2574 | 1.2574 |
| 18 | 1.0669 | 1.0288 | 1.2193 | 1.1431 | 1.1431 | 1.2574 | 1.2574 |
| 19 | 1.2193 | 1.2955 | 1.3717 | 1.3336 | 1.3336 | 1.3336 | 1.448 |
| 20 | 1.2574 | 1.2955 | 1.3336 | 1.3336 | 1.4098 | 1.4861 | 1.4861 |
| 21 | 1.2955 | 1.2574 | 1.4098 | 1.4098 | 1.4861 | 1.5623 | 1.5242 |
| 22 | 1.3336 | 1.3336 | 1.3717 | 1.448 | 1.6004 | 1.7147 | 1.5623 |
| 23 | 1.2955 | 1.4098 | 1.4861 | 1.6385 | 1.9433 | 1.8671 | 1.7528 |
| 24 | 1.3717 | 1.3336 | 1.3717 | 1.5242 | 1.6004 | 1.7909 | 1.7909 |
| Max | 1.3717 | 1.4098 | 1.4861 | 1.6385 | 1.9433 | 1.8671 | 1.7909 |
| Min | 1.0288 | .8764 | .8383 | .9907 | 1.0288 | 1.105 | .8002 |
| Avg | 1.2050 | 1.1116 | 1.1514 | 1.2050 | 1.2717 | 1.3813 | 1.3479 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
StationFeeder No / Name : 309 / MAHAVIR COLONY/NAGAR
Feeder KV- 22 / OUTGOING

SHEDDABLE URBAN

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.2862 | 2.0957 | 2.1338 | 2.4006 | 2.6292 | 3.0864 | 2.9721 |
| 2 | 2.2862 | 1.829 | 1.9433 | 2.0576 | .2286 | 2.6292 | 2.7054 |
| 3 | 2.2862 | 1.7528 | 1.829 | 1.8671 | 2.0957 | 2.4006 | 2.4387 |
| 4 | 2.1719 | 1.6766 | 1.7147 | 1.7147 | 2.1719 | 2.2862 | 2.21 |
| 5 | 2.1719 | 1.5623 | 1.6385 | 1.7147 | 2.1719 | 2.1338 | 2.1338 |
| 6 | 2.1338 | 1.7909 | 1.7147 | 1.7528 | 2.0576 | 2.0957 | 2.21 |
| 7 | 2.0957 | 2.0576 | 1.9433 | 1.9433 | 2.21 | 2.2862 | 2.2862 |
| 8 | 2.0957 | 2.1338 | 1.9814 | 2.0957 | 2.1338 | 2.2481 | 2.21 |
| 9 | 2.1719 | 2.1338 | 2.0576 | 2.1719 | 2.2862 | 2.4387 | 2.2862 |
| 10 | 2.21 | 2.0957 | 2.21 | 2.21 | 2.4387 | 2.5911 | 2.3624 |
| 11 | 2.2862 | 2.2481 | 2.3243 | 2.3624 | 2.3624 | 2.5911 | 2.553 |
| 12 | 2.3243 | 2.1719 | 2.3243 | 2.3243 | 2.5149 | 2.6292 | 2.7435 |
| 13 | 2.4006 | 2.21 | 2.5149 | 2.5149 | 2.553 | 2.6673 | 2.7816 |
| 14 | 2.3624 | 2.2481 | 2.2481 | 2.2481 | 2.553 | 2.934 | 2.7816 |
| 15 | 2.1719 | 2.0576 | 2.1719 | 2.1719 | 2.5911 | 3.0102 | 2.7435 |
| 16 | 2.0576 | 2.0195 | 2.1338 | 2.1338 | 2.4006 | 2.7054 | 2.553 |
| 17 | 2.1338 | 2.0957 | 2.1338 | 2.1338 | 2.4006 | 2.5911 | 2.5149 |
| 18 | 2.21 | 2.1338 | 2.2862 | 2.1719 | 2.4006 | 2.553 | 2.6292 |
| 19 | 2.4768 | 2.4768 | 2.5149 | 2.4768 | 2.6673 | 2.934 | 2.934 |
| 20 | 2.553 | 2.553 | 2.6292 | 2.6673 | 2.7054 | 3.0102 | 2.9721 |
| 21 | 2.5149 | 2.5149 | 2.6673 | 2.6673 | 2.8197 | 3.0102 | 3.0102 |
| 22 | 2.4768 | 2.5149 | 2.6673 | 2.6673 | 3.0102 | 3.0483 | 3.0102 |
| 23 | 2.4387 | 2.553 | 2.7816 | 3.0864 | 3.658 | 3.5056 | 3.4294 |
| 24 | 2.5149 | 2.3624 | 2.5149 | 2.7435 | 2.934 | 3.3532 | 3.4675 |
| Max | 2.553 | 2.553 | 2.7816 | 3.0864 | 3.658 | 3.5056 | 3.4675 |
| Min | 2.0576 | 1.5623 | 1.6385 | 1.7147 | .2286 | 2.0957 | 2.1338 |
| Avg | 2.2846 | 2.1370 | 2.2116 | 2.2624 | 2.4164 | 2.6975 | 2.6641 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 310 / GAONDEVI MANDIR

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.6004 | 1.4098 | 1.5242 | 1.6385 | 1.9052 | 2.1338 | 2.1719 |
| 2 | 1.6004 | 1.2955 | 1.3336 | 1.448 | 1.5242 | 1.9052 | 1.9052 |
| 3 | 1.6004 | 1.1812 | 1.1812 | 1.2574 | 1.3717 | 1.5623 | 1.7147 |
| 4 | 1.4861 | 1.105 | 1.105 | 1.1812 | 1.3336 | 1.2955 | 1.5623 |
| 5 | 1.448 | 1.0669 | 1.105 | 1.1812 | 1.2955 | 1.448 | 1.448 |
| 6 | 1.448 | 1.1431 | 1.1431 | 1.1812 | 1.448 | 1.448 | 1.4098 |
| 7 | 1.448 | 1.3336 | 1.2574 | 1.2193 | 1.1431 | 1.448 | 1.3717 |
| 8 | 1.448 | 1.3717 | 1.3336 | 1.3336 | 1.448 | 1.448 | 1.448 |
| 9 | 1.4098 | 1.3336 | 1.4098 | 1.4098 | 1.448 | 1.4861 | 1.4098 |
| 10 | 1.3717 | 1.3717 | 1.448 | 1.448 | 1.4098 | 1.5242 | 1.4861 |
| 11 | 1.448 | 1.4098 | 1.448 | 1.4861 | 1.448 | 1.6385 | 1.6004 |
| 12 | 1.4098 | 1.2955 | 1.4098 | 1.4861 | 1.4098 | 1.6385 | 1.448 |
| 13 | 1.3336 | 1.2574 | 1.4098 | 1.448 | 1.448 | 1.6004 | 1.4098 |
| 14 | 1.2574 | 1.2193 | 1.3336 | 1.4861 | 1.3717 | 1.6766 | 1.4861 |
| 15 | 1.1431 | 1.2193 | 1.2574 | 1.5242 | 1.4861 | 1.829 | 1.6766 |
| 16 | 1.2193 | 1.2574 | 1.3336 | 1.448 | 1.448 | 1.6385 | 1.6766 |
| 17 | 1.2574 | 1.2955 | 1.3717 | 1.5623 | 1.448 | 1.6004 | 1.6385 |
| 18 | 1.2955 | 1.2955 | 1.4861 | 1.4861 | 1.448 | 1.6004 | 1.6766 |
| 19 | 1.5623 | 1.6385 | 1.6766 | 1.6385 | 1.6766 | 1.829 | 1.829 |
| 20 | 1.6385 | 1.6766 | 1.7528 | 1.7909 | 1.7909 | 1.9433 | 1.9052 |
| 21 | 1.7147 | 1.6004 | 1.6766 | 1.8671 | 1.9052 | 2.0576 | 1.9814 |
| 22 | 1.6004 | 1.6385 | 1.6766 | 1.7528 | 2.0576 | 1.8671 | 1.9052 |
| 23 | 1.6004 | 1.6385 | 1.829 | 2.0195 | 2.4006 | 2.21 | 2.21 |
| 24 | 1.7909 | 1.6004 | 1.7147 | 1.9052 | 2.0576 | 2.5149 | 2.4387 |
| Max | 1.7909 | 1.6766 | 1.829 | 2.0195 | 2.4006 | 2.5149 | 2.4387 |
| Min | 1.1431 | 1.0669 | 1.105 | 1.1812 | 1.1431 | 1.2955 | 1.3717 |
| Avg | 1.4638 | 1.3606 | 1.4257 | 1.5083 | 1.5718 | 1.7226 | 1.7004 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 311 / PANDURANG WADI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.4098 | 1.2955 | 1.3336 | 1.5242 | 1.7147 | 2.0576 | 1.9433 |
| 2 | 1.4098 | 1.1812 | 1.1431 | 1.3717 | 1.5242 | 1.7147 | 1.7147 |
| 3 | 1.4098 | 1.0669 | 1.0288 | 1.2193 | 1.2574 | 1.5623 | 1.5623 |
| 4 | 1.4098 | .9907 | .9526 | 1.1431 | 1.2193 | 1.4861 | 1.5242 |
| 5 | 1.2574 | .9907 | .9907 | 1.0288 | 1.1812 | 1.3336 | 1.3336 |
| 6 | 1.2574 | 1.1431 | 1.0669 | 1.105 | 1.3717 | 1.4098 | 1.3717 |
| 7 | 1.2574 | 1.2955 | 1.1812 | 1.2193 | 1.3717 | 1.4098 | 1.4098 |
| 8 | 1.2955 | 1.2955 | 1.2955 | 1.3336 | 1.4098 | 1.7147 | 1.3336 |
| 9 | 1.2955 | 1.2955 | 1.2574 | 1.3717 | 1.2193 | 1.3336 | 1.2955 |
| 10 | 1.105 | 1.0669 | 1.0669 | 1.2574 | 1.0669 | 1.1431 | 1.1431 |
| 11 | 1.0669 | .9526 | 1.0288 | 1.2193 | 1.448 | 1.105 | 1.1431 |
| 12 | .9526 | .8764 | 1.0288 | 1.105 | 1.1431 | 1.105 | 1.0669 |
| 13 | .8764 | .8764 | .9526 | 1.0669 | 1.105 | 1.1431 | 1.0669 |
| 14 | .9145 | .8764 | .9526 | 1.105 | 1.1812 | 1.3717 | 1.1812 |
| 15 | .8764 | .8383 | .9526 | 1.1812 | 1.1431 | 1.3717 | 1.2193 |
| 16 | .8764 | .9145 | .9526 | 1.1812 | 1.0669 | 1.2193 | 1.1812 |
| 17 | .8383 | .8764 | .9526 | 1.0288 | .9526 | 1.105 | 1.0669 |
| 18 | .9526 | .9145 | 1.0288 | 1.1431 | 1.0669 | 1.105 | 1.1431 |
| 19 | 1.1812 | 1.1431 | 1.2574 | 1.2574 | 1.2574 | 1.3717 | 1.3336 |
| 20 | 1.4861 | 1.3717 | 1.3336 | 1.448 | 1.5242 | 1.5242 | 1.6004 |
| 21 | 1.5242 | 1.448 | 1.4861 | 1.5242 | 1.6385 | 1.6385 | 1.7147 |
| 22 | 1.448 | 1.448 | 1.5242 | 1.5242 | 1.7528 | 1.8671 | 1.7909 |
| 23 | 1.448 | 1.5623 | 1.6766 | 1.829 | 2.3243 | 2.21 | 2.1719 |
| 24 | 1.6385 | 1.448 | 1.4861 | 1.7528 | 1.9052 | 2.3243 | 2.3243 |
| Max | 1.6385 | 1.5623 | 1.6766 | 1.829 | 2.3243 | 2.3243 | 2.3243 |
| Min | .8383 | .8383 | .9526 | 1.0288 | .9526 | 1.105 | 1.0669 |
| Avg | 1.2161 | 1.1320 | 1.1638 | 1.2892 | 1.3686 | 1.4845 | 1.4432 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 312 / NANDIVALI ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.2193 | 1.1812 | 1.1812 | 1.2574 | 1.5242 | 1.6766 | 1.6004 |
| 2 | 1.2193 | .9907 | 1.0669 | 1.105 | 1.1431 | 1.448 | 1.448 |
| 3 | 1.1812 | .9145 | .9145 | 1.0288 | 1.0669 | 1.2574 | 1.3336 |
| 4 | 1.1812 | .9145 | .8764 | .9526 | 1.0669 | 1.1812 | 1.2193 |
| 5 | 1.1812 | .8764 | .8764 | .9145 | 1.0288 | 1.1431 | 1.1431 |
| 6 | 1.2193 | 1.0288 | .9145 | .9526 | 1.1431 | 1.105 | 1.2193 |
| 7 | 1.1812 | 1.1431 | 1.0669 | 1.2193 | 1.2955 | 1.2193 | 1.2574 |
| 8 | 1.0288 | .9907 | .9526 | 1.105 | 1.105 | 1.0669 | 1.0669 |
| 9 | .9145 | .9145 | 1.0288 | 1.0669 | .9526 | .9907 | 1.0288 |
| 10 | .8002 | .8383 | .8383 | .9907 | .9145 | .9145 | .9145 |
| 11 | .7621 | .7621 | .9145 | 1.1431 | .6859 | .8383 | .9526 |
| 12 | .724 | .724 | .8764 | .9526 | 1.0288 | .8002 | .8764 |
| 13 | .8002 | .724 | .8002 | 1.0669 | .8002 | .8002 | .8383 |
| 14 | .7621 | .724 | .724 | .8383 | .8002 | .9907 | .8002 |
| 15 | .8002 | .724 | .724 | .8764 | .8002 | .9907 | .9145 |
| 16 | .6478 | .6859 | .6859 | .8764 | .8383 | .8764 | .8764 |
| 17 | .6478 | .6478 | .6859 | .8002 | .7621 | .8002 | .8002 |
| 18 | .6859 | .724 | .7621 | .8383 | .7621 | .8002 | .8002 |
| 19 | .8764 | .9907 | .9145 | .9907 | .9526 | 1.0669 | 1.0288 |
| 20 | 1.0669 | .9526 | 1.0669 | 1.0669 | 1.0669 | 1.1812 | 1.105 |
| 21 | 1.105 | 1.105 | 1.105 | 1.1431 | 1.1812 | 1.3336 | 1.2574 |
| 22 | 1.1812 | 1.1431 | 1.2574 | 1.2574 | 1.448 | 1.5242 | 1.3717 |
| 23 | 1.2193 | 1.2955 | 1.3717 | 1.5242 | 1.9433 | 1.9052 | 1.7147 |
| 24 | 1.3717 | 1.2574 | 1.2574 | 1.4861 | 1.6385 | 1.9433 | 1.9052 |
| Max | 1.3717 | 1.2955 | 1.3717 | 1.5242 | 1.9433 | 1.9433 | 1.9052 |
| Min | .6478 | .6478 | .6859 | .8002 | .6859 | .8002 | .8002 |
| Avg | .9907 | .9272 | .9526 | 1.0606 | 1.0812 | 1.1606 | 1.1447 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 313 / P AND T COLONY

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.2955 | 1.1812 | 1.2574 | 1.3336 | 1.5242 | 1.7528 | 1.7528 |
| 2 | 1.2955 | 1.0288 | 1.105 | 1.1431 | 1.5242 | 1.448 | 1.5242 |
| 3 | 1.2955 | .9145 | .9526 | 1.0288 | 1.1431 | 1.3336 | 1.4098 |
| 4 | 1.2574 | .8383 | .9145 | .9145 | 1.0669 | 1.2574 | 1.2193 |
| 5 | 1.1431 | .8383 | .8764 | .9145 | 1.0288 | 1.105 | 1.105 |
| 6 | 1.105 | .9526 | .9907 | .9526 | 1.1812 | 1.2193 | 1.1431 |
| 7 | 1.0669 | 1.0288 | 1.0669 | .9526 | 1.1812 | 1.1431 | 1.2193 |
| 8 | .9907 | .9526 | .9145 | .9526 | 1.0288 | 1.0288 | 1.0669 |
| 9 | .8764 | .8764 | .9145 | .9526 | .8383 | .9907 | 1.0288 |
| 10 | .8764 | .8383 | .8383 | 1.0288 | .9907 | .9145 | .9145 |
| 11 | .8002 | .8002 | .8764 | .9526 | .9145 | .9526 | .9526 |
| 12 | .8002 | .8002 | .8383 | .9526 | .8383 | 1.0669 | .9907 |
| 13 | .7621 | .7621 | .8383 | .8764 | .8764 | .9907 | .9145 |
| 14 | .8002 | .7621 | .8383 | .9526 | .9145 | 1.105 | .9526 |
| 15 | .8002 | .724 | .8383 | 1.0669 | .9907 | 1.105 | 1.0288 |
| 16 | .7621 | .724 | .8383 | .9145 | .9526 | .9907 | .9907 |
| 17 | .6859 | .7621 | .8383 | .8764 | .9145 | .9907 | .9907 |
| 18 | .8002 | .8002 | .9526 | .8764 | .9526 | .9907 | .9907 |
| 19 | .9907 | 1.0288 | 1.0669 | 1.0669 | 1.0288 | 1.2193 | 1.1812 |
| 20 | 1.105 | 1.0288 | 1.1431 | 1.1812 | 1.2193 | 1.2574 | 1.2193 |
| 21 | 1.1431 | 1.105 | 1.2193 | 1.2193 | 1.3336 | 1.3717 | 1.2955 |
| 22 | 1.2193 | 1.1812 | 1.2955 | 1.2574 | 1.5242 | 1.6004 | 1.4098 |
| 23 | 1.2955 | 1.3717 | 1.4098 | | 1.9814 | 1.9433 | 1.829 |
| 24 | 1.4861 | 1.3717 | 1.3336 | 1.4861 | 1.7147 | 1.9814 | 1.9814 |
| Max | 1.4861 | 1.3717 | 1.4098 | 1.4861 | 1.9814 | 1.9814 | 1.9814 |
| Min | .6859 | .724 | .8383 | .8764 | .8383 | .9145 | .9145 |
| Avg | 1.0272 | .9447 | 1.0066 | 1.0371 | 1.1526 | 1.2400 | 1.2130 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 314 / Gandhi Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .8764 | .8002 | .8764 | .9907 | 1.105 | 1.2193 | 1.2193 |
| 2 | .8383 | .8002 | .7621 | .7621 | .7621 | 1.1431 | 1.0669 |
| 3 | .8383 | .6478 | .724 | .8002 | .7621 | 1.0288 | .9907 |
| 4 | .8383 | .6478 | .6478 | .6859 | .7621 | .9145 | .8764 |
| 5 | .724 | .6097 | .6097 | .6478 | .724 | .8002 | .8002 |
| 6 | .724 | .6097 | .5716 | .6478 | .7621 | .8002 | .6859 |
| 7 | .724 | .6478 | .6097 | .6097 | .6859 | .7621 | .6478 |
| 8 | .8002 | .6478 | .6478 | .6859 | .724 | .8002 | .6859 |
| 9 | .8383 | .8002 | .8383 | .8383 | .8383 | .724 | .8383 |
| 10 | .7621 | .8002 | .8002 | .8383 | .7621 | .724 | .8764 |
| 11 | .724 | .6859 | .7621 | .8002 | .6478 | .6859 | .8002 |
| 12 | .6097 | .5716 | .6478 | .6859 | .6097 | .6478 | .6478 |
| 13 | .5716 | .5716 | .6097 | .6859 | .6478 | .6859 | .6478 |
| 14 | .5335 | .5335 | .5716 | .6478 | .6478 | .8002 | .6478 |
| 15 | .5335 | .5335 | .5716 | .6478 | .6478 | .7621 | .7621 |
| 16 | .5335 | .5335 | .5335 | .6097 | .6097 | .6859 | .6859 |
| 17 | .5335 | .4954 | .5716 | .6478 | .6097 | .6859 | .6478 |
| 18 | .5716 | .6097 | .6097 | .6097 | .6097 | .6859 | .6859 |
| 19 | .724 | .7621 | .7621 | .7621 | .7621 | .8383 | .8002 |
| 20 | .8002 | .8002 | .8383 | .8002 | .8002 | .9526 | .8764 |
| 21 | .8383 | .8002 | .8383 | .8383 | .8764 | 1.0288 | .9145 |
| 22 | .8383 | .8383 | .8764 | .8764 | 1.0669 | 1.0669 | 1.0288 |
| 23 | .9145 | .9145 | .9907 | 1.1812 | 1.3717 | 1.4098 | 1.3717 |
| 24 | 1.0288 | .9907 | .9907 | 1.0669 | 1.2574 | 1.448 | 1.448 |
| Max | 1.0288 | .9907 | .9907 | 1.1812 | 1.3717 | 1.448 | 1.448 |
| Min | .5335 | .4954 | .5335 | .6097 | .6097 | .6478 | .6478 |
| Avg | .7383 | .6938 | .7192 | .7653 | .7939 | .8875 | .8605 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 301 / 22 KV SONARPADA IND

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .6478 | .6859 | .6478 | .724 | .6859 | | .7621 |
| 2 | .6478 | .6478 | .6097 | .6859 | .6478 | .7621 | .6859 |
| 3 | .6097 | .6478 | .5716 | .6478 | .6097 | .724 | .6859 |
| 4 | .5716 | .5716 | .5335 | .6478 | .6097 | .6859 | .6859 |
| 5 | .5716 | .5716 | .5335 | .6478 | .6859 | .6478 | .6859 |
| 6 | .5716 | .5716 | .5716 | .6859 | .6859 | .6478 | .724 |
| 7 | .6097 | .5716 | .5716 | .6478 | .6859 | .6478 | .724 |
| 8 | .6097 | .5335 | .5716 | .6859 | .6859 | .6859 | .724 |
| 9 | .8002 | .0381 | .7621 | .8383 | | .7621 | .8002 |
| 10 | 1.105 | .724 | 1.1812 | .9907 | 1.0669 | 1.105 | 1.1431 |
| 11 | 1.1431 | .8764 | 1.2955 | 1.0669 | 1.1431 | 1.1812 | 1.2574 |
| 12 | 1.1812 | .8764 | 1.2955 | 1.105 | 1.2193 | 1.2955 | 1.2574 |
| 13 | .724 | .8383 | 1.1431 | .9526 | 1.0669 | 1.105 | 1.105 |
| 14 | 1.1812 | .8002 | 1.1812 | 1.0288 | 1.105 | 1.2955 | 1.1812 |
| 15 | 1.2574 | .8383 | 1.1812 | 1.105 | 1.2574 | 1.4098 | 1.2574 |
| 16 | 1.2574 | .8764 | 1.1812 | 1.105 | 1.2955 | 1.3336 | 1.2955 |
| 17 | 1.1431 | .5716 | 1.2574 | 1.0288 | 1.2574 | .8764 | 1.3336 |
| 18 | 1.0669 | .7621 | .7621 | 1.0288 | 1.1431 | 1.2574 | 1.2574 |
| 19 | .9526 | .8002 | 1.1812 | .9907 | 1.0669 | 1.2955 | 1.2955 |
| 20 | .9907 | .724 | 1.0669 | 1.0288 | 1.0288 | 1.2955 | 1.2574 |
| 21 | .8764 | .724 | .9526 | .9526 | .9526 | 1.0288 | |
| 22 | .7621 | .6859 | .8383 | .8383 | .8383 | .9526 | |
| 23 | .724 | .6859 | .5716 | .8383 | .8764 | .8383 | |
| 24 | .6859 | .724 | .6859 | .8002 | .724 | .8002 | .8002 |
| Max | 1.2574 | .8764 | 1.2955 | 1.105 | 1.2955 | 1.4098 | 1.3336 |
| Min | .5716 | .0381 | .5335 | .6478 | .6097 | .6478 | .6859 |
| Avg | .8621 | .6811 | .8812 | .8780 | .9278 | .9841 | .9961 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 302 / 22 KV SONARPADA VILLAGE

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.3336 | 1.2955 | 1.2955 | 1.3717 | 1.4861 | 1.5242 | 1.4861 |
| 2 | 1.2955 | 1.2955 | 1.2193 | 1.2955 | 1.4098 | 1.5242 | 1.4098 |
| 3 | 1.2574 | 1.2955 | 1.1812 | 1.2574 | 1.3336 | 1.448 | 1.3717 |
| 4 | 1.2955 | 1.2193 | 1.1812 | 1.2193 | 1.3336 | 1.3717 | 1.3717 |
| 5 | 1.3336 | 1.2574 | 1.1812 | 1.2955 | 1.3336 | 1.3717 | 1.3717 |
| 6 | 1.3717 | 1.2193 | 1.3336 | 1.2955 | 1.3717 | 1.448 | 1.4098 |
| 7 | 1.4098 | 1.3717 | 1.3717 | 1.4098 | 1.4098 | 1.448 | 1.448 |
| 8 | 1.3336 | 1.2193 | 1.3336 | 1.4098 | 1.3717 | 1.448 | 1.3336 |
| 9 | 1.1812 | 1.0288 | 1.1812 | 1.2574 | | 1.2955 | 1.2955 |
| 10 | 1.1431 | 1.0288 | 1.1431 | 1.2574 | 1.1812 | 1.2574 | 1.2574 |
| 11 | 1.0288 | .9526 | 1.0669 | 1.1812 | 1.1812 | 1.2193 | 1.2193 |
| 12 | .9907 | .9526 | 1.1431 | 1.1812 | 1.0669 | 1.2193 | 1.2193 |
| 13 | .9907 | .9526 | .9907 | 1.0288 | 1.1812 | 1.1431 | 1.1431 |
| 14 | 1.105 | .9526 | 1.0669 | 1.1431 | 1.2574 | 1.2574 | 1.2193 |
| 15 | 1.0669 | 1.0288 | 1.1812 | 1.2193 | 1.2955 | 1.3717 | 1.3717 |
| 16 | 1.1431 | 1.0288 | 1.1812 | 1.2574 | 1.1812 | 1.2574 | 1.2574 |
| 17 | 1.0288 | .9526 | 1.1812 | 1.2193 | 1.0288 | 1.1812 | 1.1812 |
| 18 | 1.0288 | .9145 | 1.1812 | 1.1812 | .9526 | 1.1812 | 1.2193 |
| 19 | 1.3717 | 1.0669 | 1.3717 | 1.4098 | 1.448 | 1.4098 | 1.4098 |
| 20 | 1.448 | 1.3336 | 1.4861 | 1.5242 | 1.5623 | 1.6385 | 1.6385 |
| 21 | 1.5242 | 1.3717 | 1.5623 | 1.5623 | 1.6385 | 1.7147 | |
| 22 | 1.5242 | 1.3717 | 1.5242 | 1.5623 | 1.6766 | 1.448 | |
| 23 | 1.4861 | 1.4098 | 1.5623 | 1.6004 | 1.6004 | 1.6385 | |
| 24 | 1.4098 | 1.3717 | 1.3336 | 1.448 | 1.448 | 1.6385 | 1.6004 |
| Max | 1.5242 | 1.4098 | 1.5623 | 1.6004 | 1.6766 | 1.7147 | 1.6385 |
| Min | .9907 | .9145 | .9907 | 1.0288 | .9526 | 1.1431 | 1.1431 |
| Avg | 1.2542 | 1.1622 | 1.2606 | 1.3162 | 1.3369 | 1.3940 | 1.3445 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 303 / 22 KV JADE RUBBER
Feeder KV- 22 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY
STAGGERING (MIDC, EQUIVALENT)

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.3624 | 2.3243 | 1.6004 | 2.4006 | 2.0576 | 2.3243 | 2.3243 |
| 2 | 2.2862 | 2.2862 | 1.6385 | 2.3624 | 2.0576 | 2.3243 | 2.21 |
| 3 | 2.2481 | 2.5149 | 1.5623 | 2.4006 | 2.0195 | 2.1719 | 2.21 |
| 4 | 2.0957 | 1.9814 | 1.4861 | 2.2481 | 2.0195 | 2.0957 | 2.2481 |
| 5 | 2.1719 | 2.0195 | 1.5623 | 2.2481 | 2.0576 | 2.0957 | 2.2481 |
| 6 | 2.21 | 2.0576 | 1.6385 | 2.21 | 2.0576 | 2.0957 | 2.1719 |
| 7 | 2.4768 | 1.9433 | | 2.0957 | 2.0195 | 2.0576 | 2.2862 |
| 8 | 2.7054 | 1.7528 | 2.1338 | | 2.4387 | 2.4768 | 2.5911 |
| 9 | 3.315 | 1.9814 | 3.1626 | 2.7816 | | 2.7435 | 3.2007 |
| 10 | 3.9628 | 2.2481 | 4.0009 | 3.1626 | 3.2769 | 3.3913 | 3.6199 |
| 11 | 4.0009 | 2.0195 | 3.658 | 3.3532 | 3.5056 | 3.8104 | 3.7723 |
| 12 | 4.1533 | 2.0957 | 3.9628 | 3.5056 | 3.4675 | 4.1533 | 4.0009 |
| 13 | 3.9628 | 2.0957 | 3.4675 | 2.6673 | 3.2007 | 3.4294 | 3.8104 |
| 14 | 3.315 | 2.0576 | 3.8866 | 3.0102 | 3.4675 | 3.658 | 3.5818 |
| 15 | 4.2295 | 2.0576 | 4.1533 | 2.9721 | 3.8104 | 3.5818 | |
| 16 | 4.2676 | 1.9814 | 3.9247 | 3.3532 | 3.8104 | 4.0009 | 3.6199 |
| 17 | 4.2676 | 1.9052 | 4.1152 | 3.0102 | 3.6961 | 3.6961 | 3.7342 |
| 18 | 3.315 | 1.7909 | 3.7342 | 2.8959 | 3.3532 | 3.658 | 3.5437 |
| 19 | 3.1245 | 1.7528 | 3.5437 | 2.7435 | 3.4675 | 3.315 | 3.5818 |
| 20 | 2.7435 | 1.7528 | 2.7816 | 2.6673 | 2.8578 | 2.6673 | 2.7054 |
| 21 | 2.553 | 1.7909 | 2.7816 | 2.4006 | 2.553 | 2.5149 | |
| 22 | 2.5149 | 1.6766 | 2.7054 | 2.1338 | 2.4387 | 2.4387 | |
| 23 | 2.5149 | 1.6766 | 2.5911 | 2.1719 | 2.4387 | 2.3243 | |
| 24 | | 2.3624 | 1.6004 | 2.4387 | 2.0957 | 2.4006 | 2.4006 |
| Max | 4.2676 | 2.5149 | 4.1533 | 3.5056 | 3.8104 | 4.1533 | 4.0009 |
| Min | 2.0957 | 1.6766 | 1.4861 | 2.0957 | 2.0195 | 2.0576 | 2.1719 |
| Avg | 3.0781 | 2.0052 | 2.8562 | 2.6623 | 2.7899 | 2.8927 | 2.9931 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 304 / 22 KV REGENCY FEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.2862 | 2.21 | 2.21 | 2.4006 | 2.5911 | 3.0102 | 2.9721 |
| 2 | 2.1719 | 2.1719 | 2.0576 | 2.2862 | 2.5911 | 2.7816 | 2.6673 |
| 3 | 2.0957 | 2.0957 | 2.0195 | 2.1719 | 2.2862 | 2.5911 | 2.553 |
| 4 | 1.9052 | 1.9814 | 1.9052 | 2.0576 | 2.2481 | 2.4006 | 2.4768 |
| 5 | 1.9433 | 1.9814 | 1.8671 | 2.0195 | 2.1338 | 2.3243 | 2.4006 |
| 6 | 1.9814 | 1.9052 | 1.9433 | 2.0195 | 2.0957 | 2.2862 | 2.4387 |
| 7 | 1.9814 | 2.0195 | 2.0957 | 2.0576 | 2.0957 | 2.2481 | 2.21 |
| 8 | 1.9052 | 1.7528 | 1.7909 | 1.9052 | 2.0576 | 2.1719 | 2.0957 |
| 9 | 1.829 | 1.7147 | 1.7909 | 1.829 | | 2.0195 | 2.0195 |
| 10 | 1.9052 | 1.7909 | 1.829 | 1.9433 | 1.9052 | 2.1338 | 2.0957 |
| 11 | 1.9433 | 1.6385 | | 1.8671 | 1.9814 | 2.21 | 2.0576 |
| 12 | 1.7528 | 1.6766 | 1.9052 | 1.829 | 1.9052 | 2.1719 | 2.1338 |
| 13 | 1.7528 | 1.6385 | 1.7909 | 1.8671 | 1.829 | 2.0195 | 1.9433 |
| 14 | 1.9052 | 1.5623 | 1.9052 | 1.8671 | 1.9433 | 2.2481 | 2.0957 |
| 15 | | 1.7147 | 1.9052 | 2.0195 | 2.0957 | 2.5149 | 2.2862 |
| 16 | 1.829 | 1.7909 | 1.8671 | 1.9814 | 2.1719 | 2.3624 | 2.2481 |
| 17 | 1.7528 | 1.6385 | 1.9052 | 1.8671 | 2.1719 | 2.1338 | 2.1338 |
| 18 | 1.6385 | 1.4098 | 1.9052 | 1.8671 | 1.9052 | 1.9052 | 2.1719 |
| 19 | 1.9433 | 1.7909 | | 2.1719 | 2.2481 | 2.21 | 2.3243 |
| 20 | 2.1719 | 1.9814 | 2.3243 | 2.2862 | 2.3624 | 2.4768 | 2.6292 |
| 21 | 2.1719 | 2.0576 | 2.3243 | 2.3243 | 2.4387 | 2.5911 | |
| 22 | 2.3243 | 2.1338 | 2.3624 | 2.4768 | 2.7054 | 2.8959 | |
| 23 | 2.5149 | 2.3624 | 2.5149 | 2.7816 | 3.2388 | 3.2769 | |
| 24 | 2.4387 | 2.4006 | 2.3243 | 2.6292 | 2.934 | 3.2769 | 3.2007 |
| Max | 2.5149 | 2.4006 | 2.5149 | 2.7816 | 3.2388 | 3.2769 | 3.2007 |
| Min | 1.6385 | 1.4098 | 1.7909 | 1.829 | 1.829 | 1.9052 | 1.9433 |
| Avg | 2.0063 | 1.8925 | 2.0247 | 2.1052 | 2.2581 | 2.4275 | 2.3407 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 305 / 22 KV SAGAON-NANDIVLI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.5911 | 2.4006 | 2.4768 | 2.7054 | 2.8197 | 3.2388 | 3.2388 |
| 2 | 2.3243 | 2.4006 | 2.2481 | 2.4768 | 2.5911 | 2.8959 | 2.8578 |
| 3 | 2.1719 | 2.3243 | 2.1338 | 2.2481 | 2.4006 | 2.553 | 2.6673 |
| 4 | 2.0957 | 2.3243 | 2.0576 | 2.21 | 2.4006 | 2.5149 | 2.553 |
| 5 | 2.1338 | 2.2862 | 2.0195 | 2.1338 | 2.4006 | 2.5149 | 2.4387 |
| 6 | 2.2862 | 2.21 | 2.0957 | 2.1719 | 2.4768 | 2.5911 | 2.5911 |
| 7 | 2.5149 | 2.3624 | 2.21 | 2.2862 | 2.5149 | 2.6292 | 2.6292 |
| 8 | 2.4006 | 2.1719 | 2.21 | 2.4387 | 2.4006 | 2.5911 | 2.5149 |
| 9 | 2.3243 | 2.1338 | 2.21 | 2.3624 | | 2.553 | 2.4006 |
| 10 | 2.0576 | 1.9814 | 2.0957 | 2.3243 | 2.21 | 2.4387 | 2.2481 |
| 11 | 1.9814 | 1.8671 | 2.0195 | 2.1719 | 2.0957 | 2.2862 | 2.1338 |
| 12 | 1.8671 | 1.829 | 1.9814 | 2.0957 | 2.0957 | 2.2481 | 2.2481 |
| 13 | 1.8671 | 1.7528 | 1.9052 | 2.0195 | 2.0957 | 2.21 | 2.1338 |
| 14 | 1.8671 | 1.7528 | 1.9814 | 2.1338 | 2.1719 | 2.3243 | 2.1719 |
| 15 | 1.7909 | 1.7147 | 1.9052 | 2.21 | 2.0957 | 2.2481 | 2.2862 |
| 16 | 1.7909 | 1.7528 | 1.8671 | 2.0957 | 2.1338 | 2.2481 | 2.21 |
| 17 | 1.7909 | 1.5623 | 1.9433 | 2.0195 | 2.0195 | 2.0957 | 2.1719 |
| 18 | 1.7909 | 1.6385 | 2.0195 | 2.0576 | 2.0957 | 2.0957 | 2.1338 |
| 19 | 2.21 | 2.0195 | 2.3624 | 2.4006 | 2.3624 | 2.5149 | 2.4387 |
| 20 | 2.4768 | 2.2862 | 2.553 | 2.553 | 2.5911 | 2.7816 | 2.7054 |
| 21 | 2.6673 | 2.5149 | 2.7054 | 2.7435 | 2.8959 | 3.0483 | |
| 22 | 2.7816 | 2.553 | 2.8578 | 3.0102 | 3.2388 | 3.315 | |
| 23 | 2.8578 | 2.6673 | 3.1245 | 3.2769 | 3.6199 | 3.6961 | |
| 24 | 2.7816 | 2.7054 | 2.7435 | 2.934 | 3.1245 | 3.5818 | 3.4294 |
| Max | 2.8578 | 2.7054 | 3.1245 | 3.2769 | 3.6199 | 3.6961 | 3.4294 |
| Min | 1.7909 | 1.5623 | 1.8671 | 2.0195 | 2.0195 | 2.0957 | 2.1338 |
| Avg | 2.2259 | 2.1338 | 2.2386 | 2.3783 | 2.4718 | 2.6339 | 2.4858 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 306 / 22 KV MIDC RESI. ZONE

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.0102 | 2.8578 | 2.8578 | 3.1626 | 3.5056 | 4.1152 | 4.1152 |
| 2 | 2.7435 | 2.8197 | 2.5149 | 2.8578 | 3.0102 | 3.658 | 3.5437 |
| 3 | 2.553 | 2.7054 | 2.4006 | 2.5149 | 2.7435 | 3.4294 | 3.2769 |
| 4 | 2.2862 | 2.6673 | 2.2862 | 2.4768 | 2.5911 | 3.0102 | 3.0102 |
| 5 | 2.2862 | 2.3624 | 2.2481 | 2.2862 | 2.5149 | 2.934 | 2.8578 |
| 6 | 2.3243 | 2.2862 | 2.2862 | 2.3243 | 2.5149 | 2.934 | 2.8197 |
| 7 | 2.6292 | 2.5911 | 2.4006 | 2.21 | 2.553 | 2.934 | 2.7816 |
| 8 | 2.7816 | 2.7054 | 2.4768 | 2.3243 | 2.7435 | 2.934 | 2.934 |
| 9 | 2.7435 | 2.6292 | 2.5911 | 2.4006 | | 3.315 | 3.1245 |
| 10 | 2.8959 | 2.8959 | 2.6673 | 2.7054 | 3.0483 | 3.4675 | 3.2769 |
| 11 | 3.0864 | 2.7435 | 2.6292 | 2.4768 | 3.0483 | 3.5056 | 3.3913 |
| 12 | 2.8959 | 2.7054 | 2.7816 | 2.6292 | 3.1626 | 3.2769 | 3.2769 |
| 13 | 2.6292 | 2.5911 | 2.7816 | 2.4768 | 2.9721 | 3.315 | 3.1245 |
| 14 | 2.5911 | 2.5149 | 2.7435 | 2.5149 | 3.0864 | 3.4294 | 3.3532 |
| 15 | 2.7816 | 2.6673 | 2.7816 | 2.7816 | 3.4294 | 3.5818 | 3.3913 |
| 16 | 2.4387 | 2.553 | 2.7816 | 2.3624 | 2.9721 | 3.2007 | 3.2007 |
| 17 | 2.5149 | 2.4387 | 2.7435 | 2.3624 | 2.9721 | 3.1626 | 2.9721 |
| 18 | 2.4006 | 2.4006 | 2.4387 | 2.5149 | 2.7816 | 2.9721 | 2.7435 |
| 19 | 2.8959 | 2.8578 | 3.0102 | 2.8578 | 3.0102 | 3.1245 | 3.1626 |
| 20 | 3.0102 | 2.8578 | 3.1245 | 2.8959 | 3.0102 | 3.4294 | 3.2007 |
| 21 | 2.9721 | 2.6673 | 3.0864 | 2.934 | 3.315 | 3.5437 | |
| 22 | 3.0483 | 2.8197 | 3.1626 | 3.315 | 3.6961 | 3.8104 | |
| 23 | 3.1626 | 3.1245 | 3.3532 | 3.7723 | 4.4201 | 4.4582 | |
| 24 | 3.315 | 3.1626 | 3.1626 | 3.5818 | 3.8104 | 4.6106 | 4.3058 |
| Max | 3.315 | 3.1626 | 3.3532 | 3.7723 | 4.4201 | 4.6106 | 4.3058 |
| Min | 2.2862 | 2.2862 | 2.2481 | 2.21 | 2.5149 | 2.934 | 2.7435 |
| Avg | 2.7498 | 2.6927 | 2.7213 | 2.6974 | 3.0831 | 3.4230 | 3.2316 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 307 / 22 KV MIDC FEEDER NO - 11 SHEDDABLE FEEDER HAVING WEEKLY
Feeder KV- 22 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.7723 | 3.8485 | 2.7816 | 3.5437 | 3.5437 | 3.8485 | 4.0009 |
| 2 | 3.6961 | 3.8104 | 2.7435 | 3.4675 | 3.4675 | 3.7342 | 4.039 |
| 3 | 3.6961 | 3.6199 | 2.7435 | 3.4294 | 3.4675 | 3.6961 | 3.8866 |
| 4 | 3.5056 | 3.4675 | 2.6673 | 3.5056 | 3.4294 | 3.658 | 3.6961 |
| 5 | 3.5437 | 3.3532 | 2.7054 | 3.3532 | 3.3913 | 3.5818 | 3.9247 |
| 6 | 3.6199 | 3.2769 | 2.7435 | 3.5818 | 3.4294 | 3.5437 | 4.039 |
| 7 | 3.8104 | 3.2007 | 2.8197 | 3.5818 | 3.5056 | 3.5056 | 4.0771 |
| 8 | 3.8485 | 3.0483 | 3.3913 | 2.934 | 3.9247 | 3.8866 | 4.2295 |
| 9 | 4.5344 | 3.0102 | 4.1533 | 4.2676 | | 4.8011 | 5.0297 |
| 10 | 5.0678 | 3.2769 | | 4.9916 | 5.5251 | 5.5251 | 5.7537 |
| 11 | 5.7537 | | 5.2965 | 5.3346 | 5.6013 | 5.6394 | 5.9823 |
| 12 | 5.8299 | 3.1245 | 5.4108 | 5.7156 | 5.7156 | 5.8299 | 5.9061 |
| 13 | 5.1059 | 3.0483 | 5.0297 | 4.9154 | 5.0678 | 5.6394 | 5.6394 |
| 14 | 5.4108 | 3.2007 | 5.6394 | 5.2584 | 5.6775 | 6.0204 | 5.868 |
| 15 | 5.3346 | 3.2007 | 5.6013 | 5.1821 | 5.6775 | 6.0966 | 5.9061 |
| 16 | 5.868 | 3.1245 | 5.7537 | 5.4489 | 5.868 | 6.0585 | 6.0966 |
| 17 | 5.7537 | 3.1245 | 5.2965 | 5.3727 | 5.7537 | 5.7918 | 5.6394 |
| 18 | 5.3346 | 2.9721 | 5.1059 | 4.9916 | 5.4108 | 5.5632 | 5.4108 |
| 19 | 4.9535 | 3.2007 | 4.8392 | 4.6106 | 4.9535 | 5.1821 | 5.144 |
| 20 | 4.4963 | 2.7816 | 4.2295 | 4.2676 | 4.3058 | 4.8773 | 4.5725 |
| 21 | 4.0771 | 2.8197 | 4.039 | 4.0009 | 4.039 | 4.3439 | |
| 22 | 3.9628 | 2.7816 | 3.9247 | 3.7723 | 3.9247 | 4.0009 | |
| 23 | 3.8485 | 2.7435 | 3.8485 | 3.6961 | 3.7342 | 3.9247 | |
| 24 | 3.7342 | 3.9247 | 2.7054 | 3.7342 | 3.658 | 3.7723 | 4.0771 |
| Max | 5.868 | 3.9247 | 5.7537 | 5.7156 | 5.868 | 6.0966 | 6.0966 |
| Min | 3.5056 | 2.7435 | 2.6673 | 2.934 | 3.3913 | 3.5056 | 3.6961 |
| Avg | 4.5233 | 3.2156 | 4.0639 | 4.2899 | 4.4814 | 4.6884 | 4.9009 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 308 / 22 KV TEMPO NAKA
Feeder KV- 22 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY
STAGGERING (MIDC, EQUIVALENT)

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.4675 | 3.6199 | 3.0483 | 4.0009 | 3.6199 | 3.6961 | 3.8104 |
| 2 | 3.4294 | 3.6199 | 3.0483 | 3.8866 | 3.6199 | 3.6961 | 3.7723 |
| 3 | 3.3532 | 3.5056 | 3.0102 | 3.8104 | 3.6199 | 3.5437 | 3.9247 |
| 4 | 3.2769 | 3.5056 | 3.0483 | 3.5437 | 3.4675 | 3.5437 | 3.5818 |
| 5 | 3.2769 | 3.2388 | 3.0102 | 3.5818 | 3.3913 | 3.5818 | 3.658 |
| 6 | 3.315 | 3.0483 | 3.0864 | 3.5818 | 3.4294 | 3.6199 | 3.5437 |
| 7 | 3.2388 | 2.934 | 3.2007 | 3.5056 | 3.5056 | 3.658 | 3.5056 |
| 8 | 3.315 | 2.8578 | 3.1626 | 3.7342 | 3.5056 | 3.5056 | 3.6961 |
| 9 | 3.7723 | 3.0864 | 4.039 | 4.0771 | | 4.2295 | 4.1152 |
| 10 | 5.5632 | 3.2388 | 5.487 | 5.5251 | 6.1728 | 5.868 | 4.1152 |
| 11 | 5.8299 | 3.315 | 5.9823 | 5.8299 | 5.9061 | 6.2491 | 5.868 |
| 12 | 5.3346 | 3.0102 | 5.8299 | 5.3727 | 5.3727 | 5.6394 | 5.7918 |
| 13 | 5.3727 | 3.2007 | 5.4108 | 5.5251 | 5.7156 | 5.3727 | 5.7537 |
| 14 | 5.487 | 3.2007 | 5.6013 | 5.5251 | 6.0585 | 6.2491 | 5.8299 |
| 15 | 5.7537 | 3.315 | 6.0585 | 5.9823 | 6.211 | 5.868 | 5.9061 |
| 16 | 5.8299 | 3.315 | 6.0966 | 5.7918 | 6.3634 | 6.0204 | 5.9061 |
| 17 | 5.2584 | 3.315 | 5.7537 | 5.7156 | 5.7918 | 5.7918 | 5.6394 |
| 18 | 5.1821 | 3.315 | 5.3346 | 5.144 | 5.9823 | 5.2584 | 4.763 |
| 19 | 4.6106 | 3.2007 | 4.8392 | 5.144 | 4.9535 | 5.2202 | 4.8773 |
| 20 | 3.9247 | 3.1245 | 4.1152 | 4.2676 | 4.1914 | 4.2676 | 4.1914 |
| 21 | 3.8104 | 3.1245 | 4.5344 | 4.3058 | 4.0771 | 4.2295 | |
| 22 | 3.5056 | 3.315 | 3.9247 | 3.8104 | 4.1533 | 4.1152 | |
| 23 | 3.4675 | 3.0864 | 3.8104 | 3.658 | 3.7723 | 3.7342 | |
| 24 | 3.5056 | 3.658 | 3.0864 | 3.9628 | 3.6961 | 3.8866 | 3.8866 |
| Max | 5.8299 | 3.658 | 6.0966 | 5.9823 | 6.3634 | 6.2491 | 5.9061 |
| Min | 3.2388 | 2.8578 | 3.0102 | 3.5056 | 3.3913 | 3.5056 | 3.5056 |
| Avg | 4.2867 | 3.2563 | 4.3550 | 4.5534 | 4.6338 | 4.6185 | 4.5779 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 310 / 22 KV Sonarpada sw stn
transfo Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 2 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 3 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 4 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 5 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 6 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 7 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 8 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 9 | .0381 | .0381 | .0381 | .0381 | | .0381 | .0381 |
| 10 | .0381 | .0381 | .0381 | | 3.2769 | .0381 | .0381 |
| 11 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 12 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 13 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 14 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 15 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 16 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 17 | .0381 | .0381 | .0381 | | .0381 | .0381 | |
| 18 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | |
| 19 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | |
| 20 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | |
| 21 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | |
| 22 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | |
| 23 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | |
| 24 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Max | .0381 | .0381 | .0381 | .0381 | 3.2769 | .0381 | .0381 |
| Min | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Avg | .0381 | .0381 | .0381 | .0381 | .1789 | .0381 | .0381 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 301 / Pal Incomer

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.5251 | 5.4108 | 1.9814 | | 6.211 | 5.5632 | 4.5725 |
| 2 | 5.3346 | 5.3346 | 1.9052 | | 5.3727 | 5.0678 | 4.4963 |
| 3 | 5.2584 | 4.9916 | 1.829 | | 4.9916 | 4.6487 | 4.382 |
| 4 | 5.144 | 4.6487 | 1.829 | | 4.6868 | 4.2676 | 4.2676 |
| 5 | 5.4108 | 4.6106 | 2.0576 | | 5.1059 | 4.7249 | 4.6106 |
| 6 | 5.6394 | 4.6487 | 2.1719 | | 5.1821 | 5.0297 | 4.6487 |
| 7 | 4.8011 | 3.7342 | 2.1719 | | 4.8011 | 4.6106 | 4.1152 |
| 8 | 5.6775 | 2.4006 | 2.9721 | | 5.4108 | 5.0297 | 4.2676 |
| 9 | 6.7444 | 2.6673 | 5.4108 | 6.3253 | 6.2872 | 6.3253 | 5.9061 |
| 10 | 7.2398 | 2.9721 | 7.4303 | 6.7444 | 7.3922 | 7.2779 | 7.697 |
| 11 | 7.4684 | 2.7054 | 8.0018 | 7.2398 | 7.5065 | 7.5446 | 7.697 |
| 12 | 7.6589 | .0762 | 7.2398 | 7.5065 | 7.8494 | 7.6589 | 7.5065 |
| 13 | 6.6682 | .0381 | 6.4777 | 6.4015 | 6.8968 | 6.6682 | 6.8968 |
| 14 | 7.316 | .0381 | 7.697 | 6.6682 | 7.7351 | 7.8113 | 7.2398 |
| 15 | 7.697 | 2.1338 | 7.2779 | 6.8587 | 7.5446 | 7.697 | 7.2398 |
| 16 | 7.6208 | 2.0957 | 7.1254 | 6.8968 | 7.316 | 7.8494 | 7.1636 |
| 17 | 7.4684 | 2.2481 | 7.1636 | 6.973 | 7.6589 | 7.3541 | 7.6208 |
| 18 | 7.2779 | 1.9052 | 6.3634 | 6.1728 | 7.2779 | 7.2779 | 7.316 |
| 19 | 6.4777 | 1.7528 | 6.0204 | 6.0204 | 6.6301 | 6.4015 | 6.5158 |
| 20 | 6.1728 | 2.1719 | 5.6394 | 5.4489 | 6.0204 | 5.2584 | 5.2202 |
| 21 | 5.868 | 2.0195 | 5.2202 | 5.2965 | 5.4108 | 5.144 | |
| 22 | 5.6013 | 2.2481 | 5.2965 | 5.4108 | 5.4108 | 4.8392 | 5.4489 |
| 23 | 5.0297 | 2.2481 | 5.5632 | 5.2202 | 5.6394 | 4.6487 | 5.3727 |
| 24 | 5.6394 | 5.5251 | 2.0957 | 6.0966 | 6.0204 | 5.7537 | 4.6487 |
| Max | 7.697 | 5.5251 | 8.0018 | 7.5065 | 7.8494 | 7.8494 | 7.697 |
| Min | 4.8011 | .0381 | 1.829 | 5.2202 | 4.6868 | 4.2676 | 4.1152 |
| Avg | 6.2808 | 2.8594 | 4.8726 | 6.3300 | 6.2649 | 6.0188 | 5.8631 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 302 / Dombivali Incomer

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 7.6589 | 7.316 | 7.6208 | | 7.7732 | 8.3829 | 9.5641 |
| 2 | 7.6208 | 7.2398 | 7.5446 | | 7.5065 | 8.0399 | 9.4879 |
| 3 | 7.2398 | 7.0492 | 6.973 | | 7.1636 | 7.5065 | 9.0688 |
| 4 | 6.973 | 6.8587 | 6.8587 | | 9.1831 | 6.9349 | 7.9637 |
| 5 | 6.9349 | 6.8206 | 6.8587 | | 7.3922 | 7.7351 | 7.8113 |
| 6 | 7.0492 | 6.8587 | 5.4108 | | 7.3541 | 8.4591 | 7.8494 |
| 7 | 6.8587 | 6.4396 | 6.6682 | | 7.2779 | 7.9256 | 7.5827 |
| 8 | 6.6301 | 6.2872 | 6.6682 | | 6.9349 | 7.4303 | 7.3922 |
| 9 | 6.2491 | 5.9061 | 6.4015 | 6.8206 | 6.4777 | 7.0111 | 6.8968 |
| 10 | 6.1347 | 5.8299 | 6.3253 | 6.8587 | 6.4396 | 7.1636 | 6.8587 |
| 11 | 6.2872 | 3.8104 | 6.4015 | 6.7444 | 6.4777 | 7.0111 | 6.7825 |
| 12 | 5.9061 | .1905 | 6.5539 | 6.6301 | 6.3634 | 6.973 | 6.592 |
| 13 | 5.7156 | .1524 | 6.3253 | 6.592 | 6.4396 | 6.973 | 6.6682 |
| 14 | 5.7918 | .1524 | 6.4396 | 6.6682 | 6.7444 | 7.0873 | 6.6301 |
| 15 | 5.8299 | 2.6292 | 6.3253 | 6.6301 | 6.7825 | 7.4303 | 7.0111 |
| 16 | 5.9061 | 6.2491 | 6.4015 | 6.6301 | 6.7825 | 7.2017 | 6.8587 |
| 17 | 5.6394 | 6.4015 | 6.4396 | 6.5158 | 6.4777 | 7.0111 | |
| 18 | 6.0966 | 6.0966 | 6.7444 | 6.7444 | 6.7063 | 6.9349 | |
| 19 | 6.5539 | 7.6589 | 7.7351 | 7.5065 | 7.5446 | 8.078 | |
| 20 | 7.8875 | 7.9637 | 8.3067 | 8.2686 | 8.4591 | 8.9925 | |
| 21 | 8.0018 | 8.0018 | 8.5353 | 8.4591 | 8.9163 | 9.1831 | |
| 22 | 8.1543 | 8.2305 | 8.5353 | 8.6115 | 9.1069 | 9.8308 | |
| 23 | 8.0018 | 8.1543 | 2.7816 | 8.8782 | 9.3736 | 9.6784 | |
| 24 | 7.7732 | 7.5446 | 7.6589 | 8.0399 | 8.3448 | 8.9925 | 9.526 |
| Max | 8.1543 | 8.2305 | 8.5353 | 8.8782 | 9.3736 | 9.8308 | 9.5641 |
| Min | 5.6394 | .1524 | 2.7816 | 6.5158 | 6.3634 | 6.9349 | 6.592 |
| Avg | 6.7873 | 5.8267 | 6.7714 | 7.2874 | 7.4176 | 7.8319 | 7.6791 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 303 / 22 Kv Kalyan west feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.0009 | 3.9628 | 3.8104 | | 4.1152 | 4.5725 | 4.9535 |
| 2 | 3.9247 | 3.8104 | 3.7342 | | 3.8485 | 4.3058 | 4.8773 |
| 3 | 3.8104 | 3.3913 | 3.6199 | | 3.8104 | 4.0009 | 4.6106 |
| 4 | 3.5056 | 3.1245 | 3.3532 | | 3.5056 | 3.8485 | 4.1152 |
| 5 | 3.1626 | 3.0483 | 3.2388 | | 3.6199 | 3.7342 | 3.7342 |
| 6 | 3.2769 | 3.0864 | 3.1245 | | 3.4294 | 3.8866 | 3.6961 |
| 7 | 3.1245 | 3.0483 | 2.7816 | | 3.658 | 3.3532 | 3.3532 |
| 8 | 2.9721 | 2.7435 | 2.8197 | | 3.1245 | 3.2769 | 3.2388 |
| 9 | 2.8959 | 2.553 | 2.8959 | 3.0483 | 3.1245 | 3.3532 | 3.1245 |
| 10 | 2.934 | 3.2007 | 3.1245 | 3.2007 | 3.0483 | 3.1626 | 3.1626 |
| 11 | 3.0102 | 2.8578 | 3.0864 | 3.2769 | 3.2007 | 3.1626 | 3.4294 |
| 12 | 2.7816 | 2.6673 | 2.9721 | 3.3532 | 3.0483 | 3.1626 | 3.315 |
| 13 | 2.8578 | 2.7435 | 2.934 | 3.2388 | 3.0483 | 3.2007 | 3.2769 |
| 14 | 2.7435 | 2.5911 | 2.9721 | 3.2007 | 3.2007 | 3.4294 | 3.2769 |
| 15 | 2.8197 | | 2.5149 | 3.3913 | 3.2007 | 3.5818 | 3.658 |
| 16 | 2.7435 | | 3.1245 | 3.3532 | 3.2388 | 3.4675 | 3.658 |
| 17 | | 3.6199 | 3.0483 | 3.1626 | 3.0483 | 3.2007 | 3.2769 |
| 18 | 2.6673 | 2.9721 | 2.8959 | 3.1626 | 2.8959 | 2.9721 | 3.0483 |
| 19 | 3.2769 | 3.2007 | 3.4294 | 3.4675 | 3.2769 | 3.5818 | 3.8104 |
| 20 | 3.5056 | 3.5056 | 3.6961 | 3.3532 | 3.6199 | 3.9628 | 3.8866 |
| 21 | 3.8104 | 3.6961 | 3.7342 | 3.8485 | 4.0009 | 4.1914 | 4.1914 |
| 22 | 3.7723 | 3.8104 | 3.8866 | 3.9628 | 4.3058 | 4.4582 | 4.6487 |
| 23 | 3.9247 | 3.9628 | 3.6199 | 4.4963 | 4.6106 | 5.0297 | 5.0678 |
| 24 | 4.039 | 4.1152 | 3.8485 | 4.1914 | 4.4582 | 5.0297 | 4.9535 |
| Max | 4.039 | 4.1152 | 3.8866 | 4.4963 | 4.6106 | 5.0297 | 5.0678 |
| Min | 2.6673 | 2.553 | 2.5149 | 3.0483 | 2.8959 | 2.9721 | 3.0483 |
| Avg | 3.2852 | 3.2596 | 3.2611 | 3.4818 | 3.5183 | 3.7469 | 3.8485 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 304 / 22 Kv Kalyan east

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.9052 | 1.9814 | 1.6004 | | 2.0957 | 2.21 | 2.2862 |
| 2 | 1.829 | 1.9052 | 1.5242 | | 1.9052 | 1.9814 | 2.21 |
| 3 | 1.7147 | 1.829 | 1.448 | | 1.7147 | 1.829 | 2.0957 |
| 4 | 1.6385 | 1.7147 | 1.4098 | | 1.829 | 1.6004 | 1.9814 |
| 5 | 1.7147 | 1.7147 | 1.4861 | | 2.1338 | 1.7147 | 1.9814 |
| 6 | 1.8671 | 1.7909 | 1.5242 | | 2.0576 | 1.9052 | 2.0195 |
| 7 | 1.7147 | 1.5623 | 1.4098 | | 1.9052 | 1.7528 | 1.8671 |
| 8 | 1.6004 | 1.2193 | 1.4098 | | 1.6766 | 1.829 | 1.829 |
| 9 | 1.7147 | 1.3336 | 1.448 | 1.7909 | 1.8671 | 1.9052 | 1.9052 |
| 10 | 1.8671 | 1.5242 | 1.9052 | 1.9814 | 1.8671 | 1.9814 | 2.0195 |
| 11 | 1.9433 | 1.3336 | 1.9814 | 2.0195 | 2.0195 | 2.21 | 2.3243 |
| 12 | 1.9433 | 1.3336 | 2.0576 | 2.0957 | 2.1338 | 2.0957 | 2.2481 |
| 13 | 1.9433 | 1.3717 | 1.9433 | 2.0195 | 2.0576 | 2.0576 | 1.9814 |
| 14 | 1.9052 | 1.4098 | 2.0576 | 2.0576 | 2.0576 | 2.1719 | 2.0957 |
| 15 | 1.9052 | | 2.1719 | 2.1719 | 2.1719 | 2.1719 | 2.1719 |
| 16 | 1.9814 | | 2.1338 | 2.1338 | 2.1338 | 2.1719 | 2.4006 |
| 17 | 1.9433 | 1.4861 | 2.0957 | 1.9433 | 2.21 | 2.0957 | 2.0576 |
| 18 | 1.9814 | 1.4861 | 1.829 | 2.1338 | 2.21 | 2.1719 | 2.2862 |
| 19 | 2.21 | 1.5623 | 2.21 | 2.21 | 2.2862 | 2.3243 | 1.9814 |
| 20 | 2.0957 | 1.6766 | 2.2481 | 2.21 | 2.3624 | 2.2481 | 2.3624 |
| 21 | 2.1719 | 1.7147 | 2.1338 | 2.2862 | 2.3243 | 2.2862 | 2.21 |
| 22 | 2.21 | 1.7909 | 2.21 | 2.2481 | 2.4006 | 2.4006 | 1.9814 |
| 23 | 2.0576 | 1.7528 | 2.0957 | 2.2862 | 2.2862 | 2.4006 | 2.2862 |
| 24 | 2.0957 | 2.0195 | 1.6766 | 1.9814 | 2.1719 | 2.21 | 2.3624 |
| Max | 2.21 | 2.0195 | 2.2481 | 2.2862 | 2.4006 | 2.4006 | 2.4006 |
| Min | 1.6004 | 1.2193 | 1.4098 | 1.7909 | 1.6766 | 1.6004 | 1.829 |
| Avg | 1.9147 | 1.6142 | 1.8338 | 2.0981 | 2.0782 | 2.0719 | 2.1227 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 305 / 22kv SHREE MALANG feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.3346 | 5.0297 | 5.3346 | | 5.3346 | 5.3727 | 5.3346 |
| 2 | 5.4108 | 4.9535 | 5.2965 | | 5.0297 | 4.8773 | 5.2584 |
| 3 | 5.2584 | 4.9535 | 5.2584 | | 4.6106 | 4.6106 | 5.144 |
| 4 | 5.3727 | 4.763 | 5.3346 | | 5.0297 | 4.2676 | 4.9916 |
| 5 | 5.9442 | 6.0585 | 5.868 | | 5.5251 | 5.144 | 6.0585 |
| 6 | 6.211 | 6.3634 | 6.0585 | | 6.0966 | 6.0966 | 6.4777 |
| 7 | 6.4777 | 6.1347 | 6.4396 | | 5.9061 | 6.7063 | 6.211 |
| 8 | 5.3727 | 5.0678 | 5.4108 | | 5.3346 | 5.9823 | 5.7156 |
| 9 | 4.763 | 4.6487 | 4.5725 | 4.8011 | 5.2584 | 4.763 | 4.8773 |
| 10 | 5.1059 | 4.7249 | 4.4201 | 5.144 | 4.039 | 4.6487 | 4.9535 |
| 11 | 4.6106 | | 4.3058 | 4.4201 | | 4.6487 | 4.9916 |
| 12 | 4.6106 | | 4.1914 | 4.7249 | 3.3532 | 4.8773 | .1905 |
| 13 | 4.3058 | | 4.2295 | 4.4582 | 4.1914 | 4.4963 | .1905 |
| 14 | 3.658 | | 4.1914 | 3.9628 | 4.2295 | 4.3439 | 4.9154 |
| 15 | 4.0009 | | 4.3439 | 4.2295 | 4.5344 | 4.9535 | 5.2202 |
| 16 | 4.2295 | | 4.2676 | 4.3058 | 5.0297 | 4.9916 | 5.2965 |
| 17 | 4.2676 | 3.6961 | 4.8392 | 4.6868 | 5.0678 | 4.6106 | 5.1059 |
| 18 | 4.8011 | 5.0297 | 5.1821 | 4.039 | 5.1059 | 4.8392 | 4.6106 |
| 19 | 6.1728 | 6.1347 | 6.0966 | 5.868 | 5.9823 | 5.8299 | 5.9442 |
| 20 | 5.9061 | 6.1728 | 6.7444 | 6.3253 | 6.7825 | 6.4396 | 6.3253 |
| 21 | 5.9442 | 6.3634 | 6.2872 | 2.2862 | 6.592 | 6.5158 | 6.7825 |
| 22 | 6.0204 | 5.7537 | 6.2872 | 6.3253 | 6.7444 | 6.6301 | 6.6682 |
| 23 | 5.5251 | 5.6775 | 6.0204 | 6.0204 | 6.0966 | 5.6013 | 6.592 |
| 24 | 5.4489 | 5.1059 | 5.3727 | 5.3346 | 5.487 | 5.868 | 5.3346 |
| Max | 6.4777 | 6.3634 | 6.7444 | 6.3253 | 6.7825 | 6.7063 | 6.7825 |
| Min | 3.658 | 3.6961 | 4.1914 | 2.2862 | 3.3532 | 4.2676 | .1905 |
| Avg | 5.1980 | 5.3684 | 5.2647 | 4.8083 | 5.2766 | 5.2965 | 5.1329 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 306 / 22 Kv Nandivali new

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.9535 | 4.7249 | 4.9535 | | | 5.487 | 6.0966 |
| 2 | 4.8773 | 4.5725 | 4.8773 | | | 4.9916 | 6.0204 |
| 3 | 4.6106 | 4.0771 | 4.763 | | | 4.763 | 5.9061 |
| 4 | 4.6487 | 3.7723 | 4.5725 | | | 4.2676 | 4.9916 |
| 5 | 4.5344 | 4.3058 | 4.4963 | | | 4.9535 | 4.8773 |
| 6 | 4.6487 | 4.5344 | 4.5725 | | | 5.4108 | 5.144 |
| 7 | 4.5344 | 4.4201 | 4.4582 | | | 5.2202 | 5.0297 |
| 8 | 4.4201 | 4.1533 | 4.4582 | | | 5.1821 | 4.9535 |
| 9 | 4.1152 | 3.9247 | 4.1914 | 4.5725 | 4.3439 | 4.4963 | 4.5725 |
| 10 | 3.9247 | 3.9247 | 4.1152 | 4.6868 | 4.1152 | 4.6106 | 4.5344 |
| 11 | 3.9628 | 3.8104 | 4.1914 | 8.2305 | 4.1533 | 4.4963 | 4.3439 |
| 12 | 3.7342 | | 4.2295 | 4.4963 | 4.039 | 4.3058 | 4.2295 |
| 13 | 3.5818 | | 4.0771 | 4.3058 | 4.0771 | 4.382 | 4.2676 |
| 14 | 3.6199 | | 3.9247 | 4.3439 | 4.0771 | 4.4963 | 4.2295 |
| 15 | 3.5818 | | 4.1533 | 4.3439 | 4.1533 | 4.5725 | 4.3439 |
| 16 | 3.6199 | 3.8104 | 3.9628 | 4.2295 | 4.0771 | 4.4201 | 4.2295 |
| 17 | 3.5056 | 4.1152 | 4.0009 | 4.2295 | 4.0009 | 4.382 | |
| 18 | 4.0009 | 4.039 | 4.2676 | 4.382 | 4.2676 | 4.5344 | |
| 19 | 4.6106 | 5.2202 | 4.8011 | 4.8011 | 4.8392 | 5.1821 | |
| 20 | 5.0297 | 5.2584 | 5.3346 | 5.4108 | 5.487 | 5.7537 | |
| 21 | 5.144 | 5.3346 | 5.487 | 5.5632 | 5.6394 | 6.0966 | |
| 22 | 5.3346 | 5.4108 | 5.487 | 5.7156 | 5.9823 | 6.1347 | |
| 23 | 5.144 | 5.4108 | 5.4108 | 5.7918 | 6.0966 | 6.2872 | |
| 24 | 5.0297 | 4.8773 | 5.0297 | | 5.487 | 5.9061 | 6.1728 |
| Max | 5.3346 | 5.4108 | 5.487 | 8.2305 | 6.0966 | 6.2872 | 6.1728 |
| Min | 3.5056 | 3.7723 | 3.9247 | 4.2295 | 4.0009 | 4.2676 | 4.2295 |
| Avg | 4.3820 | 4.4848 | 4.5757 | 5.0069 | 4.6773 | 5.0139 | 4.9378 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 307 / 22 KV Shil feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.8578 | 2.8197 | 2.7435 | | 2.934 | 3.2007 | 3.4294 |
| 2 | 2.7054 | 2.7435 | 2.6673 | | 2.7435 | 3.0483 | 3.3532 |
| 3 | 2.6673 | 2.6673 | 2.4768 | | 2.5911 | 2.7435 | 3.2388 |
| 4 | 2.4768 | 2.5911 | 2.3624 | | 2.5149 | 2.6673 | 3.1626 |
| 5 | 2.3624 | 2.3624 | 2.4387 | | 2.7435 | 2.7816 | 2.7435 |
| 6 | 2.553 | 2.4768 | 2.5149 | | | 3.0483 | 2.8959 |
| 7 | 2.5149 | 2.2862 | 2.3624 | | | 2.7054 | 2.7054 |
| 8 | 2.3624 | 2.2862 | 2.3624 | | | 2.7435 | 2.7054 |
| 9 | 2.2862 | 2.0957 | 2.4387 | 2.4387 | 2.3243 | 2.6673 | 2.5149 |
| 10 | 2.3624 | 2.0957 | 2.4387 | 2.4387 | 2.5149 | 2.8197 | 2.5149 |
| 11 | 2.4387 | | 2.4387 | 2.4387 | 2.5149 | 2.7816 | 2.6292 |
| 12 | 2.3243 | | 2.5149 | 2.4387 | 2.5911 | 2.934 | 2.553 |
| 13 | 2.3243 | | 2.4768 | 2.4768 | 2.5911 | 2.8197 | 2.6673 |
| 14 | 2.2862 | | 2.6673 | 2.5911 | 2.7816 | 2.8578 | 2.5911 |
| 15 | 2.4387 | 2.6673 | 2.5911 | 2.5911 | 2.8959 | 2.9721 | 2.8197 |
| 16 | 2.3624 | 2.4387 | 2.6673 | 2.6673 | 2.8959 | 3.0102 | 2.7816 |
| 17 | 2.3624 | 2.4387 | 2.5911 | 2.553 | 2.7054 | 2.8578 | |
| 18 | 2.5149 | 2.2862 | 2.7435 | 2.6292 | 2.7435 | 2.7435 | |
| 19 | 2.8959 | 2.6673 | 3.1626 | 2.8959 | 2.8578 | 3.2388 | |
| 20 | 3.0483 | 2.8959 | 3.2007 | 3.1626 | 3.315 | 3.5056 | |
| 21 | 3.0864 | 2.8578 | 3.2388 | 3.2007 | 3.5056 | 3.4294 | |
| 22 | 3.1245 | 3.0102 | 3.315 | 3.2388 | 3.4294 | 3.5818 | |
| 23 | 3.0483 | 3.0102 | 3.2769 | 3.4294 | 3.2769 | 3.6199 | |
| 24 | 2.934 | 2.8578 | 2.8578 | 3.0483 | 3.0864 | 3.4294 | 3.5056 |
| Max | 3.1245 | 3.0102 | 3.315 | 3.4294 | 3.5056 | 3.6199 | 3.5056 |
| Min | 2.2862 | 2.0957 | 2.3624 | 2.4387 | 2.3243 | 2.6673 | 2.5149 |
| Avg | 2.5974 | 2.5777 | 2.6895 | 2.7649 | 2.8360 | 3.0086 | 2.8713 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 308 / 22 kv Metro Mall feeder

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .3429 | 4.1152 | .3429 | | .381 | .4572 | .4191 |
| 2 | .3048 | .3048 | .3048 | | .3048 | .381 | .381 |
| 3 | .3048 | .3048 | .3048 | | .2286 | .2286 | .3048 |
| 4 | .3048 | .3048 | .3048 | | .2286 | .2286 | .3048 |
| 5 | .3048 | .3048 | .3048 | | .1524 | .1524 | .3048 |
| 6 | .3429 | .3048 | .3429 | | .3048 | .1905 | .381 |
| 7 | .3429 | .3429 | .3048 | | .3048 | .3429 | .3048 |
| 8 | .3429 | .3429 | .3048 | | .3429 | .3048 | .3429 |
| 9 | .381 | .381 | .381 | .4572 | .381 | .4572 | .381 |
| 10 | 1.0288 | .9907 | 1.0669 | .9907 | 1.0669 | 1.0288 | 1.0669 |
| 11 | 1.4098 | 1.1431 | 1.5242 | 1.448 | 1.3336 | 1.448 | 1.448 |
| 12 | 1.4861 | 1.448 | 1.6004 | 1.6004 | 1.5623 | 1.6385 | 1.5623 |
| 13 | 1.448 | 1.5623 | 1.6766 | 1.4098 | 1.6385 | 1.6385 | 1.5242 |
| 14 | 1.3717 | 1.5242 | 1.5623 | 1.6385 | 1.6004 | 1.6385 | 1.5623 |
| 15 | 1.3717 | | 1.6766 | 1.6004 | 1.6004 | 1.6385 | 1.6766 |
| 16 | 1.2955 | | 1.6004 | 1.5623 | 1.6385 | 1.5623 | 1.6004 |
| 17 | 1.3336 | 1.5623 | 1.6766 | 1.6004 | 1.6004 | 1.5242 | 1.5242 |
| 18 | 1.448 | 1.6004 | 1.6766 | 1.6004 | 1.5242 | 1.5623 | 1.5242 |
| 19 | 1.3717 | 1.7147 | 1.6766 | 1.7528 | 1.6004 | 1.6385 | 1.6385 |
| 20 | 1.448 | 1.7528 | 1.7147 | 1.829 | 1.5242 | 1.6385 | 1.7147 |
| 21 | 1.3336 | 1.6385 | 1.6766 | 1.7909 | 1.5623 | 1.5242 | 1.5242 |
| 22 | 1.1431 | .8764 | 1.2193 | 1.1431 | 1.1431 | 1.0669 | .9907 |
| 23 | .4954 | .6097 | .6478 | .7621 | .8002 | .6097 | .6097 |
| 24 | .381 | .4191 | .381 | .6097 | .4954 | .5716 | .4572 |
| Max | 1.4861 | 4.1152 | 1.7147 | 1.829 | 1.6385 | 1.6385 | 1.7147 |
| Min | .3048 | .3048 | .3048 | .4572 | .1524 | .1524 | .3048 |
| Avg | .8891 | 1.0704 | 1.0113 | 1.3622 | .9717 | .9780 | .9812 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 309 / 22 KV KDMC Express feeder NON SHEDDABLE WATER SUPPLY AND
Feeder KV- 22 / OUTGOING UTILITY

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0381 | .0381 | .0381 | | .0381 | .0381 | |
| 2 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 3 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 4 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 5 | .0381 | .0381 | .0381 | | .0762 | .0381 | .0381 |
| 6 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 7 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 8 | .0381 | .0762 | .0762 | | .0381 | .0381 | .0381 |
| 9 | .0762 | .0762 | .0381 | .0381 | .0762 | .0381 | .0381 |
| 10 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 11 | .0381 | .0381 | .0762 | .0381 | .0381 | .0381 | .0381 |
| 12 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 13 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 14 | .0381 | .0762 | .0762 | .0381 | .0381 | .0381 | .0381 |
| 15 | .0381 | .0762 | .0381 | .0381 | .0762 | .0381 | .0381 |
| 16 | .0381 | .0762 | .0381 | .0381 | .0762 | .0381 | .0762 |
| 17 | .0762 | .0762 | .0762 | .0381 | .0381 | .0381 | .0381 |
| 18 | .0381 | .0381 | .0381 | .0381 | .0381 | | .0381 |
| 19 | .0762 | .0381 | .0381 | .0381 | .0381 | | .0381 |
| 20 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 21 | .0762 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 22 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 23 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 24 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Max | .0762 | .0762 | .0762 | .0381 | .0762 | .0381 | .0762 |
| Min | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Avg | .0445 | .0476 | .0445 | .0381 | .0445 | .0381 | .0398 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 310 / Netivali switching station
tran Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .4572 | .4572 | .5335 | | .4572 | .381 | .5335 |
| 2 | .4572 | .4572 | .5335 | | .4572 | .4572 | .5335 |
| 3 | .4572 | .4572 | .5335 | | .4191 | .4572 | .5335 |
| 4 | .4572 | .4572 | .5335 | | .381 | .4954 | .5335 |
| 5 | .4572 | .4572 | .5335 | | .3429 | .4954 | .5335 |
| 6 | .381 | .4572 | .4572 | | .381 | .4191 | .3048 |
| 7 | .1905 | .1905 | .1905 | | .3429 | .4191 | .1905 |
| 8 | .1905 | .1905 | .1905 | | .1905 | .3048 | .1905 |
| 9 | .1905 | .1905 | .2286 | .1905 | .1143 | .1905 | .1905 |
| 10 | .3048 | .2286 | .1524 | .1905 | .381 | .3048 | .381 |
| 11 | .381 | .381 | .1524 | .1905 | .381 | .381 | .4572 |
| 12 | .4572 | .4572 | .1524 | .1905 | .4572 | .4572 | .4572 |
| 13 | .4572 | .4572 | .1905 | .1905 | .4572 | .4572 | .4572 |
| 14 | .4572 | .4572 | .1905 | .1905 | .5335 | .4572 | .4572 |
| 15 | .4572 | .4572 | .2286 | .1905 | .5335 | .4572 | .4572 |
| 16 | .4572 | .4572 | .1905 | .1905 | .5335 | .4572 | .4572 |
| 17 | .3429 | .4572 | .1905 | .1905 | .381 | .4572 | |
| 18 | .2286 | .4572 | .1905 | .1905 | .5335 | .4572 | |
| 19 | .3048 | .4572 | .5335 | .4954 | .5335 | .5335 | |
| 20 | .381 | .5335 | .5335 | .4572 | .5335 | .5335 | |
| 21 | .381 | .5335 | .5335 | .4572 | .4572 | .5335 | |
| 22 | .381 | .5335 | .5335 | .4572 | .4572 | .5335 | |
| 23 | .4572 | .5335 | .4572 | .381 | .381 | .5335 | |
| 24 | .4572 | .4572 | .5335 | .4572 | .381 | .381 | .5335 |
| Max | .4572 | .5335 | .5335 | .4954 | .5335 | .5335 | .5335 |
| Min | .1905 | .1905 | .1524 | .1905 | .1143 | .1905 | .1905 |
| Avg | .381 | .4239 | .3541 | .2881 | .4175 | .4398 | .4236 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 311 / 22 Kv MIDC netivali new SHEDDABLE FEEDER HAVING WEEKLY
Feeder KV- 22 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.5251 | 5.3346 | 2.0576 | | 6.1728 | 5.5251 | 4.5725 |
| 2 | 5.3727 | 5.2584 | 1.9814 | | 5.3346 | 5.0297 | 4.4582 |
| 3 | 5.2584 | 5.2584 | 1.9052 | | 4.9535 | 4.6106 | 4.382 |
| 4 | 5.2965 | 4.9535 | 2.0195 | | 4.6487 | 4.2295 | 4.2676 |
| 5 | 1.6385 | 4.5725 | 2.0957 | | 5.0297 | 4.6487 | 4.5725 |
| 6 | 5.6013 | 4.6106 | 2.1338 | | 5.144 | 4.9535 | 4.6487 |
| 7 | 4.763 | 3.658 | 2.1338 | | 4.7249 | 4.5725 | 4.039 |
| 8 | 5.6394 | 2.3624 | 2.934 | | 5.3346 | 4.9916 | 4.2295 |
| 9 | 6.211 | 2.6292 | 5.3727 | 6.2872 | 6.2491 | 6.2872 | 6.0966 |
| 10 | 7.1636 | 2.8578 | 7.3922 | 6.8206 | 7.6208 | 7.316 | 7.2398 |
| 11 | 7.9256 | 2.6673 | 7.9256 | 7.2398 | 7.6208 | 7.6208 | 7.697 |
| 12 | 7.7732 | | 7.2017 | 7.1254 | 7.697 | 7.7732 | 7.5065 |
| 13 | 6.6301 | | 6.4396 | 6.1728 | 6.8587 | 6.6301 | 6.9349 |
| 14 | 8.1543 | | 7.6208 | 6.8587 | 7.7351 | 7.4684 | 7.4684 |
| 15 | 7.8494 | 2.2481 | 7.2398 | 6.7825 | 7.697 | 7.7732 | 7.2779 |
| 16 | 8.2686 | 2.0957 | 7.0873 | 7.1636 | 7.8875 | 8.1924 | 7.3541 |
| 17 | 7.4303 | 2.21 | 7.0492 | 6.8587 | 7.5065 | 7.316 | 7.2398 |
| 18 | 7.4684 | 1.9052 | 6.8968 | 6.7063 | 7.1636 | 7.2398 | 7.2779 |
| 19 | 6.1347 | 1.7147 | 6.1728 | 6.1347 | 6.5539 | 6.3634 | 6.4777 |
| 20 | 6.1347 | 21.4526 | 5.7918 | 5.7918 | 5.5632 | 5.1821 | 5.1821 |
| 21 | 5.7918 | 2.0957 | 5.4489 | 5.487 | 5.6775 | 5.144 | 5.5251 |
| 22 | 5.5632 | 2.0195 | 5.3727 | 5.8299 | 5.4489 | 5.144 | 5.4108 |
| 23 | 4.9535 | 1.9814 | 5.5251 | 5.1821 | 5.6013 | 4.6106 | 5.3346 |
| 24 | 5.5632 | 5.4489 | 2.0576 | 6.0585 | 5.9823 | 5.7156 | 4.5725 |
| Max | 8.2686 | 21.4526 | 7.9256 | 7.2398 | 7.8875 | 8.1924 | 7.697 |
| Min | 1.6385 | 1.7147 | 1.9052 | 5.1821 | 4.6487 | 4.2295 | 4.039 |
| Avg | 6.1713 | 4.1588 | 4.9107 | 6.4062 | 6.2586 | 6.0141 | 5.8236 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 301 / 22 KV Netiwali Incomer

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 8.6496 | 8.1162 | 8.3067 | 9.145 | 9.7165 | 10.2881 | 10.25 |
| 2 | 8.078 | 7.7732 | 7.7351 | 8.2305 | 8.8401 | 9.2593 | 9.8308 |
| 3 | 8.0399 | 7.4303 | 7.3922 | 7.8113 | 8.3829 | 8.7258 | 9.4879 |
| 4 | 8.078 | 7.3541 | 7.2398 | 7.7732 | 7.9637 | 8.5734 | 9.2974 |
| 5 | 8.1924 | 7.5827 | 7.4684 | 7.7351 | 7.8875 | 8.5734 | 9.145 |
| 6 | 8.3067 | 8.3067 | 8.1543 | 8.078 | 9.1069 | 9.1831 | 9.6022 |
| 7 | 8.7258 | 8.5734 | 8.2305 | 8.1162 | 8.9544 | 9.9832 | 9.4498 |
| 8 | 8.421 | 8.1543 | 8.078 | 8.5353 | 8.6496 | 8.7639 | 8.9925 |
| 9 | 8.1924 | 7.8494 | 8.1543 | 8.4972 | 8.421 | 8.4972 | 8.5353 |
| 10 | 7.9256 | 7.5446 | 7.9256 | 8.6496 | 9.145 | 8.6877 | 8.6496 |
| 11 | 7.7351 | 7.316 | 8.0399 | 8.2305 | 7.9256 | 8.5353 | 8.5734 |
| 12 | 7.5446 | 7.316 | 7.7351 | | 7.8875 | 8.5353 | 8.4591 |
| 13 | 7.2017 | 7.0492 | 7.5065 | 8.6115 | 7.7732 | 8.1543 | 8.1162 |
| 14 | 6.8968 | 6.9349 | 7.2779 | 8.2305 | 7.8113 | 8.7639 | 8.1162 |
| 15 | 6.8206 | | 7.1254 | 8.1543 | 7.9637 | 9.0306 | 8.2305 |
| 16 | | 8.5353 | 7.0492 | 7.9637 | 7.8494 | 8.3829 | 8.3067 |
| 17 | | 7.8875 | 7.0873 | 7.9256 | 7.6589 | 8.3067 | 8.1543 |
| 18 | | 7.8494 | 7.8875 | 8.2305 | 7.8113 | 8.4972 | 8.1924 |
| 19 | 9.4117 | 9.2974 | 9.9451 | 10.0595 | 10.0976 | 10.2881 | 10.4405 |
| 20 | 10.1738 | 10.25 | 10.8215 | 10.8215 | 10.7834 | 10.9358 | 11.4312 |
| 21 | 10.4024 | 10.4024 | 10.7834 | 11.0883 | 11.2407 | 11.5455 | 11.4312 |
| 22 | 10.0976 | 10.0976 | 10.6691 | 10.8977 | 11.4312 | 11.8503 | 11.355 |
| 23 | 9.907 | 10.0214 | 10.7072 | 11.1264 | | 11.8884 | 11.5455 |
| 24 | 9.4879 | 9.145 | 9.4117 | 10.0214 | 10.7453 | 12.1171 | 11.6217 |
| Max | 10.4024 | 10.4024 | 10.8215 | 11.1264 | 11.4312 | 12.1171 | 11.6217 |
| Min | 6.8206 | 6.9349 | 7.0492 | 7.7351 | 7.6589 | 8.1543 | 8.1162 |
| Avg | 8.4899 | 8.2951 | 8.3638 | 8.8666 | 8.8716 | 9.4736 | 9.4673 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 302 / 22 Kv Harmon mohata

Feeder KV- 22 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 12.3838 | 12.1933 | 12.3457 | 13.1078 | 13.8318 | 14.67 | 15.0511 |
| 2 | 11.9647 | 11.4312 | 11.5074 | 11.9647 | 12.841 | 13.7555 | 14.4795 |
| 3 | 11.9266 | 10.8215 | 11.0121 | 11.2407 | 12.2314 | 13.1459 | 13.7555 |
| 4 | 11.9647 | 10.4405 | 10.6691 | 11.1264 | 11.8122 | 12.8029 | 13.0316 |
| 5 | 12.0028 | 10.7834 | 10.7834 | 10.8596 | 11.9647 | 12.46 | 12.6505 |
| 6 | 11.5836 | 11.0883 | 11.2026 | 10.8596 | 12.3838 | 13.1078 | 13.1078 |
| 7 | 11.9266 | 11.5836 | 11.4312 | 11.2407 | 12.3457 | 12.3838 | 12.8792 |
| 8 | 11.4693 | 11.0883 | 11.2026 | 13.1078 | 11.6979 | 12.0028 | 12.3076 |
| 9 | 10.5929 | 10.4024 | 10.7834 | 11.4693 | 10.974 | 11.2026 | 11.6217 |
| 10 | 11.5836 | 10.4024 | 10.6691 | 11.8503 | 10.9358 | 11.2407 | 11.4693 |
| 11 | 10.3262 | 9.6022 | 10.1357 | 11.0883 | 10.4405 | 11.0121 | 11.2788 |
| 12 | 9.7927 | 9.0306 | 10.0976 | 15.013 | 10.4405 | 10.7072 | 11.0121 |
| 13 | 9.4498 | 9.1069 | 9.907 | 10.631 | 10.1357 | 10.4786 | 7.0492 |
| 14 | 9.4117 | 9.0688 | 9.8308 | 10.8215 | 10.1738 | 10.974 | 11.2788 |
| 15 | 9.0306 | 9.145 | 9.4498 | 10.7834 | 10.4786 | 8.3829 | |
| 16 | 16.0799 | 9.3736 | 9.7165 | 10.8215 | 10.631 | 11.355 | 11.6217 |
| 17 | 16.3085 | 8.9163 | 9.907 | 10.8215 | 10.631 | 10.6691 | 11.0121 |
| 18 | 16.8801 | 9.8308 | 10.6691 | 11.0883 | 10.6691 | 10.7453 | 11.3169 |
| 19 | 12.4981 | 11.8122 | 12.6124 | 13.184 | 13.3745 | 13.4126 | 13.3745 |
| 20 | | 13.1078 | 13.908 | 14.2509 | 14.6319 | 14.8987 | 15.0892 |
| 21 | 13.9461 | 13.6031 | 14.5557 | 14.6319 | 15.2035 | 15.394 | 15.4321 |
| 22 | 14.0985 | 13.908 | 14.7462 | 14.8606 | 15.8513 | 16.1942 | 15.9275 |
| 23 | 13.908 | 14.2128 | 14.6319 | 15.2035 | 16.9944 | 16.3847 | 16.3847 |
| 24 | 13.8318 | 13.184 | 13.5269 | 14.289 | 15.1273 | 16.7277 | 16.7277 |
| Max | 16.8801 | 14.2128 | 14.7462 | 15.2035 | 16.9944 | 16.7277 | 16.7277 |
| Min | 9.0306 | 8.9163 | 9.4498 | 10.631 | 10.1357 | 8.3829 | 7.0492 |
| Avg | 12.3026 | 11.0057 | 11.4709 | 12.2631 | 12.3251 | 12.6712 | 12.9504 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 305 / 22 kv LOKDHARAFEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.1338 | 2.1338 | 2.0957 | 2.21 | 2.4768 | 2.6673 | 2.8578 |
| 2 | 2.0195 | 1.9052 | 1.9052 | 2.0957 | 2.2481 | 2.3624 | 2.7816 |
| 3 | 1.9433 | 1.829 | 1.7528 | 1.9052 | 2.0957 | 2.1338 | 2.5911 |
| 4 | 1.9052 | 1.6766 | 1.6004 | 1.829 | 2.0195 | 2.0576 | 2.2862 |
| 5 | 1.9052 | 1.7909 | 1.6385 | 1.7528 | 1.9814 | 1.9814 | 2.0195 |
| 6 | 1.9052 | 1.829 | 1.7147 | 1.7528 | 2.0195 | 2.1719 | 2.1719 |
| 7 | 2.0195 | 1.9052 | 1.8671 | 1.7147 | 2.1338 | 1.9814 | 2.0957 |
| 8 | 1.9052 | 1.829 | 1.7909 | 1.9433 | | 2.0576 | 2.0576 |
| 9 | 1.829 | 1.7147 | 1.9052 | 1.9814 | 1.829 | 1.9433 | 1.9814 |
| 10 | 1.9433 | 1.829 | 1.7909 | 1.9814 | 1.7909 | 1.7909 | 1.9052 |
| 11 | 1.7147 | 1.6004 | 1.7147 | 1.8671 | 1.6385 | 1.7528 | 1.7909 |
| 12 | 1.6004 | 1.5242 | 1.6766 | 1.7909 | 1.6385 | 1.8671 | 1.6385 |
| 13 | 1.5623 | 1.5623 | 1.6766 | 1.7147 | 1.6766 | 1.7147 | 1.7147 |
| 14 | 1.5242 | 1.448 | 1.5623 | 1.829 | 1.6385 | 1.8671 | 1.7147 |
| 15 | 1.4861 | 1.448 | 1.6004 | 1.829 | 1.6766 | | 1.829 |
| 16 | 1.448 | 1.4861 | 1.6004 | 1.7528 | 1.7147 | 1.9052 | 1.8671 |
| 17 | 1.4098 | 1.5242 | 1.5623 | 1.7147 | 1.7147 | 1.829 | 1.7528 |
| 18 | 1.448 | 1.5623 | 1.7147 | 1.8671 | 1.7147 | 1.7909 | 1.9052 |
| 19 | 1.7147 | 1.829 | 1.9814 | 2.0195 | 1.9814 | 2.0195 | 1.9814 |
| 20 | 2.0576 | 1.9814 | 2.0576 | 2.0957 | 2.1338 | 2.2481 | 2.1719 |
| 21 | 2.0576 | 2.0195 | 2.0957 | 2.0957 | 2.2481 | 2.3243 | 2.1719 |
| 22 | 2.0957 | 2.1338 | 2.1719 | 2.21 | 2.4768 | 2.4768 | 2.4768 |
| 23 | 2.2481 | 2.3243 | 2.4006 | 2.5149 | 3.0102 | 2.5149 | 2.7816 |
| 24 | 2.3243 | 2.21 | 2.21 | 2.4768 | 2.7054 | 3.1245 | 2.9721 |
| Max | 2.3243 | 2.3243 | 2.4006 | 2.5149 | 3.0102 | 3.1245 | 2.9721 |
| Min | 1.4098 | 1.448 | 1.5623 | 1.7147 | 1.6385 | 1.7147 | 1.6385 |
| Avg | 1.8417 | 1.7957 | 1.8369 | 1.9560 | 2.0245 | 2.1123 | 2.1465 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 306 / Station transformer

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0381 | .1143 | .0381 | .1524 | .0381 | .0381 | .0381 |
| 2 | .0381 | .1143 | .0381 | .1524 | .0381 | .0381 | .0381 |
| 3 | .0381 | .1143 | .0381 | .1524 | .0381 | .0381 | .0381 |
| 4 | .0381 | .1143 | .0381 | .1524 | .0381 | .0381 | .0381 |
| 5 | .0381 | .1143 | .0381 | .1524 | .0381 | .0381 | .0381 |
| 6 | .0381 | .1143 | .0381 | .1143 | .0381 | .0381 | .0381 |
| 7 | .0381 | .0762 | .0381 | .0762 | .0381 | .0381 | .0381 |
| 8 | .0381 | .0762 | .0381 | .0762 | .0381 | .0381 | .0381 |
| 9 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 10 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 11 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 12 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 13 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 14 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 15 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 16 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .1143 |
| 17 | .0381 | .0381 | .0762 | .0381 | .1143 | .0381 | .0381 |
| 18 | .0381 | .0381 | .1524 | .0381 | .1143 | .0381 | .0381 |
| 19 | .1143 | .0381 | .1524 | .0381 | .1524 | .0381 | .0381 |
| 20 | .1143 | .0381 | .1524 | .0381 | .1524 | .0381 | .0381 |
| 21 | .1143 | .0381 | .1524 | .0381 | .1524 | .0381 | .0381 |
| 22 | .1524 | .0381 | .1524 | .0381 | .0381 | .0381 | .0381 |
| 23 | .1524 | .0381 | .1524 | .0381 | .0381 | .0381 | .0381 |
| 24 | .0381 | .1524 | .0381 | .1524 | .0381 | .0381 | .0381 |
| Max | .1524 | .1524 | .1524 | .1524 | .1524 | .0381 | .1143 |
| Min | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Avg | .0572 | .0651 | .0683 | .0730 | .0587 | .0381 | .0635 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 307 / KOLSHEWADI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.5818 | 3.5818 | 3.6199 | 3.9247 | 4.0771 | 4.3439 | 4.382 |
| 2 | 3.3532 | 3.3913 | 3.315 | 3.4294 | 3.8485 | 4.0771 | 4.1914 |
| 3 | 3.315 | 3.2007 | 3.1626 | 3.3532 | 3.6961 | 3.7723 | 3.9628 |
| 4 | 3.3532 | 3.0864 | 3.0483 | 3.2007 | 3.4675 | 3.6961 | 3.8485 |
| 5 | 3.4294 | 3.1626 | 3.1245 | 3.2769 | 3.3913 | 3.6199 | 3.7723 |
| 6 | 3.4675 | 3.3913 | 3.3532 | 3.3913 | 3.7723 | 3.8485 | 3.8866 |
| 7 | 3.6961 | 3.5056 | 3.3913 | 3.3532 | 3.7723 | 4.0771 | 3.9247 |
| 8 | 3.5056 | 3.3913 | 3.3913 | 3.5818 | 3.5437 | 3.6961 | 3.7723 |
| 9 | 3.315 | 3.1245 | 3.2769 | 3.5056 | 3.4294 | 3.5437 | 3.4294 |
| 10 | 3.2007 | 3.1245 | 3.315 | 3.6199 | 3.2769 | 3.5818 | 3.5056 |
| 11 | 3.2007 | 3.0102 | 3.3913 | 3.5056 | 3.2769 | 3.5818 | 3.4675 |
| 12 | 3.0864 | 2.9721 | 3.2769 | 3.5056 | 3.2769 | 3.5056 | 3.4294 |
| 13 | 2.9721 | 2.934 | 3.1245 | 3.4294 | 3.2388 | 3.2769 | 3.315 |
| 14 | 2.934 | 2.934 | 3.1245 | 3.4294 | 3.2769 | 3.5818 | 3.2388 |
| 15 | 2.9721 | | 3.0483 | 3.4675 | 3.4294 | 3.7723 | 3.4294 |
| 16 | 2.8959 | 3.7342 | 3.0483 | 3.2388 | 3.3532 | 3.5818 | 3.5437 |
| 17 | 2.9721 | 3.2769 | 3.0483 | 3.3532 | 3.2388 | 3.4675 | 3.3532 |
| 18 | 3.0102 | 3.2388 | 3.2769 | 3.4675 | 3.2007 | 3.5437 | 3.5056 |
| 19 | 3.8104 | 3.7723 | 4.039 | 4.1152 | 4.1914 | 4.0771 | 4.1914 |
| 20 | 4.2676 | 4.2676 | 4.5725 | 4.4963 | 4.5725 | 4.763 | 4.6868 |
| 21 | 4.3439 | 4.3439 | 4.5344 | 4.7249 | 1.1431 | 4.8773 | 4.763 |
| 22 | 4.3439 | 4.3058 | 4.5725 | 4.6868 | 4.8773 | 5.0297 | 4.8773 |
| 23 | 4.2676 | 4.382 | 4.5725 | 4.8011 | 5.2965 | 5.0678 | 4.9154 |
| 24 | 4.0009 | 3.8866 | 4.039 | 4.2295 | 4.6106 | 5.1059 | 4.9154 |
| Max | 4.3439 | 4.382 | 4.5725 | 4.8011 | 5.2965 | 5.1059 | 4.9154 |
| Min | 2.8959 | 2.934 | 3.0483 | 3.2007 | 1.1431 | 3.2769 | 3.2388 |
| Avg | 3.4706 | 3.4791 | 3.5278 | 3.7120 | 3.6358 | 3.9787 | 3.9295 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 309 / 22 KV Jari Mari Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .9907 | 1.0288 | 1.0288 | 1.1431 | 1.1431 | 1.2193 | 1.2193 |
| 2 | .9526 | .9907 | .9907 | 2.21 | 1.105 | 1.1431 | 1.1431 |
| 3 | .9526 | .9526 | .9526 | .9907 | 1.0669 | 1.105 | 1.105 |
| 4 | .9526 | .9526 | .9526 | .9526 | 1.0288 | 1.0669 | 1.0669 |
| 5 | .9526 | .9526 | .9907 | .9526 | 1.0669 | 1.0288 | 1.0669 |
| 6 | 1.0669 | .9907 | 1.0288 | .9526 | 1.1431 | 1.105 | 1.1812 |
| 7 | 1.0669 | 1.0288 | 1.0288 | 1.0288 | 1.105 | 1.1812 | 1.1431 |
| 8 | .9526 | 1.0288 | .9526 | 1.0669 | 1.0669 | 1.105 | 1.0669 |
| 9 | .9145 | .9145 | .9145 | 1.0669 | .9145 | .9526 | .9145 |
| 10 | .8383 | .8002 | .9145 | .9907 | .8764 | .8764 | .8764 |
| 11 | .8002 | .7621 | .8002 | .8764 | .8383 | .8764 | .8764 |
| 12 | .724 | .7621 | .8383 | .8764 | .8002 | .8002 | .8764 |
| 13 | .7621 | .724 | .8002 | .8764 | .8002 | .8383 | .8383 |
| 14 | .724 | .724 | .8002 | .8383 | .8002 | .9145 | .8764 |
| 15 | .724 | | | .8764 | .8383 | .9526 | .8764 |
| 16 | .724 | .9145 | .724 | .8764 | .8002 | .9145 | .8383 |
| 17 | .6859 | .724 | .7621 | .8383 | .7621 | .8002 | .7621 |
| 18 | .724 | .7621 | .8002 | .8383 | .8002 | .8002 | .8002 |
| 19 | .9145 | .9145 | .9907 | 10.0214 | .9907 | 1.0288 | .9907 |
| 20 | 1.0288 | 1.0288 | 1.0669 | 1.0669 | 1.105 | 1.1431 | 1.1431 |
| 21 | 1.1431 | 1.0669 | 1.1812 | 1.105 | 1.1431 | 1.2193 | 1.2193 |
| 22 | 1.1431 | 1.1431 | 1.2193 | 1.1431 | 1.2574 | 1.3336 | 1.2955 |
| 23 | 1.1431 | 1.1431 | 1.2193 | 1.2574 | 1.3336 | 1.3336 | 1.3336 |
| 24 | 1.1431 | 1.0669 | 1.105 | 1.2193 | 1.2574 | 1.2955 | 1.3717 |
| Max | 1.1431 | 1.1431 | 1.2193 | 10.0214 | 1.3336 | 1.3336 | 1.3717 |
| Min | .6859 | .724 | .724 | .8383 | .7621 | .8002 | .7621 |
| Avg | .9177 | .9294 | .9592 | 1.4194 | 1.0018 | 1.0431 | 1.0367 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 286050 / TATA NETIVALI

Feeder No / Name : 301 / KB1 I/C

Feeder KV- 22 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO

STAGGERING)

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 9.6693 | 9.1114 | 9.2602 | 9.9668 | 10.8593 | 12.1238 | 11.8635 |
| 2 | 8.9627 | 8.6652 | 8.628 | 9.1486 | 10.599 | 11.194 | 10.8593 |
| 3 | 8.2933 | 8.2561 | 8.0329 | 8.5908 | 10.0412 | 10.3387 | 10.0784 |
| 4 | 8.0329 | 7.847 | 7.7726 | 8.2189 | 9.2602 | 9.6321 | 9.7437 |
| 5 | 7.9957 | 8.2561 | 7.9214 | 8.4048 | 8.9627 | 9.5949 | 9.7065 |
| 6 | 8.8883 | 8.7395 | 8.4048 | 8.5536 | 9.223 | 9.5577 | 9.9296 |
| 7 | 9.4461 | 8.8511 | 8.6652 | 8.3676 | 9.5577 | 9.1486 | 9.818 |
| 8 | 9.7065 | 9.5577 | 9.2602 | 9.4089 | 10.2271 | 9.1486 | 10.1527 |
| 9 | 9.8552 | 9.5205 | 9.3721 | 9.0742 | 9.8552 | 10.1527 | 10.8593 |
| 10 | 11.2312 | 10.4503 | 10.1155 | 10.2643 | 11.0081 | 11.975 | 11.7147 |
| 11 | 12.4585 | 12.1238 | 12.4213 | 11.7891 | 12.8304 | 13.9833 | 13.6485 |
| 12 | 12.3469 | 12.2725 | 12.6072 | 11.7519 | 12.9419 | 14.0204 | 13.6485 |
| 13 | 12.3841 | 12.1238 | 12.4585 | 12.0494 | 13.0163 | 14.318 | 13.4254 |
| 14 | 12.0866 | 11.6403 | 12.4585 | 12.0866 | 13.1279 | 14.3551 | 13.6857 |
| 15 | 11.8635 | 11.6403 | 12.3469 | 12.3097 | 13.351 | 15.5452 | 14.318 |
| 16 | 12.5329 | 11.8635 | 12.1238 | 12.3469 | 13.1279 | 15.2105 | 14.4667 |
| 17 | 11.975 | 11.8263 | 12.0494 | 11.9006 | 12.7932 | 14.1547 | 13.8345 |
| 18 | 11.7519 | 11.4544 | 12.0122 | 12.0866 | 12.4213 | 13.8345 | 13.4998 |
| 19 | 13.2395 | 13.1279 | 14.0948 | 13.7601 | 13.6857 | 14.6155 | 14.5411 |
| 20 | 12.9048 | 12.8304 | 13.6857 | 13.7601 | 13.3882 | 14.6155 | 14.8014 |
| 21 | 12.1982 | 12.0122 | 12.8304 | 12.8304 | 13.0163 | 13.7089 | 13.7973 |
| 22 | 10.7106 | 10.5246 | 11.0453 | 11.8635 | 12.3841 | 12.756 | 12.5329 |
| 23 | 10.5246 | 10.3387 | 11.194 | 12.1238 | 13.2767 | 13.5742 | 12.7188 |
| 24 | 10.4131 | 9.9668 | 9.9296 | 10.9709 | 11.8263 | 13.2767 | 13.2023 |
| Max | 13.2395 | 13.1279 | 14.0948 | 13.7601 | 13.6857 | 15.5452 | 14.8014 |
| Min | 7.9957 | 7.847 | 7.7726 | 8.2189 | 8.9627 | 9.1486 | 9.7065 |
| Avg | 10.8113 | 10.5417 | 10.7788 | 10.9012 | 11.6992 | 12.5348 | 12.3686 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 286050 / TATA NETIVALI

Feeder No / Name : 312 / TATA I/C

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 12.0028 | 11.5074 | 11.5074 | | 12.2695 | 12.8792 | 13.6412 |
| 2 | 11.8122 | 11.4312 | 11.4312 | | 11.0883 | 11.5074 | 13.3745 |
| 3 | 11.5455 | 11.355 | 11.1645 | | 10.5167 | 10.6691 | 13.2602 |
| 4 | 11.4693 | 11.5074 | 11.0502 | | 10.5929 | 9.9451 | 12.6886 |
| 5 | 11.7741 | 11.6217 | 10.974 | | 11.4312 | 10.7453 | 12.7267 |
| 6 | 11.9266 | 11.736 | 11.0883 | | 12.079 | 12.079 | 12.8029 |
| 7 | 11.8884 | 11.1264 | 10.7834 | | 11.8122 | 12.0409 | 11.8884 |
| 8 | 10.4024 | 9.7165 | 10.0976 | | 10.6691 | 11.5074 | 11.2407 |
| 9 | 9.9832 | 9.145 | 9.5641 | 10.5167 | 10.8215 | 10.3643 | 10.5167 |
| 10 | 11.4312 | 10.4786 | 10.7453 | 11.6217 | 10.4786 | 11.2026 | 11.8122 |
| 11 | 11.5455 | 5.3346 | 11.2788 | 11.736 | 6.8587 | 11.8122 | 12.3457 |
| 12 | 11.2407 | 5.7918 | 11.2407 | 12.0409 | 10.974 | 12.1933 | 7.4684 |
| 13 | 10.8596 | 5.9061 | 10.8977 | 11.3931 | 11.2407 | 11.5836 | 7.2017 |
| 14 | 10.25 | 5.7537 | 11.1645 | 11.4312 | 11.5836 | 11.8884 | 12.2314 |
| 15 | 10.631 | | 10.7453 | 11.6598 | 11.8884 | 12.5362 | 13.2221 |
| 16 | 11.1264 | | 11.5455 | 11.736 | 12.3838 | 12.3838 | 13.0316 |
| 17 | 10.5929 | 10.6691 | 12.1171 | 11.9647 | 12.3076 | 11.8884 | 12.2695 |
| 18 | 11.0502 | 11.4312 | 11.4312 | 11.355 | 12.1552 | 12.0028 | 11.6217 |
| 19 | 13.2602 | 13.1078 | 13.9842 | 13.6412 | 13.8318 | 13.6031 | 14.0223 |
| 20 | 13.3745 | 13.4507 | 14.4414 | 14.289 | 14.7844 | 14.7081 | 14.7844 |
| 21 | 13.3364 | 13.6031 | 13.9461 | 14.7462 | 14.8225 | 14.7844 | 14.8606 |
| 22 | 13.2221 | 12.6124 | 13.7555 | 14.5938 | 15.013 | 15.0511 | 14.289 |
| 23 | 12.2314 | 12.4981 | 13.2602 | 13.7174 | 9.9832 | 13.908 | 14.5557 |
| 24 | 12.079 | 11.736 | 11.6217 | 12.2314 | 12.2695 | 14.0223 | 13.7174 |
| Max | 13.3745 | 13.6031 | 14.4414 | 14.7462 | 15.013 | 15.0511 | 14.8606 |
| Min | 9.9832 | 5.3346 | 9.5641 | 10.5167 | 6.8587 | 9.9451 | 7.2017 |
| Avg | 11.6265 | 10.5236 | 11.6598 | 12.4171 | 11.7440 | 12.3044 | 12.4822 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING
ST

Feeder No / Name : 309 / SHIVAJI CHOWK

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.1694 | 1.0185 | 1.1317 | 1.2071 | 1.2826 | 1.3957 | 1.3957 |
| 2 | 1.0562 | .9808 | 1.0562 | 1.0185 | 1.2071 | 1.2826 | 1.2826 |
| 3 | .9808 | .9431 | .9431 | .9808 | 1.094 | 1.1694 | 1.094 |
| 4 | .9431 | .9054 | .9054 | .9431 | .9808 | 1.094 | 1.0562 |
| 5 | .9431 | .9431 | .9431 | .9431 | .9808 | 1.094 | 1.0185 |
| 6 | .9808 | .9887 | .9431 | .9431 | .9808 | 1.0562 | 1.0562 |
| 7 | 1.0562 | .9431 | .9808 | .9431 | 1.0562 | .9808 | 1.0134 |
| 8 | 1.1694 | 1.0185 | 1.0562 | 1.1317 | 1.1317 | 1.0562 | 1.2071 |
| 9 | 1.2449 | 1.1694 | 1.2071 | 1.0185 | 1.2449 | 1.2826 | 1.4712 |
| 10 | 1.8107 | 1.6598 | 1.5089 | 1.5089 | 1.8107 | 1.8861 | 1.8861 |
| 11 | 2.1502 | 2.1502 | 1.9239 | 1.8861 | 2.3765 | 2.2634 | 2.3765 |
| 12 | 2.1125 | 2.2634 | 1.9616 | 1.8861 | 2.4897 | 2.3765 | 2.3765 |
| 13 | 2.1502 | 2.2257 | 1.9616 | 1.9616 | 2.4143 | 2.4143 | 2.3765 |
| 14 | 2.1502 | 2.1879 | 1.9616 | 1.8861 | 2.3388 | 2.5274 | 2.452 |
| 15 | 1.8861 | 2.1879 | 1.9616 | 1.8861 | 2.5274 | 2.6193 | 2.5274 |
| 16 | 2.5274 | 2.0748 | 1.8861 | 1.8861 | 2.452 | 2.5626 | 2.5274 |
| 17 | 2.3011 | 2.1125 | 1.8107 | 1.8861 | 2.3388 | 2.4143 | 2.4897 |
| 18 | 2.1125 | 1.9239 | 1.7353 | 1.8861 | 2.2257 | 2.1125 | 2.1879 |
| 19 | 2.1879 | 2.2257 | 2.1502 | 2.0748 | 2.3765 | 2.2634 | 2.3765 |
| 20 | 2.0748 | 2.1502 | 1.9993 | 2.1125 | 2.1125 | 2.1879 | 2.2634 |
| 21 | 1.6598 | 1.773 | 1.8107 | 1.8861 | 1.9239 | 1.9239 | 2.0748 |
| 22 | 1.3512 | 1.358 | 1.3957 | 1.5844 | 1.6221 | 1.5844 | 1.6221 |
| 23 | 1.201 | 1.2826 | 1.4335 | 1.3957 | 1.5844 | 1.5844 | 1.5844 |
| 24 | 1.3203 | 1.1317 | 1.2449 | 1.358 | 1.4712 | 1.5844 | 1.5466 |
| Max | 2.5274 | 2.2634 | 2.1502 | 2.1125 | 2.5274 | 2.6193 | 2.5274 |
| Min | .9431 | .9054 | .9054 | .9431 | .9808 | .9808 | 1.0134 |
| Avg | 1.6058 | 1.5674 | 1.4963 | 1.5089 | 1.7510 | 1.7798 | 1.8026 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING
ST

Feeder No / Name : 310 / STATION ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.764 | 1.689 | 1.764 | 1.8016 | 1.9142 | 2.1018 | 2.1018 |
| 2 | 1.6514 | 1.6139 | 1.6139 | 1.6514 | 1.8391 | 1.9142 | 1.9142 |
| 3 | 1.5388 | 1.4708 | 1.4638 | 1.5764 | 1.8016 | 1.764 | 1.8016 |
| 4 | 1.5013 | 1.3887 | 1.4262 | 1.5013 | 1.7265 | 1.689 | 1.764 |
| 5 | 1.5013 | 1.5013 | 1.5013 | 1.6514 | 1.6514 | 1.7265 | 1.764 |
| 6 | 1.7265 | 1.6514 | 1.6139 | 1.6514 | 1.764 | 1.764 | 1.8391 |
| 7 | 1.6514 | 1.6139 | 1.6139 | 1.6139 | 1.8016 | 1.7265 | 1.8391 |
| 8 | 1.8391 | 1.8016 | 1.8016 | 1.8391 | 1.9142 | 1.764 | 1.9517 |
| 9 | 2.0268 | 1.9142 | 2.0268 | 1.8016 | 1.9142 | 1.9892 | 2.1769 |
| 10 | 2.4021 | 2.1393 | 2.1393 | 2.1769 | 2.2895 | 2.5522 | 2.5147 |
| 11 | 2.7399 | 2.5522 | 2.6648 | 2.4021 | 2.7774 | 3.0026 | 2.9275 |
| 12 | 2.89 | 2.5522 | 2.7023 | 2.5147 | 2.9275 | 3.1527 | 3.0401 |
| 13 | 2.8525 | 2.6273 | 2.7774 | 2.5522 | 2.9275 | 3.2278 | 3.1152 |
| 14 | 2.8525 | 2.5522 | 2.7774 | 2.5522 | 2.9651 | 3.3029 | 2.7774 |
| 15 | 2.8149 | 2.6648 | 2.7399 | 2.5522 | 3.0026 | 3.3029 | 3.1527 |
| 16 | 2.8149 | 2.7023 | 2.7399 | 2.5147 | 3.0401 | 3.3404 | 3.1152 |
| 17 | 2.7023 | 2.7023 | 2.7399 | 2.4771 | 2.9651 | 3.1152 | 3.1152 |
| 18 | 2.6648 | 2.6273 | 2.7774 | 2.4771 | 2.89 | 3.1527 | 3.1152 |
| 19 | 2.9651 | 2.89 | 3.1152 | 2.89 | 3.0401 | 3.1152 | 3.1903 |
| 20 | 2.8149 | 2.7774 | 3.0401 | 2.8149 | 3.1152 | 3.0777 | 3.1903 |
| 21 | 2.5897 | 2.5897 | 2.7399 | 2.5522 | 2.8149 | 2.9275 | 2.9275 |
| 22 | 2.0643 | 2.1018 | 2.1769 | 2.1769 | 2.4396 | 2.5147 | 2.4771 |
| 23 | 1.9517 | 1.9517 | 2.0268 | 2.1018 | 2.327 | 2.4396 | 2.2519 |
| 24 | 1.8766 | 1.8391 | 1.8016 | 1.9892 | 1.9892 | 2.2895 | 2.2519 |
| Max | 2.9651 | 2.89 | 3.1152 | 2.89 | 3.1152 | 3.3404 | 3.1903 |
| Min | 1.5013 | 1.3887 | 1.4262 | 1.5013 | 1.6514 | 1.689 | 1.764 |
| Avg | 2.2582 | 2.1631 | 2.2410 | 2.1597 | 2.4099 | 2.5397 | 2.5131 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING
ST

Feeder No / Name : 311 / PATRI POOL

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.4636 | 2.3876 | 2.3509 | 2.6447 | 3.012 | 3.2692 | 3.0855 |
| 2 | 2.3533 | 2.2039 | 2.2039 | 2.3876 | 2.8651 | 3.0855 | 2.7917 |
| 3 | 2.1327 | 2.1305 | 2.0937 | 2.3141 | 2.7182 | 2.9018 | 2.6815 |
| 4 | 2.0959 | 2.0203 | 2.0203 | 2.2407 | 2.5713 | 2.6815 | 2.608 |
| 5 | 2.1327 | 2.0937 | 2.057 | 2.3141 | 2.4978 | 2.608 | 2.608 |
| 6 | 2.3901 | 2.2407 | 2.2039 | 2.3509 | 2.608 | 2.5345 | 2.6365 |
| 7 | 2.4636 | 2.2039 | 2.2039 | 2.3141 | 2.608 | 2.4978 | 2.608 |
| 8 | 2.4268 | 2.3876 | 2.2407 | 2.3141 | 2.6447 | 2.3876 | 2.4978 |
| 9 | 2.4268 | 2.3876 | 2.3509 | 2.2039 | 2.608 | 2.6776 | 2.6815 |
| 10 | 2.5004 | 2.608 | 2.4978 | 2.5713 | 2.6815 | 2.6815 | 2.8284 |
| 11 | 2.5739 | 2.6815 | 2.8651 | 2.6815 | 2.7917 | 2.9386 | 3.012 |
| 12 | 2.3533 | 2.7182 | 2.9018 | 2.7549 | 2.7182 | 2.608 | 2.9753 |
| 13 | 2.4268 | 2.7182 | 2.7549 | 2.9386 | 2.7549 | 2.9386 | 2.9018 |
| 14 | 2.4268 | 2.4978 | 2.7549 | 2.6815 | 2.8651 | 2.4978 | 3.012 |
| 15 | 2.3901 | 2.4243 | 2.6336 | 2.8284 | 2.8651 | 3.2324 | 3.1222 |
| 16 | 2.4268 | 2.4978 | 2.7182 | 2.9018 | 2.7549 | 3.159 | 3.2324 |
| 17 | 2.2798 | 2.3509 | 2.7182 | 2.9018 | 2.7182 | 2.7549 | 2.9753 |
| 18 | 2.1327 | 2.2774 | 2.6815 | 2.9018 | 2.4978 | 2.8651 | 2.9753 |
| 19 | 2.4636 | 2.5345 | 2.8651 | 2.9753 | 2.7917 | 2.8651 | 2.9386 |
| 20 | 2.4268 | 2.5713 | 2.8284 | 2.8651 | 2.7182 | 2.8651 | 2.9386 |
| 21 | 2.4636 | 2.4978 | 2.6447 | 2.7917 | 2.7917 | 2.9386 | 2.8651 |
| 22 | 2.4611 | 2.4978 | 2.6447 | 3.0488 | 3.012 | 3.012 | 3.0855 |
| 23 | 2.5713 | 2.608 | 2.9386 | 3.1957 | 3.3794 | 3.3426 | 3.3059 |
| 24 | 2.5713 | 2.5345 | 2.5345 | 2.9386 | 3.159 | 3.4528 | 3.3426 |
| Max | 2.5739 | 2.7182 | 2.9386 | 3.1957 | 3.3794 | 3.4528 | 3.3426 |
| Min | 2.0959 | 2.0203 | 2.0203 | 2.2039 | 2.4978 | 2.3876 | 2.4978 |
| Avg | 2.3897 | 2.4197 | 2.5295 | 2.6692 | 2.7764 | 2.8665 | 2.9046 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING
ST

Feeder No / Name : 312 / SANTOSHI MATA ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.2593 | 3.8519 | 4 | 4.4074 | 4.6989 | 5.3279 | 5.1799 |
| 2 | 3.8889 | 3.6296 | 3.7407 | 3.963 | 4.4399 | 4.8839 | 4.7359 |
| 3 | 3.6296 | 3.4444 | 3.5185 | 3.6667 | 4.1439 | 4.4769 | 4.2549 |
| 4 | 3.4815 | 3.3333 | 3.4074 | 3.4815 | 3.9589 | 4.1439 | 4.1069 |
| 5 | 3.4074 | 3.5294 | 3.4074 | 3.5556 | 3.8109 | 4.1439 | 4.1439 |
| 6 | 3.7778 | 3.6296 | 3.6296 | 3.5926 | 3.9959 | 4.1809 | 4.1809 |
| 7 | 4.2593 | 3.9259 | 3.8519 | 3.8519 | 4.3659 | 3.9219 | 4.2549 |
| 8 | 4.2593 | 4.1852 | 4.1482 | 4.1852 | 4.3659 | 3.9219 | 4.4029 |
| 9 | 4 | 4.037 | 4.037 | 4.037 | 4.0699 | 4.0699 | 4.5139 |
| 10 | 4.4074 | 4.037 | 3.9259 | 3.9259 | 4.2179 | 4.6989 | 4.6619 |
| 11 | 4.8297 | 4.7407 | 4.9259 | 4.8148 | 4.8839 | 5.6238 | 5.5128 |
| 12 | 4.7407 | 4.7407 | 5.0741 | 4.9259 | 4.8099 | 5.7348 | 5.5128 |
| 13 | 4.8148 | 4.5556 | 4.8889 | 4.6667 | 4.9209 | 5.6608 | 5.4758 |
| 14 | 4.5185 | 4.4074 | 4.8889 | 4.8889 | 4.9579 | 5.8088 | 5.4758 |
| 15 | 4.6439 | 4.3704 | 4.8889 | 4.9579 | 4.9579 | 6.1418 | 5.6608 |
| 16 | 4.6296 | 4.5926 | 4.7407 | 4.9579 | 4.8839 | 5.9568 | 5.6608 |
| 17 | 4.5185 | 4.6667 | 4.8148 | 4.9579 | 4.7729 | 5.6978 | 5.3649 |
| 18 | 4.7182 | 4.6296 | 4.8148 | 4.9579 | 4.8099 | 5.5498 | 5.2169 |
| 19 | 5.4445 | 5.4815 | 5.9259 | 5.9198 | 5.4758 | 6.1788 | 6.2528 |
| 20 | 5.4074 | 5.3333 | 5.8519 | 5.9198 | 5.4389 | 6.2158 | 6.2528 |
| 21 | 5.2963 | 5.1482 | 5.5926 | 5.5498 | 5.4758 | 5.7718 | 5.8458 |
| 22 | 4.5926 | 4.5556 | 4.8148 | 5.0319 | 5.2909 | 5.4019 | 5.4019 |
| 23 | 4.5556 | 4.4815 | 4.8519 | 5.4019 | 5.9568 | 5.9938 | 5.6238 |
| 24 | 4.6296 | 4.3333 | 4.3333 | 4.8148 | 5.2539 | 5.9198 | 5.9198 |
| Max | 5.4445 | 5.4815 | 5.9259 | 5.9198 | 5.9568 | 6.2158 | 6.2528 |
| Min | 3.4074 | 3.3333 | 3.4074 | 3.4815 | 3.8109 | 3.9219 | 4.1069 |
| Avg | 4.4463 | 4.3184 | 4.5031 | 4.6014 | 4.7482 | 5.2261 | 5.1506 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 302 / 22 KV BUNDER ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.1338 | 1.9589 | 1.9052 | 2.0957 | 2.0576 | 2.4387 | 2.553 |
| 2 | 1.9814 | 1.8111 | 1.7741 | 1.9052 | 1.9814 | 2.3243 | 2.3624 |
| 3 | 1.9052 | 1.7372 | 1.6632 | 1.7909 | 1.9052 | 2.2481 | 2.21 |
| 4 | 1.8671 | 1.7002 | 1.5524 | 1.829 | 1.9052 | 1.9814 | 2.0957 |
| 5 | 1.7909 | 1.6632 | 1.5242 | 1.7147 | 1.829 | 1.9052 | 2.0576 |
| 6 | 1.7528 | 1.6632 | 1.6766 | 1.7528 | 1.9052 | 1.9433 | 2.0576 |
| 7 | 1.9433 | 1.8111 | 1.7909 | 1.9052 | 2.0576 | 2.0957 | 2.0195 |
| 8 | 1.7147 | 1.7528 | 1.6004 | 1.7909 | 1.9433 | 1.829 | 2.0195 |
| 9 | 1.6385 | 1.7909 | 1.5893 | 1.8111 | 1.7909 | 1.7372 | 1.8671 |
| 10 | 1.6004 | 1.6766 | 1.4784 | 1.7372 | 1.7147 | 1.8111 | 1.8671 |
| 11 | 1.7147 | 1.9052 | 1.5893 | 1.7002 | 1.7528 | 1.7741 | 1.7528 |
| 12 | 1.6385 | 1.9814 | 1.6632 | 1.7372 | 1.7528 | 1.7372 | 1.7528 |
| 13 | 1.6004 | 1.8671 | 1.3306 | 1.6263 | 1.7909 | 1.7002 | 1.3717 |
| 14 | 1.6766 | 1.6766 | 1.3676 | 1.7372 | 1.9052 | 1.7741 | 1.6766 |
| 15 | 1.829 | 1.5623 | 1.6632 | 1.922 | 1.7909 | 1.922 | 1.7528 |
| 16 | 1.5623 | 1.4861 | 1.7741 | 1.885 | 1.9814 | 1.922 | 1.9052 |
| 17 | 1.5524 | 1.5242 | 1.8671 | 1.5154 | 1.7528 | 1.9052 | 1.829 |
| 18 | 1.5154 | 1.448 | 1.6004 | 1.6263 | 1.829 | 1.7528 | 1.6004 |
| 19 | 1.848 | 1.6385 | | 1.885 | 1.7528 | 1.8671 | 1.9433 |
| 20 | 1.885 | 1.829 | 1.9433 | 1.9589 | 1.9814 | 1.9433 | 1.8671 |
| 21 | 1.848 | 1.6766 | 2.0576 | 1.8111 | 1.8671 | 2.0195 | 1.9052 |
| 22 | 1.848 | 1.829 | 1.9814 | 1.9814 | 2.1338 | 2.2481 | 2.1068 |
| 23 | 1.9959 | 1.9814 | 2.1719 | 2.2481 | 2.5149 | 2.3243 | 2.2546 |
| 24 | 2.2862 | 1.9959 | 1.9433 | 2.2481 | 2.4006 | 2.4768 | 2.553 |
| Max | 2.2862 | 1.9959 | 2.1719 | 2.2481 | 2.5149 | 2.4768 | 2.553 |
| Min | 1.5154 | 1.448 | 1.3306 | 1.5154 | 1.7147 | 1.7002 | 1.3717 |
| Avg | 1.7970 | 1.7486 | 1.7177 | 1.8423 | 1.9290 | 1.9867 | 1.9742 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 303 / 22 KV AGRA ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.0483 | 2.5972 | 2.6673 | 3.1245 | 3.315 | 3.4294 | 3.8485 |
| 2 | 2.8959 | 2.4508 | 2.4143 | 2.9721 | 3.0483 | 3.5056 | 3.4294 |
| 3 | 2.6673 | 2.2314 | 2.2314 | 2.5911 | 2.8197 | 3.3913 | 3.2007 |
| 4 | 2.4768 | 2.1948 | 2.1582 | 2.4387 | 2.5911 | 3.0483 | 2.9721 |
| 5 | 2.5149 | 2.1948 | 2.21 | 2.4006 | 2.4768 | 2.8959 | 2.7435 |
| 6 | 2.5911 | 2.3411 | 2.4006 | 2.4387 | 2.5911 | 2.7816 | 2.8578 |
| 7 | 2.5149 | 2.3411 | 2.4387 | 2.3624 | 2.7435 | 2.6292 | 2.7435 |
| 8 | 2.5911 | 2.6292 | 2.5149 | 2.5149 | 2.8197 | 2.5911 | 2.7054 |
| 9 | 2.4387 | 2.4387 | 2.3045 | 2.3777 | 2.4387 | 2.4508 | 2.6673 |
| 10 | 2.4768 | 2.4006 | 2.4143 | 2.524 | 2.6673 | 2.6703 | 1.8671 |
| 11 | 2.6673 | 2.553 | 2.4508 | 2.6703 | 2.7816 | 2.7435 | 2.8197 |
| 12 | 2.5911 | 2.5911 | 2.4508 | 2.4874 | 2.6673 | 2.5972 | 2.7816 |
| 13 | 2.3624 | 2.5149 | 2.3777 | 2.4143 | 2.7816 | 2.6337 | 2.5911 |
| 14 | 2.4006 | 2.4006 | 2.3777 | 2.4874 | 2.7054 | 2.8166 | 2.5911 |
| 15 | 2.4387 | 2.4387 | 2.3411 | 2.524 | 2.8578 | 3.3288 | 2.8197 |
| 16 | 2.4768 | 2.4006 | 2.268 | 2.4874 | 2.9721 | 2.7435 | 2.5911 |
| 17 | 1.9753 | 2.2481 | 2.4768 | 2.4508 | 2.7435 | 2.7435 | 2.5911 |
| 18 | 2.1582 | 2.2862 | 2.5149 | 2.5972 | 2.5911 | 2.6673 | 2.553 |
| 19 | 2.7069 | 2.8578 | | 2.8898 | 3.1245 | 3.0102 | 3.2388 |
| 20 | 2.7435 | 2.7816 | 3.0483 | 2.9264 | 3.1626 | 3.2007 | 3.3532 |
| 21 | 2.7069 | 2.7054 | 2.8959 | 2.9264 | 3.2007 | 3.2769 | 3.2388 |
| 22 | 2.7435 | 2.7435 | 2.7816 | 3.2769 | 3.5437 | 3.5818 | 3.2922 |
| 23 | 2.8898 | 2.9721 | 3.1626 | 3.5818 | 4.1914 | 4.2295 | 3.6214 |
| 24 | 3.2388 | 2.7801 | 2.9721 | 3.3532 | 3.5818 | 4.039 | 4.1152 |
| Max | 3.2388 | 2.9721 | 3.1626 | 3.5818 | 4.1914 | 4.2295 | 4.1152 |
| Min | 1.9753 | 2.1948 | 2.1582 | 2.3624 | 2.4387 | 2.4508 | 1.8671 |
| Avg | 2.5965 | 2.5039 | 2.5162 | 2.7008 | 2.9340 | 3.0419 | 2.9681 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 304 / 22 KV ADHARWADI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.4108 | 4.0238 | 4.3439 | 5.0297 | 5.1059 | | 5.9823 |
| 2 | 4.9535 | 3.7677 | 3.8043 | 4.5725 | 4.4963 | | 5.487 |
| 3 | 4.6487 | 3.5848 | 3.658 | 3.9628 | 4.2676 | | 5.1821 |
| 4 | 4.382 | 3.5117 | 3.3653 | 3.7723 | 4.0771 | | 4.8392 |
| 5 | 4.4963 | 3.4751 | 3.3532 | 3.5818 | 3.7342 | | 4.5725 |
| 6 | 4.5725 | 3.4751 | 3.6199 | 3.6199 | 3.5818 | | 4.382 |
| 7 | 4.3439 | 3.4751 | 3.5437 | 3.4294 | 3.8866 | | 4.1152 |
| 8 | 4.1152 | 3.658 | 3.5818 | 3.5437 | 3.7342 | | 3.9247 |
| 9 | 4.5344 | 3.5056 | 3.6214 | 3.658 | 3.6961 | | 3.8104 |
| 10 | 4.382 | 3.658 | 3.6946 | 3.6946 | 3.8104 | 4.4627 | 3.9247 |
| 11 | 4.5725 | 3.5818 | 3.5848 | 3.9506 | 3.9247 | 4.4993 | 3.8104 |
| 12 | 4.3439 | 2.4387 | 3.4385 | 3.5117 | 3.8104 | 4.353 | 3.7342 |
| 13 | 4.0009 | 3.315 | 3.2556 | 3.4751 | | 4.2798 | 3.9628 |
| 14 | 3.9628 | 3.0864 | 3.219 | 3.5848 | | 4.6456 | 4.0771 |
| 15 | 3.8866 | 3.315 | 3.3288 | 3.7311 | | 5.3041 | 4.2676 |
| 16 | 3.7677 | 3.3532 | 3.4385 | 3.6946 | | 5.1578 | 4.1152 |
| 17 | 2.963 | 3.1626 | 3.5056 | 3.4751 | | 4.763 | 3.8866 |
| 18 | 3.0727 | 3.0483 | 3.4675 | 3.4751 | | 4.382 | 2.0576 |
| 19 | 3.7677 | 4.0771 | | 3.914 | | 5.2584 | 2.3624 |
| 20 | 4.1701 | 4.2676 | 4.382 | 4.1701 | | 5.6775 | 2.6292 |
| 21 | 4.1335 | 4.3439 | 4.4582 | 4.3896 | | 5.8299 | 2.5911 |
| 22 | 4.2433 | 4.382 | 4.6106 | 5.1821 | | 6.4015 | 2.7435 |
| 23 | 4.3896 | 4.7249 | 5.0678 | 5.5251 | | 7.6208 | |
| 24 | 6.0204 | 4.3896 | 4.6868 | 5.1821 | 5.6394 | | 6.5539 |
| Max | 6.0204 | 4.7249 | 5.0678 | 5.5251 | 5.6394 | 7.6208 | 6.5539 |
| Min | 2.963 | 2.4387 | 3.219 | 3.4294 | 3.5818 | 4.2798 | 2.0576 |
| Avg | 4.2973 | 3.6509 | 3.7839 | 4.0052 | 4.1357 | 5.1882 | 4.0440 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 306 / 22 KV WADEGHAR

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.8866 | 3.5113 | 3.5056 | 3.8104 | 4.1914 | 4.6487 | 4.7249 |
| 2 | 3.658 | 3.2895 | 3.1417 | 3.3532 | 3.8866 | 4.2676 | 4.3058 |
| 3 | 3.4294 | 3.1047 | 2.9569 | 3.2007 | 3.6199 | 4.039 | 3.8866 |
| 4 | 3.2769 | 3.0678 | 2.846 | 3.1245 | 3.4294 | 3.8104 | 3.5818 |
| 5 | 3.3532 | 3.0678 | 2.8959 | 3.0102 | 3.2769 | 3.4675 | 3.658 |
| 6 | 3.5056 | 3.2895 | 3.2007 | 3.0483 | 3.4294 | 3.5818 | 3.9247 |
| 7 | 3.6199 | 3.3265 | 3.4294 | 3.3913 | 3.5818 | 3.5437 | 3.658 |
| 8 | 3.3532 | 3.2388 | 3.2769 | 3.1626 | 3.4675 | 3.315 | 3.4675 |
| 9 | 2.8578 | 2.934 | 3.0727 | 3.1093 | 3.1245 | 3.1459 | 3.2769 |
| 10 | 2.7435 | 2.5911 | 2.9264 | 3.1093 | 3.0864 | 2.9264 | 3.2388 |
| 11 | 2.6292 | 2.6673 | 2.9938 | 3.0727 | 2.8578 | 2.9995 | 3.1245 |
| 12 | 2.6673 | 2.553 | 2.7721 | 2.8532 | 2.934 | 2.9995 | 3.1245 |
| 13 | 2.4387 | 2.3243 | 2.7069 | 2.7801 | 2.8197 | 3.1093 | 3.1245 |
| 14 | 2.4006 | 2.3243 | 2.6337 | 2.7435 | 2.934 | 3.219 | 3.2007 |
| 15 | 2.5911 | 2.553 | 2.8166 | 2.8532 | 3.0102 | 3.2556 | 3.3913 |
| 16 | 2.3655 | 2.4768 | 2.7435 | 2.846 | 3.1245 | 2.9995 | 3.4675 |
| 17 | 2.2916 | 2.5911 | 2.7435 | 2.8898 | 2.8578 | 2.8959 | 3.1626 |
| 18 | 2.2546 | 2.6292 | 2.5911 | 2.9995 | 2.7435 | 3.0102 | 3.2388 |
| 19 | 3.2156 | 3.5818 | | 3.5482 | 3.5056 | 3.7342 | 3.658 |
| 20 | 3.658 | 3.658 | 3.5056 | 3.6946 | 3.658 | 4.1152 | 4.0009 |
| 21 | 3.5117 | 3.8104 | 3.6199 | 3.7311 | 3.8866 | 4.1914 | 3.9628 |
| 22 | 3.6961 | 3.6961 | 3.6961 | 4.0009 | 4.2676 | 4.5725 | 4.1701 |
| 23 | 3.77 | 3.658 | 3.9628 | 4.5344 | 4.763 | 5.144 | 4.6091 |
| 24 | 4.1152 | 3.77 | 3.6961 | 3.9628 | 4.5725 | 4.8392 | 5.1059 |
| Max | 4.1152 | 3.8104 | 3.9628 | 4.5344 | 4.763 | 5.144 | 5.1059 |
| Min | 2.2546 | 2.3243 | 2.5911 | 2.7435 | 2.7435 | 2.8959 | 3.1245 |
| Avg | 3.1371 | 3.0714 | 3.1189 | 3.2846 | 3.4595 | 3.6596 | 3.7110 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 302 / CHHAYA TALKIES

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.6004 | 1.5623 | 1.5623 | 1.6766 | 1.7528 | 2.0195 | 1.9433 |
| 2 | 1.5242 | 1.3336 | 1.448 | 1.5242 | 1.6004 | 1.7528 | 1.7528 |
| 3 | 1.448 | 1.2574 | 1.3336 | 1.448 | 1.5242 | 1.6766 | 1.6766 |
| 4 | 1.3717 | 1.2574 | 1.2193 | 1.4098 | 1.4098 | 1.5623 | 1.6385 |
| 5 | 1.4098 | 1.3336 | 1.2574 | 1.3717 | 1.4098 | 1.5242 | 1.5623 |
| 6 | 1.4861 | 1.3336 | 1.3336 | 1.3717 | 1.4098 | 1.5242 | 1.5242 |
| 7 | 1.4861 | 1.4098 | 1.3336 | 1.3717 | 1.4098 | 1.4861 | 1.4861 |
| 8 | 1.5242 | 1.5623 | 1.4098 | 1.4861 | 1.6385 | 1.448 | 1.6766 |
| 9 | 1.6766 | 1.5242 | 1.448 | 1.4861 | 1.5242 | 1.4861 | 1.7147 |
| 10 | 1.6004 | 1.6004 | 1.448 | 1.5242 | 1.6004 | 1.6766 | 1.7528 |
| 11 | 1.6004 | 1.6385 | 1.6385 | 1.448 | 1.7528 | 1.7909 | 1.7147 |
| 12 | 1.6004 | 1.6766 | 1.6004 | 1.4861 | 1.7528 | 1.829 | 1.7909 |
| 13 | 1.6004 | 1.7147 | 1.6385 | 1.4861 | 1.7528 | 1.829 | 1.829 |
| 14 | 1.6004 | 1.6004 | 1.5623 | 1.5242 | 1.7909 | 1.9052 | 1.7528 |
| 15 | 1.6004 | 1.6004 | 1.5623 | 1.4861 | 1.9052 | 2.1338 | 2.0195 |
| 16 | 3.2008 | 1.6004 | 1.6766 | 1.4098 | 3.7342 | 2.0576 | 1.9433 |
| 17 | 1.5242 | 1.5242 | 1.5242 | 1.448 | 1.9052 | 1.9052 | 1.8671 |
| 18 | 1.4098 | 1.5242 | 1.6004 | 1.448 | 1.8671 | 1.5242 | 1.7147 |
| 19 | 1.6385 | 1.7147 | | 1.6004 | 1.9433 | 1.9814 | 1.9433 |
| 20 | 1.6766 | 1.7147 | 1.829 | 1.6766 | 1.9814 | 1.9814 | 1.9814 |
| 21 | 1.829 | 1.829 | 1.9052 | 1.8671 | 2.0957 | 1.9052 | 2.0576 |
| 22 | 1.7147 | 1.7528 | 1.7909 | 1.829 | 2.0576 | 3.8866 | 2.0576 |
| 23 | 1.7147 | 1.7147 | 1.829 | 1.9052 | 2.1719 | 2.0957 | 2.0576 |
| 24 | 1.7528 | 1.6385 | 1.7147 | 1.829 | 1.9052 | 2.0576 | 2.0576 |
| Max | 3.2008 | 1.829 | 1.9052 | 1.9052 | 3.7342 | 3.8866 | 2.0576 |
| Min | 1.3717 | 1.2574 | 1.2193 | 1.3717 | 1.4098 | 1.448 | 1.4861 |
| Avg | 1.6496 | 1.5591 | 1.5507 | 1.5464 | 1.8290 | 1.8766 | 1.8131 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 303 / PORNIMA CHOWK SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .6478 | .5716 | .5716 | .6478 | .6478 | .724 | .7621 |
| 2 | .5716 | .5335 | .4954 | .6097 | .6478 | .6859 | .6859 |
| 3 | .4954 | .4954 | .4954 | .5335 | .6097 | .6478 | .6478 |
| 4 | .4572 | .4954 | .5335 | .5335 | .5716 | .5716 | .6097 |
| 5 | .4954 | .5335 | .5335 | .5335 | .5716 | .6097 | .6097 |
| 6 | .5716 | .5335 | .5335 | .5335 | .6097 | .5716 | .6478 |
| 7 | .6097 | .5716 | .5716 | .5335 | .6097 | .5716 | .6859 |
| 8 | .6859 | .6097 | .6097 | .6097 | .6097 | .6097 | .6859 |
| 9 | .6478 | .5716 | .6097 | .6478 | .6097 | .6097 | .6097 |
| 10 | .6478 | .6478 | .6478 | .6478 | .6859 | .6859 | .6859 |
| 11 | .6859 | .6097 | .6859 | .6859 | .724 | .724 | .8002 |
| 12 | .724 | .6478 | .724 | .6859 | .724 | .7621 | .8383 |
| 13 | .724 | .6478 | .6859 | .6478 | .724 | .8383 | .7621 |
| 14 | .6859 | .6859 | .6478 | .6097 | .7621 | .8002 | .7621 |
| 15 | .6859 | .5716 | .6859 | .6478 | .7621 | .8764 | .8002 |
| 16 | 1.2956 | .6097 | .6478 | .6478 | 1.5242 | .8764 | .7621 |
| 17 | .6097 | .6097 | | .6097 | .7621 | .8383 | .8383 |
| 18 | .6478 | .6478 | .6097 | .6097 | .8002 | .8383 | .7621 |
| 19 | .724 | .7621 | | .6859 | .7621 | .9526 | .8764 |
| 20 | .724 | .7621 | .7621 | .724 | .7621 | .9526 | .9145 |
| 21 | .6478 | .6859 | .724 | .6859 | .7621 | .8383 | .8383 |
| 22 | .6478 | .6478 | .6859 | .6859 | .7621 | 1.5242 | .7621 |
| 23 | .6478 | .6859 | .6859 | .724 | .8383 | .8383 | .7621 |
| 24 | .6859 | .6478 | .6478 | .724 | .7621 | .8002 | .8002 |
| Max | 1.2956 | .7621 | .7621 | .724 | 1.5242 | 1.5242 | .9145 |
| Min | .4572 | .4954 | .4954 | .5335 | .5716 | .5716 | .6097 |
| Avg | .6653 | .6161 | .6270 | .6335 | .7335 | .7812 | .7462 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 305 / KARNIK ROAD SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.4387 | 2.2862 | 2.2862 | 2.5149 | 2.7054 | 3.0483 | 3.1245 |
| 2 | 2.21 | 2.21 | 2.21 | 2.2862 | 2.4387 | 2.7435 | 2.7816 |
| 3 | 2.0576 | 1.9814 | 2.0576 | 2.0195 | 2.2862 | 2.6673 | 2.5911 |
| 4 | 1.9052 | 1.9052 | 1.9814 | 1.9814 | 2.0957 | 2.5149 | 2.4006 |
| 5 | 2.0195 | 1.8671 | 2.0957 | 1.9433 | 2.1338 | 2.4006 | 2.3243 |
| 6 | 2.2481 | 2.1719 | 2.21 | 1.9814 | 2.21 | 2.2862 | 2.4006 |
| 7 | 2.21 | 2.1719 | 2.1338 | 2.2481 | 2.3243 | 2.21 | 2.4768 |
| 8 | 2.3243 | 2.3243 | 2.2862 | 2.2862 | 2.3243 | 2.21 | 2.5149 |
| 9 | 2.1719 | 2.1338 | 2.0957 | 2.1338 | 2.1719 | 2.21 | 2.3243 |
| 10 | 2.1719 | 2.0957 | 2.1719 | 2.1719 | 2.21 | 2.3243 | 2.2862 |
| 11 | 2.21 | 2.1338 | 2.1338 | 2.3243 | 2.3243 | 2.5149 | 2.4006 |
| 12 | 2.21 | 2.1338 | 2.2862 | 2.2481 | 2.3624 | 2.5911 | 2.4387 |
| 13 | 2.1338 | 2.0957 | 2.2481 | 2.2481 | 2.3624 | 2.6292 | 2.3624 |
| 14 | 2.0576 | 2.0195 | 2.21 | 2.21 | 2.4006 | 2.8578 | 2.5149 |
| 15 | 1.9814 | 2.0195 | 2.1338 | 2.3243 | 2.5149 | 3.0102 | 2.7054 |
| 16 | 1.9814 | 2.0576 | 2.2481 | 2.2862 | 2.4387 | 2.8578 | 2.5911 |
| 17 | 2.0195 | 2.1719 | 2.2481 | 2.1338 | 2.4768 | 2.7054 | 2.4768 |
| 18 | 2.0195 | 2.1338 | 2.1719 | 2.2862 | 2.5911 | 2.5911 | 2.5149 |
| 19 | 2.4387 | 2.4006 | | 3.0102 | 2.7816 | 3.0102 | 2.8197 |
| 20 | 2.6292 | 2.553 | 2.7816 | 2.7816 | 2.8959 | 3.0483 | 3.0864 |
| 21 | 2.6292 | 2.5911 | 2.7435 | 2.6292 | 2.8959 | 3.0864 | 2.8959 |
| 22 | 2.4006 | 2.4768 | 2.553 | 2.7816 | 3.0483 | 3.2007 | 2.9721 |
| 23 | 2.553 | 2.5149 | 2.7816 | 2.8959 | .3429 | 3.5437 | 3.0483 |
| 24 | 2.6673 | 2.5149 | 2.4768 | 2.7816 | 2.9721 | 3.4294 | 3.3913 |
| Max | 2.6673 | 2.5911 | 2.7816 | 3.0102 | 3.0483 | 3.5437 | 3.3913 |
| Min | 1.9052 | 1.8671 | 1.9814 | 1.9433 | .3429 | 2.21 | 2.2862 |
| Avg | 2.2370 | 2.2069 | 2.2846 | 2.3545 | 2.3878 | 2.7371 | 2.6435 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 306 / RAMDASWADI SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.7816 | 2.6292 | 2.8578 | 2.8578 | 2.9721 | 3.315 | 3.2769 |
| 2 | 2.553 | 2.4768 | 2.7435 | 2.6673 | 2.6673 | 3.0483 | 3.0483 |
| 3 | 2.4768 | 2.2862 | 2.4768 | 2.553 | 2.4768 | 2.8959 | 2.8197 |
| 4 | 2.2862 | 2.2862 | 2.4768 | 2.4768 | 2.4006 | 2.7435 | 2.8578 |
| 5 | 2.4768 | 2.4006 | 2.553 | 2.4768 | 2.2862 | 2.7816 | 2.8197 |
| 6 | 2.7435 | 2.3624 | 2.5911 | 2.4768 | 2.4768 | 2.6292 | 2.8578 |
| 7 | 2.5911 | 2.5149 | 2.553 | 2.4387 | 2.6673 | 2.6292 | 2.8959 |
| 8 | 2.553 | 2.6673 | 2.5149 | 2.4768 | 2.6673 | 2.6673 | 2.8578 |
| 9 | 2.3243 | 2.5149 | 2.4006 | 2.6673 | 2.553 | 2.5911 | 2.6673 |
| 10 | 2.5149 | 2.5149 | 2.5911 | 2.6292 | 2.6673 | 2.5911 | 2.7435 |
| 11 | 2.5911 | 2.5911 | 2.7435 | 2.1338 | 2.7435 | 2.7054 | 2.8578 |
| 12 | 2.6673 | 2.4006 | 2.6292 | 2.553 | 2.7054 | 2.7435 | 2.8197 |
| 13 | 2.5911 | 2.4387 | 2.5911 | 2.5149 | 2.7816 | 2.7435 | 2.7816 |
| 14 | 2.4768 | 2.3624 | 2.5911 | 2.7435 | 2.8578 | 3.0102 | 2.9721 |
| 15 | 2.4768 | 2.5149 | 2.6292 | 2.7435 | 2.8959 | 3.1245 | 2.934 |
| 16 | 4.8774 | 2.4387 | 2.5911 | 2.6673 | 5.7156 | 3.0483 | 3.0102 |
| 17 | 2.2862 | 2.4006 | 2.553 | 2.4768 | 2.934 | 2.9721 | 3.0102 |
| 18 | 2.3624 | 2.3243 | 2.5149 | 2.5911 | 2.9721 | 2.8197 | 2.7054 |
| 19 | 2.8959 | 2.7816 | | 2.9721 | 3.2388 | 3.5056 | 3.2007 |
| 20 | 3.0864 | 3.1245 | 3.2769 | 3.2388 | 3.3913 | 3.5056 | 3.4294 |
| 21 | 3.0864 | 3.0483 | 3.2769 | 3.2388 | 3.4675 | 3.5818 | 3.4294 |
| 22 | 3.2007 | 3.0864 | 3.2388 | 3.2769 | 3.5818 | 7.2398 | 3.5056 |
| 23 | 3.2007 | 3.2007 | 3.315 | 3.315 | 3.7723 | 3.8866 | 3.5056 |
| 24 | 3.0483 | 2.934 | 2.9721 | 3.2007 | 3.4294 | 3.658 | 3.4675 |
| Max | 4.8774 | 3.2007 | 3.315 | 3.315 | 5.7156 | 7.2398 | 3.5056 |
| Min | 2.2862 | 2.2862 | 2.4006 | 2.1338 | 2.2862 | 2.5911 | 2.6673 |
| Avg | 2.7562 | 2.5958 | 2.7253 | 2.7244 | 3.0134 | 3.1849 | 3.0197 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 301 / GODREJ HILL

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.2481 | 2.2862 | 2.1719 | 2.2862 | 2.7435 | 3.2007 | 2.8578 |
| 2 | 2.2481 | 2.2862 | 1.6385 | 2.0576 | 2.6673 | 2.8959 | 2.6673 |
| 3 | 2.0957 | 2.21 | 1.5242 | 1.9052 | 2.4768 | 2.8959 | 2.4768 |
| 4 | 1.7147 | 2.1338 | 1.5242 | 1.7147 | 2.2862 | 2.6673 | 2.2862 |
| 5 | 1.6385 | 2.0957 | 1.2574 | 1.5242 | 2.0957 | 2.4768 | 2.0576 |
| 6 | 1.6385 | 1.9052 | 1.6385 | 1.5623 | 2.0957 | 2.0957 | 1.9052 |
| 7 | 1.6385 | 1.829 | 1.6004 | 1.6004 | 1.9433 | 1.7909 | 1.7528 |
| 8 | 1.6385 | 1.829 | 3.0102 | 1.448 | 1.8671 | 1.6766 | 1.6766 |
| 9 | 1.6766 | 1.5623 | 1.6766 | 1.7528 | 1.7528 | 1.7147 | 1.8671 |
| 10 | 1.7528 | 1.829 | 1.8671 | 1.9433 | 2.1719 | 1.9433 | 1.8671 |
| 11 | 1.6004 | 1.7528 | 1.7528 | 1.9814 | 1.9052 | 1.829 | 1.9433 |
| 12 | 1.5623 | 1.6766 | 1.9052 | 1.9052 | 1.9052 | 1.8671 | 1.7528 |
| 13 | 1.5623 | 1.6004 | 1.7147 | 1.7909 | 1.7528 | 1.7909 | 1.7147 |
| 14 | 1.5242 | 1.6004 | 1.7528 | 1.8671 | 1.8671 | 2.0195 | 1.829 |
| 15 | 1.5242 | 1.6004 | 1.829 | 2.1719 | 2.0576 | 2.3243 | 2.0957 |
| 16 | 1.6766 | 1.7147 | 1.7147 | 2.3243 | 2.0576 | 2.2862 | 2.2862 |
| 17 | 1.829 | 1.6766 | 1.9052 | 2.1719 | 2.1719 | 1.9052 | 2.21 |
| 18 | 2.0576 | 1.5623 | 1.7909 | 2.1719 | 2.0195 | 1.7528 | 2.1338 |
| 19 | 2.0576 | 1.9052 | 1.9052 | 2.0195 | 2.0195 | 2.0957 | 2.1338 |
| 20 | 2.0576 | 2.0195 | 1.9433 | 2.0195 | 2.1338 | 2.1338 | 2.2862 |
| 21 | 2.0957 | 1.9814 | 1.9433 | 2.0576 | 2.2862 | 2.1338 | 2.3624 |
| 22 | 2.2862 | 2.0576 | 1.9814 | 2.2862 | 2.4387 | 2.5149 | 2.6673 |
| 23 | 2.4387 | 2.1719 | 2.1719 | 2.6673 | 3.0102 | 2.6673 | 3.1245 |
| 24 | 2.4387 | 2.4387 | 2.4006 | 2.4006 | 2.8578 | 3.2769 | 3.1626 |
| Max | 2.4387 | 2.4387 | 3.0102 | 2.6673 | 3.0102 | 3.2769 | 3.1626 |
| Min | 1.5242 | 1.5623 | 1.2574 | 1.448 | 1.7528 | 1.6766 | 1.6766 |
| Avg | 1.8750 | 1.9052 | 1.8592 | 1.9846 | 2.1910 | 2.2481 | 2.2132 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 302 / MURBAD ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.3913 | 3.3532 | 3.1245 | 3.3913 | 3.7723 | 4.1533 | 3.9628 |
| 2 | 3.3913 | 3.2388 | 3.0483 | 3.1626 | 3.3913 | 3.8104 | 3.6199 |
| 3 | 3.3532 | 3.2388 | 3.0102 | 3.0483 | 3.3532 | 3.4294 | 3.3532 |
| 4 | 3.0483 | 3.1245 | 2.4768 | 2.8578 | 3.2388 | 3.0483 | 3.0483 |
| 5 | 3.0483 | 3.0102 | 2.4768 | 2.6673 | 3.0483 | 3.0483 | 2.8578 |
| 6 | 3.0102 | 2.9721 | 2.6292 | 2.7435 | 3.2388 | 3.0483 | 2.8578 |
| 7 | 3.0483 | 2.934 | 2.7435 | 2.8197 | 3.4294 | 3.0864 | 3.0483 |
| 8 | 2.8578 | 2.8578 | 2.7816 | 2.9721 | 3.8104 | 2.934 | 2.934 |
| 9 | 2.6292 | 2.6673 | 2.934 | 3.0864 | 3.0483 | 2.8578 | 2.7816 |
| 10 | 2.5911 | 2.8197 | 2.8959 | 3.1245 | 2.8197 | 3.0483 | 2.7816 |
| 11 | 2.7054 | 2.553 | 2.6673 | 2.9721 | 2.8197 | 2.7435 | 2.8959 |
| 12 | 2.553 | 2.4387 | 2.7054 | 2.6673 | 2.7816 | 2.7816 | 2.9721 |
| 13 | 2.5149 | 2.3624 | 2.553 | 2.8197 | 2.6673 | 2.7435 | 2.7816 |
| 14 | 2.3243 | 2.3243 | 2.5149 | 2.8197 | 2.8197 | 3.0483 | 2.8197 |
| 15 | 2.553 | 2.4387 | 2.8197 | 3.0483 | 2.9721 | 3.2388 | 3.1626 |
| 16 | 2.5149 | 2.4006 | 2.7435 | 3.0483 | 2.8578 | 3.315 | 3.1245 |
| 17 | 2.5911 | 2.6292 | 2.6673 | 2.9721 | 2.9721 | 2.9721 | 3.0483 |
| 18 | 3.0483 | 2.6292 | 2.934 | 3.0864 | 2.9721 | 2.7816 | 2.8959 |
| 19 | 3.0483 | 3.0483 | 3.1245 | 3.1626 | 3.3532 | 3.2007 | 3.6199 |
| 20 | 3.2388 | 2.9721 | 3.2388 | 3.315 | 3.4294 | 3.3913 | 3.5437 |
| 21 | 3.0483 | 3.1626 | 3.2388 | 3.3532 | 3.8104 | 3.5437 | 3.5056 |
| 22 | 3.2388 | 3.315 | 3.4294 | 3.6961 | 3.9247 | 3.8866 | 3.7723 |
| 23 | 3.4294 | 3.3532 | 3.5818 | 3.9628 | 4.4201 | 4.1914 | 4.1533 |
| 24 | 3.5437 | 3.3532 | 3.4294 | 3.6199 | 4.039 | 4.4201 | 4.4201 |
| Max | 3.5437 | 3.3532 | 3.5818 | 3.9628 | 4.4201 | 4.4201 | 4.4201 |
| Min | 2.3243 | 2.3243 | 2.4768 | 2.6673 | 2.6673 | 2.7435 | 2.7816 |
| Avg | 2.9467 | 2.8832 | 2.9070 | 3.1007 | 3.2912 | 3.2801 | 3.2484 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 303 / COLLEGE ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.039 | 3.8104 | 3.8485 | 4.2295 | 4.5725 | 5.4489 | 5.3346 |
| 2 | 3.8104 | 3.8104 | 3.8104 | 3.8485 | 4.2676 | 4.8773 | 4.8773 |
| 3 | 3.6199 | 3.7723 | 3.658 | 3.4294 | 4.1914 | 4.5725 | 4.382 |
| 4 | 3.5437 | 3.7723 | 3.5818 | 3.2388 | 4.1533 | 4.1914 | 4.1914 |
| 5 | 3.5437 | 3.7342 | 3.5818 | 3.315 | 4.1152 | 3.8104 | 3.8104 |
| 6 | 3.6199 | 3.6961 | 3.5818 | 3.3532 | 4.1914 | 3.8104 | 4.0009 |
| 7 | 3.8104 | 3.658 | 3.6961 | 3.5056 | 4.2676 | 3.9247 | 4.2295 |
| 8 | 3.6961 | 3.5056 | 3.658 | 3.5437 | 4.3439 | 3.7723 | 3.9628 |
| 9 | 3.4675 | 3.4294 | 3.3532 | 3.5818 | 3.5056 | 3.8104 | 3.6961 |
| 10 | 3.2007 | 3.2388 | 3.3913 | 3.5437 | 3.6199 | 3.658 | 3.5818 |
| 11 | 3.2769 | 3.2388 | 3.315 | 3.8485 | 3.4294 | 3.6199 | 3.7342 |
| 12 | 3.1245 | 3.0102 | 3.2769 | 3.4294 | 3.4675 | 3.6199 | 3.5056 |
| 13 | 3.0102 | 3.0864 | 3.315 | 3.5818 | 3.5056 | 3.7342 | 3.5818 |
| 14 | 3.0864 | 2.9721 | 3.2769 | 4.4201 | 3.5818 | 4.1914 | 3.658 |
| 15 | 3.1245 | 3.0864 | 3.315 | 3.8866 | 3.7342 | 4.4582 | 4.1152 |
| 16 | 3.0483 | 3.0864 | 3.315 | 3.7342 | 3.8485 | 4.3058 | 4.0009 |
| 17 | 2.934 | 3.0483 | 3.3532 | 3.4675 | 3.5056 | 3.8485 | 3.7342 |
| 18 | 3.658 | 3.1626 | 3.2388 | 3.5437 | 3.4675 | 3.7342 | 3.5818 |
| 19 | 3.658 | 3.5056 | 3.6199 | 3.8866 | 3.8485 | 4.1914 | 3.9628 |
| 20 | 3.8485 | 3.8485 | 4.039 | 4.1533 | 4.2295 | 4.4963 | 4.382 |
| 21 | 3.8866 | 3.9628 | 4.1152 | 4.382 | 4.5725 | 4.6487 | 4.5725 |
| 22 | 4.0771 | 4.039 | 4.2295 | 4.4963 | 4.9535 | 5.2965 | 5.144 |
| 23 | 4.1914 | 4.2295 | 4.6487 | 5.1059 | 5.8299 | 5.5251 | 5.4489 |
| 24 | 4.5725 | 4.1533 | 4.1152 | 4.5725 | 5.2202 | 6.0966 | 5.9823 |
| Max | 4.5725 | 4.2295 | 4.6487 | 5.1059 | 5.8299 | 6.0966 | 5.9823 |
| Min | 2.934 | 2.9721 | 3.2388 | 3.2388 | 3.4294 | 3.6199 | 3.5056 |
| Avg | 3.5770 | 3.5357 | 3.6389 | 3.8374 | 4.1009 | 4.3185 | 4.2280 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 304 / BARAVE FEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.1431 | 1.1431 | 1.0288 | 1.105 | 1.3336 | 1.3336 | 1.3717 |
| 2 | 1.1431 | 1.105 | .9526 | 1.0669 | 1.1812 | 1.2574 | 1.3336 |
| 3 | 1.105 | 1.105 | .9145 | .9907 | 1.1812 | 1.1431 | 1.2193 |
| 4 | .9907 | 1.0669 | .8764 | .9145 | 1.1431 | 1.105 | 1.1431 |
| 5 | .9907 | 1.0669 | .9526 | .8383 | 1.1431 | 1.0669 | 1.0669 |
| 6 | 1.0288 | 1.0669 | 1.0288 | .9145 | 1.105 | 1.0669 | 1.1431 |
| 7 | 1.0288 | 1.0288 | .9526 | .9907 | 1.0669 | 1.0669 | 1.1812 |
| 8 | .9145 | .9907 | .9145 | .9907 | .9907 | 1.0288 | 1.0288 |
| 9 | .8764 | .8383 | .9145 | .9145 | .9526 | .9145 | 1.2955 |
| 10 | .7621 | .8383 | .8383 | .9907 | .8383 | .9145 | .8764 |
| 11 | .7621 | .8383 | .8002 | .8764 | .8002 | .8002 | .8764 |
| 12 | .7621 | .8002 | .8002 | .8002 | .8002 | .8383 | .9145 |
| 13 | .724 | .724 | .8002 | .8764 | .8383 | .9145 | .8764 |
| 14 | .8002 | .7621 | .8002 | .8383 | .9145 | .9907 | .8764 |
| 15 | .8002 | .8002 | .8764 | .9526 | .9526 | 1.105 | .9907 |
| 16 | .8002 | .8002 | .8002 | .9526 | .9526 | 1.0288 | 1.0288 |
| 17 | .9145 | .8002 | .8002 | .9145 | .8764 | .9145 | .9907 |
| 18 | .9145 | .8383 | .8383 | .9145 | .8383 | .8764 | .9145 |
| 19 | .9145 | .9907 | .9526 | 1.0669 | .9526 | .9907 | |
| 20 | .9907 | 1.0288 | 1.0669 | 1.0669 | 1.105 | 1.1431 | 1.105 |
| 21 | 1.7528 | 1.0669 | 1.105 | 1.1431 | 1.1431 | 1.1812 | 1.1431 |
| 22 | 1.0669 | 1.1431 | 1.1812 | 1.2574 | 1.2574 | 1.3717 | 1.1431 |
| 23 | 1.448 | 1.1431 | 1.2574 | 1.3717 | 1.4861 | 1.448 | 1.4861 |
| 24 | 1.2193 | 1.1431 | 1.1431 | 1.2574 | 1.3717 | 1.5623 | 1.5242 |
| Max | 1.7528 | 1.1431 | 1.2574 | 1.3717 | 1.4861 | 1.5623 | 1.5242 |
| Min | .724 | .724 | .8002 | .8002 | .8002 | .8002 | .8764 |
| Avg | .9939 | .9637 | .9415 | 1.0002 | 1.0510 | 1.0860 | 1.1100 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 305 / WATER SUPPLY

NON SHEDDABLE WATER SUPPLY AND

Feeder KV- 22 / OUTGOING

UTILITY

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.3717 | 1.2193 | 1.3717 | 1.4098 | 1.3336 | .6097 | 1.2193 |
| 2 | 1.3336 | 1.3336 | 1.3717 | 1.4098 | 1.4098 | .5716 | 1.2193 |
| 3 | 1.3717 | 1.4098 | 1.3717 | 1.4098 | 1.3336 | .5716 | 1.2193 |
| 4 | 1.3336 | 1.4098 | 1.3336 | 1.3717 | 1.4098 | .5335 | 1.3717 |
| 5 | 1.3717 | 1.448 | 1.3717 | 1.2193 | 1.448 | .4572 | 1.3717 |
| 6 | 1.4098 | 1.448 | 1.3717 | 1.3717 | 1.4098 | .381 | 1.448 |
| 7 | 1.448 | 1.3336 | 1.3717 | 1.4098 | 1.4098 | .0229 | 1.5242 |
| 8 | 1.448 | 1.4098 | 1.4861 | 1.448 | 1.4098 | .0191 | 1.5623 |
| 9 | 1.448 | 1.448 | 1.5242 | 1.4861 | 1.5242 | .0457 | 1.6385 |
| 10 | 1.2193 | 1.1431 | 1.5242 | 1.5242 | 1.2193 | .0533 | 1.5623 |
| 11 | 1.1431 | 1.1812 | 1.2574 | 1.1431 | 1.2574 | .0114 | 1.2955 |
| 12 | 1.1431 | 1.448 | 1.1431 | 1.2193 | 1.4861 | .0191 | 1.2574 |
| 13 | 1.4861 | 1.3717 | 1.4861 | 1.448 | 1.448 | .0229 | 1.4861 |
| 14 | 1.4861 | 1.3717 | 1.1812 | 1.4098 | 1.448 | .0191 | 1.4861 |
| 15 | 1.105 | 1.1431 | 1.2193 | 1.1812 | 1.1431 | .0114 | 1.2193 |
| 16 | 1.1812 | 1.1431 | 1.2193 | 1.1812 | 1.2574 | .0114 | 1.2955 |
| 17 | 1.1812 | 1.1812 | 1.1812 | 1.2574 | 1.2193 | .0114 | 1.2955 |
| 18 | 1.448 | 1.4861 | 1.448 | 1.1431 | 1.2193 | .0152 | 1.2193 |
| 19 | 1.448 | 1.448 | 1.448 | 1.5242 | 1.3717 | .0152 | 1.5242 |
| 20 | 1.1812 | 1.448 | 1.4861 | 1.5242 | 1.4861 | .0191 | 1.4861 |
| 21 | 1.4098 | 1.448 | 1.5242 | 1.448 | 1.3336 | .0191 | 1.4861 |
| 22 | 1.4098 | 1.2193 | 1.2193 | 1.2193 | 1.2193 | .6401 | 1.2193 |
| 23 | 1.1812 | 1.1812 | 1.1431 | 1.2193 | 1.2574 | .7621 | 1.1812 |
| 24 | 1.1431 | 1.1812 | 1.1812 | 1.1431 | 1.2193 | .6478 | 1.2193 |
| Max | 1.4861 | 1.4861 | 1.5242 | 1.5242 | 1.5242 | .7621 | 1.6385 |
| Min | 1.105 | 1.1431 | 1.1431 | 1.1431 | 1.1431 | .0114 | 1.1812 |
| Avg | 1.3209 | 1.3273 | 1.3432 | 1.3384 | 1.3447 | .2288 | 1.3670 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 22-MAR-18 and 28-MAR-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 306 / MILESTONE ESTATE

Feeder KV- 22 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 22-MAR-18 | 23-MAR-18 | 24-MAR-18 | 25-MAR-18 | 26-MAR-18 | 27-MAR-18 | 28-MAR-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0953 | .1105 | .0572 | .0572 | .0991 | .061 | .0457 |
| 2 | .0419 | .08 | .0419 | .0381 | .0457 | .0419 | .0381 |
| 3 | .0381 | .0724 | .0381 | .0381 | .0381 | .0419 | .0381 |
| 4 | .0381 | .0572 | .0381 | | .0343 | .0419 | |
| 5 | .0381 | .0495 | .0381 | .0381 | .0305 | .0381 | .0381 |
| 6 | .0419 | .0457 | .0495 | .0381 | .0343 | .08 | .0572 |
| 7 | .0419 | .0457 | .061 | .0495 | .0457 | .1219 | .0648 |
| 8 | .0419 | .0876 | .0686 | .0838 | .0648 | | .0762 |
| 9 | .1029 | .0762 | .0953 | .1067 | .1181 | .1029 | .1105 |
| 10 | .1181 | .061 | .1257 | .1219 | | .1638 | .1029 |
| 11 | .1296 | 2.553 | .141 | .1715 | .2667 | .1829 | .1753 |
| 12 | .1524 | .1791 | .1715 | .1562 | .2667 | .2134 | .1791 |
| 13 | .1372 | .1372 | .1715 | 2.8197 | .2705 | .2286 | .16 |
| 14 | | .1486 | .2248 | .2324 | .2858 | .2172 | .1905 |
| 15 | .1753 | .141 | .2058 | .1905 | .2172 | .202 | .1981 |
| 16 | .1677 | .1715 | .1905 | .1791 | .1981 | .1524 | .1562 |
| 17 | .1677 | .1943 | .2134 | .1867 | .1981 | .1715 | .1867 |
| 18 | .1524 | .1562 | .2172 | .2286 | .202 | .1943 | .1981 |
| 19 | .1524 | .1677 | .221 | .2705 | .202 | .2362 | .1524 |
| 20 | .16 | .1905 | .2248 | .2743 | .1905 | .2324 | .221 |
| 21 | .1372 | .1677 | .1753 | .2362 | .1905 | .1753 | .1867 |
| 22 | .1334 | .1562 | .1791 | .1981 | .1981 | .1638 | .1791 |
| 23 | .1219 | .1486 | .1677 | .202 | .1562 | .1334 | .1867 |
| 24 | .0953 | .1181 | .1143 | .16 | .1791 | .1334 | .1143 |
| Max | .1753 | 2.553 | .2248 | 2.8197 | .2858 | .2362 | .221 |
| Min | .0381 | .0457 | .0381 | .0381 | .0305 | .0381 | .0381 |
| Avg | .1079 | .2215 | .1346 | .2642 | .1536 | .1448 | .1329 |