

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314016 / 33/11KV KALIMATI

Feeder No / Name : 201 / KATTIPAR

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .442      | .4938     | .463      | .4572     | .4725     | .4401     | .4572     |
| 2    | .4254     | .3913     | .4287     | .4252     | .4666     | .3963     | .4254     |
| 3    | .4214     | .3814     | .3887     | .4344     | .5487     | .3658     | .4475     |
| 4    | .4115     | .3612     | .4481     | .4172     | .4214     | .4012     | .4687     |
| 5    | .4268     | .3814     | .4807     | .431      | .431      | .4752     | .4744     |
| 6    | .4001     | .3477     | .463      | .4268     | .4172     | .4534     | .4108     |
| 7    | .3841     | .381      | .4908     | .3978     | .4108     | .3961     | .3858     |
| 8    | .3841     | .362      | .4268     | .4451     | .3572     | .4372     | .3894     |
| 9    | .3704     | .3734     | .4161     |           | .3864     | .4161     | .3788     |
| 10   | .3704     | .4214     | .3978     | .5316     | .3858     | .4311     | .4033     |
| 11   | .3961     | .3841     | .4687     | .4172     | .3961     | .4254     | .4089     |
| 12   |           | .4033     | .4089     | .4287     | .4144     | .4108     | .4144     |
| 13   | .3814     | .3894     | .3978     | .4199     | .4108     |           | .3978     |
| 14   | .3572     | .3814     | .4254     | .5175     | .4254     | .4001     | .4254     |
| 15   | .3858     | .3666     | .4161     | .5175     | .3858     | .4001     | .4161     |
| 16   | .3841     | .3666     | .4365     | .4298     | .3807     | .3858     | .4144     |
| 17   | .3477     | .4733     | .3894     | .3963     | .4908     | .3961     | .4687     |
| 18   | .4012     | .4733     | .3788     | .3868     | .5258     | .3961     |           |
| 19   | .4214     | .4557     | .4252     | .4755     | .4973     | .4572     | .431      |
| 20   | .4108     | .4801     | .4572     | .4666     | .5138     | .4687     | .5243     |
| 21   | .4167     | .4801     | .4715     | .4666     | .4696     | .4784     | .5182     |
| 22   | .4062     | .4801     | .4715     | .4666     | .4973     | .4687     | .5121     |
| 23   | .4062     | .5144     | .4755     | .4607     | .5434     | .4687     | .5138     |
| 24   | .431      | .4218     | .4973     | .5552     | .4607     | .4973     | .4687     |
| Max  | .442      | .5144     | .4973     | .5552     | .5487     | .4973     | .5243     |
| Min  | .3477     | .3477     | .3788     | .3868     | .3572     | .3658     | .3788     |
| Avg  | .3992     | .4152     | .4385     | .4509     | .4462     | .4290     | .4415     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314016 / 33/11KV KALIMATI

Feeder No / Name : 202 / SITEPAR

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2986    | 1.39      | 1.2715    | 1.258     | 1.2567    | 1.1831    | 1.5592    |
| 2    | 1.2403    | 1.3253    | 1.2489    | 1.3032    | 1.1999    | 1.2346    | 1.5581    |
| 3    | 1.2437    | 1.3717    | 1.3169    | 1.2178    | 1.1517    | 1.2269    | 1.5546    |
| 4    | 1.2254    | 1.3032    | 1.2536    | 1.2254    | 1.1706    | 1.1919    | 1.5384    |
| 5    | 1.2197    | 1.2536    | 1.1517    | 1.2127    | 1.1694    | 1.2254    | 1.5402    |
| 6    | 1.1641    | 1.2178    | 1.1744    | 1.2308    | 1.2178    | 1.1765    | 1.4864    |
| 7    | 1.1919    | 1.6078    | 1.3253    | 1.3032    | 1.5203    | 1.3937    | 1.4175    |
| 8    | 1.4118    | 1.4815    | 1.5384    | 1.2986    | 1.6263    | 1.4661    | 1.382     |
| 9    |           | 1.5223    | 1.2936    |           | 1.3352    | 1.4883    | 1.3432    |
| 10   | 1.7194    | 1.5154    | 1.3535    | 1.6078    | 1.6644    | 1.4529    | 1.4864    |
| 11   | 1.4723    | 1.3352    | 1.3169    | 1.3756    | 1.7741    | 1.9204    | 1.3969    |
| 12   | 1.7193    | 1.8107    | 1.7741    | 1.5074    | 1.701     | 1.829     | 1.4706    |
| 13   | 1.7013    | 1.4449    | 1.3169    | 1.3847    | 1.6655    | 1.6448    | 1.4706    |
| 14   | 1.1765    | 1.4449    | 1.2178    | 1.2971    | 1.3306    | 1.2715    | 1.4148    |
| 15   | 1.647     |           | 1.3432    | 1.4723    | 1.7551    | 1.6095    | 1.4685    |
| 16   | 1.4883    | 1.4083    | 1.5746    | 1.5249    | 1.6263    | 1.7375    | 1.4842    |
| 17   | 1.4449    | 1.7528    | .7316     | 1.6476    | 1.2894    | 1.829     | 1.387     |
| 18   | 1.5893    | 1.6476    | 1.5708    | 1.3672    | 1.2803    | 1.5364    |           |
| 19   | 1.5729    | 1.6598    | 1.1694    | 1.4632    | 1.262     | 1.6289    | 1.5947    |
| 20   | 1.4449    | 1.3112    | 1.2127    | 1.4083    | 1.3112    | 1.5729    | 1.6297    |
| 21   | 1.4083    | 1.3575    | 1.267     | 1.4266    | 1.1641    | 1.6289    | 1.6651    |
| 22   | 1.39      | 1.3352    | 1.3032    | 1.4083    |           | 1.5927    | 1.4842    |
| 23   | 1.4266    | 1.267     | 1.3032    | 1.2803    | 1.2437    | 1.5927    | 1.5223    |
| 24   | 1.2986    | 1.4083    | 1.3676    | 1.2715    | 1.2437    | 1.1393    | 1.5927    |
| Max  | 1.7194    | 1.8107    | 1.7741    | 1.6476    | 1.7741    | 1.9204    | 1.6651    |
| Min  | 1.1641    | 1.2178    | .7316     | 1.2127    | 1.1517    | 1.1393    | 1.3432    |
| Avg  | 1.4128    | 1.4423    | 1.3082    | 1.3692    | 1.3895    | 1.4822    | 1.4977    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314016 / 33/11KV KALIMATI

Feeder No / Name : 203 / BHOSA

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4784    | 1.5023    | 1.5154    | 1.4815    | 1.5181    | 1.3611    | 1.647     |
| 2    | 1.4118    | 1.4661    | 1.4415    | 1.448     | 1.4685    | 1.2894    | 1.6461    |
| 3    | 1.4083    | 1.4784    | 1.386     | 1.448     | 1.4632    | 1.4266    | 1.5939    |
| 4    | 1.3575    | 1.4449    | 1.379     | 1.379     | 1.4148    | 1.4632    | 1.5927    |
| 5    | 1.3352    | 1.4784    | 1.2209    | 1.3432    | 1.4632    | 1.3146    | 1.5581    |
| 6    | 1.2851    | 1.423     | 1.3253    | 1.3213    | 1.3969    | 1.3032    | 1.4842    |
| 7    | 1.2715    | 1.3352    | 1.3032    | 1.262     | 1.267     | 1.2986    | 1.4352    |
| 8    | 1.2536    | 1.3213    | 1.3717    | 1.0745    | 1.3352    | 1.2803    | 1.4706    |
| 9    | 1.2536    | 1.3466    | 1.39      |           | 1.3394    | 1.2851    | 1.5043    |
| 10   | 1.3032    | 1.3352    | 1.3432    | 1.2489    | 1.3998    | 1.2757    | 1.4685    |
| 11   | 1.2934    | 1.3432    | 1.3432    | 1.2254    | 1.182     | 1.3394    | 1.4148    |
| 12   | 1.3253    | 1.3756    | 1.4118    | 1.3352    | 1.2934    | 1.3756    | 1.4661    |
| 13   | 1.39      | 1.267     | 1.379     | 1.3717    | 1.2226    | 1.3756    | 1.3969    |
| 14   | 1.3756    | 1.3352    | 1.3937    | 1.1431    | 1.3394    | 1.3969    | 1.2757    |
| 15   | 1.2656    | 1.262     | 1.39      | 1.1405    | 1.3432    | 1.3535    | 1.262     |
| 16   |           | 1.2437    | 1.3535    | 1.1488    | 1.2894    | 1.1888    | 1.2715    |
| 17   | 1.2308    | 1.3352    | 1.3112    | 1.2254    | 1.3717    | 1.2851    | 1.3394    |
| 18   | 1.2437    | 1.3352    | 1.2894    | 1.3073    |           | 1.379     |           |
| 19   | 1.4815    | 1.3575    | 1.379     | 1.39      | 1.4815    | 1.6108    | 1.6289    |
| 20   | 1.5023    | 1.5912    | 1.5364    | 1.5546    | 1.5497    | 1.6827    | 1.5249    |
| 21   | 1.5364    | 1.576     | 1.5023    | 1.5912    |           | 1.7558    | 1.6655    |
| 22   | 1.5364    | 1.6644    | 1.5364    | 1.6278    | 1.4373    | 1.6095    | 1.5729    |
| 23   | 1.5364    | 1.5223    | 1.5384    | 1.5927    | 1.4632    | 1.6827    | 1.4998    |
| 24   | 1.4815    | 1.5181    | 1.5746    | 1.5181    | 1.5203    | 1.4632    | 1.6827    |
| Max  | 1.5364    | 1.6644    | 1.5746    | 1.6278    | 1.5497    | 1.7558    | 1.6827    |
| Min  | 1.2308    | 1.2437    | 1.2209    | 1.0745    | 1.182     | 1.1888    | 1.262     |
| Avg  | 1.3720    | 1.4108    | 1.4006    | 1.3556    | 1.3891    | 1.4082    | 1.4957    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314022 / 33kv amgaon sub station

Feeder No / Name : 201 / 11 KV irri

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.652     | 2.5057    | 2.2177    | 2.2862    | 2.2916    | 2.5133    | 1.0242    |
| 2    | 2.6155    | 2.5057    | 2.1807    | 2.268     | 2.2361    | 2.4508    | .9877     |
| 3    | 2.6155    | 2.4874    | 2.1253    | 2.2497    | 2.1437    | 2.4209    | .9145     |
| 4    | 2.5972    | 2.4143    | 2.0911    | 2.1948    | 2.0328    | 2.3655    | .9145     |
| 5    | 2.5789    | 2.2361    | 2.0538    | 2.1399    | 1.9791    | 2.3045    | .8779     |
| 6    | 2.5606    | 2.1622    | 2.0351    | 2.1033    | 2.1068    | 2.347     | .8048     |
| 7    | 2.4025    | 2.2361    | 1.7556    | 2.2497    | 1.7177    |           | .7865     |
| 8    | 2.384     | 2.347     | 1.9404    | 2.3045    | 2.1807    | 2.4209    | .7865     |
| 9    | 1.9404    | 2.3228    | 1.9404    | 2.3899    | 2.2177    | 1.5912    | .8048     |
| 10   | 2.2177    | 2.3411    | 1.885     | 2.1658    | 2.1285    | 2.1948    |           |
| 11   | 2.1622    | 2.2565    | 1.3392    | 2.2731    | 1.9791    | 2.2862    | 2.0485    |
| 12   | 2.1399    | 1.1523    | 1.9589    | 2.2177    | 2.2405    | 2.4508    | 2.8898    |
| 13   | 2.1399    | 1.8107    | 2.2131    | 2.2177    | 2.4646    | 2.652     | 3.1459    |
| 14   | 2.1622    | 2.0271    | 2.0668    | 2.2177    | 2.2361    | 1.5729    | 2.9569    |
| 15   | 2.1807    | 1.957     | 2.2314    | 2.2218    | 2.3899    | 1.9936    | 2.9938    |
| 16   |           | 1.9204    | 1.8665    | 2.1658    | 2.0165    | 2.3594    | 2.8645    |
| 17   | 1.6078    | 1.9959    | 2.3101    | 2.3228    | 2.3525    | 2.1948    | 2.9874    |
| 18   | 2.1033    | 1.9204    | 2.5133    | 2.4508    | 2.2965    | 2.7435    |           |
| 19   | 2.3777    | 2.2497    | 2.7721    | 2.5972    | 2.6699    | 2.0302    | 2.963     |
| 20   | 2.4326    | 2.3045    | 2.4143    | 2.4874    | 2.6326    | 3.0361    | 2.7435    |
| 21   | 2.3411    | 2.2131    | 2.4691    | 2.5789    | 1.9589    | 2.0302    | 3.0678    |
| 22   | 2.652     | 2.3101    | 2.524     | 2.7069    | 2.4579    | 2.7252    | 3.1047    |
| 23   | 2.6155    | 2.1992    | 2.5972    | 2.0883    | 2.652     | 1.0791    | 2.7801    |
| 24   | 2.7252    | 2.5606    | 2.2546    | 2.2862    | 2.3101    | 2.5318    | .9774     |
| Max  | 2.7252    | 2.5606    | 2.7721    | 2.7069    | 2.6699    | 3.0361    | 3.1459    |
| Min  | 1.6078    | 1.1523    | 1.3392    | 2.0883    | 1.7177    | 1.0791    | .7865     |
| Avg  | 2.3567    | 2.1848    | 2.1565    | 2.2993    | 2.2372    | 2.2737    | 1.9739    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314022 / 33kv amgaon sub station

Feeder No / Name : 202 / Anjora

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.5972    | 2.7801    | 2.6425    | 2.3045    | 2.9264    | 2.5503    | 2.6703    |
| 2    | 2.6337    | 2.7435    | 2.6063    | 2.3777    | 2.8532    | 2.5503    | 2.6337    |
| 3    | 2.6337    | 2.7069    | 2.6337    | 2.3777    | 2.7435    | 2.5873    | 2.5606    |
| 4    | 2.5972    | 2.5972    | 2.5972    | 2.3045    | 2.7069    | 2.5873    | 2.5606    |
| 5    | 2.5972    | 2.4508    | 2.5873    | 2.2314    | 2.6337    | 2.3411    | 2.5606    |
| 6    | 2.5133    | 2.3777    | 2.6513    | 2.1948    | 2.6337    | 2.3777    | 2.7435    |
| 7    | 2.4764    | 1.9387    | 1.9418    | 2.268     | 2.4025    | 2.5019    | 2.7069    |
| 8    | 1.9959    | 1.848     | 2.0911    | 2.5606    | 2.4025    | 1.829     | 2.6337    |
| 9    | 2.0328    | 2.1216    | 2.2177    | 1.9959    | 2.2546    | 2.3045    | 2.6703    |
| 10   | 2.1437    | 2.0851    | 2.3285    | 1.9418    | 1.922     | 2.524     | 2.1216    |
| 11   | 2.4025    | 2.1948    | 2.0165    | 2.3525    | 2.5873    | 2.5972    | 2.5606    |
| 12   | 2.5606    |           | 2.4874    | 2.5393    | 2.4272    | 2.8532    | 3.0727    |
| 13   | 2.7801    | 2.524     | 2.6337    | 2.5019    | 3.1741    | 2.8166    | 2.6612    |
| 14   | 2.5606    |           | 2.524     | 2.5019    | 2.3525    | 2.5972    | 2.7351    |
| 15   | 2.6337    | 2.1582    | 2.2546    | 2.4272    | 2.3152    | 2.4874    | 2.8532    |
| 16   | 2.6242    | 2.524     | 2.4143    | 2.3285    | 2.3282    | 2.4508    | 2.9264    |
| 17   | 1.9589    | 2.7633    | 2.6337    | 2.4874    | 2.2177    | 2.3777    | 3.1786    |
| 18   | 2.5972    | 2.5873    | 2.5606    | 2.4874    | 2.2546    | 2.9264    |           |
| 19   | 2.9264    | 2.6886    | 2.9264    | 2.7435    | 2.7721    | 2.6703    | 3.3634    |
| 20   | 2.9264    | 2.6981    | 2.9264    | 3.1093    | 2.4394    | 3.4019    | 2.7351    |
| 21   | 2.6703    | 2.6981    | 3.0361    | 3.0727    | 2.5873    | 3.1824    | 2.758     |
| 22   | 2.4874    | 2.6703    | 1.9753    | 2.4508    | 2.5606    | 2.8532    | 3.1047    |
| 23   | 2.7069    | 2.6703    | 1.9022    | 2.7069    | 2.4508    | 3.0361    | 2.7633    |
| 24   | 2.5972    | 2.6337    | 2.6703    | 2.268     | 2.7435    | 2.5133    | 2.7069    |
| Max  | 2.9264    | 2.7801    | 3.0361    | 3.1093    | 3.1741    | 3.4019    | 3.3634    |
| Min  | 1.9589    | 1.848     | 1.9022    | 1.9418    | 1.922     | 1.829     | 2.1216    |
| Avg  | 2.5272    | 2.4755    | 2.4691    | 2.4389    | 2.5287    | 2.6215    | 2.7513    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314022 / 33kv amgaon sub station

Feeder No / Name : 203 / Amgaon

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.9753    | 2.0165    | 2.0485    | 2.2177    | 2.1216    | 1.9753    | 2.1948    |
| 2    | 1.829     | 1.9418    | 1.9753    | 2.0698    | 1.9753    | 1.9022    | 2.1948    |
| 3    | 1.7558    | 1.8671    | 1.8099    | 1.922     | 1.9022    | 1.9959    | 1.829     |
| 4    | 1.6827    | 1.7924    | 1.7375    | 1.848     | 1.829     | 1.922     | 1.6827    |
| 5    | 1.4632    | 1.643     | 1.5927    | 1.7924    | 1.7558    | 1.848     | 1.5364    |
| 6    | 1.39      | 1.419     | 1.39      | 1.5684    | 1.4784    | 1.3443    | 1.39      |
| 7    | 1.1317    | 1.1949    | 1.1706    | 1.3443    | 1.2696    | 1.1949    | 1.1706    |
| 8    | 1.0562    | 1.1203    | 1.1088    | 1.1203    | 1.1949    |           | 1.0974    |
| 9    | 1.1203    | 1.0974    | 1.1317    | 1.1949    | 1.2696    | 1.3169    | .7392     |
| 10   | 1.1949    | 1.2437    | 1.3443    | 1.3443    | 1.3443    | 1.0242    | 1.2437    |
| 11   | 1.4937    | 1.2437    | 1.4937    | 1.5684    | 1.5684    | 1.6095    | 1.4632    |
| 12   | 1.4784    | 1.39      | 1.6263    | 1.8671    |           | 1.6827    | .1646     |
| 13   | 1.7741    | 1.5364    | 1.7741    | 1.922     |           | 1.829     | 1.922     |
| 14   | 1.848     | 1.6827    | 1.9022    | 1.848     |           | 1.9022    | 1.9959    |
| 15   | 1.922     | 1.7558    | 1.9753    | 1.9959    | 2.5393    | 1.9753    | 2.6242    |
| 16   | 2.0911    | 1.6827    | 1.9022    | 1.922     | 2.3899    | 1.9753    | 2.0911    |
| 17   | 1.7002    | 1.5364    | 1.8089    | 1.7741    | 2.037     | 1.829     | 1.8671    |
| 18   | 1.6263    | 1.4045    | 1.643     | 1.6263    | 1.8107    | 1.6827    |           |
| 19   | 1.848     | 1.6827    | 1.848     | 2.0485    | 2.0698    | 2.6703    | 2.0165    |
| 20   | 1.922     | 1.7558    | 1.9959    | 2.0485    | 2.0698    | 1.9753    | 2.0485    |
| 21   | 1.9959    | 1.829     | 1.9959    | 2.0485    | 2.0698    | 1.9753    | 2.1216    |
| 22   | 2.0911    | 2.0485    | 2.1437    | 2.1948    | 2.2177    | 2.0485    | 2.3411    |
| 23   | 2.2405    | 2.1216    | 2.2916    | 2.3411    | 2.3411    | 2.3411    | 2.4143    |
| 24   | 2.0485    | 2.1658    | 2.1216    | 2.2916    | 2.268     | 1.9753    | 2.2862    |
| Max  | 2.2405    | 2.1658    | 2.2916    | 2.3411    | 2.5393    | 2.6703    | 2.6242    |
| Min  | 1.0562    | 1.0974    | 1.1088    | 1.1203    | 1.1949    | 1.0242    | .1646     |
| Avg  | 1.6950    | 1.6322    | 1.7430    | 1.8300    | 1.8820    | 1.8259    | 1.7580    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314022 / 33kv amgaon sub station

Feeder No / Name : 204 / 11 KV Salekasa

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5364    | 1.829     | 1.7741    | 1.6832    | 1.6278    | 1.6617    | 1.6095    |
| 2    | 1.5912    | 1.7741    | 1.7926    | 1.6289    | 1.6095    | 1.2323    | 1.6095    |
| 3    | 1.5546    | 1.701     | 1.7193    | 1.5927    | 1.5893    | 1.1949    | 1.5729    |
| 4    | 1.5181    | 1.6644    | 1.6461    | 1.6095    | 1.5154    | 1.2567    | 1.5729    |
| 5    | 1.4632    | 1.7187    | 1.5912    | 1.6461    | 1.4784    | 1.3676    | 1.5729    |
| 6    | 1.4045    | 1.6632    | 1.5339    | 1.5546    | 1.4969    | 1.4415    | 1.5181    |
| 7    | 1.3676    | 1.5729    | 1.4784    | 1.5023    | 1.1763    | 1.3352    | 1.4632    |
| 8    | .6653     | 1.4632    | 1.3306    | 1.4661    | 1.3256    | .8596     | .8048     |
| 9    | 1.307     | 1.3717    | 1.3306    | .9149     | 1.2136    | 1.0608    | 1.2254    |
| 10   | 1.363     | 1.262     | .9054     | 1.2136    | 1.1763    | 1.0425    | 1.1458    |
| 11   | 1.2323    | 1.134     | .5658     | 1.0456    | 1.1827    | 1.2437    |           |
| 12   | 1.1643    | 1.1888    | 1.0829    | 1.0829    | 1.1458    | 1.3717    | 1.2197    |
| 13   | 1.2936    | 1.3352    | 1.4784    | .7655     | 1.2936    | 1.2803    | 1.4415    |
| 14   | 1.2254    | 1.1706    | 1.4045    | .9709     | 1.3491    | 1.2986    | 1.4784    |
| 15   | 1.2986    | .9511     | 1.4998    | .9425     | 1.3491    | 1.3169    | 1.6804    |
| 16   |           | 1.262     | 1.423     | .9425     | 1.419     | 1.262     | 1.6057    |
| 17   | 1.0059    | 1.307     | 1.4083    | 1.1203    | 1.475     | 1.4632    | 1.6804    |
| 18   | 1.4118    | 1.2071    | 1.5181    | 1.423     | 1.4003    | 1.4632    |           |
| 19   | 1.6289    | 1.4415    | 1.6827    | 1.5154    | 1.5123    | 1.6644    | 1.701     |
| 20   | 1.5746    | 1.7002    | 1.6832    | 1.423     | 1.6244    | 1.7558    | 1.7741    |
| 21   | 1.5927    | 1.7372    | 1.448     | 1.5546    | 1.1949    | 1.262     | 1.885     |
| 22   | 1.6832    | 1.7741    | 1.5384    | 1.7193    | 1.5893    | 1.6461    | 1.848     |
| 23   | 1.7556    | 1.8111    | 1.7194    | 1.7558    | 1.6078    | 1.6644    | 1.6632    |
| 24   | 1.4815    | 1.8473    | 1.7741    | 1.7194    | 1.6278    | 1.6263    | 1.6095    |
| Max  | 1.7556    | 1.8473    | 1.7926    | 1.7558    | 1.6278    | 1.7558    | 1.885     |
| Min  | .6653     | .9511     | .5658     | .7655     | 1.1458    | .8596     | .8048     |
| Avg  | 1.3965    | 1.4953    | 1.4720    | 1.3664    | 1.4158    | 1.3655    | 1.5310    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 207 / 33/11 kv 10 MVA T/R

SHEDDABLE RURAL

Feeder KV- 33 / INCOMING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 4.8371    | 4.9966    | 4.9434    | 4.3982    | 5.2115    | 4.8891    | 5.156     |
| 2    | 4.5222    | 4.784     | 4.6245    | 4.3519    | 5.0497    | 4.8354    | 5.1029    |
| 3    | 4.2593    | 4.5713    | 4.5182    | 4.3519    | 4.7308    | 4.7817    | 4.9966    |
| 4    | 4.2593    | 4.3587    | 4.6776    | 4.137     | 5.1029    | 4.6742    | 4.417     |
| 5    | 4.1993    | 4.1461    | 4.5182    | 3.8683    | 4.5182    | 4.513     | 4.513     |
| 6    | 3.8912    | 3.8386    | 4.0489    | 3.6283    | 4.1541    | 4.0398    | 4.2524    |
| 7    | 3.6008    | 3.1379    | 3.1184    | 3.4979    | 3.5803    | 3.786     | 3.858     |
| 8    | 3.1539    | 2.9675    | 3.1687    | 3.5368    | 3.6283    | 1.7404    | 3.2167    |
| 9    | 3.1539    | 1.8982    | 3.2556    | 3.2047    | 3.5231    | 3.7037    | 3.774     |
| 10   | 3.3808    | 3.3065    | 3.7969    | 3.5368    | 3.9438    | 3.4848    | 3.4979    |
| 11   | 3.8912    | 3.4848    | 3.7449    | 4.2524    | 3.7209    | 4.4696    | 4.1015    |
| 12   | 4.3056    | 3.9529    | 4.2067    | 4.3118    | 2.4177    | 4.7851    | 4.7325    |
| 13   | 4.5668    | 4.1541    | 4.4696    | 4.4593    | 2.6292    | 4.7325    | 4.8903    |
| 14   | 4.6245    | 3.9866    | 4.5713    | 4.3587    | 3.155     | 4.6273    | 5.0503    |
| 15   | 4.7331    | 4.2067    | 4.3118    | 4.417     | 4.6811    | 4.5748    | 4.8903    |
| 16   | 4.6291    | 4.4119    | 4.3239    | 4.317     | 4.0124    | 4.4696    | 4.9434    |
| 17   | 4.3118    | 4.3118    | 4.317     | 4.265     | 4.213     | 4.6291    | 4.8891    |
| 18   | 4.3644    | 4.0124    | 4.2696    | 4.2181    | 4.0569    | 4.6291    |           |
| 19   | 5.2115    | 4.6696    | 5.2115    | 4.7308    | 4.8891    | 4.6245    | 5.647     |
| 20   | 4.9429    | 4.6205    | 5.2652    | 3.3311    | 4.6742    | 5.3155    | 3.7037    |
| 21   | 4.8354    | 4.7279    | 5.0503    | 4.513     | 4.7817    | 2.392     |           |
| 22   | 4.7279    | 4.7325    | 3.5837    | 4.7308    | 4.9429    | 5.104     | 5.2126    |
| 23   | 4.9966    | 4.9966    | 3.638     | 5.2092    | 4.9966    | 5.5281    | 5.2652    |
| 24   | 4.784     | 4.8903    | 4.9434    | 4.6205    | 5.1029    | 4.9429    | 5.5281    |
| Max  | 5.2115    | 4.9966    | 5.2652    | 5.2092    | 5.2115    | 5.5281    | 5.647     |
| Min  | 3.1539    | 1.8982    | 3.1184    | 3.2047    | 2.4177    | 1.7404    | 3.2167    |
| Avg  | 4.3409    | 4.1318    | 4.2741    | 4.1769    | 4.2382    | 4.3863    | 4.6199    |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 208 / 33/11 KV 5 MVA T/R

Feeder KV- 33 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 4.1089    | 4.3056    | 3.8386    | 3.9758    | 3.8272    | 4.1993    | 2.2262    |
| 2    | 4.0049    | 4.2593    | 3.6808    | 3.9758    | 3.6808    | 4.2981    | 2.2262    |
| 3    | 3.9529    | 4.2067    | 3.7209    | 3.922     | 3.5757    | 3.7209    | 2.2028    |
| 4    | 3.9529    | 3.9963    | 3.5757    | 3.8272    | 3.4019    | 3.8803    | 2.1491    |
| 5    | 3.7969    | 3.8386    | 3.5757    | 3.7209    | 3.3808    | 3.7209    | 2.1491    |
| 6    | 3.5494    | 3.6008    | 3.3436    | 3.6928    | 3.4465    | 3.7334    | 1.3763    |
| 7    | 3.5711    | 3.6008    | 3.103     | 3.6523    | 2.6406    | 3.6408    | 1.9033    |
| 8    | 2.9835    | 3.5608    | 3.1184    | 3.6523    | 3.3128    | 3.1207    | 1.4198    |
| 9    | 3.2047    | 3.3608    | 3.1539    | 3.1207    | 3.1727    |           | 1.7353    |
| 10   | 3.4328    | 3.3436    | 2.7566    | 3.0167    | 3.2247    | 3.2956    | 1.1568    |
| 11   | 3.3128    | 3.3288    | 2.0953    | 2.1491    | 3.3488    | 3.5231    | 2.9235    |
| 12   |           | 1.9879    | 3.1893    | 2.2085    | 3.3653    | 3.6808    | 3.9438    |
| 13   | 3.4551    | 3.2425    | 3.5888    | 2.2857    | 3.5082    | 3.8912    | 4.3244    |
| 14   | 3.4019    | 3.1493    | 3.3808    | 2.7938    | 3.786     | 1.2209    | 4.3896    |
| 15   | 3.3436    | 2.1285    | 1.749     | 3.035     | 3.6928    | 3.2425    | 4.1667    |
| 16   |           | 3.1893    | 3.2322    | 2.8995    | 3.6008    | 3.6808    | 4.417     |
| 17   | 3.0087    | 3.2425    | 3.4979    | 3.2407    | 3.5494    | 3.4551    | 4.3724    |
| 18   | 3.5368    | 3.0498    | 4.1152    | 3.7134    | 3.5494    | 4.213     |           |
| 19   | 4.1461    | 3.8066    | 4.5182    | 3.7026    | 4.1461    | 4.7851    | 4.6799    |
| 20   | 4.137     | 3.9866    | 3.6923    | 3.8912    | 4.1461    | 4.7851    | 4.3118    |
| 21   | 3.9335    | 3.8912    | 4.0295    | 4.3644    | 2.7166    | 4.6811    | 4.5771    |
| 22   | 4.2524    | 3.7449    | 4.1993    | 3.4019    | 4.0929    | 4.417     | 4.369     |
| 23   | 4.4119    | 3.8912    | 4.3056    | 3.8386    | 4.2524    | 2.2805    | 4.369     |
| 24   | 4.1541    | 4.2524    | 3.786     | 4.0295    | 3.9866    | 4.1993    | 2.2805    |
| Max  | 4.4119    | 4.3056    | 4.5182    | 4.3644    | 4.2524    | 4.7851    | 4.6799    |
| Min  | 2.9835    | 1.9879    | 1.749     | 2.1491    | 2.6406    | 1.2209    | 1.1568    |
| Avg  | 3.7115    | 3.5402    | 3.4686    | 3.4213    | 3.5585    | 3.7246    | 3.1161    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 401 / 33 KV SALEKASA FDR

SHEDDABLE RURAL

Feeder KV- 33 / INCOMING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.2047    | 3.3951    | 3.2922    | 3.3128    | 3.1379    | 3.1727    | 3.2768    |
| 2    | 3.103     | 3.3436    | 3.1893    | 3.2247    | 3.1539    | 3.0687    | 3.2247    |
| 3    | 3.0178    | 3.2047    | 3.1893    | 3.1893    | 3.103     | 3.0167    | 3.1727    |
| 4    | 3.1184    | 3.2047    | 3.1539    | 3.1379    | 3.0521    | 2.9647    | 3.0864    |
| 5    | 2.9675    | 3.1687    | 3.1687    | 3.1379    | 3.1184    | 2.9321    | 3.0864    |
| 6    | 2.8018    | 2.9492    | 2.8018    | 2.9675    | 2.8344    | 2.9504    | 2.7664    |
| 7    | 3.0836    | 3.2648    | 3.2648    | 3.2065    | 1.1065    | 3.3036    | 3.2648    |
| 8    | 3.0836    | 3.1402    | 3.131     | 3.2065    | 3.1824    | 3.1579    | 3.2167    |
| 9    | 2.6886    | 1.8982    | 3.1207    | 3.131     | 3.2322    | 3.4899    | 2.5749    |
| 10   | 3.2442    | 3.0727    | 3.3036    | 3.2167    | 3.2819    | 3.5305    | 3.0607    |
| 11   | 3.2933    | 3.1687    | 3.1579    | 2.4006    | 3.3699    | 3.6797    | 3.3316    |
| 12   | 3.3916    | 3.1207    | .0295     | 2.4486    | 3.3425    | 3.6797    | 3.4202    |
| 13   | 3.4808    | 2.915     | 3.2442    | 2.7515    | 3.3699    | 3.7723    | 3.5099    |
| 14   | 3.4899    | 3.0333    | 3.2933    | 2.915     | 3.3316    | 3.6797    | 3.6008    |
| 15   | 3.5048    | 2.9635    | 3.195     | 3.0967    | 3.3425    | 3.2933    | 3.3916    |
| 16   | .9191     | 3.0607    | 3.2259    | 2.7206    | 3.2065    | 3.2442    | 3.5208    |
| 17   | 2.332     | 3.4179    | 3.1579    | 2.9635    | 1.8278    | 3.2322    | 3.3916    |
| 18   | 3.6374    | 2.7366    | 2.7846    | 2.7692    | 2.2611    | 2.8669    |           |
| 19   | 3.9009    | 3.6214    | 3.7969    | 3.6008    | 3.4179    | 3.8489    | 3.6214    |
| 20   | 3.7969    | 3.5494    | 3.9009    | 3.6928    | 3.7449    | 3.8912    | 3.8912    |
| 21   | 3.7969    | 3.5888    | 3.7449    | 3.7969    | 3.3653    | 3.7449    | 3.5231    |
| 22   | 3.6408    | 3.6008    | 3.6523    | 3.4979    | 3.155     | 4.0049    | 3.5888    |
| 23   | 3.5888    | 3.3951    | 3.4848    | 3.3951    | 3.155     | 3.3653    | 3.5888    |
| 24   | 3.3436    | 3.4465    | 3.3436    | 3.4328    | 3.2922    | 3.1727    | 3.2768    |
| Max  | 3.9009    | 3.6214    | 3.9009    | 3.7969    | 3.7449    | 4.0049    | 3.8912    |
| Min  | .9191     | 1.8982    | .0295     | 2.4006    | 1.1065    | 2.8669    | 2.5749    |
| Avg  | 3.1846    | 3.1775    | 3.1511    | 3.1339    | 3.0577    | 3.3776    | 3.3212    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 402 / 33 KV INCOMING DEORI

NON SHEDDABLE EXPRESS HV FEEDERS

Feeder KV- 33 / OUTGOING

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 10.2566   | 14.4976   | 14.1473   | 14.8286   | 14.1301   | 13.2705   | 14.9366   |
| 2    | 10.2504   | 13.9546   | 14.3033   | 14.3987   | 12.1548   | 13.0018   | 14.7748   |
| 3    | 9.5222    | 13.6077   | 14.0924   | 14.0089   | 11.8187   | 12.7869   | 14.5599   |
| 4    | 10.0823   | 13.3882   | 13.882    | 13.4431   | 11.7067   | 13.163    | 14.345    |
| 5    | 10.0263   | 13.2505   | 13.7769   | 12.1971   | 11.7067   | 13.0018   | 13.2236   |
| 6    | 9.6468    | 12.3634   | 3.3436    | 12.9493   | 9.1101    | 13.023    | 13.059    |
| 7    | 10.7545   | 11.9273   | 12.1194   | 11.7421   | 5.4321    | 12.5429   | 12.38     |
| 8    | 10.0349   | 11.5512   | 12.0942   | 12.0713   | 8.1499    | 13.0018   | 9.8583    |
| 9    | 10.2566   | 11.4815   | 11.8313   | 11.8187   | 11.5512   | 12.1085   | 12.0713   |
| 10   | 12.1628   | 12.3571   | 12.3257   | 10.6424   | 12.2908   | 10.3704   | 12.0165   |
| 11   | 12.38     | 12.4097   | 12.7601   | 9.0181    | 11.9199   | 12.2171   | 13.1945   |
| 12   | 11.809    | 15.2492   | 12.923    | 8.9815    | 9.0924    | 12.5429   | 12.923    |
| 13   | 12.7298   | 12.6509   | 12.8687   | 9.0741    | 9.5222    | 13.8077   | 12.62     |
| 14   | 11.0883   | 13.0761   | 13.1945   | 9.0181    | 9.9863    | 13.8077   | 13.4168   |
| 15   | 11.2546   | 12.6509   | 12.5652   | 13.3031   | 9.828     |           | 12.4554   |
| 16   | 1.1043    | 12.5978   | 8.9301    | 12.0713   | 11.5226   | 3.8409    | 12.5297   |
| 17   | 8.239     | 12.7252   | 10.0469   | 11.9067   | 12.4383   | 13.6609   | 12.3257   |
| 18   | 10.5893   | 12.951    | 10.1458   | 12.9167   | 12.1262   | 13.3419   |           |
| 19   | 15.4681   | 15.9117   | 15.527    | 14.9897   | 14.321    | 15.407    | 16.1334   |
| 20   | 15.9031   | 15.1875   | 14.7474   | 15.4733   | 14.3759   | 15.8802   | 15.9997   |
| 21   | 15.2578   | 15.2915   | 14.8697   | 15.4195   | 14.1015   | 16.0723   |           |
| 22   | 14.9863   | 14.4605   | 10.5864   | 15.2046   | 12.0713   | 15.4596   | 14.7211   |
| 23   | 14.6605   | 14.5113   | 15.3658   | 10.5339   | 13.6077   | 15.6699   | 14.7211   |
| 24   | 8.8112    | 14.5519   | 14.4593   | 14.7748   | 14.345    | 13.1093   | 15.0915   |
| Max  | 15.9031   | 15.9117   | 15.527    | 15.4733   | 14.3759   | 16.0723   | 16.1334   |
| Min  | 1.1043    | 11.4815   | 3.3436    | 8.9815    | 5.4321    | 3.8409    | 9.8583    |
| Avg  | 11.1364   | 13.4418   | 12.5378   | 12.5327   | 11.5546   | 13.0908   | 13.5162   |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 403 / 33 KV Tedha feeder

NON SHEDDABLE EXPRESS HV FEEDERS

Feeder KV- 33 / INCOMING

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 10.423    | 10.5841   | 10.7905   | 10.631    | 10.7905   | 7.0165    | 10.631    |
| 2    | 10.1006   | 10.3652   | 10.4184   | 10.4184   | 8.3814    | 10.2618   | 10.631    |
| 3    | 9.832     | 10.3692   | 10.3155   | 10.2618   | 10.0469   | 9.8303    | 10.4184   |
| 4    | 9.9932    | 10.2081   | 10.1006   | 10.1006   | 9.9394    | 9.9394    | 10.3155   |
| 5    | 9.9932    | 10.1538   | 9.9909    | 10.0452   | 7.0165    | 10.1538   | 10.3692   |
| 6    | 8.9592    | 9.8823    | 9.5022    | 10.0995   | 6.4849    | 10.1543   | 10.4801   |
| 7    | 7.7646    | 9.5565    | 9.3484    | 9.8857    | 2.8778    | 10.1006   | 9.7782    |
| 8    | 9.4022    | 7.0382    | 8.7517    | 9.7194    | 7.0416    | 9.6194    | 9.9394    |
| 9    | 9.4559    | 7.1228    | 9.6171    | 9.6708    |           | 9.7245    | 10.0995   |
| 10   | 10.3692   | 9.9394    | 7.2628    | 9.9394    | 9.832     | 9.9932    | 10.5167   |
| 11   | 10.4184   | 10.4184   | 9.832     | 10.4253   | 10.4253   | 10.6219   | 1.8107    |
| 12   | 9.5633    | 9.9932    | 10.4716   | 10.2618   | 10.7373   | 10.5693   | 10.8322   |
| 13   | 9.9932    | 10.1006   | 10.4184   | 10.5339   | 10.5167   | 6.5204    | 11.0563   |
| 14   | 10.1006   | 4.7308    | 10.0469   | 10.3692   | 9.8823    | 10.5807   | 10.5304   |
| 15   | 3.0407    | 2.1285    | 9.832     | 10.2058   | 10.1006   | 10.2058   | 9.3393    |
| 16   | .032      | 4.513     | 2.6595    | 9.7245    | 9.7737    | 10.0463   | 9.7668    |
| 17   | 10.1943   | 10.2058   | 9.5565    | 10.3121   | 7.6509    | 10.3064   | 9.8337    |
| 18   | 10.0995   | 10.1543   | 10.423    | 8.3076    | 9.5633    | 10.5779   |           |
| 19   | 12.1725   | 10.519    | 11.9067   | 11.3055   | 10.8436   | 11.4106   | 3.9095    |
| 20   | 11.4815   | 10.5304   | 11.3363   | 10.6916   | 11.322    | 11.5158   | 11.358    |
| 21   | 11.1311   | 11.0563   | 11.2689   | 11.1626   | 11.1111   |           | 6.7215    |
| 22   | 11.322    | 10.99     | 11.322    | 7.5755    | 8.1127    | 11.5684   | 11.3906   |
| 23   |           | 11.0563   | 11.2003   | 7.4143    | 10.751    | 11.0265   | 11.3906   |
| 24   | 10.4767   | 10.6916   | 10.8436   | 11.322    | 7.468     | 10.5247   | 11.2003   |
| Max  | 12.1725   | 11.0563   | 11.9067   | 11.322    | 11.322    | 11.5684   | 11.3906   |
| Min  | .032      | 2.1285    | 2.6595    | 7.4143    | 2.8778    | 6.5204    | 1.8107    |
| Avg  | 9.4052    | 9.2628    | 9.8840    | 10.0160   | 9.1595    | 10.0986   | 9.6660    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 405 / 33/0.4 KV substation

Feeder KV- 33 / OUTGOING

NON SHEDDABLE EHV INDUSTRIAL FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.406     | 1.1443    | .6859     | 1.6124    | 1.5352    | 1.2289    | .5487     |
| 2    | 1.3603    | 1.1317    | .6241     | 1.5415    | 1.4712    | 1.0974    | .5213     |
| 3    | 1.2631    | 1.1191    | .587      | 1.4506    | 1.4449    | .8916     | .4572     |
| 4    | 1.2003    | 1.0814    | .5487     | 1.4352    | 1.4175    | .8579     | .4572     |
| 5    | 1.1043    | .9842     | .6019     | 1.4352    | 1.406     | .7819     | .4001     |
| 6    | 1.0562    | .5847     | .5796     | 1.2197    | 1.0802    | .7287     | .4001     |
| 7    | 1.3169    | .5784     | .5418     | .8539     | 1.0682    | .8128     | .4801     |
| 8    | .7613     | .5658     | .4904     | .8745     | 1.0059    | .7133     | 5.2812    |
| 9    | .7716     | .5407     | .1955     | .7373     | 1.0682    | .5921     | .4572     |
| 10   | .7133     | .6722     | .9859     | .7545     | 1.0288    | .6722     | .5624     |
| 11   | 2.1719    | .6882     | 1.7101    | .7042     | 1.0923    | .6882     | .6859     |
| 12   | 1.4403    | .6401     | 1.8821    | .7459     | 1.0923    | .6722     | .8436     |
| 13   | 1.078     | .6401     | 1.8821    | .7459     | 1.0517    | .5761     | 1.0174    |
| 14   | 1.078     | .7316     | 1.9033    | .7865     | .9556     | .7316     | .9231     |
| 15   | 1.078     | .7316     | 1.8519    | .6962     | .8951     | .7316     | .9014     |
| 16   | 1.3603    | .7316     | 1.861     | .6539     | .9054     | .4801     | .9602     |
| 17   | 1.7541    | .7287     | 1.9033    | 2.3137    | .8551     | 1.0562    | 1.0814    |
| 18   | 1.0517    | .7865     | 1.8107    | 2.1845    | .9122     | .4572     |           |
| 19   | 1.5278    | .8951     | 2.0576    | 2.2891    | .8802     | .6859     | 1.3003    |
| 20   | 1.5278    | .9339     | 2.0885    | 2.2891    | .8882     | .5487     | 1.2209    |
| 21   | 1.5546    | 1.0059    | 2.1125    | 1.9204    | .9556     | .6401     | 1.1831    |
| 22   | 1.3094    | .9374     | 1.9113    | 1.5352    | .9682     | .5487     | 1.1043    |
| 23   | 1.326     | .7773     | 1.5581    | 1.5804    | 1.0254    | .5487     | 1.262     |
| 24   | 1.4632    | 1.3094    | .7499     | 1.6644    | 1.4523    | 1.07      | .4572     |
| Max  | 2.1719    | 1.3094    | 2.1125    | 2.3137    | 1.5352    | 1.2289    | 5.2812    |
| Min  | .7133     | .5407     | .1955     | .6539     | .8551     | .4572     | .4001     |
| Avg  | 1.2781    | .8308     | 1.2968    | 1.3343    | 1.1023    | .7422     | .9785     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 406 / 33 KV KALIMATI

Feeder KV- 33 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 7.1216    | 7.2016    | 7.2016    | 7.2016    | 3.5494    | 3.5494    | 3.7551    |
| 2    | 6.9182    | 7.0988    | 6.893     | 7.2016    | 3.5608    | 3.4979    | 3.6626    |
| 3    | 6.8404    | 6.9958    | 6.8164    | 7.2016    | 3.4082    | 3.4979    | 3.6626    |
| 4    | 6.613     | 6.9182    | 6.9182    | 7.0988    | 3.4082    | 3.4465    | 3.6117    |
| 5    | 6.5386    | 6.8164    | 6.8164    | 6.9958    | 3.3573    | 3.4082    | 3.5608    |
| 6    | 6.5386    | 6.5386    | 6.3374    | 6.6392    | 3.3196    | 3.3065    | 3.4591    |
| 7    | 6.5638    | 6.7398    | 6.6632    | 6.8404    | 1.5238    | 3.3699    | 3.1687    |
| 8    | 6.7626    | 6.5638    | 7.1285    | 7.7897    | 7.5961    | 6.4021    | 6.8622    |
| 9    | 6.5386    | 3.5208    | 6.4644    | 5.935     | 3.2556    | 11.3438   | 6.3374    |
| 10   | 7.3252    | 3.5208    | 6.5386    | 6.438     | 2.6526    | 3.6214    | 3.5711    |
| 11   | 7.1216    | 3.3699    | 7.0416    | 7.3252    | 3.0498    | 3.7134    | 3.5711    |
| 12   | 7.4074    | 3.5208    | 7.444     | 7.1422    | 3.7134    | 3.6523    | 3.6117    |
| 13   | 7.3046    | 3.5208    | 6.9182    | 7.1216    | 3.858     |           | 3.7037    |
| 14   | 6.8164    | 3.3065    | 6.9182    | 7.3046    | 7.732     | 1.5249    | 3.3951    |
| 15   | 3.6408    | 3.3196    | 6.7146    | 7.0198    | 7.5446    | 3.6626    | 2.9504    |
| 16   | 1.8462    | 3.219     | 3.3196    | 7.58      | 7.8675    | 7.9452    | 5.8957    |
| 17   | 6.9958    | 7.1422    | 5.1714    | 7.0416    | 3.5305    | 7.2016    | 3.3699    |
| 18   | 7.2234    | 6.6392    | 6.941     | 5.0298    | 7.7686    | 6.7146    |           |
| 19   | 7.6978    | 7.7916    | 7.5938    | 7.2234    | 3.5494    | 7.3046    | 3.8066    |
| 20   | 7.5938    | 7.3046    | 8.5391    | 7.3046    | 3.6523    | 7.716     | 7.4074    |
| 21   | 7.4898    | 7.4074    | 7.0988    | 7.4074    | 2.0062    | 9.0021    | 2.9447    |
| 22   | 7.3856    | 7.0988    | 7.5102    | 7.3252    | 2.9835    | 7.7675    | 2.6863    |
| 23   | 7.4898    | 7.2016    | 7.4074    | 7.2016    | 3.4979    | 3.8066    | 3.6145    |
| 24   | 6.1152    | 7.9653    | 7.6132    | 7.7606    | 7.8109    | 7.7378    | 8.0681    |
| Max  | 7.6978    | 7.9653    | 8.5391    | 7.7897    | 7.8675    | 11.3438   | 8.0681    |
| Min  | 1.8462    | 3.219     | 3.3196    | 5.0298    | 1.5238    | 1.5249    | 2.6863    |
| Avg  | 6.6620    | 5.8634    | 6.8337    | 7.0471    | 4.3415    | 5.3562    | 4.2033    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 407 / 33 KV KAWARABANDH

Feeder KV- 33 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.4177    | 2.4714    | 2.5486    |           | 2.1845    | 1.893     | 2.572     |
| 2    | 2.3663    | 2.4188    | 2.5206    | 2.4714    | 2.3405    | 1.8724    | 2.572     |
| 3    | 2.2634    | 2.3137    | 2.5206    |           | 2.2119    | 1.8724    | 2.5434    |
| 4    | 2.2634    | 2.3137    | 2.572     | 2.4446    | 2.3045    | 1.8204    | .4572     |
| 5    | 2.1874    | 2.2885    | 2.5206    | 2.4177    | 2.1325    | 1.8004    | 2.0119    |
| 6    | 2.1874    | 2.2634    | 2.2891    | 2.1605    | 2.0576    | 1.8004    | 2.1628    |
| 7    | 2.0119    | 2.0062    | 1.989     | 1.5415    | 1.8107    | 1.8107    | 1.9616    |
| 8    | 1.861     | 1.749     | 1.9113    | 1.9547    | 1.9033    | 1.7404    | 1.2289    |
| 9    | 1.8107    | 1.8107    | 1.7404    | 1.8107    | 1.861     | 1.7695    | 1.6409    |
| 10   | 1.8107    | 1.7804    | 1.7901    | 1.8821    | 1.3923    | 1.8107    | 1.8107    |
| 11   | 1.9113    | 1.861     | 1.9616    | 1.9547    | 1.8313    | 1.9616    | 1.8107    |
| 12   | 2.0856    | 1.5729    | 2.0348    | 1.8821    | 1.8313    | 1.6409    | 2.1365    |
| 13   | 1.9547    | 1.7604    | 2.0119    | 1.9547    | 1.9547    | 2.34      | 2.2119    |
| 14   | 1.8519    | 1.17      | 1.9113    | 2.0508    | 1.8404    | 1.7804    | 2.3137    |
| 15   |           | 1.6907    | 1.9113    | 1.5432    | 1.6644    | 1.7295    | 2.1125    |
| 16   |           | 1.6907    | 1.8896    | 1.5947    | 1.749     | 1.9616    | 2.2382    |
| 17   | 1.382     | 1.9393    | 1.861     | 1.5769    | 1.8821    | 1.9839    | 2.0153    |
| 18   | 2.1091    | 1.989     | 2.1365    | 1.7101    | 1.7604    | 2.1628    |           |
| 19   | 2.7109    | 2.5789    | 2.6292    | 2.1325    | 2.1033    | 2.3148    | 2.524     |
| 20   | 2.524     | 2.3148    | 2.6292    | 2.1559    | 2.1559    | 2.2119    | 2.34      |
| 21   | 2.5766    | 2.5486    | 2.6046    | 2.2365    | 1.5415    | 2.2634    | 2.4691    |
| 22   | 2.6006    | 2.572     | 2.524     | 2.0805    | 1.2483    | 2.6235    | 2.6886    |
| 23   | 2.8086    | 2.6046    | 2.524     | 2.2365    | 1.7878    | 2.4691    | 2.4417    |
| 24   | 2.4177    | 2.7566    | 2.524     | 2.6006    | 2.1845    | 1.9456    | 2.5206    |
| Max  | 2.8086    | 2.7566    | 2.6292    | 2.6006    | 2.3405    | 2.6235    | 2.6886    |
| Min  | 1.382     | 1.17      | 1.7404    | 1.5415    | 1.2483    | 1.6409    | .4572     |
| Avg  | 2.1870    | 2.1027    | 2.2315    | 2.0179    | 1.9056    | 1.9825    | 2.1211    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314004 / 33/11 KV CHICHGAD

Feeder No / Name : 201 / 11 KV Chichgad

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2392    | 1.3172    | 1.4888    | 1.5291    | 1.414     | 1.2801    | 1.4068    |
| 2    | 1.1892    | 1.2916    | 1.4488    | 1.5036    | 1.3806    | 1.3089    | 1.3785    |
| 3    | 1.1352    | 1.2859    | 1.4346    | 1.4674    | 1.3325    | 1.2929    | 1.3485    |
| 4    | 1.1471    | 1.2813    | 1.3935    | 1.4255    | 1.3242    | 1.2395    | 1.2929    |
| 5    | 1.1823    | 1.2697    | 1.3369    | 1.3614    | 1.2734    | 1.1961    | 1.2937    |
| 6    | 1.1766    | 1.2194    | 1.2578    | 1.2734    | 1.2396    | 1.2615    | 1.2799    |
| 7    | 1.0963    | 1.0833    | 1.1675    | 1.1359    |           | 1.2289    | 1.1938    |
| 8    | 1.0898    | 1.0567    | 1.0933    | 1.0269    | 1.0997    | 1.1961    | 1.0665    |
| 9    | 1.029     | 1.1044    | 1.0536    | .9891     | 1.0665    | 1.1009    | 1.0825    |
| 10   | .9652     | 1.1612    | 1.0696    | .985      | 1.1519    | 1.0799    | 1.0967    |
| 11   | 1.2018    | 1.1961    | 1.1157    | 1.1076    | 1.2274    | 1.1706    | 1.1946    |
| 12   | 1.2524    | .9476     | 1.0612    | 1.1673    | 1.2852    | 1.2515    | 1.1587    |
| 13   | 1.2072    | 1.0513    | 1.0982    | 1.1681    | 1.2302    | 1.2738    | 1.1953    |
| 14   | 1.2177    | 1.1134    | 1.182     | 1.0827    | 1.1538    | 1.2022    | 1.2194    |
| 15   | 1.2296    | 1.0318    | 1.1683    | 1.1988    | 1.1972    | 1.1628    | 1.2288    |
| 16   |           | 1.0261    | .5898     | 1.0662    | 1.2631    | 1.2578    | 1.2129    |
| 17   | .8162     | 1.1351    | .8886     | .9949     | 1.3131    | 1.2453    | 1.2382    |
| 18   | 1.3458    | 1.345     | 1.2704    | 1.1643    | 1.2289    | 1.2712    | 1.2772    |
| 19   | 1.7059    | 1.7109    | 1.6876    | 1.5047    | 1.5489    | 1.5082    | 1.6323    |
| 20   | 1.6937    | 1.8035    | 1.6675    | 1.5356    | 1.4457    | 1.6183    | 1.7349    |
| 21   | 1.4903    | 1.6943    | 1.6781    | 1.5409    | 1.427     | 1.6405    | 1.6876    |
| 22   | 1.5443    | 1.7661    | 1.6883    | 1.4784    | 1.4773    | 1.5967    | 1.7139    |
| 23   | 1.4983    | 1.6253    | 1.6419    | 1.4838    | 1.3489    | 1.5194    | 1.4582    |
| 24   | 1.3359    | 1.4565    | 1.5287    | 1.5238    | 1.3413    | 1.4563    | 1.4247    |
| Max  | 1.7059    | 1.8035    | 1.6883    | 1.5409    | 1.5489    | 1.6405    | 1.7349    |
| Min  | .8162     | .9476     | .5898     | .985      | 1.0665    | 1.0799    | 1.0665    |
| Avg  | 1.2517    | 1.2906    | 1.2921    | 1.2798    | 1.2944    | 1.3066    | 1.3257    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314004 / 33/11 KV CHICHGAD

Feeder No / Name : 202 / 11 KV Ganutola Feeder

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8166     | .8307     | .8737     | .8292     | .884      | .9378     | .8521     |
| 2    | .8061     | .8284     | .8501     | .7818     | .9145     | .9362     | .829      |
| 3    | .7603     | .8284     | .8265     | .7438     | .9111     | .9099     | .8093     |
| 4    | .7392     | .8261     | .82       | .7236     | .9133     | .8882     | .7867     |
| 5    | .7598     | .8402     | .7952     | .7255     | .924      | .8189     | .8177     |
| 6    | .6983     | .7813     | .7144     | .6976     | .7392     | .7396     | .7806     |
| 7    | .5277     | .5273     | .5323     | .5106     | .4915     | .5247     | .5681     |
| 8    | .4905     | .5119     | .4748     | .4844     | .4592     | .5258     | .4676     |
| 9    | .519      | .5395     | .4561     | .4805     | .4855     | .5197     | .4691     |
| 10   | .921      | .7514     | .642      | .6473     | .7655     | .8116     | .6653     |
| 11   | .8796     | .8186     | .8604     | .7587     | .8417     | .9067     | .8421     |
| 12   | .8778     | .7446     | .6756     | .775      | .8779     | .8855     | .7975     |
| 13   | .911      | .7788     | .788      | .7888     | .7434     | .916      | .8108     |
| 14   | .7577     | .7945     | .7364     | .8383     | .6771     | .8962     | .756      |
| 15   | .8196     | .7628     | .7091     | .8231     | .6942     | .861      | .6638     |
| 16   | .6355     | .7644     | .6268     | .7007     | .6685     | .8238     | .6558     |
| 17   | .5955     | .7411     | .6322     | .7716     | .708      | .7489     | .7046     |
| 18   | .5868     | .833      | .7095     | .7819     | .7206     | .7964     | .7338     |
| 19   | 1.0241    | 1.0928    | 1.0768    | 1.1317    | 1.0721    | 1.0553    | 1.1325    |
| 20   | 1.1225    | 1.0894    | 1.1235    | 1.1526    | 1.1519    | 1.1121    | 1.2068    |
| 21   | 1.1022    | 1.0444    | 1.101     | 1.1016    | 1.0902    | 1.0489    | 1.1709    |
| 22   | .9918     | 1.0044    | .9794     | 1.0318    | 1.0317    | 1.0025    | 1.0406    |
| 23   | .8752     | .9481     | .9036     | .9667     | 1.0003    | .9309     | .916      |
| 24   | .8569     | .8749     | .8943     | .9059     | .8771     | .9728     | .8842     |
| Max  | 1.1225    | 1.0928    | 1.1235    | 1.1526    | 1.1519    | 1.1121    | 1.2068    |
| Min  | .4905     | .5119     | .4561     | .4805     | .4592     | .5197     | .4676     |
| Avg  | .7948     | .8149     | .7834     | .7980     | .8184     | .8571     | .8067     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314004 / 33/11 KV CHICHGAD

Feeder No / Name : 203 / 11 KV Palandur

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3921     | .4108     | .3921     | .3511     | .3921     | .3734     | .3772     |
| 2    | .3326     | .4108     | .3921     | .3511     | .3921     | .3696     | .3584     |
| 3    | .3326     | .3696     | .3734     | .3361     | .4108     | .3658     | .3584     |
| 4    | .3142     | .3696     | .3734     | .3174     | .4108     | .3696     | .3395     |
| 5    | .3734     | .3734     | .3547     | .2987     | .4108     | .3881     | .3772     |
| 6    | .3961     | .3921     | .3395     | .2987     | .3734     | .3696     | .3961     |
| 7    | .3326     | .3326     | .3361     | .2801     | .3174     | .2987     | .3206     |
| 8    | .3142     | .3326     | .2987     | .2561     | .3734     | .3174     | .3292     |
| 9    |           | .2957     | .2801     | .168      | .3292     | .3361     | .2987     |
| 10   | .3109     | .2957     | .3292     | .1646     | .2926     | .3361     | .3174     |
| 11   | .2957     | .3109     | .2743     | .2561     | .3109     | 1.3121    | .3361     |
| 12   | .2957     | .3189     | .2743     | .2378     | .3326     | .3109     | .3361     |
| 13   | .2926     | .2743     | .2743     | .2743     | .3224     | .3012     | .3361     |
| 14   | .2926     | .2743     | .2926     | .2658     | .2896     | .3174     | .3361     |
| 15   | .2926     | .2926     | .3077     | .2743     | .3077     | .2957     | .2987     |
| 16   |           | .3109     | .2561     | .2561     | .3361     | .2987     | .3174     |
| 17   | .2957     | .3012     | .2926     | .2561     | .3511     | .3841     | .2957     |
| 18   | .3734     | .2743     | .3547     | .3292     | .3547     | .4066     | .3326     |
| 19   | .5093     | .5228     | .4338     | .5041     | .4435     | .5093     | .4251     |
| 20   | .547      | .5093     | .4527     | .5228     | .4805     | .5281     | .4755     |
| 21   | .4904     | .4805     | .4338     | .5041     | .4527     | .5093     | .462      |
| 22   | .4527     | .4294     | .415      | .4668     | .4066     | .4715     | .4251     |
| 23   | .4294     | .415      | .415      | .4481     | .4108     | .4527     | .4108     |
| 24   | .3921     | .4294     | .3921     | .3772     | .4108     | .4108     | .415      |
| Max  | .547      | .5228     | .4527     | .5228     | .4805     | 1.3121    | .4755     |
| Min  | .2926     | .2743     | .2561     | .1646     | .2896     | .2957     | .2957     |
| Avg  | .3663     | .3636     | .3474     | .3248     | .3714     | .4180     | .3615     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314008 / 33/11 KV DEORI SUB STATION

Feeder No / Name : 201 / 11KV AMGAON

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.9867    | 4.6795    | 4.6906    | 4.6264    | 3.8943    | 3.8904    | 4.8492    |
| 2    | 1.9402    | 4.5282    | 4.732     | 4.5298    | 3.7243    | 3.8973    | 4.7326    |
| 3    | 1.9365    | 4.1501    | 4.6258    | 4.4285    | 3.472     | 4.0326    | 4.7143    |
| 4    | 1.888     | 4.1442    | 4.7213    | 4.4292    | 3.5215    | 4.5878    | 4.6541    |
| 5    | 1.9372    | 4.0939    | 4.5534    | 4.3614    | 3.5128    | 4.545     | 1.9944    |
| 6    | 2.1635    | 4.133     | 4.6443    | 4.256     | 3.6287    | 4.602     | 2.159     |
| 7    | 4.5523    | 2.1201    | 2.0972    | 2.1369    | 1.9677    | 4.6489    | 2.4249    |
| 8    | 5.0731    | 2.2773    | 2.2519    | 2.2306    | 2.7509    | 5.197     | 2.4326    |
| 9    | 4.7935    | 2.3806    | 1.97      | 2.242     | 2.7724    | 2.4958    | 1.9243    |
| 10   | 4.8377    | 2.5292    | 2.0039    | 2.2672    | 2.7625    | 2.2707    | 2.4318    |
| 11   | 2.6239    | 2.5773    | 2.0016    | 2.4227    | 2.8906    | 3.488     | 2.5865    |
| 12   | 2.537     | 2.5766    | 2.508     | 2.3044    | 2.7229    | 4.4551    | 2.7168    |
| 13   | 2.6333    | 2.5674    | 2.5445    | 2.393     | 2.6783    | 5.0198    | 2.8858    |
| 14   | 2.5587    | 2.4721    | 2.5472    | 2.3822    | 2.5991    | 4.9093    | 2.6467    |
| 15   | 1.9839    | 2.4508    | 2.5003    | 2.4394    | 2.4814    | 4.7806    | 2.5575    |
| 16   | .2073     | 2.5164    | 2.4111    | 2.4604    | 2.5606    | 4.4422    | 2.5846    |
| 17   | 2.015     | 2.5781    | 2.3892    | 2.3396    | 2.6677    | 4.7387    | 3.0925    |
| 18   | 3.8569    | 2.4687    | 3.2816    | 4.808     | 2.7515    | 5.2904    | 5.2568    |
| 19   | 5.4896    | 5.1204    | 4.638     | 5.1387    | 5.2949    | 5.4465    | 5.1212    |
| 20   | 5.0366    | 5.2134    | 4.7904    | 4.6639    | 4.4185    | 5.4473    | 5.2751    |
| 21   | 5.1135    | 5.1391    | 4.8728    | 4.9947    | 4.7287    | 5.2492    | 5.3026    |
| 22   | 4.7599    | 4.8929    | 4.5237    | 4.2493    | 2.1826    | 5.1905    | 5.3567    |
| 23   | 4.7333    | 4.846     | 4.6274    | 3.8325    | 4.5931    | 5.1577    | 4.994     |
| 24   | 3.4004    | 4.8404    | 4.6899    | 4.116     | 3.9201    | 4.563     | 5.0831    |
| Max  | 5.4896    | 5.2134    | 4.8728    | 5.1387    | 5.2949    | 5.4473    | 5.3567    |
| Min  | .2073     | 2.1201    | 1.97      | 2.1369    | 1.9677    | 2.2707    | 1.9243    |
| Avg  | 3.2524    | 3.5540    | 3.5257    | 3.5022    | 3.2707    | 4.5144    | 3.6574    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314008 / 33/11 KV DEORI SUB STATION

Feeder No / Name : 202 / 11 KV DEORI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.5948    | 3.2876    | 3.3834    | 3.2965    | 3.5909    | 3.536     | 3.5696    |
| 2    | 2.5324    | 3.4434    | 3.2568    | 3.1329    | 3.3989    | 3.3112    | 3.4583    |
| 3    | 2.4414    | 3.2201    | 3.1322    | 2.9931    | 3.1733    | 3.3109    | 3.3005    |
| 4    | 2.3735    | 2.7723    | 2.9973    | 2.8984    | 3.1769    | 3.1207    | 3.1672    |
| 5    | 2.2769    | 2.6246    | 2.8532    | 2.7369    | 3.0933    | 2.867     | 2.9789    |
| 6    | 2.3533    | 2.4177    | 2.7092    | 2.5743    | 2.9376    | 2.8669    | 2.6704    |
| 7    | 2.1811    | 2.1546    | 2.3548    | 2.2872    | 2.898     | 2.5126    | 2.4002    |
| 8    | 2.1597    | 2.0561    | 2.2161    | 2.0714    | 2.7317    | 2.3769    | 2.1689    |
| 9    | 2.2991    | 2.2904    | 2.1853    | 1.3318    | 2.5275    | 2.3724    | 2.2497    |
| 10   | 2.5454    | 2.3761    | 2.6955    | 2.1998    | 2.6733    | 2.668     | 2.5522    |
| 11   | 3.0186    | 2.598     | 2.8666    | 2.8544    | 3.0697    | 3.0765    | 2.8449    |
| 12   | 3.2243    | 2.6669    | 2.9927    | 3.0933    | 3.1878    | 3.2625    | 2.9843    |
| 13   | 3.2122    | 2.6109    | 3.2891    | 3.1665    | 3.171     | 3.1756    | 3.0292    |
| 14   | 3.1717    | 2.681     | 3.1741    | 3.1458    | 3.2465    | 3.3959    | 2.9629    |
| 15   | 3.3805    | 2.9363    | 3.2394    | 3.2617    | 3.4804    | 3.4408    | 3.2283    |
| 16   | 1.7452    | 3.11      | 3.238     | 3.2289    | 3.3866    | 3.3052    | 3.2651    |
| 17   | 1.7737    | 3.0011    | 3.1115    | 2.9664    | 3.3532    | 3.1908    | 3.1329    |
| 18   | 3.2145    | 2.8547    | 3.0117    | 3.0423    | 3.0696    | 3.0064    | 2.9866    |
| 19   | 3.043     | 2.9919    | 2.9371    | 2.9714    | 2.9607    | 2.9828    | 3.1443    |
| 20   | 3.106     | 3.2144    | 3.0925    | 3.3776    | 3.1466    | 3.312     | 3.4401    |
| 21   | 3.2289    | 3.3417    | 3.19      | 3.3969    | 3.3752    | 3.4378    | 3.4195    |
| 22   | 3.2412    | 3.597     | 3.3593    | 3.5017    | 3.6307    | 3.5627    | 3.5787    |
| 23   | 3.5179    | 3.5779    | 3.5147    | 3.6648    | 3.7352    | 3.8265    | 3.6503    |
| 24   | 2.8161    | 3.4322    | 3.4987    | 3.5905    | 3.7654    | 3.7403    | 3.6763    |
| Max  | 3.5179    | 3.597     | 3.5147    | 3.6648    | 3.7654    | 3.8265    | 3.6763    |
| Min  | 1.7452    | 2.0561    | 2.1853    | 1.3318    | 2.5275    | 2.3724    | 2.1689    |
| Avg  | 2.7271    | 2.8857    | 3.0125    | 2.9494    | 3.1992    | 3.1524    | 3.0775    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314008 / 33/11 KV DEORI SUB STATION

Feeder No / Name : 203 / 11 KV KAKODI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3731     | .4432     | .4653     | .2488     | .4268     | 2.1285    | .4923     |
| 2    | .3738     | .4466     | .4199     | .4731     | .4237     | 2.1582    | .4859     |
| 3    | .3695     | .4447     | .4195     | .4545     | .4111     | 2.1253    | .4657     |
| 4    | .3463     | .4539     | .41       | .4538     | .3943     | 2.1281    | .4599     |
| 5    | .3459     | .4308     | .4031     | .4327     | .4054     | 2.0968    | .4577     |
| 6    | .3406     | .4312     | .3936     | .4092     | .4496     | 2.1184    | .4512     |
| 7    | .3045     | .3997     | .3769     | .4058     | .5014     | 2.0512    | .4256     |
| 8    | .2995     | .4054     | .3871     | .4161     | .386      | 2.098     | .478      |
| 9    | .3231     | .4538     | .3917     | .4629     | .4277     | 2.2855    | .4671     |
| 10   | .3427     | .4117     | .4075     | .3849     | .4054     | 2.1411    | .4622     |
| 11   | .3412     | .3917     | .4045     | .3644     | .3955     | 2.17      | .4005     |
| 12   | .3761     | .4291     | .4212     | .3937     | .2088     | 2.2161    | .3883     |
| 13   | .3877     | .4134     | .422      | .407      |           | 2.1559    | .3993     |
| 14   | .4125     | .3989     | .3883     | .418      |           | 2.1395    | .3868     |
| 15   | .3929     | .4081     | .4159     | .3536     | 1.2502    |           | .3898     |
| 16   | .1616     | .3902     | .4443     | .3364     | 2.2668    | .4443     | .3852     |
| 17   | .3054     | .4046     | .4039     | .1985     | 2.1739    | .487      | .4089     |
| 18   | .421      | .4033     | .4666     | .3184     | 2.1546    | .4596     | .4192     |
| 19   | .5026     | .5106     | .5448     | .5179     | 2.3727    | .5377     | .479      |
| 20   | .5586     | .546      | .5679     | .5251     | 2.2252    | .6016     | .5567     |
| 21   | .5009     | .5468     | .5546     | .5476     | 2.2638    | .5841     | .5381     |
| 22   | .4902     | .5039     | .54       | .5426     | 2.4432    | .5453     | .5083     |
| 23   | .4553     | .4963     | .4984     | .5224     | 2.178     | .5289     | .4702     |
| 24   | .3857     | .4737     | .4816     | .4862     | 1.3268    | 1.3237    | .4626     |
| Max  | .5586     | .5468     | .5679     | .5476     | 2.4432    | 2.2855    | .5567     |
| Min  | .1616     | .3902     | .3769     | .1985     | .2088     | .4443     | .3852     |
| Avg  | .3796     | .4432     | .4429     | .4197     | 1.1587    | 1.5446    | .4516     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314008 / 33/11 KV DEORI SUB STATION

Feeder No / Name : 204 / 11 KV KOHAMARA FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 6.451     | 7.0333    | 7.1998    | 6.6926    | 5.4549    | 4.9878    | 7.2428    |
| 2    | 6.4278    | 6.797     | 7.1102    | 6.6095    | 5.3254    | 4.9672    | 6.8937    |
| 3    | 6.298     | 6.6202    | 7.0187    | 6.4818    | 3.2556    | 4.8259    | 6.8861    |
| 4    | 6.2552    | 6.4914    | 7.1015    | 6.4569    | 3.0855    | 4.7607    | 6.8823    |
| 5    | 6.2163    | 6.2285    | 6.989     | 6.3836    | 3.132     | 4.6236    | 7.1666    |
| 6    | 6.5302    | 6.2788    | 7.1285    | 6.3672    | 3.2142    | 4.9091    | 7.3418    |
| 7    | 6.9304    | 6.2528    | 7.6429    | 6.7429    | 3.0519    | 5.0294    | 7.528     |
| 8    | 6.8237    | 6.2752    | 7.5797    | 7.2704    | 4.1301    | 5.5327    | 7.1217    |
| 9    | 6.6072    | 6.9463    | 7.6711    | 6.9256    | 6.6598    | 5.4844    | 7.4191    |
| 10   | 6.9128    | 6.8969    | 7.3666    | 6.8412    | 6.3718    | 5.5514    | 7.7175    |
| 11   | 6.7695    | 7.0183    | 7.46      | 6.9128    | 6.6762    | 5.6371    | 7.6277    |
| 12   | 6.5137    | 6.9463    | 7.3442    | 3.6458    | 3.5223    | 5.5403    | 7.1331    |
| 13   | 6.6544    | 7.1651    | 7.3381    |           |           | 5.458     | 6.7309    |
| 14   | 6.4567    | 6.944     | 7.2805    | 4.1708    |           | 5.3483    | 6.4861    |
| 15   | 6.3861    | 6.7345    | 7.1277    | 6.896     |           | .3056     | 6.308     |
| 16   | 3.1984    | 6.8923    | 6.4327    | ***       | 1.8533    | 6.1111    | 6.2281    |
| 17   | 5.0975    | 7.0104    | 6.5659    | 6.6202    | 3.4446    | 7.2794    | 6.7726    |
| 18   | 7.007     | 7.3312    | 6.4598    | 7.0039    | 4.7377    | 7.4189    | 7.4051    |
| 19   | 7.3337    | 7.5458    | 7.5324    | 7.332     | .8482     | 7.3769    | 7.5377    |
| 20   | 7.4829    | 7.5427    | 6.1572    | 7.0523    | 4.6952    | 7.3548    | 7.6017    |
| 21   | 6.9685    | 7.4204    | 4.6037    | 7.2679    | 4.6556    | 7.4935    | 7.6535    |
| 22   | 7.0576    | 7.3632    | 5.1936    | 7.543     | 5.3315    | 7.4615    | 7.6224    |
| 23   | 6.8488    | 7.428     | 6.7345    | 7.1771    | 5.2783    | 7.3906    | 7.2314    |
| 24   | 6.5478    | 7.2784    | 7.1692    | 6.8647    | 6.3256    | 6.2094    | 7.2062    |
| Max  | 7.4829    | 7.5458    | 7.6711    | 12.1268   | 6.6762    | 7.4935    | 7.7175    |
| Min  | 3.1984    | 6.2285    | 4.6037    | 3.6458    | .8482     | .3056     | 6.2281    |
| Avg  | 6.4906    | 6.9350    | 6.9253    | 6.8428    | 4.3357    | 5.7107    | 7.1560    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314008 / 33/11 KV DEORI SUB STATION

Feeder No / Name : 205 / 11 KV EXPRESS FEEDER MBCP NON SHEDDABLE EXPRESS HV FEEDERS  
 SIRP Feeder KV- 11 / INCOMING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1233     | .1279     | .1284     | .1298     | .1143     | .1566     | .1486     |
| 2    | .1218     | .1253     | .1244     | .1275     | .1093     | .1436     | .1425     |
| 3    | .1187     | .1155     | .1233     | .124      | .0377     | .1252     | .1387     |
| 4    | .1202     | .1154     | .1044     | .1225     | .0385     | .1233     | .1387     |
| 5    | .1176     | .1154     | .1006     | .1195     | .0628     | .1189     | .118      |
| 6    | .1119     | .096      | .0953     | .0968     | .096      | .1225     | .114      |
| 7    | .0766     | .0785     | .0586     | .051      | .2235     | .1037     | .0785     |
| 8    | .075      | .0686     | .0732     | .0811     | .0736     | .0831     | .0842     |
| 9    | .08       | .0724     | .0747     | .0994     | .0979     | .0823     | .0816     |
| 10   | .0849     | .0617     | .0827     | .1004     | .1329     | .0884     | .0789     |
| 11   | .0857     | .0728     | .0804     | .1009     | .1157     | .1113     | .1088     |
| 12   | .0834     | .0693     | .0865     | .1031     | .1149     | .1134     | .1044     |
| 13   | .0845     | .08       | .0865     | .1043     | .1187     | .1145     | .1115     |
| 14   | .0842     | .0686     | .0914     | .1051     | .0922     | .1105     | .1101     |
| 15   | .0884     | .0602     | .0949     | .1037     | .101      | .1054     | .1096     |
| 16   | .0865     | .0712     | .0872     | .0994     | .1322     | .0873     | .1126     |
| 17   | .0891     | .0693     | .0872     | .1025     | .1153     | .0887     | .1043     |
| 18   | .0884     | .0762     | .0849     | .0985     | .105      | .0877     | .1065     |
| 19   | .1625     | .0972     | .129      | .1409     | .1219     | .1239     | .1402     |
| 20   | .1531     | .1512     | .1328     | .1543     | .1212     | .1361     | .1532     |
| 21   | .1501     | .149      | .1436     | .1793     | .1229     | .1323     | .1321     |
| 22   | .129      | .152      | .1256     | .1166     | .1588     | .1307     | .1483     |
| 23   | .1282     | .1261     | .1328     | .0804     | .1334     | .1311     | .1279     |
| 24   | .1313     | .1305     | .1342     | .1324     | .1372     | .1528     | .1433     |
| Max  | .1625     | .152      | .1436     | .1793     | .2235     | .1566     | .1532     |
| Min  | .075      | .0602     | .0586     | .051      | .0377     | .0823     | .0785     |
| Avg  | .1073     | .0979     | .1026     | .1114     | .1115     | .1156     | .1182     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314008 / 33/11 KV DEORI SUB STATION

Feeder No / Name : 403 / 33KV OUTGOING KORCHI

NON SHEDDABLE EXPRESS HV FEEDERS

FEEDER Feeder KV- 33 /

(CONTINUOUS PROCESS)(NO STAGGERING)

INCOMING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.7783    | 2.7446    | 2.7726    | 2.8292    | 2.6886    | 2.5463    | 2.6595    |
| 2    | 2.7037    | 2.6886    | 2.6886    | 2.8292    | 2.5463    | 2.4897    | 2.7161    |
| 3    | 2.596     | 2.6886    | 2.7161    | 2.7726    | 2.5206    | 2.4646    | 2.6595    |
| 4    | 2.5491    | 2.6337    | 2.6886    | 2.7726    | 2.3765    | 2.4897    | 2.6595    |
| 5    | 2.291     | 2.6029    | 2.2634    | 2.6595    | 2.2405    | 2.2068    | 2.7161    |
| 6    | 2.3143    | 2.4086    | 2.1845    | 2.4331    | 2.4897    | 2.1285    | 2.32      |
| 7    | 2.037     | 2.037     | 2.0936    | 1.8673    | 1.4712    | 2.1285    |           |
| 8    | 1.9805    | 1.9239    | 1.7541    | 1.8673    | 2.0725    | 2.0165    | 1.9239    |
| 9    | 1.8484    | 1.8673    | 1.9239    | 1.8484    | 1.9044    | 1.9805    | 1.6975    |
| 10   | 1.9805    | 2.0936    | 1.6409    | 2.0936    | 2.1285    | 2.0165    | 1.7541    |
| 11   | 2.1502    | 2.1502    | .3271     | 2.0725    | 2.2634    | 2.5143    | 2.1502    |
| 12   | 2.1502    | 2.037     | .3417     | .3641     | 2.2068    | 2.6555    | 2.1502    |
| 13   | 2.2068    | 1.9805    | 2.2068    | .3961     | 2.1502    | 2.6555    | 2.32      |
| 14   | 2.0936    | 2.0936    | 2.2068    | .2857     | 1.9605    | 2.1502    | 1.9239    |
| 15   | 1.9805    | 2.0936    | 1.8673    | 2.1285    | 2.0936    | 2.0936    | 2.1502    |
| 16   | 1.1883    | 1.9805    | 1.4146    | 2.0165    | 2.1285    | 2.0936    | 2.1502    |
| 17   | 1.9239    | 2.0936    | 1.7541    | 2.1502    | 2.2634    | 2.1502    | 2.2634    |
| 18   | 2.1845    | 2.32      | 1.9239    | 2.0725    | 2.0936    | 2.1502    | 2.4331    |
| 19   | 3.3385    | 3.3385    | 3.2253    | 3.1687    | 2.8921    | 3.1121    | 3.2819    |
| 20   | 3.5082    | 3.3819    | 3.4517    | 3.4168    | 3.2819    | 3.3385    | 3.5082    |
| 21   | 3.2819    | 3.3385    | 3.3951    | 3.2819    | 2.4331    | 3.2253    | 3.4517    |
| 22   | 3.0556    | 3.1927    | 3.1121    | 3.1367    | 2.999     |           | 3.2819    |
| 23   | 2.8858    | 3.0556    | 3.0556    | 2.8006    | 2.32      | 3.2253    | 2.9424    |
| 24   | 2.8857    | 2.7726    | 2.9424    | 2.8858    | 2.9424    | 2.4143    | 2.7726    |
| Max  | 3.5082    | 3.3819    | 3.4517    | 3.4168    | 3.2819    | 3.3385    | 3.5082    |
| Min  | 1.1883    | 1.8673    | .3271     | .2857     | 1.4712    | 1.9805    | 1.6975    |
| Avg  | 2.4130    | 2.4799    | 2.2480    | 2.2562    | 2.3528    | 2.4455    | 2.5168    |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314010 / 33/11KV KESHORI

Feeder No / Name : 201 / 11 KV Keshori

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.4646    | 2.4272    | 2.6139    | 2.5766    | 2.6139    | 2.4459    | .9709     |
| 2    | 2.4086    | 2.3899    | 2.4459    | 2.5019    | 2.5953    | 2.4459    | .9522     |
| 3    | 2.3899    | 2.3339    | 2.4272    | 2.4646    | 2.5766    | 2.4086    | .9522     |
| 4    | 2.3339    | 2.3152    | 2.3899    | 2.4272    | 2.5393    | 2.3899    | .9522     |
| 5    | 2.2779    | 2.2779    | 2.3899    | 2.4086    | 2.4646    | 2.3152    | .9335     |
| 6    | 2.3152    | 2.2965    | 2.3712    | 2.3152    | 2.4086    | 2.2965    | .9335     |
| 7    | 2.2779    | 2.2965    | 2.3712    | 2.2592    | 2.3525    | 2.2965    | .9149     |
| 8    | 2.2592    | 2.2965    | 2.4272    | 2.3525    | 2.4086    | 2.2779    | 1.0082    |
| 9    | 2.3525    | 2.3339    | 2.4646    | 2.3525    | 2.4272    | 2.4272    | 1.1203    |
| 10   | 2.4459    | 2.4086    | 2.4459    | 2.4459    | 2.3899    | 2.3339    | 1.307     |
| 11   | 2.4832    | 2.2779    | 2.3152    | 2.4646    | 2.2592    | 2.1285    | 1.2323    |
| 12   | 2.6886    | 2.4272    | 2.3152    | 2.4646    | 2.1845    | 2.1285    | 1.3256    |
| 13   | 2.5953    | 2.5579    | 2.4272    |           | 2.3899    | 2.1098    | 1.307     |
| 14   | 2.4272    | 2.5206    | 2.3525    | 2.4832    | 2.4272    | 2.1472    | 1.3817    |
| 15   | 2.5393    | 2.4832    | 2.3152    | 2.4459    | 2.3152    | 2.1098    | 1.3817    |
| 16   | 2.3899    | 2.4272    | 2.3152    | 2.4272    | 2.2779    | 2.1658    | 1.3256    |
| 17   | 2.2032    | 2.4459    | 2.3712    | 2.4459    | 2.2779    | 2.0725    | 1.3443    |
| 18   | 2.3712    | 2.5019    | 2.3899    | 2.4646    | 2.2592    | .7095     |           |
| 19   | 2.726     | 2.7446    | 2.6326    | 2.7633    | 2.4832    | .8589     | 1.3443    |
| 20   | 2.6886    | 2.7446    | 2.6326    | 2.782     | 2.4646    | .9896     | 1.4003    |
| 21   | 2.6886    | 2.7446    | 2.5766    | 2.782     | 2.5953    | 1.0269    | 1.2696    |
| 22   | 2.6886    | 2.7073    | 2.6513    | 2.7633    | 2.5579    | 1.0456    | 1.1763    |
| 23   | 2.5206    | 2.726     | 2.6326    | 2.5766    | 2.5393    | 1.0456    | 1.0277    |
| 24   | 2.5393    | 2.4646    | 2.6513    | 2.6326    | 2.6699    | 2.4646    | .9709     |
| Max  | 2.726     | 2.7446    | 2.6513    | 2.782     | 2.6699    | 2.4646    | 1.4003    |
| Min  | 2.2032    | 2.2779    | 2.3152    | 2.2592    | 2.1845    | .7095     | .9149     |
| Avg  | 2.4615    | 2.4646    | 2.4552    | 2.5043    | 2.4366    | 1.9433    | 1.1536    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314010 / 33/11KV KESHORI

Feeder No / Name : 202 / 11 KV Mahagaon Feeder  
Feeder KV- 11 / OUTGOING

SHEDDABLE RURAL

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.6619    | 2.6453    | 2.5042    | 2.4379    | 1.9978    | 2.3272    | 5.3185    |
| 2    | 2.6619    | 2.6453    | 2.4737    | 2.3743    | 1.9812    | 2.2967    | 5.2993    |
| 3    | 2.6453    | 2.6288    | 2.4266    | 2.3438    | 1.9812    | 2.2967    | 5.1748    |
| 4    | 2.6453    | 2.6288    | 2.4266    | 2.3272    | 1.9646    | 2.2801    | 5.0806    |
| 5    | 2.6758    | 2.6288    | 2.4876    | 2.3272    | 1.948     | 2.2801    | 5.0335    |
| 6    | 2.5651    | 2.5983    | 2.4571    | 2.3603    | 1.901     | 2.3769    | 4.9228    |
| 7    | 2.6288    | 2.5817    | 2.5485    | 2.5651    |           | 2.4545    | 4.9838    |
| 8    | 2.7866    | 2.6758    | 2.6924    | 2.7395    | 2.4545    | 1.9684    |           |
| 9    | 2.8031    | 2.654     | 2.6261    | 2.6288    | 2.6288    | 1.5053    | 4.7015    |
| 10   | 2.9303    | 2.6453    | 2.6593    | 2.7561    | 2.8171    | 1.7738    | 4.6935    |
| 11   | 2.9913    | 2.5956    | 2.8031    | 2.5711    | 2.6288    | 1.901     | 5.0196    |
| 12   | 3.1518    | 2.709     | 2.7395    | 2.3577    | 2.6453    | 2.9774    | 4.9725    |
| 13   | 3.0603    | 2.7395    | 2.7561    | 2.2801    | 2.6758    | 2.9608    | 4.9725    |
| 14   | 2.9608    | 2.7229    | 1.2431    | 2.0588    | 2.6758    | 2.9443    | 4.909     |
| 15   | 2.9138    | 1.3717    | 2.6288    | 2.0422    | 2.6593    | 2.9443    | 4.9725    |
| 16   |           | 1.1271    | 2.6288    | 2.0117    | 2.5983    | 1.5851    | 4.909     |
| 17   | 1.2597    | 2.6288    | 2.6288    | 2.0422    | 2.5983    |           | 4.8924    |
| 18   | 2.8972    | 2.5347    | 2.6288    | 2.0588    | 2.5983    | 2.2045    | 2.6216    |
| 19   | 3.0245    | 2.5817    | 2.7561    | 2.247     | 2.6758    | 2.3868    | 5.2437    |
| 20   | 2.9085    | 1.21      | 2.8031    | 2.3438    | 2.64      | 5.3988    | 2.8045    |
| 21   | 2.8197    | 2.5651    | 2.5817    | 2.1224    | 2.5181    | 5.2715    | 5.0972    |
| 22   | 2.8031    | 2.5651    | 2.6288    | 2.1224    | 2.4518    | 5.1801    | 5.1913    |
| 23   | 2.6924    | 2.5817    | 2.6288    | 2.0753    | 2.4518    | 5.0833    | 5.0998    |
| 24   | 2.6593    | 2.5234    | 2.5956    | 2.2411    | 2.2887    | 3.9428    | 5.1993    |
| Max  | 3.1518    | 2.7395    | 2.8031    | 2.7561    | 2.8171    | 5.3988    | 5.3185    |
| Min  | 1.2597    | 1.1271    | 1.2431    | 2.0117    | 1.901     | 1.5053    | 2.6216    |
| Avg  | 2.7455    | 2.4495    | 2.5564    | 2.3098    | 2.4252    | 2.8844    | 4.8310    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314010 / 33/11KV KESHORI

Feeder No / Name : 203 / 11 KV Bondgaon

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1904    | .8718     | 1.073     | 1.0395    | 1.1736    | 1.1065    | 1.073     |
| 2    | 1.1736    | .8718     | 1.073     | 1.0395    | 1.1736    | 1.0898    | 1.0395    |
| 3    | 1.1736    | .8718     | 1.0562    | 1.0227    | 1.1401    | 1.0898    | 1.0059    |
| 4    | 1.1736    | .8551     | 1.0562    | 1.0227    | 1.1401    | 1.073     | .9892     |
| 5    | 1.1736    | .8551     | 1.0562    | 1.0227    | 1.1233    | 1.0898    | .9892     |
| 6    | 1.1065    | .7209     | 1.0562    | 1.0898    | 1.1065    | 1.1065    | .9556     |
| 7    | 1.1233    | .7712     | 1.0562    | 1.1065    | 1.0898    | 1.1065    | 1.0562    |
| 8    | 1.0395    | .8383     | 1.1065    | 1.1904    | 1.1568    | 1.1401    | .9054     |
| 9    | 1.0395    | .9389     | .9221     | 1.1065    | 1.2071    | 1.1736    | 1.0059    |
| 10   | 1.0395    | 1.073     | 1.1401    | 1.1233    | .9892     | 1.1904    | .9724     |
| 11   | 1.0562    |           | 1.1568    | 1.1401    | 1.0898    | 1.1065    | .9724     |
| 12   | .57       | 1.1233    | 1.1736    | 1.1401    | 1.1401    | 1.1065    | 1.0227    |
| 13   | .6036     | 1.1904    | 1.1904    | 1.1401    | 1.1736    | 1.1065    | 1.0562    |
| 14   | .6203     | 1.2071    |           | 1.1568    | 1.1904    | 1.1233    | 1.0395    |
| 15   | .6203     | 1.073     | 1.0898    | 1.1568    | 1.1568    | 1.1233    | 1.2407    |
| 16   | .8551     | 1.1568    | 1.1271    | 1.1568    | 1.1904    |           | 1.1904    |
| 17   |           | 1.1401    | 1.0898    | 1.1568    | 1.1904    | .9892     | 1.0227    |
| 18   | .7545     | 1.073     | 1.073     | 1.1568    | 1.1736    | 1.0227    |           |
| 19   | .9054     | 1.0562    | 1.1401    | 1.2239    | 1.2742    | 1.1233    | .9389     |
| 20   | .8215     | 1.0898    | 1.1736    | 1.1568    | 1.2574    | 1.1736    | 1.0898    |
| 21   | .8886     | 1.1233    | 1.1401    | 1.2239    | 1.291     | 1.1736    | 1.251     |
| 22   | .9389     | 1.1233    | 1.1736    | 1.2239    | 1.2071    | 1.1736    | 1.0562    |
| 23   | .9054     | 1.1065    | 1.1568    | 1.2071    | 1.1736    | 1.1233    | 1.0562    |
| 24   | 1.1904    | .8886     | 1.073     | 1.0562    | 1.2071    | 1.1065    | 1.073     |
| Max  | 1.1904    | 1.2071    | 1.1904    | 1.2239    | 1.291     | 1.1904    | 1.251     |
| Min  | .57       | .7209     | .9221     | 1.0227    | .9892     | .9892     | .9054     |
| Avg  | .9549     | 1.0008    | 1.1023    | 1.1275    | 1.1673    | 1.1138    | 1.0436    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314015 / 33/11 KV NAVEGAON/BANDH

Feeder No / Name : 201 / 11 KV BHIVKHIDKI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0974    | 1.0402    | 1.1789    | 1.0682    | 1.1517    | 1.0802    | 1.1568    |
| 2    | 1.0631    | 1.0402    | 1.1616    | 1.0288    | 1.1096    | 1.0802    | 1.1393    |
| 3    | 1.0631    | 1.0166    | 1.1616    | 1.0288    | 1.1043    | 1.046     | 1.0867    |
| 4    | 1.0631    | 1.0056    | 1.1269    | .964      | 1.0517    | 1.0692    | 1.0692    |
| 5    | 1.0517    | 1.0402    | 1.0749    | .964      | .9922     | 1.0166    | 1.0517    |
| 6    | 1.0341    | 1.0867    | 1.0341    | .9568     | .9362     | .964      | 1.0166    |
| 7    | 1.0985    | 1.0749    | 1.1043    | 1.0631    | 1.1043    | 1.1218    | .9816     |
| 8    | 1.1104    | .9816     | 1.0166    | 1.134     | 1.0802    | 1.0749    | .9709     |
| 9    | 1.0517    | 1.0454    | 1.0517    | 1.0867    | 1.0802    | 1.0802    | 1.0056    |
| 10   | 1.0288    | 1.0517    | 1.046     | 1.1218    | 1.1022    | 1.1145    | 1.046     |
| 11   | 1.0631    | .5959     | 1.1022    | 1.1789    | 1.1568    | 1.166     | 1.0974    |
| 12   | .4973     | 1.1218    | 1.1145    | 1.1568    | 1.17      | 1.1488    | 1.166     |
| 13   | 1.1317    | 1.0517    | 1.1065    | 1.1393    | 1.1488    | 1.1443    | 1.0898    |
| 14   | 1.1517    | .4908     | 1.0898    | 1.1694    | 1.1317    | 1.1096    | 1.1233    |
| 15   | 1.1043    | 1.0454    | 1.0608    | 1.0692    | 1.1145    | 1.0802    | 1.1317    |
| 16   | .9882     | 1.0631    | 1.0117    | 1.0402    | 1.1269    | 1.0802    | 1.1361    |
| 17   | 1.0229    | 1.0454    | 1.0288    | 1.1043    | 1.1317    | 1.0974    | 1.1361    |
| 18   | 1.0442    | 1.0774    | 1.0288    | 1.0343    | 1.0562    | 1.0562    |           |
| 19   | 1.1963    | 1.153     | 1.1145    | 1.1963    | 1.2174    | 1.2003    | 1.2309    |
| 20   | 1.2269    | 1.2346    | 1.1317    | 1.3032    | 1.335     | 1.1789    | 1.2483    |
| 21   | 1.1443    | 1.2656    | 1.1488    | 1.3496    | 1.2269    | 1.2136    | 1.286     |
| 22   | 1.2656    | 1.2357    | 1.1616    | 1.2795    | 1.2346    | 1.1919    | 1.2574    |
| 23   | 1.2445    | 1.2094    | 1.1488    | 1.1963    | 1.1317    | 1.2445    | 1.3245    |
| 24   | 1.0974    | 1.1096    | 1.1789    | 1.0682    | 1.1568    | 1.1145    | 1.1744    |
| Max  | 1.2656    | 1.2656    | 1.1789    | 1.3496    | 1.335     | 1.2445    | 1.3245    |
| Min  | .4973     | .4908     | 1.0117    | .9568     | .9362     | .964      | .9709     |
| Avg  | 1.0767    | 1.0451    | 1.0993    | 1.1126    | 1.1272    | 1.1114    | 1.1272    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314015 / 33/11 KV NAVEGAON/BANDH

Feeder No / Name : 202 / 11 KV PAUNI/DHABE

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1393    | 1.1096    | 1.1568    | 1.2003    | 1.1744    | 1.1568    | 1.1919    |
| 2    | 1.1218    | 1.0631    | 1.1393    | 1.2003    | 1.1317    | 1.0288    | 1.1744    |
| 3    | 1.1043    | 1.0867    | 1.1393    | 1.1919    | 1.0749    | .8916     | 1.1744    |
| 4    | 1.1043    | 1.0402    | 1.1568    | 1.134     | 1.0749    | .9015     | 1.1218    |
| 5    | 1.1043    | 1.0631    | 1.1218    | 1.1163    | 1.1043    | .9189     | 1.0749    |
| 6    | 1.1163    | 1.0867    | 1.0517    | 1.0985    | 1.1096    | .929      | 1.0749    |
| 7    | 1.134     | 1.1096    | 1.0166    | 1.1163    |           | 1.1393    | 1.0576    |
| 8    | 1.1163    | 1.0402    | .964      | 1.0208    | 1.0576    | 1.1096    | 1.0517    |
| 9    | 1.0692    | .985      | .9465     | 1.0341    | 1.1269    | 1.0288    | 1.0749    |
| 10   | 1.0974    | 1.1283    | 1.0631    | 1.1096    | 1.073     | 1.1443    | 1.0867    |
| 11   | 1.0923    | 1.0745    | 1.1317    | 1.0341    | 1.0852    | 1.1443    | 1.1317    |
| 12   | 1.0576    | 1.182     | 1.1145    | .9882     | 1.0974    | 1.1616    | 1.1317    |
| 13   | 1.1963    | 1.182     | 1.1191    | 1.0166    | 1.1145    | 1.1744    | 1.1065    |
| 14   | .9465     | 1.1641    | 1.1065    | 1.1919    | 1.0974    | 1.1744    | 1.0898    |
| 15   | 1.1616    | 1.182     | 1.0395    | 1.0749    | 1.1393    | 1.0867    | 1.1218    |
| 16   |           | 1.0745    | 1.0288    | 1.0056    | 1.1568    | 1.1043    | 1.1317    |
| 17   | .9145     | 1.1104    | 1.0631    | 1.0692    | 1.0974    | 1.1043    | 1.1145    |
| 18   | 1.2136    | 1.0513    | 1.0343    | 1.0056    | 1.0852    | 1.0631    |           |
| 19   | 1.2483    | 1.0056    | 1.2483    | 1.2136    | 1.283     | 1.2309    | 1.1831    |
| 20   | 1.3321    | 1.1919    | 1.1744    | 1.1919    | 1.3496    | 1.2971    | 1.2269    |
| 21   | 1.2656    | 1.1568    | 1.2094    | 1.0056    | 1.262     | 1.2269    | 1.2309    |
| 22   | 1.2656    | 1.1393    | 1.2445    | 1.2136    | 1.2689    | 1.2094    | 1.2003    |
| 23   | 1.2309    | 1.1218    | 1.2309    | 1.2094    | 1.1488    | 1.1919    | 1.1361    |
| 24   | 1.1616    | 1.1616    | 1.1393    | 1.2346    | 1.1744    | 1.1616    | 1.2094    |
| Max  | 1.3321    | 1.1919    | 1.2483    | 1.2346    | 1.3496    | 1.2971    | 1.2309    |
| Min  | .9145     | .985      | .9465     | .9882     | 1.0576    | .8916     | 1.0517    |
| Avg  | 1.1389    | 1.1046    | 1.1100    | 1.1115    | 1.1429    | 1.1075    | 1.1347    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314015 / 33/11 KV NAVEGAON/BANDH

Feeder No / Name : 203 / 11 KV NAVEGAON/BANDH  
Feeder KV- 11 / OUTGOING

SHEDDABLE RURAL

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7177    | 1.5432    | 1.6655    | 1.5604    | 1.5061    | 1.5775    | 1.7002    |
| 2    | 1.6118    | 1.5257    | 1.6478    | 1.5604    | 1.491     | 1.5775    | 1.7002    |
| 3    | 1.6118    | 1.5249    | 1.6478    | 1.5249    | 1.5249    | 1.5604    | 1.701     |
| 4    | 1.5432    | 1.4883    | 1.6301    | 1.3998    | 1.4899    | 1.5604    | 1.6655    |
| 5    | 1.4737    | 1.4217    | 1.4175    | 1.3112    | 1.439     | 1.4737    | 1.5424    |
| 6    | 1.387     | 1.3696    | 1.3466    | 1.2094    | 1.4175    | 1.3146    | 1.3672    |
| 7    | 1.3496    | 1.3847    | 1.3289    | 1.2094    | 1.2757    | 1.3496    | 1.3321    |
| 8    | 1.4352    | 1.4198    | 1.1744    | 1.1163    | 1.3146    | 1.3032    | 1.283     |
| 9    | 1.4548    | 1.3998    | 1.262     | 1.2445    | 1.3146    | 1.4548    | 1.3696    |
| 10   | 1.6632    | 1.6301    | 1.4232    | 1.5061    | 1.4752    | 1.7528    | 1.4373    |
| 11   | 1.6461    | 1.5402    | 1.5947    | 1.647     | 1.5089    | 1.6651    | 1.4918    |
| 12   | 1.6118    | 1.6297    | 1.5604    | 1.4723    | 1.5775    | 1.8298    | 1.4918    |
| 13   | 1.8176    | 1.5223    | 1.6118    | 1.4217    | 1.6476    | 1.5604    | 1.4582    |
| 14   | 1.5777    | 1.4327    | 1.3735    | 1.595     | 1.5257    | 1.439     | 1.4413    |
| 15   | 1.6126    | 1.5947    | 1.5592    | 1.262     | 1.6301    | 1.439     | 1.439     |
| 16   | 1.56      | 1.4373    | 1.5261    | 1.5083    | 1.6476    | 1.6289    | 1.3889    |
| 17   | 1.5203    | 1.4373    | 1.5432    | 1.5238    | 1.5261    | 1.5089    | 1.4232    |
| 18   | 1.6297    | 1.4089    | 1.3426    | 1.5257    | 1.4243    | 1.3108    |           |
| 19   | 1.7684    | 1.543     | 1.4232    | 1.6118    | 1.5777    | 1.4563    | 1.5089    |
| 20   | 1.7002    | 1.6644    | 1.4563    | 1.6817    | 1.7177    | 1.6126    | 1.5249    |
| 21   | 1.7511    | 1.6651    | 1.5257    | 1.6827    | 1.6827    | 1.6651    | 1.6644    |
| 22   | 1.7857    | 1.6651    | 1.56      | 1.7878    | 1.7661    | 1.7177    | 1.6956    |
| 23   | 1.647     | 1.7187    | 1.5775    | 1.7684    | 1.6975    | 1.7528    | 1.6933    |
| 24   | 1.7147    | 1.7177    | 1.6655    | 1.5775    | 1.56      | 1.5769    | 1.7177    |
| Max  | 1.8176    | 1.7187    | 1.6655    | 1.7878    | 1.7661    | 1.8298    | 1.7177    |
| Min  | 1.3496    | 1.3696    | 1.1744    | 1.1163    | 1.2757    | 1.3032    | 1.283     |
| Avg  | 1.6080    | 1.5285    | 1.4943    | 1.4878    | 1.5308    | 1.5453    | 1.5234    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314027 / 33/11 KV Arjuni/Morgaon

Feeder No / Name : 201 / 11KV ARJUNI MOR FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.3204    | 3.1276    | 3.1909    | 2.9538    | 3.6343    | 3.8051    | 3.0712    |
| 2    | 3.2168    | 2.8364    | 3.1085    | 2.8753    | 3.6427    | 3.5993    | 3.0285    |
| 3    | 3.0826    | 2.9348    | 2.9096    | 2.7641    | 3.5124    | 3.4241    | 2.9393    |
| 4    | 2.9599    | 2.8311    | 2.7908    | 2.6048    | 3.1481    | 3.1999    | 2.8006    |
| 5    | 2.7664    | 2.6528    | 2.5179    | 2.489     | 2.9858    | 3.1573    | 2.5057    |
| 6    | 2.6581    | 2.5119    | 2.0691    | 2.2961    | 2.8844    | 2.854     | 2.2999    |
| 7    | 2.4013    | 2.239     | 1.8808    | 1.9494    | 2.0347    | 2.2604    | 1.9402    |
| 8    | 2.2298    | 2.2443    | .8535     | 1.8679    | 2.5224    | 2.3495    | 1.8419    |
| 9    | 2.4074    | 1.8747    | 1.9464    | 1.9898    | .4115     | 2.1636    | 1.9411    |
| 10   | 2.6254    | 2.3746    | 2.3785    | 2.3556    | 1.3169    | 2.1613    | 2.2557    |
| 11   | 2.7016    | 2.5118    | 2.588     | 2.5735    | 2.7968    | 2.6498    | 2.6727    |
| 12   | 2.6567    | 2.6559    | 2.8563    | 2.9576    | 3.2632    | 2.8654    | 2.9599    |
| 13   | 2.6482    | 2.851     | 2.9294    | 3.0453    | 3.1558    | 2.7488    | 3.0453    |
| 14   | 2.7458    | 2.8456    | 2.8106    | 3.238     | 2.982     | 2.7108    | 3.0217    |
| 15   | 2.9165    | 2.8387    | 2.87      | 3.3768    | 3.1711    | 2.8722    | 2.9774    |
| 16   | 1.528     | 2.7244    | 2.8951    | 3.2723    | 2.7984    | 2.8357    | 3.1345    |
| 17   | 1.4495    | 2.4417    | 2.8425    | 3.0917    | 2.351     | 2.7168    | 2.953     |
| 18   | 2.4547    | 2.2313    | 2.6642    | 2.9225    | 2.2458    | 2.505     | 1.4518    |
| 19   | 2.5537    | 2.4409    | 2.7633    | 2.9523    | 2.4371    | 2.6391    | 2.7138    |
| 20   | 2.8082    | 2.6635    | 2.8197    | 2.9606    | 2.8494    | 2.8053    | 2.8167    |
| 21   | 2.8243    | 2.771     | 2.902     | 2.9355    | 2.9203    | 2.857     | 2.7229    |
| 22   | 3.2038    | 3.2228    | 3.0697    | 3.5696    | 3.7708    | 3.1092    | 3.0689    |
| 23   | 3.1947    | 3.3158    | 3.0819    | 3.5635    | 3.9468    | 3.2358    | 3.1649    |
| 24   | 3.3638    | 3.245     | 3.1245    | 3.3265    | 3.8393    | 3.5414    | 3.149     |
| Max  | 3.3638    | 3.3158    | 3.1909    | 3.5696    | 3.9468    | 3.8051    | 3.1649    |
| Min  | 1.4495    | 1.8747    | .8535     | 1.8679    | .4115     | 2.1613    | 1.4518    |
| Avg  | 2.6966    | 2.6828    | 2.6610    | 2.8305    | 2.8592    | 2.8778    | 2.6865    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314027 / 33/11 KV Arjuni/Morgaon

Feeder No / Name : 202 / 11 KV Gothangaon

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.1161    | 2.3865    | 3.8776    | 3.7303    | 3.7401    | 3.7249    | 3.8509    |
| 2    | 2.0721    | 2.3462    | 3.686     | 3.537     | 3.6538    | 3.6119    | 3.7363    |
| 3    | 2.0396    | 2.2926    | 3.5501    | 3.4316    | 3.512     | 3.5929    | 3.6846    |
| 4    | 2.0031    | 2.2485    | 3.4562    | 3.3072    | 3.4088    | 3.4858    | 3.5259    |
| 5    | 1.9455    | 2.2083    | 3.3894    | 3.2632    | 3.3627    | 3.4011    | 3.4049    |
| 6    | 1.8572    | 2.21      | 3.303     | 3.1693    | 3.2899    | 2.85      | 3.2476    |
| 7    | 1.8077    | 2.5261    | 3.3919    | 3.2115    | 1.866     | 2.8938    | 3.2023    |
| 8    | 1.9439    | 3.0452    | 3.2725    | 2.8756    | 3.0106    | 3.3842    | 3.3191    |
| 9    | 1.9972    | 3.2462    | 3.4435    | 3.1257    | 3.2767    | 3.5124    | 3.3919    |
| 10   | 1.8995    | 3.4646    | 3.5239    | 2.6641    | 3.4033    | 3.011     | 3.4549    |
| 11   | 1.8652    | 3.5277    | 3.6216    | 3.0893    | 2.5534    | 3.0703    | 3.5446    |
| 12   | 1.6663    | 3.8327    | 2.8063    | 3.223     | 3.2539    | 3.2556    | 3.6483    |
| 13   | 1.8173    | 3.9623    | 2.6404    | 3.2115    | 3.4473    | 3.4912    | 3.7117    |
| 14   | 1.8081    | 3.6788    | 2.9531    | 3.4358    | 3.4338    | 3.5027    | 3.6965    |
| 15   | 1.7429    | 3.7003    | 3.0948    | 3.5082    | 3.3491    | 3.4968    | 3.5817    |
| 16   | .6211     | 3.6268    | 3.2733    | 3.4528    | 2.7825    | 3.4874    | 3.3415    |
| 17   | .7802     | 3.746     | 3.4782    | 2.9119    | 2.8993    | 3.4338    | 3.2442    |
| 18   | 1.7446    | 3.7921    | 3.5967    | 3.0297    | 3.3114    | 3.4777    | 1.749     |
| 19   | 1.9802    | 4.1352    | 3.9241    | 3.735     | 3.5259    | 3.7866    | 3.545     |
| 20   | 2.1889    | 3.945     | 3.9661    | 3.8878    | 3.7595    | 3.997     | 3.6483    |
| 21   | 2.2024    | 3.9318    | 3.9356    | 3.8916    | 3.8916    | 4.0468    | 3.7709    |
| 22   | 2.4322    | 4.0024    | 3.8856    | 3.8662    | 4.0198    | 3.9699    | 3.8683    |
| 23   | 2.4838    | 4.0971    | 3.8971    | 3.6864    | 3.9165    | 3.947     | 3.8535    |
| 24   | 2.2761    | 3.3277    | 3.9068    | 3.7747    | 3.8471    | 3.8798    | 3.8802    |
| Max  | 2.4838    | 4.1352    | 3.9661    | 3.8916    | 4.0198    | 4.0468    | 3.8802    |
| Min  | .6211     | 2.2083    | 2.6404    | 2.6641    | 1.866     | 2.85      | 1.749     |
| Avg  | 1.8871    | 3.3033    | 3.4947    | 3.3758    | 3.3548    | 3.5129    | 3.4959    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314027 / 33/11 KV Arjuni/Morgaon

Feeder No / Name : 203 / 11 KV Sangadi

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 5.2164    | 5.0086    | 4.8427    | 5.1263    | 4.7497    | 5.0577    | 4.5348    |
| 2    | 5.0095    | 4.8782    | 4.7314    | 4.9582    | 4.6554    | 4.9219    | 4.4429    |
| 3    | 4.8716    | 4.6747    | 4.4069    | 4.8678    | 4.4713    | 4.8605    | 4.4031    |
| 4    | 4.6994    | 4.4815    | 4.1649    | 4.6363    | 4.3393    | 4.6807    | 4.2943    |
| 5    | 4.5864    | 4.3798    | 4.0808    | 4.5424    | 4.228     | 4.5369    | 4.0985    |
| 6    | 4.5001    | 4.0901    | 3.9369    | 4.3275    | 4.1608    | 4.3063    | 3.8756    |
| 7    | 4.3296    | 3.9661    | 3.7321    | 4.1595    | 3.9127    | 3.886     | 3.6132    |
| 8    | 4.3206    | 3.9221    | 3.683     | 4.016     | 3.9757    | 3.8205    | 3.6639    |
| 9    | 4.3244    | 3.8437    | 3.87      | 4.1789    | 3.93      | 4.0832    | 3.7976    |
| 10   | 4.5351    | 2.9324    | 3.9338    | 4.1243    | 4.0409    | 4.101     | 3.9737    |
| 11   | 4.7065    | 2.149     | 4.0871    | 4.2998    | 3.7624    | 4.4568    | 4.1488    |
| 12   | 5.0207    | 2.9517    | 3.9176    | 4.3354    | 4.0828    | 4.5234    | 4.2945    |
| 13   | 5.0393    | 4.8276    | 4.3315    | 3.9681    | 4.7018    | 4.5546    | 4.5734    |
| 14   | 4.8076    | .4915     | 4.437     | 4.0409    | 4.4477    | 4.6151    | 4.7321    |
| 15   | 4.7331    | 3.0643    | 4.4163    | 3.9961    | 4.3732    | 4.6592    | 4.5761    |
| 16   | 4.0876    | 4.4421    | 4.2242    | 3.8624    | 4.1671    | 4.3677    | 4.3606    |
| 17   | 4.0265    | 4.4598    | 4.2402    | 3.6978    | 4.06      | 3.807     | 4.2844    |
| 18   | 4.2673    | 4.2606    | 4.2881    | 2.8626    | 4.2076    | 3.8354    | 2.2253    |
| 19   | 4.6659    | 4.8828    | 4.8347    | 4.31      | 4.5816    | 4.2833    | 4.6529    |
| 20   | 5.2879    | 5.2456    | 5.0349    | 4.6998    | 4.9756    | 4.6921    | 5.186     |
| 21   | 5.1551    | 5.2363    | 5.048     | 4.6536    | 5.15      | 4.8259    | 5.2203    |
| 22   | 5.211     | 5.1492    | 5.1399    | 4.7975    | 5.4297    | 4.8817    | 5.3142    |
| 23   | 5.1153    | 5.1693    | 5.2149    | 4.7836    | 5.2105    | 4.7954    | 5.2381    |
| 24   | 5.1617    | 5.1263    | 5.1897    | 4.9095    | 5.0265    | 4.8981    | 4.9336    |
| Max  | 5.2879    | 5.2456    | 5.2149    | 5.1263    | 5.4297    | 5.0577    | 5.3142    |
| Min  | 4.0265    | .4915     | 3.683     | 2.8626    | 3.7624    | 3.807     | 2.2253    |
| Avg  | 4.7366    | 4.1514    | 4.4078    | 4.3398    | 4.4433    | 4.4771    | 4.3516    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314027 / 33/11 KV Arjuni/Morgaon

Feeder No / Name : 204 / 11 KV Mahagaon

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.0538    | 2.2032    | 2.2779    | 2.1472    | 2.3899    | 2.4086    | 2.4646    |
| 2    | 1.9791    | 2.1845    | 2.2218    | 2.0911    | 2.3152    | 2.3152    | 2.4272    |
| 3    | 1.9605    | 2.1472    | 2.1845    | 2.0351    | 2.2405    | 2.2405    | 2.4272    |
| 4    | 1.9605    | 2.0725    | 2.0911    | 1.9978    | 2.1472    | 2.1472    | 2.3712    |
| 5    | 1.8671    | 1.9605    | 1.9231    | 1.9044    | 2.0538    | 2.0725    | 2.1098    |
| 6    | 1.6991    | 1.7177    | 1.6804    | 1.6991    | 1.9044    | 1.7737    | 1.7177    |
| 7    | 1.6057    | 1.6057    | 1.6804    | 1.2696    | 1.5684    | 1.4377    | 1.6804    |
| 8    | 1.643     | 1.7177    | 1.5684    | 1.5497    | 1.9044    | 1.8111    | 1.8671    |
| 9    | 1.4563    | 1.8298    | 1.7177    | 1.7364    |           | 1.9418    | 1.7364    |
| 10   | 1.6617    | 2.0538    | 1.8111    | 1.7177    | 1.7364    | 1.9418    | 1.643     |
| 11   | 2.0165    | 2.1285    | 2.0165    | 1.8484    | 1.8111    | 2.0911    | 1.8858    |
| 12   | 1.8484    | 2.2779    | 1.7737    | 1.9231    | 1.7737    | 2.0538    | 2.0351    |
| 13   | 2.0538    | 2.2779    | 1.9418    | 2.0351    | 2.1658    | 2.0911    | 1.9418    |
| 14   | 2.0911    | 2.1285    | 1.8671    | 2.2592    | 2.0911    | 2.0911    | 1.9231    |
| 15   | 2.0538    | 2.1845    | 1.8671    | 2.1472    | 2.0165    | 2.1285    | 1.8484    |
| 16   |           | 2.0165    | 1.8298    | 2.0725    | 1.8298    | 1.9044    | 1.8111    |
| 17   | 1.5684    | 1.9791    | 1.8671    | 1.8671    | 1.6617    | 1.7924    | 1.6804    |
| 18   | 1.8671    | 1.8858    | 1.7924    | 1.8858    | 1.6991    | 1.8111    |           |
| 19   | 2.3152    | 2.2965    | 2.1285    | 2.3339    | 2.1285    | 2.2779    | 1.8298    |
| 20   | 2.3899    | 2.4272    | 2.1845    | 2.3899    | 2.3152    | 2.5953    | 2.2218    |
| 21   | 2.3899    | 2.5766    | 2.2965    | 2.4459    | 2.4272    | 2.6139    | 2.3525    |
| 22   | 2.3899    | 2.4459    | 2.3339    | 2.5393    | 2.5579    | 2.6326    | 2.3899    |
| 23   | 2.2779    | 2.5206    | 2.2965    | 2.4459    | 2.5206    | 2.5766    | 2.3712    |
| 24   | 2.1098    | 2.2218    | 2.3339    | 2.2218    | 2.4272    | 2.4459    | 2.5206    |
| Max  | 2.3899    | 2.5766    | 2.3339    | 2.5393    | 2.5579    | 2.6326    | 2.5206    |
| Min  | 1.4563    | 1.6057    | 1.5684    | 1.2696    | 1.5684    | 1.4377    | 1.643     |
| Avg  | 1.9678    | 2.1192    | 1.9869    | 2.0235    | 2.0733    | 2.1332    | 2.0546    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314003 / 33/11KV DAWWA S.stn

Feeder No / Name : 201 / 11 KV DAWWA FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 16-APR-17 |
|------|-----------|
| HR   | Load (MW) |
| 3    | .6554     |
| Max  | .6554     |
| Min  | .6554     |
| Avg  | .6554     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314003 / 33/11KV DAWWA S.stn

Feeder No / Name : 202 / 11 KV SADAK ARJUNI FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.1691    | 2.2405    | 2.2445    | 2.1285    | 2.1691    | 2.2405    | 2.3899    |
| 2    | 2.1879    | 2.1845    | 2.2779    | 2.1879    | 2.0182    | 2.2257    | 2.3899    |
| 3    | 2.1502    | 2.1502    | 2.2445    | 2.1502    | 2.0182    | 2.2779    | 2.3525    |
| 4    | 2.0559    | 2.1502    | 2.0748    | 2.037     | 1.9805    | 2.2068    | 2.2779    |
| 5    | 2.1313    | 2.1502    | 2.0182    | 2.0182    | 1.8861    | 2.1125    | 2.2634    |
| 6    | 1.9805    | 2.037     | 1.8671    | 2.037     | 1.8673    | 2.1313    | 2.3765    |
| 7    | 2.037     | 2.0748    | 2.0559    | 1.9993    | 2.1125    | 2.2068    | 2.2634    |
| 8    | 1.9993    | 2.2445    | 2.0559    | 2.0559    | 2.3899    | 2.3388    | 2.2068    |
| 9    | 1.9427    |           | 2.1125    | 2.0936    | 2.2965    | 2.1845    | 2.2405    |
| 10   | 2.2218    | 2.1313    | 2.1502    | 2.1502    | 2.0351    | 2.32      | 2.3339    |
| 11   | 2.3152    | 2.2218    | 2.1658    | 2.2592    | 2.3712    | 2.3899    | 2.4646    |
| 12   | 2.2592    | 2.2445    | 2.2822    | 2.2405    | 2.1845    | 2.5133    | 2.4764    |
| 13   | 2.2405    | 2.2405    | 2.3577    |           | 2.2592    |           | 2.4579    |
| 14   | 2.3011    | 2.2779    | 2.1879    | 2.2032    | 2.1502    | 2.3899    | 2.2032    |
| 15   | 1.9993    | 2.0748    | 2.0559    | 2.1658    | 2.1691    | 2.1691    | 2.1879    |
| 16   |           | 2.037     | 1.7918    | 2.1879    | 1.9805    | 2.2032    | 2.1313    |
| 17   | 2.3899    | 2.1658    | 2.1313    | 2.1658    | 2.0559    | 2.3339    | 2.3525    |
| 18   | 2.2032    | 2.1502    | 2.1502    | 2.2032    | 2.2822    | 2.2592    |           |
| 19   | 2.5393    | 2.4832    | 2.4459    | 2.3954    | 2.4143    | 2.4459    | 2.4272    |
| 20   | 2.5579    | 2.3765    | 2.3954    | 2.2445    | 2.5953    | 2.5019    | 2.5393    |
| 21   | 2.32      | 2.4331    | 2.4897    | 2.2779    | 2.5393    | 2.2779    | 2.4331    |
| 22   | 2.5019    | 2.2445    | 2.4459    | 2.037     | 2.2592    | 2.5019    | 2.5133    |
| 23   | 2.2965    | 2.3525    | 2.5133    | 1.9993    | 2.4764    | 2.5503    | 2.5019    |
| 24   | 2.2218    | 2.2965    | 2.2405    | 2.4459    | 2.0748    | 2.2779    | 2.4949    |
| Max  | 2.5579    | 2.4832    | 2.5133    | 2.4459    | 2.5953    | 2.5503    | 2.5393    |
| Min  | 1.9427    | 2.037     | 1.7918    | 1.9993    | 1.8673    | 2.1125    | 2.1313    |
| Avg  | 2.2183    | 2.2157    | 2.1981    | 2.1601    | 2.1911    | 2.3069    | 2.3599    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314003 / 33/11KV DAWWA S.stn

Feeder No / Name : 203 / 11 KV PANDHRI FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1744    | 1.2048    | 1.0745    | 1.1462    | 1.2757    | 1.1641    | 1.2851    |
| 2    | 1.1269    | 1.1517    | 1.0498    | 1.1104    | 1.1744    | 1.1283    | 1.3032    |
| 3    | 1.1269    | 1.1706    | 1.0387    | 1.0631    | 1.1871    | 1.0924    | 1.2357    |
| 4    | 1.0852    | 1.1584    | 1.0208    | 1.0631    | 1.2136    | 1.0985    | 1.2226    |
| 5    | 1.0749    | 1.1765    | .964      | 1.0517    | 1.153     | 1.0808    | 1.2403    |
| 6    | .9945     | 1.0852    | .9536     | .9882     | 1.1469    | 1.0099    | 1.1269    |
| 7    | .9717     | 1.0395    | .9945     | .9448     | 1.0852    | .9709     | 1.0802    |
| 8    | 1.0159    | .9945     | 1.0059    | .9116     | 1.2048    | .9816     | 1.0513    |
| 9    | .9221     | 1.0117    | .9156     | .9116     | 1.262     | 1.0056    | 1.0576    |
| 10   | 1.0402    | .9945     | .9882     | .9448     | 1.1393    | 1.0576    | 1.0749    |
| 11   | 1.0402    | 1.0166    | .9536     | .9816     | 1.0867    | 1.1163    | 1.2048    |
| 12   | 1.046     | .9431     | 1.0056    | 1.046     | 1.0692    | 1.1694    | 1.2403    |
| 13   | 1.0749    | 1.0208    | 1.0166    | 1.1065    | 1.1163    |           | 1.2403    |
| 14   | 1.0923    | 1.0566    | .9991     | 1.1218    | 1.0288    | 1.1999    | 1.1568    |
| 15   | .9503     | .9709     | .8817     | 1.0749    | .9882     | 1.1218    | .9036     |
| 16   |           | .9882     | .8583     | 1.0402    | .9614     | 1.1163    | .9816     |
| 17   | 1.0387    | 1.0056    | .8817     | 1.0802    | .9779     | 1.1163    | .9816     |
| 18   | .9991     | 1.0402    | 1.0004    | 1.0974    | 1.046     | 1.2048    |           |
| 19   | 1.3575    | 1.2254    | 1.1946    | 1.3213    | 1.2715    | 1.39      | 1.3756    |
| 20   | 1.4118    | 1.1157    | 1.1946    | 1.267     | 1.2851    | 1.4632    | 1.4632    |
| 21   | 1.3032    | 1.1706    | 1.2308    | 1.3575    | 1.267     | 1.4083    | 1.4842    |
| 22   | 1.3169    | 1.2127    | 1.2178    | 1.262     | 1.2308    | 1.4266    | 1.4118    |
| 23   | 1.2437    | 1.1641    | 1.182     | 1.2483    | 1.2178    | 1.4118    | 1.4661    |
| 24   | 1.1919    | 1.2308    | 1.1041    | 1.1517    | 1.2346    | 1.182     | 1.4118    |
| Max  | 1.4118    | 1.2308    | 1.2308    | 1.3575    | 1.2851    | 1.4632    | 1.4842    |
| Min  | .9221     | .9431     | .8583     | .9116     | .9614     | .9709     | .9036     |
| Avg  | 1.1130    | 1.0895    | 1.0303    | 1.0955    | 1.1510    | 1.1703    | 1.2174    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314019 / 33/11KV Saundad S/stn.

Feeder No / Name : 201 / 11KV KOKANA FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.8416    | 2.7692    | .4725     | .3963     | .4877     | .4725     | .4572     |
| 2    | 2.7149    | 2.6578    | .442      | .381      | .4877     | .442      | .442      |
| 3    | 2.6425    | 2.6425    | .4115     | .3658     | .442      | .442      | .442      |
| 4    | 2.5968    | 3.0388    | .4115     | .3353     | .4268     | .4268     | .442      |
| 5    | 2.5431    | 3.0207    | .4115     | .3506     | .442      | .4268     | .4268     |
| 6    | 2.6606    | 3.1901    | .4115     | .3506     | .4268     | .442      | .442      |
| 7    | 2.733     | 3.1874    | .4115     | .4268     |           | .4115     | .3963     |
| 8    | 2.7401    | 3.2259    | .3963     | .3963     | .3201     | .442      | .4115     |
| 9    | 2.9191    | 3.208     | .4268     |           | .3353     | .442      | .4115     |
| 10   | 3.0588    | 3.405     | .4115     |           |           | .442      | .4268     |
| 11   | 2.5459    | 3.4189    | .4268     | .4572     |           | .4572     | .442      |
| 12   | 1.267     | 3.6172    |           | .4572     |           |           | .442      |
| 13   | 2.9371    | 3.558     |           | .442      | .503      |           | .442      |
| 14   | 2.8235    | 3.3513    | .5335     | .442      | .4725     | .4877     | .4268     |
| 15   | 2.7252    | 3.3493    | .4572     | .4572     | .442      | .4572     |           |
| 16   |           | 3.0474    |           | .442      | .4572     | .4115     | .442      |
| 17   | 3.1007    | 3.1124    | .4877     | .442      | .442      | .4115     | .4268     |
| 18   | 3.2956    | 3.0807    | .4725     |           | .442      | .4268     | .4268     |
| 19   | 2.7873    | 3.5201    | .503      |           | .4572     | .3963     | .4572     |
| 20   | 2.6244    | 3.2244    | .4877     | .4725     | .4725     | .3963     | .4725     |
| 21   | 2.6244    | 3.2846    |           | .4725     | .4725     | .4115     | .4877     |
| 22   | 3.3829    |           | .503      | .4725     | .503      | .4572     | .4877     |
| 23   | 3.4019    |           | .4877     | .4572     | .4877     | .4725     |           |
| 24   | 2.8416    | 3.6391    | .4877     | .4877     | .4725     | .4725     | .4572     |
| Max  | 3.4019    | 3.6391    | .5335     | .4877     | .503      | .4877     | .4877     |
| Min  | 1.267     | 2.6425    | .3963     | .3353     | .3201     | .3963     | .3963     |
| Avg  | 2.7743    | 3.2068    | .4527     | .4252     | .4496     | .4385     | .4413     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314019 / 33/11KV Saundad S/stn.

Feeder No / Name : 202 / 11KV TIDKA FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0819     | .0926     | 2.4684    | 3.1716    | 3.349     | 3.1184    | 3.1674    |
| 2    | .081      | .0926     | 2.3278    | 3.1207    | 3.2236    | 3.0445    | 2.9767    |
| 3    | .0829     | .0926     | 2.2184    | 2.9165    | 2.9683    | 2.8833    | 2.959     |
| 4    | .0819     | .0926     | 2.2184    | 2.7435    | 3.0226    | 2.8475    | 2.9012    |
| 5    | .0819     | .0914     | 2.251     | 2.5892    | 2.9864    | 2.7938    | 2.8054    |
| 6    | .0819     | .0914     | 2.364     | 2.4966    | 3.0226    | 2.7042    | 2.8235    |
| 7    | .0983     | .0869     | 2.2253    | 2.5139    | 3.1312    | 2.9683    | 2.9371    |
| 8    | .0937     | .0857     | 2.2497    | 2.6658    | 2.8597    | 3.0769    | 2.8778    |
| 9    | .08       | .0857     | 2.2276    |           | 2.9321    | 3.1493    | 2.963     |
| 10   | .0972     | .0857     | 2.9371    | 3.0521    | 2.9321    | 3.3303    | 3.1699    |
| 11   | .0983     | .0857     | 2.8959    | 3.1036    |           | 2.9271    | 3.4374    |
| 12   | .0949     | .0857     |           | 2.6558    | 3.1878    | 1.0117    | 3.2415    |
| 13   | .096      | .0937     | 1.3426    | 2.8807    | 3.4206    | 3.3488    | 3.3311    |
| 14   | .0972     | .0926     | 2.9321    | 2.9973    | 3.0521    | 3.2415    | 3.1161    |
| 15   | .096      | .0914     | 2.7149    | 2.915     | 2.8704    | 2.8881    | .0857     |
| 16   |           | .0753     | 2.8597    | 2.9447    | 3.1007    | 2.7519    | 3.0624    |
| 17   | .0983     | .0914     | 2.8487    | 2.955     | 2.9502    | 2.8778    | 3.1161    |
| 18   | .0983     | .0972     | 3.0445    |           | 3.0476    | 3.1341    |           |
| 19   |           | .0949     | 3.0001    | 3.2941    | 3.2773    | 3.0445    | 3.1539    |
| 20   | .0869     | .0937     | 1.2346    | 3.2398    | 3.2594    | 3.2036    | 3.207     |
| 21   | .0869     | .0949     | 3.2236    | 3.2057    | 3.3669    | 3.3311    | 3.1893    |
| 22   | .0983     | .096      | 3.3303    | 3.4385    | 3.4728    | 3.349     | 3.4922    |
| 23   | .0819     | 2.8826    | 3.3303    | 3.3311    | 3.1716    | 3.3133    | 3.1493    |
| 24   | .0819     | .0983     | 2.609     | 3.1901    | 3.3842    | 3.2251    | 3.1699    |
| Max  | .0983     | 2.8826    | 3.3303    | 3.4385    | 3.4728    | 3.349     | 3.4922    |
| Min  | .08       | .0753     | 1.2346    | 2.4966    | 2.8597    | 1.0117    | .0857     |
| Avg  | .0898     | .2071     | 2.5589    | 2.9737    | 3.1300    | 2.9818    | 2.9710    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314019 / 33/11KV Saundad S/stn.

Feeder No / Name : 203 / 11 KV FUTALA FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7545     | .6882     | .7773     | .7373     | .7282     | .7442     | .7108     |
| 2    | .7461     | .6554     | .788      | .7455     | .7122     | .703      | .6935     |
| 3    | .7362     | .6554     | .7202     | .7108     | .6706     | .6859     | .6706     |
| 4    | .703      | .639      | .6325     | .6783     | .6443     | .7011     | .6443     |
| 5    | .6935     | .7537     | .6443     | .6173     | .6371     | .6661     | .5658     |
| 6    | .7122     | .7449     | .6344     | .5959     | .6443     | .6173     | .5658     |
| 7    | .7455     | .7042     | .6687     | .6464     | .5992     | .6203     | .5441     |
| 8    | .6344     | .6964     | .6588     | .5601     | .6401     | .5624     | .6718     |
| 9    | .6068     | .5344     | .6173     | .5801     |           | .6154     | .6706     |
| 10   | .6767     | .6274     | .5624     | .6203     | .6241     | .5898     | .571      |
| 11   | .68       | .6299     | .5868     | .6299     | .6554     | .639      | .6001     |
| 12   | .6958     | .6062     | .6796     | .6613     | .6952     | .6706     | .6203     |
| 13   | .6478     | .6516     | .6796     | .639      | .703      | .6718     | .6443     |
| 14   | .664      | .5765     | .6718     | .6584     | .703      | .6464     | .6613     |
| 15   | .6962     | .6687     | .5967     | .6241     | .7202     | .7373     | .6613     |
| 16   |           | .6762     | .6133     | .6443     | .6783     | .6796     | .6952     |
| 17   | .5898     | .6836     | .6443     | .6706     | .6371     | .6802     | .6874     |
| 18   | 1.3592    | .6485     | .6299     | .7042     | .6226     | .7042     |           |
| 19   | .7712     | .6687     | .6133     | .6516     | .5761     | .6464     | .5571     |
| 20   | .6226     | .6588     | .703      | .6539     | .6154     | .6554     | .4752     |
| 21   | .7316     | .6859     | .6443     | .6687     | .6478     | .6299     | .4641     |
| 22   | .7461     | .6935     | .6274     | .6762     | .7701     | .6554     | .6036     |
| 23   | .7291     | .7716     | .6516     | .6962     | .7522     | .7265     | .5243     |
| 24   | .7802     | .7545     | .8413     | .7291     | .7712     | .7522     | .703      |
| Max  | 1.3592    | .7716     | .8413     | .7455     | .7712     | .7522     | .7108     |
| Min  | .5898     | .5344     | .5624     | .5601     | .5761     | .5624     | .4641     |
| Avg  | .7271     | .6697     | .6620     | .6583     | .6716     | .6667     | .6176     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314030 / 33/11KV KOHMARA S.STN

Feeder No / Name : 202 / 11KV DUGGIPAR FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5424    | 1.7269    | 1.643     | 1.6385    | 1.7436    | 1.6518    | 1.6766    |
| 2    | 1.4586    | 1.6244    | 1.643     | 1.6385    | 1.6933    | 1.6356    | 1.6766    |
| 3    | 1.4586    | 1.6598    | 1.643     | 1.6057    | 1.6263    | 1.6194    | 1.6766    |
| 4    | 1.4586    | 1.6263    | 1.643     | 1.5893    | 1.6095    | 1.6194    | 1.6766    |
| 5    | 1.4586    | 1.5927    | 1.643     | 1.5729    | 1.5927    | 1.4575    | 1.6766    |
| 6    | 1.4251    | 1.576     | 1.5257    | 1.491     | 1.5927    | 1.4251    | 1.5927    |
| 7    | 1.4586    | 1.4251    | 1.5089    | 1.4413    |           | 1.4754    | 1.5089    |
| 8    | 1.3748    | 1.4251    | 1.5089    | 1.4089    | 1.6095    | 1.3763    | 1.5089    |
| 9    | 1.358     | 1.3413    | 1.4251    | 1.4746    | 1.5927    | 1.3923    | 1.4419    |
| 10   | 1.3413    | 1.5927    | 1.5089    | 1.5402    | 1.643     | 1.4548    | 1.5089    |
| 11   | .8383     | 1.6766    | 1.5565    | 1.5592    | 1.6518    | 1.5339    | 1.643     |
| 12   | 1.7101    | 1.6766    | 1.5729    | 1.6598    | 1.6385    | 1.5524    | 1.6933    |
| 13   | 1.7101    | 1.6933    | 1.5729    | 1.7436    | 1.6356    | 1.6484    | 1.7101    |
| 14   | 1.7101    | 1.6766    | 1.6057    | 1.7101    | 1.668     | 1.7269    | 1.7436    |
| 15   | 1.7604    | 1.576     | 1.6221    | 1.7269    | 1.5729    | 1.6324    | 1.7101    |
| 16   |           | 1.5592    |           | 1.7101    | 1.5893    | 1.5684    | 1.5384    |
| 17   | 1.7772    | 1.5424    | 1.6876    | 1.6933    | 1.6057    | 1.643     | 1.5927    |
| 18   | 1.7436    | 1.5592    | 1.6057    | 1.6933    | 1.5592    | 1.6263    |           |
| 19   | 1.8442    | 1.6766    | 1.6078    | 1.6933    | 1.7859    | 1.643     | 1.7436    |
| 20   | 1.861     | 1.6933    | 1.6078    | 1.8107    | 1.7269    | 1.7269    | 1.8107    |
| 21   |           | 1.6766    | 1.6575    | 1.7604    | 1.6933    | 1.7101    | 1.7939    |
| 22   | 1.8107    | 1.6598    | 1.7238    | 1.8107    | 1.668     | 1.7436    | 1.8275    |
| 23   | 1.8107    | 1.6598    | 1.7072    | 1.7772    | 1.7269    | 1.7604    | 1.8275    |
| 24   | 1.5424    | 1.7604    | 1.643     | 1.6549    | 1.7604    | 1.7101    | 1.7772    |
| Max  | 1.861     | 1.7604    | 1.7238    | 1.8107    | 1.7859    | 1.7604    | 1.8275    |
| Min  | .8383     | 1.3413    | 1.4251    | 1.4089    | 1.5592    | 1.3763    | 1.4419    |
| Avg  | 1.5661    | 1.6115    | 1.6027    | 1.6419    | 1.6516    | 1.5972    | 1.6676    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314030 / 33/11KV KOHMARA S.STN

Feeder No / Name : 203 / 11KV SAWANGI FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7295    | 1.7465    | 1.7604    | .4557     | 1.861     | 1.9719    | 1.7604    |
| 2    | 1.6617    | 1.7164    | 1.7604    | .426      | 1.8442    | 1.9547    | 1.7604    |
| 3    | 1.6617    | 1.6956    | 1.7604    | .4382     | 1.8275    | 1.9547    | 1.7804    |
| 4    | 1.6617    | 1.6617    | 1.6766    | .4382     | 1.8275    | 1.9376    | 1.7804    |
| 5    | 1.6108    | 1.6448    | 1.6766    | .4557     | 1.8107    | 1.8861    | 1.7804    |
| 6    | 1.6108    | 1.6448    | 1.6766    | .4733     | 1.7772    | 1.7318    | 1.6956    |
| 7    | 1.5927    | 1.6617    | 1.6095    | .4908     | 1.7101    | 1.643     | 1.6278    |
| 8    | 1.6108    | 1.6278    | 1.6766    | .4372     | 1.6933    | 1.4883    | 1.6108    |
| 9    | 1.6108    | 1.6448    | 1.6766    | .4733     | 1.6766    | 1.5684    | 1.56      |
| 10   | 1.6108    | 1.6956    | 1.6766    | .4578     | 1.7101    | 1.7177    | 1.6108    |
| 11   | 1.6617    | 1.7804    | 1.7177    | .4917     | 1.668     | 1.7703    | 1.6598    |
| 12   | 1.7126    | 1.7804    | 1.7353    | .5197     |           | 1.7177    | 1.6766    |
| 13   | 1.7635    | 1.7295    | 1.7353    | .6874     | 1.7652    | 1.7177    | 1.6933    |
| 14   | 1.7126    | 1.6956    | 1.7002    | 1.8275    |           | 1.6278    |           |
| 15   | 1.6956    | 1.6956    | 1.56      | 1.7101    | 1.9033    | 1.6301    | 1.576     |
| 16   |           | 1.5546    | 1.5074    | 1.7939    | 1.8176    | 1.5775    | 1.6095    |
| 17   | 1.8313    | 1.6617    | 1.6476    | 1.7604    | 1.7833    | 1.6278    | 1.5424    |
| 18   | 1.7295    | 1.6108    | 1.7528    | 1.7772    | 1.7101    | 1.6617    |           |
| 19   | 1.8313    | 1.7804    | 1.7684    | 1.8778    | 1.869     | 1.7465    | 1.7269    |
| 20   | 1.8313    | 1.7635    | .4908     | 1.9113    | 1.8778    | 1.7974    | 1.7772    |
| 21   | 1.8313    | 1.7804    | .4854     | 1.8778    | 1.8442    | 1.7635    | 1.7436    |
| 22   | 1.8143    | 1.7635    | .4908     | 1.9281    | 1.8861    | 1.7465    | 1.7772    |
| 23   | 1.8143    | 1.7635    | .5028     | 1.9113    | 1.8275    | 1.7465    | 1.7269    |
| 24   | 1.7295    | 1.7635    | 1.7604    | .4733     | 1.9448    | 1.9281    | 1.7974    |
| Max  | 1.8313    | 1.7804    | 1.7684    | 1.9281    | 1.9448    | 1.9719    | 1.7974    |
| Min  | 1.5927    | 1.5546    | .4854     | .426      | 1.668     | 1.4883    | 1.5424    |
| Avg  | 1.7096    | 1.7026    | 1.4919    | 1.0456    | 1.8016    | 1.7464    | 1.6943    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314005 / 33/11 KV SALEKASA

Feeder No / Name : 201 / 11 KV Salekasa

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8259     | 1.0059    | .8745     | .8097     | .9221     | .823      | .9221     |
| 2    | .8097     | .9955     | .7935     | .8097     | .9156     | .8145     | .9054     |
| 3    | .8097     | .9877     | .7935     | .7611     | .8886     | .8048     | .9156     |
| 4    | .8097     | .9694     | .7935     | .7611     | .8718     | .7783     | .8886     |
| 5    | .7773     | .905      | .7935     | .7611     | .8619     | .7964     | .9231     |
| 6    | .7449     | .439      | .7449     | .7611     | .7461     | .8501     | .788      |
| 7    | .7125     | .8048     | .7287     | .7449     |           | .8145     | .7461     |
| 8    | .5506     | .8596     | .6478     | .7449     | .6762     | .8507     | .7545     |
| 9    | .7122     | .8688     | .5344     | .8326     | .5344     | .8048     | .8145     |
| 10   | .6539     | .8145     | .6802     | .8507     | .6154     | .7209     | .543      |
| 11   | .763      | .8507     | .6964     | .8869     | .6316     | .8215     | .6878     |
| 12   | .7545     | .8326     | .5992     | .4706     | .664      | .788      | .7602     |
| 13   | .7712     | .823      | .6478     | .695      | .7125     | .8048     | .8145     |
| 14   | .8048     | .7783     | .6316     | .7133     | .7125     | .7712     | .7964     |
| 15   | .788      | .8048     | .583      | .724      | .6964     | .7377     | .7964     |
| 16   |           | .7602     | .5992     | .6516     | .6478     | .7042     | .7964     |
| 17   | .5175     | .6802     | .6154     | .6371     | .7865     | .7042     | .7282     |
| 18   | .9145     | .7287     | .7125     | .7042     | .8326     | .7712     | .7209     |
| 19   | 1.0498    | .8583     | .9231     | .9221     | .9774     | .9556     | .9835     |
| 20   | 1.0974    | .9231     | .9231     | .9556     | .9412     | .8551     | .9054     |
| 21   | 1.134     | .9069     | .9393     | .9665     | .7964     | 1.0317    | .9922     |
| 22   | 1.086     | .9231     | .8745     | .9389     | .8507     | 1.0117    | 1.0227    |
| 23   | 1.0974    | .9069     | .8745     | .9221     | .7865     | .9556     | .9835     |
| 24   | .8259     | 1.0608    | .9069     | .8583     | .9221     | .8326     | .9389     |
| Max  | 1.134     | 1.0608    | .9393     | .9665     | .9774     | 1.0317    | 1.0227    |
| Min  | .5175     | .439      | .5344     | .4706     | .5344     | .7042     | .543      |
| Avg  | .8265     | .8537     | .7463     | .7868     | .7822     | .8251     | .8387     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314005 / 33/11 KV SALEKASA

Feeder No / Name : 202 / 11 KV Tirkhedi

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.617     | 3.8704    | 3.6008    | 3.6637    | 3.722     | 3.6941    | 3.661     |
| 2    | 3.5074    | 3.7008    | 3.5217    | 3.6027    | 3.6915    | 3.6637    | 3.6656    |
| 3    | 3.475     | 3.6827    | 3.4608    | 3.6027    | 3.658     | 3.6153    | 3.5517    |
| 4    | 3.4446    | 3.6522    | 3.4608    | 3.556     | 3.6275    | 3.5179    | 3.4398    |
| 5    | 3.4141    | 3.5913    | 3.4303    | 3.5094    | 3.616     | 3.5541    | 3.3577    |
| 6    | 3.3332    | 3.5902    | 3.2865    | 3.2865    | 3.4796    | 3.4141    | 3.2937    |
| 7    | 3.1788    | 3.2026    | 3.1484    | 3.0855    |           | 3.154     | 3.2495    |
| 8    | 3.1808    | 3.2693    | 3.2903    | 3.0855    | 3.0072    | 1.5746    | 3.0663    |
| 9    | 3.1185    | 1.9843    | 3.3674    | 3.2998    | 2.9778    | 3.3314    | 3.1303    |
| 10   | 3.2196    | 2.9845    | 3.3369    | 3.3055    | 3.0855    | 3.4433    | 3.3417    |
| 11   | 3.2937    | 3.0874    | 3.4141    | 3.3179    | 3.116     | 3.5666    | 3.4693    |
| 12   | 3.2975    | 3.1845    | 3.3836    | 2.5216    | 3.1646    | 3.5666    | 3.4331    |
| 13   | 3.2332    | 2.7416    | 3.3998    | 2.9722    | 3.1788    | 3.7788    | 3.5665    |
| 14   | 3.3104    | 3.1074    | 3.4141    | 3.0388    | 3.1322    | 3.661     | 3.6818    |
| 15   | 3.2297    | 3.0207    | 3.2884    | 2.9722    | 3.1322    | 3.2804    | 3.6637    |
| 16   | 1.7375    | 3.0941    | 3.2274    | 2.8083    | 2.9759    | 3.0742    | 3.6451    |
| 17   | 1.1765    | 2.9454    | 3.2112    | 2.9691    |           | 3.149     | 3.4907    |
| 18   | 3.5417    | 3.0083    | 3.2579    | 3.091     | 2.6711    | 3.2495    | 3.6389    |
| 19   | 4.2333    | 3.698     | 3.9799    | 3.7753    | 4.0333    | 4.196     | 4.1609    |
| 20   | 4.3915    | 4.1991    | 4.1991    | 4.0283    | 4.308     | 4.4262    | 4.5481    |
| 21   | 4.3248    | 3.9476    | 4.2295    | 4.0893    | 4.0047    | 4.5207    | 3.9202    |
| 22   | 4.2943    | 3.9009    | 3.8628    | 4.0253    | 3.8218    | 4.4803    | 4.1175    |
| 23   | 4.1914    | 3.8523    | 3.8647    | 3.9277    | 3.7303    | 3.879     | 4.0726    |
| 24   | 3.7247    | 3.9872    | 3.8037    | 3.7247    | 3.6778    | 3.7913    | 3.999     |
| Max  | 4.3915    | 4.1991    | 4.2295    | 4.0893    | 4.308     | 4.5207    | 4.5481    |
| Min  | 1.1765    | 1.9843    | 3.1484    | 2.5216    | 2.6711    | 1.5746    | 3.0663    |
| Avg  | 3.3946    | 3.3876    | 3.5183    | 3.3858    | 3.4460    | 3.5659    | 3.6319    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314005 / 33/11 KV SALEKASA

Feeder No / Name : 203 / 11 KV Darekasa

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6106     | .6679     | .6735     | .6268     | .7011     | .6984     | .6502     |
| 2    | .5801     | .6495     | .643      | .6268     | .688      | .6679     | .6538     |
| 3    | .6106     | .6462     | .643      | .6268     | .6807     | .6462     | .6371     |
| 4    | .6106     | .6462     | .643      | .6268     | .6843     | .6462     | .6405     |
| 5    | .5639     | .5974     | .643      | .5801     | .688      | .6125     | .6371     |
| 6    | .5315     | .6005     | .5944     | .5782     | .6541     | .6154     | .4191     |
| 7    | .4524     | .4961     | .5153     | .501      |           | .57       | .4923     |
| 8    | .422      | .4472     | .4524     | .4382     | .4947     | .5096     | .4755     |
| 9    | .4262     | .4352     | .4058     | .4451     | .4544     | .4923     | .4657     |
| 10   | .4587     | .4841     | .3915     | .3658     | .422      | .4643     | .4961     |
| 11   | .4097     | .4451     | .4382     | .3658     | .422      | .4262     | .4451     |
| 12   | .4755     | .4634     | .4544     | .3982     | .4382     | .4594     | .4657     |
| 13   | .4451     | .4611     | .4382     | .4634     | .4382     | .4594     | .4817     |
| 14   | .4283     | .4451     | .4544     | .4938     | .4382     | .509      | .4817     |
| 15   | .4283     | .4451     | .4382     | .4634     | .422      | .4923     | .4817     |
| 16   | .2439     | .4792     | .422      | .4125     | .422      | .4451     | .4634     |
| 17   | .1848     | .422      | .3915     | .4474     | .4657     | .4428     | .4283     |
| 18   | .4841     | .4686     | .3915     | .4813     | .4817     | .509      | .4619     |
| 19   | .7354     | .6735     | .6125     | .7179     | .7316     | .7305     | .6706     |
| 20   | .8109     | .7364     | .7364     | .826      | .8475     | .8124     | .761      |
| 21   | .7987     | .7364     | .7364     | .8124     | .8413     | .8082     | .7524     |
| 22   | .7659     | .7202     | .7202     | .7956     | .7844     | .7524     | .7659     |
| 23   | .6916     | .704      | .7059     | .7484     | .7354     | .7219     | .7011     |
| 24   | .6573     | .6988     | .643      | .6735     | .7011     | .7169     | .6973     |
| Max  | .8109     | .7364     | .7364     | .826      | .8475     | .8124     | .7659     |
| Min  | .1848     | .422      | .3915     | .3658     | .422      | .4262     | .4191     |
| Avg  | .5344     | .5654     | .5495     | .5631     | .5929     | .5920     | .5677     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314005 / 33/11 KV SALEKASA

Feeder No / Name : 204 / 11 KV Water Works  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE WATER SUPPLY AND  
UTILITY

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0467     | .0306     | .0314     | .0314     | .017      | .0149     | .0168     |
| 2    | .0467     | .0304     | .0314     | .0314     | .017      | .0152     | .0168     |
| 3    | .0619     | .0606     | .0467     | .0314     | .0168     | .0154     | .017      |
| 4    | .0619     | .0777     | .0467     | .0467     | .0166     | .0309     | .017      |
| 5    | .0619     | .0769     | .0467     | .0467     | .0166     | .0305     | .0168     |
| 6    | .1572     | .1074     | .141      | .2506     | .0848     | .064      | .0829     |
| 7    | .2172     | .2439     | .2506     | .2506     | .1174     | .1014     | .1174     |
| 8    | .2506     | .2426     | .2506     | .2506     | .116      | .108      | .1174     |
| 9    | .2546     | .2618     | .2506     | .2466     | .1134     | .116      | .104      |
| 10   | .2546     | .2439     | .2506     | .1067     | .1134     | .116      | .104      |
| 11   | .2546     | .2412     | .2506     | .104      | .1134     | .1187     | .1014     |
| 12   | .1439     | .1204     | .142      | .0446     | .0648     | .1187     | .104      |
| 13   | .2532     | .2652     | .2506     | .1054     | .1134     | .0838     | .061      |
| 14   | .2559     | .2591     | .2506     | .1067     | .1134     | .1174     | .104      |
| 15   | .2559     | .2426     | .2506     | .1067     | .1134     | .1174     | .104      |
| 16   | .3003     | .2591     | .2506     | .104      | .1134     | .116      | .1067     |
| 17   | .2883     | .2506     | .2506     | .116      | .1067     | .1187     | .1174     |
| 18   | .2591     | .2506     | .2506     | .1174     | .1054     | .1174     | .1174     |
| 19   | .2452     | .2506     | .2658     | .1174     | .104      | .1174     | .1174     |
| 20   | .1997     | .2506     | .1696     | .1174     | .104      | .116      | .1174     |
| 21   | .0617     | .0467     | .0467     | .0497     | .061      | .0509     | .0829     |
| 22   | .0312     | .0467     | .0467     | .0335     | .0312     | .0332     | .0339     |
| 23   | .0312     | .0314     | .0314     | .0168     | .0152     | .0166     | .0168     |
| 24   | .0314     | .0312     | .0314     | .0162     | .0168     | .0151     | .0168     |
| Max  | .3003     | .2652     | .2658     | .2506     | .1174     | .1187     | .1174     |
| Min  | .0312     | .0304     | .0314     | .0162     | .0152     | .0149     | .0168     |
| Avg  | .1677     | .1634     | .1598     | .1020     | .0752     | .0779     | .0755     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314005 / 33/11 KV SALEKASA

Feeder No / Name : 211 / 11 kv Salekasa AGP Feeder SEPARATED AG FEEDERS HAVING SPECIAL  
Feeder KV- 11 / OUTGOING DESIGN TRANSFORMER

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3048     | .381      | .6887     | .6125     | .2286     | .4858     | .61       |
| 2    | .3048     | .381      | .6125     | .6125     |           | .4713     | .6032     |
| 3    | .3048     | .381      | .6887     | .6125     | .4298     | .474      | .6032     |
| 4    | .3048     | .381      | .6125     | .6125     | .3559     | .4687     | .6032     |
| 5    | .3048     | .381      | .7049     | .6125     | .4298     | .5029     | .6032     |
| 6    | .381      | .4572     | .7211     | .6287     | .6919     | .5266     | .7624     |
| 7    | .8383     | .9145     | 1.0955    | 1.3775    | 1.7598    | 1.6271    | 1.5425    |
| 8    | .9145     | .8383     | 1.3613    | 1.4261    | 1.6857    | 1.6271    | 1.6013    |
| 9    | .9145     | .8383     | 1.5185    | 1.3965    | 1.6594    | 1.736     | .6954     |
| 10   | .9145     | .8383     | 1.5023    | 1.4457    | 1.6594    | 1.829     | 1.448     |
| 11   | .9145     | .8383     | 1.0793    | 1.4632    | 1.6756    | 1.829     | 1.6185    |
| 12   | .9145     | .8383     | 1.2527    | 1.3184    | 1.6594    | 1.829     | 1.7033    |
| 13   | .9145     | .7621     | 1.3937    | 1.2346    | 1.6594    | 1.736     | 1.6613    |
| 14   | .8383     | .7621     | 1.5185    | 1.448     | 1.627     | 1.7193    | 1.5585    |
| 15   | .9145     | .7621     | 1.5347    | 1.4651    | 1.6594    | 1.736     | 1.5745    |
| 16   | .9145     | .8383     | 1.6756    | 1.166     | 1.6432    | 1.6522    | 1.6099    |
| 17   | .9907     | .9145     | 1.5185    | 1.3992    | 1.7718    | 1.5257    | 1.669     |
| 18   | .9145     | .8383     | 1.5185    | 1.6185    | 1.6861    | 1.6095    | 1.7114    |
| 19   | .3048     | .3048     | .5801     | .6066     | .4915     | .6066     | .7277     |
| 20   | .3048     | .3048     | .6125     | .6995     | .5791     | .6401     | .7331     |
| 21   | .3048     | .381      | .6125     | .7201     | .4687     | .6233     | .7331     |
| 22   | .381      | .381      | .6125     | .6995     | .282      | .6233     | .7163     |
| 23   | .3048     | .381      | .6125     | .6066     | .4887     | .6233     | .6233     |
| 24   | .381      | .381      | .6125     | .6125     | .5304     | .562      | .6233     |
| Max  | .9907     | .9145     | 1.6756    | 1.6185    | 1.7718    | 1.829     | 1.7114    |
| Min  | .3048     | .3048     | .5801     | .6066     | .2286     | .4687     | .6032     |
| Avg  | .616      | .6033     | 1.0267    | 1.0165    | 1.0923    | 1.1277    | 1.0973    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314018 / SAKHRITOLA 33KV S/S

Feeder No / Name : 205 / 11KV SAKHRITOLA

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7202     | .8916     | .9431     | .9431     | .8916     | .8059     | 1.1317    |
| 2    | .7202     | .8916     | .9259     | .9431     | .8573     | .8059     | 1.1145    |
| 3    | .7202     | .8573     | .9774     | .9431     | .8573     | .7716     | 1.0974    |
| 4    | .703      | .823      | .8916     | .9259     | .823      | .7716     | 1.046     |
| 5    | .703      | .7716     | .823      | .9259     | .823      | .7545     | .7202     |
| 6    | .703      | .7545     | .8059     | .7716     | .7888     | .7373     | .7716     |
| 7    | .7373     | .8326     | .7716     | .8059     |           | .8059     | .7202     |
| 8    | .8059     | .6762     | .7545     | .6173     | .6516     | .8573     | .5144     |
| 9    | .6859     | .6859     | .7716     | .703      | .6344     | .8402     | .7373     |
| 10   | .583      | .7202     | .8059     | .7545     | .7628     | .9259     | .7545     |
| 11   | .6859     | .7545     | .6344     | .823      | .7975     | .9259     | .8402     |
| 12   | .7716     | .8059     | .6516     | .7202     | .8059     | .9088     | .8916     |
| 13   | .5658     | .8402     | .6516     | .8059     | .8573     | .9602     | .7888     |
| 14   | .7716     | .7716     | .6859     | .7202     | .7373     | .9259     | .7888     |
| 15   | .7373     | .7202     | .6859     | .7545     | .7202     | .9088     | .7888     |
| 16   |           | .6687     | .8402     | .7545     | .703      | .8402     | .8059     |
| 17   |           | .7545     | .8573     | .7373     | .7373     | .8402     | .6241     |
| 18   | .823      | .7716     | .8916     | .7888     | .5658     | .9602     | .8573     |
| 19   | .9774     | .8573     | .9431     | .9156     | .823      | 1.0631    | 1.0288    |
| 20   | .9774     | .8916     | .9945     | .9156     | .7888     | 1.0974    | .9945     |
| 21   | .8573     | .8745     | 1.0288    | .9326     | .7716     | 1.0802    | 1.0974    |
| 22   | .9431     | .9774     | 1.0288    | .9602     | .8402     | 1.1317    | 1.0802    |
| 23   | .9259     | .9602     | .9945     | .9774     | .8059     | 1.2003    | .9774     |
| 24   | .7202     | .9088     | .9602     | .9774     | .8916     | .823      | 1.1317    |
| Max  | .9774     | .9774     | 1.0288    | .9774     | .8916     | 1.2003    | 1.1317    |
| Min  | .5658     | .6687     | .6344     | .6173     | .5658     | .7373     | .5144     |
| Avg  | .7654     | .8109     | .8466     | .8382     | .7798     | .9059     | .8876     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314018 / SAKHRITOLA 33KV S/S

Feeder No / Name : 206 / 11 KV SONEKHARI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.6118    | 1.6804    | 1.7661    | 1.6632    | 1.5083    | 1.7684    |
| 2    |           | 1.6118    | 1.7364    | 1.7833    | 1.6975    | 1.4737    | 1.7318    |
| 3    |           | 1.5432    | 1.7353    | 1.8204    | 1.6975    | 1.4737    | 1.6804    |
| 4    |           | 1.5089    | 1.6651    | 1.8143    | 1.6632    | 1.4746    | 1.7337    |
| 5    |           | 1.4754    | 1.5947    | 1.647     | 1.6632    | 1.4575    | 2.3529    |
| 6    |           | 1.3592    | 1.749     | 1.4586    | 1.6632    | 1.4403    | 2.5158    |
| 7    |           | 2.3529    | 2.3529    | 2.4253    |           | 1.3904    | 2.6703    |
| 8    |           | 2.4434    | 2.5339    | 2.2805    | 2.3167    | 1.2887    | 2.0851    |
| 9    |           | 1.8642    | 2.3529    | 2.4615    | 2.268     | 2.2262    | 2.7069    |
| 10   | 1.153     | 2.2624    | 2.1216    | 1.0159    | 1.7924    |           | 1.307     |
| 11   | 2.4434    | 2.2624    | 2.5339    | 1.3077    | 2.2986    | .4973     | 2.4977    |
| 12   | 2.3529    | 2.4977    | 2.6244    | 2.3529    | 2.2986    | .4527     | 2.2546    |
| 13   | 2.5158    | 2.4434    | 2.0814    | 2.4796    | 2.2986    | 1.3056    | 2.1216    |
| 14   | 2.4977    | 2.4072    | 2.371     | 2.0668    | 2.3137    | 1.4251    | 2.1948    |
| 15   | 2.6425    | 2.371     | 2.2986    | 2.6787    | 2.3282    | 1.4089    | 2.1538    |
| 16   |           | 2.3529    | 1.9909    | 2.5339    | 2.4072    | 1.4582    | 2.1719    |
| 17   |           | 2.2986    | 2.0271    | 1.9753    | 2.371     | 1.5089    | 1.8656    |
| 18   | 1.5023    | 2.4977    | 1.4083    | 1.2929    | 2.4796    | 1.5261    | 1.1568    |
| 19   | 1.9281    | 1.7703    | 1.8724    | 1.7337    | 1.6126    | 1.858     | 1.7528    |
| 20   | 1.7528    | 1.7528    | 1.8898    | 1.647     | 1.5083    | 1.9456    | 1.5775    |
| 21   | 1.6478    | 1.7684    | 1.7337    | 1.7684    | 1.4548    | 1.8378    | 1.9105    |
| 22   | 1.5203    | 1.7511    | 1.7337    | 1.8724    | 1.3003    | 1.8176    | 1.7528    |
| 23   | 1.543     | 1.6991    | 1.7147    | 1.6804    | 1.5083    | 1.7511    | 1.6124    |
| 24   |           | 1.6118    | 1.7318    | 1.7318    | 1.6461    | 1.5083    | 1.7857    |
| Max  | 2.6425    | 2.4977    | 2.6244    | 2.6787    | 2.4796    | 2.2262    | 2.7069    |
| Min  | 1.153     | 1.3592    | 1.4083    | 1.0159    | 1.3003    | .4527     | 1.1568    |
| Avg  | 1.9583    | 1.9799    | 1.9806    | 1.8998    | 1.9239    | 1.4798    | 1.9734    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314018 / SAKHRITOLA 33KV S/S

Feeder No / Name : 207 / 11KV HETI SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4508     | .6687     | .6104     | .6173     | .583      | .5487     | .7628     |
| 2    | .4973     | .6687     | .5735     | .5935     | .583      | .5426     | .7202     |
| 3    | .5087     | .6687     | .5868     | .5935     | .583      | .5596     | .6859     |
| 4    | .5197     | .6516     | .5868     | .5596     | .583      | .5533     | .6859     |
| 5    | .5658     | .6344     | .6135     | .5609     | .5487     | .5365     | .6859     |
| 6    | .5658     | .6344     | .583      | .5375     | .5487     | .5596     | .6001     |
| 7    | .5935     | .6516     | .3856     | .4161     |           | .57       | .4908     |
| 8    | .6001     | .4694     | .5426     | .5316     | .583      | .5935     | .3721     |
| 9    | .5868     | .5407     | .6104     | .5144     | .5765     | .5967     | .4382     |
| 10   | .5636     | .5316     | .5935     | .4862     | .6001     | .5533     | .3544     |
| 11   | .4862     | .5316     | .4115     | .5087     | .6173     | .6036     | .4784     |
| 12   | .5765     | .5487     | .463      | .5365     | .4801     | .6613     | .4207     |
| 13   | .583      | .5487     | .463      | .5487     | .463      | .5868     | .3155     |
| 14   | .6001     | .5487     | .4801     | .5365     | .2543     | .5967     | .3429     |
| 15   | .5658     | .5316     | .4458     | .5087     | .3944     | .5533     | .3688     |
| 16   |           | .5935     | .4973     | .5087     | .4115     | .5596     | .4458     |
| 17   |           | .5935     | .5487     | .5426     | .5316     | .5487     | .3506     |
| 18   | .4458     | .6001     | .6068     | .5365     | .4801     | .631      | .5784     |
| 19   | .6173     | .691      | .7442     | .6443     | .6516     | .7537     | .7796     |
| 20   | .7545     | .7362     | .7619     | .5935     | .5609     | .7888     | .7888     |
| 21   | .6516     | .7362     | .7619     | .583      | .5316     | .7545     | .7796     |
| 22   | .6687     | .7011     | .7265     | .6135     | .4607     | .7373     | .4908     |
| 23   | .691      | .6935     | .6935     | .6068     | .5721     | .763      | .631      |
| 24   | .3681     | .6687     | .6173     | .6588     | .5895     | .5487     | .7712     |
| Max  | .7545     | .7362     | .7619     | .6588     | .6516     | .7888     | .7888     |
| Min  | .3681     | .4694     | .3856     | .4161     | .2543     | .5365     | .3155     |
| Avg  | .5664     | .6185     | .5795     | .5557     | .5299     | .6125     | .5558     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314021 / kawarabandh 33kv/11kv

Feeder No / Name : 208 / 11kv kawarabandh

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9795     | 1.2197    | 1.1643    | 1.0829    | .8962     | .695      | .8779     |
| 2    | .8871     | 1.1827    | 1.1523    | .9877     | .9522     | .6838     | .8048     |
| 3    | 1.0719    | 1.0903    | 1.1458    | 1.0059    | .9149     | .6653     | .8596     |
| 4    | .924      | 1.1273    | 1.1273    | .9877     | .9522     | .6401     | .7865     |
| 5    | .905      | 1.1458    | 1.0903    | 1.0242    | .8686     | .6584     | .8413     |
| 6    | .9955     | 1.0719    | 1.0719    | .9955     | .9055     | .6219     | .8775     |
| 7    | .8869     | .924      | .8501     | .9425     | .8779     | .6161     | .8871     |
| 8    | .724      | .961      | .8871     | .9795     | .8596     | .6722     | .3801     |
| 9    | .6516     | .8413     | .6733     | .8413     | .8048     | .5973     | .6878     |
| 10   | .6401     | .8871     | .691      | .823      | .4938     | .6335     | .6878     |
| 11   | .6584     | .7865     | .7265     | .8686     | .7095     | .7316     | .7865     |
| 12   | .8596     | .6219     | .8417     | .8048     | .8402     | .7865     | .9145     |
| 13   | .9877     | .5973     | .8413     | .695      | .8589     | .6516     | .8596     |
| 14   | .8596     | .543      | .6556     | .6653     | .7316     | .7059     | .823      |
| 15   | .9511     | .5611     | .7619     | .7207     | .695      | .7133     | .8413     |
| 16   |           | .5611     | .7796     | .7023     | .695      | .7865     | .9694     |
| 17   |           | .7682     | .823      | .6535     | .7682     | .9055     | .7964     |
| 18   | .9522     | .8145     | .924      | .7282     | .6838     | .924      | .6516     |
| 19   | 1.0751    | .8048     | 1.0903    | .8215     | .8131     | .8316     | .6838     |
| 20   | .9709     | .7762     | .9896     | .9709     | .7655     | .7133     | .7282     |
| 21   | .9522     | .9979     | 1.0456    | .7842     | .4755     | .8596     | .823      |
| 22   | .9709     | .9795     | .9896     | .695      | .7577     | .8779     | .7865     |
| 23   | 1.2012    | .9896     | 1.1576    | .8413     | .5028     | .8962     | .823      |
| 24   | .9979     | 1.2197    | 1.1643    | 1.0829    | .8596     | .6626     | .8962     |
| Max  | 1.2012    | 1.2197    | 1.1643    | 1.0829    | .9522     | .924      | .9694     |
| Min  | .6401     | .543      | .6556     | .6535     | .4755     | .5973     | .3801     |
| Avg  | .9137     | .8947     | .9435     | .8627     | .7784     | .7304     | .7947     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314021 / kawarabandh 33kv/11kv

Feeder No / Name : 209 / 11kv sonpuri

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6661     | .6516     | .6516     | .6024     | .5434     | .4961     | .7108     |
| 2    | .6687     | .6203     | .6415     | .567      | .5609     | .4854     | .6935     |
| 3    | .9774     | .6036     | .6344     | .5316     | .5609     | .4681     | .6588     |
| 4    | .6344     | .6133     | .6104     | .583      | .5434     | .4733     | .6415     |
| 5    | .6241     | .5967     | .5935     | .5487     | .5258     | .4681     | .6173     |
| 6    | .583      | .5304     | .57       | .4854     | .4801     | .4681     | .57       |
| 7    | .5365     | .5256     | .5197     | .4748     | .4588     | .4694     | .5197     |
| 8    | .5197     | .4024     | .3391     | .4578     | .4424     | .4694     | .2515     |
| 9    | .4915     | .4372     | .3932     | .4409     | .4527     | .4915     | .3856     |
| 10   | .5087     | .502      | .4424     | .4578     | .3353     | .5079     | .4191     |
| 11   | .5256     | .5344     | .4915     | .4578     | .421      | .5201     | .4748     |
| 12   | .5144     | .4372     | .4807     | .4694     | .421      | .5548     | .5256     |
| 13   | .2427     | .4694     | .4917     | .4748     | .3401     | .5609     | .5256     |
| 14   | .2515     | .4862     | .4917     | .4191     | .39       | .5609     | .5426     |
| 15   | .39       | .503      | .4748     | .2591     | .407      | .5256     | .5426     |
| 16   |           | .4917     | .4748     | .3361     | .407      | .4915     | .5256     |
| 17   |           | .5079     | .5256     | .3688     | .4409     | .5316     | .5407     |
| 18   | .4973     | .5138     | .4915     | .3856     | .4694     | .5316     |           |
| 19   | .6762     | .6274     | .5898     | .5784     | .5365     | .6859     | .5959     |
| 20   | .6762     | .6516     | .6556     | .543      | .6154     | .6173     | .7186     |
| 21   | .6762     | .7186     | .6733     | .5792     | .2401     | .7011     | .7796     |
| 22   | .6935     | .6836     | .6556     | .5973     | .4973     | .7522     | .7455     |
| 23   | .6687     | .691      | .6556     | .5792     | .5014     | .7522     | .7108     |
| 24   | .6836     | .6344     | .6588     | .6516     | .5434     | .5014     | .7108     |
| Max  | .9774     | .7186     | .6733     | .6516     | .6154     | .7522     | .7796     |
| Min  | .2427     | .4024     | .3391     | .2591     | .2401     | .4681     | .2515     |
| Avg  | .5775     | .5597     | .5503     | .4937     | .4639     | .5452     | .5829     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314021 / kawarabandh 33kv/11kv

Feeder No / Name : 210 / 11KV NAVEGAON FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9221     | .7449     | .9667     | .8535     | .8785     | .7522     | 1.0288    |
| 2    | .9389     | .6093     | .9503     | .9259     | .8785     | .7449     | .9945     |
| 3    | .9221     | .6478     | .9393     | .9259     | .8785     | .7449     | .9054     |
| 4    | .8886     | .5937     | .9282     | .8573     | .8785     | .7522     | .9389     |
| 5    | .8482     | .6249     | .9122     | .8916     | .8785     | .7611     | .9054     |
| 6    | .8097     | .7186     | .8539     | .7773     | .8029     | .7773     | .8421     |
| 7    | .7907     | .759      | .8482     | .571      | .7186     | .8097     | .6554     |
| 8    | .8065     | .5468     | .8583     | .6636     | .7343     | .8097     | .5792     |
| 9    | .7842     | .6249     | .7748     | .703      | .7164     | .8065     | .7343     |
| 10   | .7773     | .6796     | .7907     | .7186     | .6019     | .7362     | .7655     |
| 11   | .7773     | .7293     | .7907     | .7432     | .6636     | .8162     | .7655     |
| 12   | .7842     | .7127     | .8322     | .7748     | .6636     | .8162     | .7655     |
| 13   | .7611     | .8215     | .8583     | .759      | .7099     | .6379     | .7907     |
| 14   | .7935     | .8215     | .8583     | .7274     | .7125     | .6783     | .7907     |
| 15   | .7611     | .788      | .8259     | .6562     | .7125     | .7122     | .7748     |
| 16   |           | .7935     | .7773     | .6405     | .7287     | .6944     | .759      |
| 17   |           | .8097     | .8551     | .7125     | .7611     | .7432     | .7655     |
| 18   | .7935     | .8322     | .7842     | .7773     | .8097     | .8223     |           |
| 19   | .8583     | .9503     | .8817     | .8817     | .8583     | .8223     | .9945     |
| 20   | .9393     | .9779     | .9835     | .9259     | .9339     | .9172     | 1.0442    |
| 21   | .9503     | 1.046     | 1.0004    | .9326     | .7522     | .9717     | 1.0898    |
| 22   | .9503     | 1.0117    | .9835     | .9389     | .7362     | .9555     | 1.0562    |
| 23   | .9503     | 1.0056    | .9389     | .9221     | .7522     | .9717     | 1.0227    |
| 24   | .9389     | .9339     | .9779     | .9389     | .8785     | .7522     | 1.0288    |
| Max  | .9503     | 1.046     | 1.0004    | .9389     | .9339     | .9717     | 1.0898    |
| Min  | .7611     | .5468     | .7748     | .571      | .6019     | .6379     | .5792     |
| Avg  | .8521     | .7826     | .8821     | .8008     | .7766     | .7919     | .8695     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314001 / 33 KV RAWANWADI S/STN

Feeder No / Name : 201 / 11kv Kamtha

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.3312    | 2.2885    | 2.332     | 2.4006    | 2.2634    | 2.4272    | 2.3137    |
| 2    | 2.2786    | 2.2539    | 2.3148    | 2.4006    | 2.2291    | .5201     | 2.2539    |
| 3    | 2.2436    | .8764     | 2.2977    | 2.332     | 2.2291    | .5375     | 2.2539    |
| 4    | 2.1605    |           | 2.2805    | 2.2382    | 2.2119    | .5548     | 2.1776    |
| 5    | 2.1434    |           | 2.2634    | 2.2043    | 2.2119    | .5201     | 2.1091    |
| 6    | 2.0622    |           | 2.2119    | 2.1195    | 2.1874    | .463      | 2.0348    |
| 7    | 1.9281    |           | 2.0348    | 1.861     |           | .4115     | 1.933     |
| 8    | 2.0008    |           | 1.9951    | 1.9784    | 1.8991    |           | 1.8991    |
| 9    | 1.9616    |           | 1.989     | 1.7101    | 2.0687    | 1.7804    |           |
| 10   | 2.1293    | 1.933     | 2.0119    | 1.9281    | 2.1026    | 1.8991    | 2.0287    |
| 11   |           | 2.0287    | 2.0517    | 2.1051    | 2.1125    | 1.8991    | 2.1628    |
| 12   | 2.0622    |           | 2.0576    | 2.1051    |           | 1.8652    | 2.146     |
| 13   |           |           | 2.0856    | 2.0388    |           | 1.8519    | 2.2213    |
| 14   |           | 2.1963    | 2.1776    | 1.989     |           | 2.0919    | 2.2213    |
| 15   |           | 2.0056    | 2.0919    |           |           | 2.0748    | 2.2213    |
| 16   |           | 1.9062    |           |           |           | 1.9559    | 2.1195    |
| 17   | 1.8031    | 1.8564    |           | 2.0719    |           | 1.8442    | 2.0178    |
| 18   | 2.0111    | 1.9062    | 2.0348    | 2.0957    | 2.1874    | 1.95      | 1.8991    |
| 19   | 2.3663    | 2.079     | 2.4691    | 2.1963    | 2.4247    | 2.1262    | 2.3491    |
| 20   | 2.489     | 2.2213    | 2.2961    | 2.3975    | 2.3834    | 2.2462    | 2.2786    |
| 21   | 2.4188    | 2.3491    | 2.3405    | 2.4756    | 2.3232    | 2.332     | 2.2436    |
| 22   | 2.3663    | 2.2977    | 2.4272    | 2.5095    | 2.4364    | 2.2539    | 2.516     |
| 23   | 2.4714    | 2.3926    | 2.4006    | 2.34      | 2.3838    | 2.3663    | 2.4451    |
| 24   | 2.1293    | 2.3232    | 2.4013    | 2.4619    | 2.2891    | 2.4619    | 2.3312    |
| Max  | 2.489     | 2.3926    | 2.4691    | 2.5095    | 2.4364    | 2.4619    | 2.516     |
| Min  | 1.8031    | .8764     | 1.989     | 1.7101    | 1.8991    | .4115     | 1.8991    |
| Avg  | 2.1767    | 2.0571    | 2.2075    | 2.1800    | 2.2320    | 1.6710    | 2.1816    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314001 / 33 KV RAWANWADI S/STN

Feeder No / Name : 202 / 11kv Rawanwadi

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5777    | 1.4529    | 1.4899    | 1.6301    | 1.5261    | 1.647     | 1.6827    |
| 2    | 1.5775    | 1.387     | 1.4899    | 1.6126    | 1.491     | 1.6297    | 1.595     |
| 3    | 1.5424    | .8589     | 1.4563    | 1.5775    | 1.4737    | 1.6124    | 1.56      |
| 4    | 1.4737    |           | 1.4563    | 1.5604    | 1.4022    | 1.6124    | 1.543     |
| 5    | 1.406     |           | 1.4043    | 1.5257    | 1.3375    | 1.595     | 1.4563    |
| 6    | 1.3395    |           | 1.3696    | 1.439     | 1.286     | 1.4217    | 1.3056    |
| 7    | 1.2887    |           | 1.2378    | 1.2574    | 1.335     | 1.3375    | 1.0898    |
| 8    | 1.1361    |           | 1.1904    | 1.2742    | 1.1145    | 1.2689    | .9892     |
| 9    |           |           | 1.1797    | 1.1233    | 1.2689    | 1.2574    |           |
| 10   | 1.1869    | 1.3395    | 1.21      | 1.1469    | 1.1934    | 1.3565    | 1.1401    |
| 11   | 1.2378    | 1.3245    | 1.2431    | 1.1797    | 1.1904    | 1.3565    | 1.358     |
| 12   | 1.2378    |           | 1.2574    | 1.1633    |           | 1.3735    | 1.3916    |
| 13   | 1.2209    |           | 1.2717    | 1.2125    |           | 1.3735    | 1.3916    |
| 14   |           | 1.2266    | 1.2887    | 1.2407    |           | 1.4232    | 1.4074    |
| 15   | 1.1869    | 1.3077    | 1.2378    |           |           | 1.387     | 1.3904    |
| 16   |           | 1.291     | 1.3375    |           |           | 1.2266    | 1.3395    |
| 17   | 1.2689    | 1.2378    | 1.1904    | 1.2239    |           | 1.3094    | 1.3904    |
| 18   | 1.3496    | 1.0852    | 1.1869    | 1.1904    | 1.3413    | 1.291     | 1.3056    |
| 19   | 1.5249    | 1.4746    | 1.4899    | 1.4586    | 1.5769    | 1.5261    | 1.4922    |
| 20   | 1.6108    | 1.4575    | 1.6301    | 1.5089    | 1.6644    | 1.6297    | 1.5604    |
| 21   | 1.5581    | 1.5074    | 1.6478    | 1.5089    | 1.6126    | 1.701     | 1.6632    |
| 22   | 1.6297    | 1.5424    | 1.6834    | 1.5261    | 1.6827    | 1.7364    | 1.7364    |
| 23   | 1.6118    | 1.6991    | 1.6655    | 1.6118    | 1.7364    | 1.7718    | 1.5592    |
| 24   | 1.6124    | 1.5592    | 1.5592    | 1.6655    | 1.5775    | 1.6644    | 1.7364    |
| Max  | 1.6297    | 1.6991    | 1.6834    | 1.6655    | 1.7364    | 1.7718    | 1.7364    |
| Min  | 1.1361    | .8589     | 1.1797    | 1.1233    | 1.1145    | 1.2266    | .9892     |
| Avg  | 1.4085    | 1.3595    | 1.3822    | 1.3926    | 1.4339    | 1.4795    | 1.4384    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314001 / 33 KV RAWANWADI S/STN

Feeder No / Name : 203 / 11kv Kati

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4022    | 1.387     | 1.5083    | 1.4723    | 1.3565    | 1.595     | 1.5947    |
| 2    | 1.3672    | 1.3523    | 1.491     | 1.439     | 1.3375    | 1.595     | 1.56      |
| 3    | 1.382     | .4908     | 1.4737    | 1.4232    | 1.3032    | 1.5777    | 1.56      |
| 4    | 1.3321    |           | 1.4403    | 1.4043    | 1.286     | 1.5604    | 1.5249    |
| 5    | 1.286     |           | 1.4232    | 1.3735    | 1.2717    | 1.5257    | 1.5249    |
| 6    | 1.2742    |           | 1.3889    | 1.3226    | 1.2407    | 1.3889    | 1.5074    |
| 7    | 1.2574    |           | 1.358     | 1.2431    |           | 1.3717    | 1.3904    |
| 8    | 1.2407    |           | 1.2289    | 1.2929    | 1.1736    | 1.3546    | 1.358     |
| 9    | 1.2742    |           | 1.2125    | 1.1633    |           | 1.2929    |           |
| 10   | 1.3592    | 1.166     | 1.2742    | 1.2146    | 1.153     | 1.291     | 1.3426    |
| 11   |           | 1.3916    | 1.3077    | 1.3117    | 1.3748    | 1.3056    | 1.4255    |
| 12   | 1.3757    |           | 1.3748    | 1.3435    |           | 1.2887    | 1.4586    |
| 13   | 1.326     |           | 1.3565    | 1.3435    |           | 1.286     | 1.442     |
| 14   | 1.326     | 1.3426    | 1.3056    | 1.3094    |           | 1.2378    | 1.4089    |
| 15   | 1.3094    | 1.3916    | 1.3003    |           |           | 1.3523    | 1.4083    |
| 16   |           | 1.3413    |           |           |           | 1.2929    | 1.3077    |
| 17   | .9189     | 1.3094    | 1.0227    | 1.3592    |           | 1.2742    | 1.3395    |
| 18   | 1.1096    | 1.358     | 1.3565    | 1.358     | 1.4586    | 1.2616    | 1.3565    |
| 19   | 1.4563    | 1.4922    | 1.543     | 1.3748    | 1.5769    | 1.4575    | 1.543     |
| 20   | 1.5249    | 1.6278    | 1.2971    | 1.4754    | 1.4918    | 1.543     | 1.3321    |
| 21   | 1.3672    | 1.6461    | 1.4548    | 1.4413    | 1.4737    | 1.6301    | 1.3643    |
| 22   | 1.4373    | 1.6124    | 1.4723    | 1.3735    | 1.56      | 1.5775    | 1.4548    |
| 23   | 1.4548    | 1.5083    | 1.4548    | 1.4243    | 1.6126    | 1.6301    | 1.4563    |
| 24   | 1.3592    | 1.4217    | 1.5424    | 1.4723    | 1.4074    | 1.6124    | 1.5947    |
| Max  | 1.5249    | 1.6461    | 1.543     | 1.4754    | 1.6126    | 1.6301    | 1.5947    |
| Min  | .9189     | .4908     | 1.0227    | 1.1633    | 1.153     | 1.2378    | 1.3077    |
| Avg  | 1.3246    | 1.3649    | 1.3734    | 1.3607    | 1.3799    | 1.4293    | 1.4459    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314001 / 33 KV RAWANWADI S/STN

Feeder No / Name : 204 / Banther

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.9376    | 1.8107    | 1.9418    | 1.9244    | 1.7465    | 1.8898    | 1.9244    |
| 2    | 1.9418    | 1.7772    | 1.9071    | 1.9071    | 1.7147    | 1.8724    | 1.9281    |
| 3    | 1.9071    | .3688     | 1.869     | 1.8724    | 1.7147    | 1.8551    | 1.9071    |
| 4    | 1.8519    |           | 1.8347    | 1.8347    | 1.6617    | 1.8551    | 1.8347    |
| 5    | 1.8004    |           | 1.8004    | 1.8004    | 1.5927    | 1.8204    | 1.8004    |
| 6    | 1.7465    |           | 1.749     | 1.6956    | 1.4918    | 1.7164    | 1.7465    |
| 7    | 1.7465    |           | 1.7126    | 1.6263    |           | 1.6804    | 1.6124    |
| 8    | 1.4752    |           | 1.7269    | 1.6078    | 1.6124    | 1.6804    | 1.5939    |
| 9    | 1.5939    |           | 1.7072    | 1.4251    | 1.6817    | 1.6787    |           |
| 10   | 1.576     | 1.5947    | 1.7404    | 1.5746    | 1.6263    | 1.6598    | 1.7238    |
| 11   | 1.7604    | 1.7404    | 1.757     | 1.6907    | 1.6278    | 1.6598    | 1.7436    |
| 12   | 1.7101    |           | 1.8107    | 1.6907    |           | 1.643     | 1.5927    |
| 13   | 1.6095    |           | 1.7772    | 1.7736    |           | 1.8275    | 1.6956    |
| 14   |           | 1.7101    | 1.6933    | 1.7772    |           | 1.8275    | 1.7295    |
| 15   | 1.6598    | 1.6263    | 1.643     |           |           | 1.8107    | 1.7635    |
| 16   |           | 1.6956    |           |           |           | 1.7436    | 1.7804    |
| 17   | 1.6598    | 1.6787    | 1.2239    | 1.6598    |           | 1.7604    | 1.6933    |
| 18   | 1.7939    | 1.6787    | 1.6278    | 1.7939    | 1.5257    | 1.6617    | 1.8107    |
| 19   | 2.0957    | 1.9161    | 2.0062    | 1.8107    | 1.7974    | 1.9418    | 1.9448    |
| 20   | 2.0622    | 1.989     | 2.6578    | 1.9448    | 1.8898    | 1.8991    | 2.0287    |
| 21   | 1.9784    | 2.0111    | 1.9418    | 1.9448    | 1.9244    | 2.0508    | 2.0748    |
| 22   | 1.9951    | 1.9938    | 1.9244    | 1.95      | 1.9806    | 2.0111    | 1.9784    |
| 23   | 1.9448    | 2.0111    | 1.9631    |           | 1.9281    | 1.9938    | 2.0287    |
| 24   | 1.989     | 1.8442    | 1.9806    | 1.9244    | 1.7974    | 1.9281    | 1.9806    |
| Max  | 2.0957    | 2.0111    | 2.6578    | 1.95      | 1.9806    | 2.0508    | 2.0748    |
| Min  | 1.4752    | .3688     | 1.2239    | 1.4251    | 1.4918    | 1.643     | 1.5927    |
| Avg  | 1.8107    | 1.7154    | 1.8259    | 1.7728    | 1.7243    | 1.8111    | 1.8225    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314001 / 33 KV RAWANWADI S/STN

Feeder No / Name : 205 / Katangi Industrial

Feeder KV- 11 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY

STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2075     | .132      | .112      | .2075     | .2263     | .168      | .132      |
| 2    | .2075     | .1132     | .1307     | .1886     | .2075     | .1494     | .1509     |
| 3    | .2075     | .0377     | .112      | .168      | .2075     | .1494     | .1509     |
| 4    | .1886     |           | .0934     | .168      | .2075     | .1307     | .1132     |
| 5    | .1698     |           | .0934     | .1867     | .1886     | .1494     | .0943     |
| 6    | .1132     |           | .1307     | .2054     | .132      | .1494     | .0943     |
| 7    | .132      |           | .112      | .2241     | .1132     | .168      | .112      |
| 8    | .1132     |           | .1307     | .168      | .132      | .168      | .0943     |
| 9    | .132      |           | .2054     | .132      | .132      | .2241     |           |
| 10   | .1307     | .0943     | .2054     | .1509     | .1307     | .3361     | .1509     |
| 11   | .2054     | .1867     | .1867     | .3206     | .2054     | .3361     | .1886     |
| 12   | .2614     |           | .2452     | .3547     |           | .3734     | .2641     |
| 13   | .2241     | .3174     | .2641     | .5228     |           | .3772     | .3395     |
| 14   |           | .2054     | .2263     | .3921     |           | .3018     | .2829     |
| 15   | .2427     | .2054     | .3018     |           |           | .3395     | .1509     |
| 16   | .3361     | .2987     | .4338     |           |           | .3734     | .2641     |
| 17   | .2987     | .2801     | .4338     | .5847     |           | .3326     | .2452     |
| 18   | .3395     | .2427     | .4294     | .415      | .2614     | .3734     | .2452     |
| 19   | .2829     | .168      | .3174     | .3018     | .2241     | .0943     | .2263     |
| 20   | .1698     | .1494     | .2075     | .1886     | .1494     | .1132     | .1886     |
| 21   | .1509     | .1494     | .1698     | .1886     | .1494     | .1698     | .132      |
| 22   | .1132     | .1307     | .1886     | .1886     | .1494     | .1509     | .1509     |
| 23   | .0943     | .1494     | .2241     | .1907     | .1307     | .1132     | .2452     |
| 24   | .1886     | .1132     | .1307     | .2641     | .2263     | .168      | .112      |
| Max  | .3395     | .3174     | .4338     | .5847     | .2614     | .3772     | .3395     |
| Min  | .0943     | .0377     | .0934     | .132      | .1132     | .0943     | .0943     |
| Avg  | .1961     | .1749     | .2119     | .2596     | .1763     | .2254     | .1795     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314006 / 33 kv fulchur s/stn

Feeder No / Name : 201 / Fulchur

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.363     | 3.0179    | 1.5123    | 1.4969    | 1.5708    | 3.2145    | 3.1348    |
| 2    | 1.3256    | 2.833     | 1.3443    | 1.4415    | 1.4969    | 3.1043    | 3.0109    |
| 3    | 1.2696    | 2.95      | 1.307     | 1.3817    | 1.423     | 2.9416    | 2.838     |
| 4    | 1.2323    | 2.782     | 1.2136    | 1.3443    | 1.3443    | 2.8677    | 2.6718    |
| 5    | 1.1203    | 2.4684    | 1.1203    | 1.3256    | 1.2696    | 2.7347    | 2.6227    |
| 6    | .9896     | 2.2904    | 1.0642    | 1.1576    | 1.2012    | 2.5244    | 2.4752    |
| 7    | .9149     | 1.7832    | .9709     | .9335     | .9979     | 2.0633    | 2.1853    |
| 8    | .8775     | 1.8294    | .9335     | .8501     | 1.8107    | 1.8505    | 1.9277    |
| 9    | .8402     | 1.7242    | .8775     | .9335     | 1.8175    | 1.8016    | 1.8599    |
| 10   | 1.0269    | 1.848     | 1.0829    | 1.0269    | 1.9159    | 2.0633    | 1.9919    |
| 11   | 1.3443    | 2.1872    | 1.3817    | 1.3256    | 2.5686    | 2.4889    | 2.8806    |
| 12   | 1.4377    | 1.0974    | 1.3491    | 1.2883    | 2.3445    | 2.779     | 2.8733    |
| 13   | 1.531     | 2.8094    | 1.4784    | 1.419     | 2.5293    | 3.0129    | 3.2724    |
| 14   | 1.2136    | 2.7652    | 1.4784    | 1.363     | 2.945     | 1.9654    | 3.07      |
| 15   | 1.7177    | 2.9111    | 1.46      | 1.4937    | 2.9245    | 3.1254    | 3.2468    |
| 16   | 1.7737    | 2.9569    | 1.5708    | 1.7364    | 3.0583    | 3.2169    | 3.6961    |
| 17   | 1.587     | 2.8704    | 1.531     | 1.6057    | 2.902     | 2.9776    | 3.4484    |
| 18   | 1.531     | 2.6483    | 1.4045    | 1.4937    | 2.8007    | 2.8003    | 3.0926    |
| 19   | 1.5684    | 2.6669    | 1.46      | 1.6057    | 2.8754    | 3.0026    | 3.5044    |
| 20   | 1.4003    | 2.6109    | 1.4045    | 1.587     | 3.1161    | 3.0552    | 3.2705    |
| 21   | 1.4003    | 2.8144    | 1.423     | 1.6078    | 3.2026    | 3.123     | 3.1615    |
| 22   | 1.4937    | 2.9874    | 1.5708    | 1.6244    | 3.3768    | 3.2026    | 3.2724    |
| 23   | 1.587     | 3.0856    | 1.6632    | 1.6263    | 3.5299    | 3.4248    | 3.5172    |
| 24   | 1.475     | 3.0179    | 1.4937    | 3.3029    | 3.3823    | 3.3703    | 3.3805    |
| Max  | 1.7737    | 3.0856    | 1.6632    | 3.3029    | 3.5299    | 3.4248    | 3.6961    |
| Min  | .8402     | 1.0974    | .8775     | .8501     | .9979     | 1.8016    | 1.8599    |
| Avg  | 1.3342    | 2.5398    | 1.3373    | 1.4571    | 2.3502    | 2.7796    | 2.9335    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314006 / 33 kv fulchur s/stn

Feeder No / Name : 203 / 11kv Adasi  
Feeder KV- 11 / OUTGOING

SHEDDABLE RURAL

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6632    | 3.7523    | 1.6741    | 1.7072    | 3.6961    | 3.5753    | 3.625     |
| 2    | 1.6632    | 3.7052    | 1.6741    | 1.6741    | 3.6827    | 3.5448    | 3.6084    |
| 3    | 1.6804    | 2.6636    | 1.6575    | 1.6766    | 3.6351    | 3.5116    | 3.5448    |
| 4    | 1.6804    | 3.2903    | 1.6575    | 1.6575    | 3.5532    | 3.3678    | 3.4619    |
| 5    | 1.6118    | 3.216     | 1.6409    | 1.6598    | 3.5189    | 3.2293    | 3.3844    |
| 6    | 1.5775    | 3.216     | 1.5912    | 1.5746    | 3.437     | 3.2127    | 3.3373    |
| 7    | 1.5947    | 3.1326    | 1.4918    | 1.3923    | 3.1607    | 3.1989    | 3.3992    |
| 8    | 1.4575    | 3.1047    | 1.3923    | 1.3094    | 2.4596    | 3.0855    | 3.1352    |
| 9    | 1.5089    | 3.0967    | 1.3757    | 1.4586    | 2.7706    | 3.0576    | 3.232     |
| 10   | 1.4752    | 3.0576    |           | 1.4586    | 2.7706    | 1.6461    | 3.2929    |
| 11   | 1.6057    | 3.1186    | 1.5432    | 1.5261    | 2.6261    | 3.1588    | 3.3261    |
| 12   | 1.442     | 1.6156    | 1.5432    | 1.406     | 2.9165    | 3.315     | 3.4202    |
| 13   | 1.4586    | 3.2154    | 1.5947    | 1.5604    | 3.1626    | 3.4312    | 3.4385    |
| 14   | 1.442     | 3.3261    | 1.5604    | 1.6289    | 3.34      | 3.4103    | 3.4176    |
| 15   | 1.442     | 3.2293    | 1.5432    | 1.5089    | 3.3272    | 3.2769    | 3.1272    |
| 16   |           | 3.1021    | 1.2266    | 1.5604    | 3.2624    | 2.9836    | 3.0411    |
| 17   | 1.5746    | 3.1352    | 1.3592    | 1.5432    | 1.7071    | 3.1855    | 3.2979    |
| 18   | 1.6263    | 3.1684    | 1.5249    | 1.5775    | 1.7375    | 3.2181    | 3.3664    |
| 19   | 1.7901    | 3.5972    | 1.6907    | 1.6975    | 3.5779    | 3.4507    | 3.8295    |
| 20   | 1.7736    | 3.6721    | 1.757     | 1.8004    | 3.7855    | 3.7218    | 3.6351    |
| 21   | 1.7901    | 3.7357    | 1.757     | 1.7833    | 3.8465    | 3.816     | 3.9076    |
| 22   | 1.8233    | 3.7523    | 1.7736    | 1.7661    | 3.7994    | 3.816     | 3.9723    |
| 23   | 1.7736    | 3.7523    | 1.7736    | 1.7833    | 3.7191    | 3.7828    | 3.9723    |
| 24   | 1.6632    | 3.7218    | 1.6907    | 3.6581    | 3.7437    | 3.6555    | 3.747     |
| Max  | 1.8233    | 3.7523    | 1.7736    | 3.6581    | 3.8465    | 3.816     | 3.9723    |
| Min  | 1.442     | 1.6156    | 1.2266    | 1.3094    | 1.7071    | 1.6461    | 3.0411    |
| Avg  | 1.6138    | 3.2657    | 1.5867    | 1.6820    | 3.2182    | 3.3188    | 3.4800    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314006 / 33 kv fulchur s/stn

Feeder No / Name : 204 / 11 KV Bambleshwari

Feeder KV- 11 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY

STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .132      | .1143     | .0754     | .0566     | .1132     | .0377     | .132      |
| 2    | .132      | .132      | .0943     | .0566     | .0377     | .0381     | .1132     |
| 3    | .132      | .0572     | .0754     | .0572     | .0943     | .0377     | .132      |
| 4    | .1132     | .0754     | .0566     | .0572     | .1132     | .0377     | .1509     |
| 5    | .0754     | .0566     | .0566     | .0762     | .132      | .0381     | .1698     |
| 6    | .0943     | .0381     | .0566     | .0572     | .1509     | .0381     | .2263     |
| 7    | .0566     | .0566     | .0566     | .0381     | .0943     | .1143     | .1698     |
| 8    | .0754     | .0377     | .0566     | .0566     |           | .0754     | .1132     |
| 9    | .0377     | .0381     | .0377     | .0572     | .0943     | .0566     | .0943     |
| 10   | .0377     | .1698     |           | .0943     | .2858     | .1698     | .1905     |
| 11   | .2075     | .1698     | .3018     | .2286     | .3961     | .3584     | .2263     |
| 12   | .1698     |           | .4338     | .3429     | .3961     | .4527     | .1698     |
| 13   | .1698     | .1698     | .4904     | .381      | .3921     | .3772     | .1698     |
| 14   | .2096     | .2641     | .3772     | .2667     | .4338     | .2829     | .1509     |
| 15   | .1698     | .2477     | .3018     | .2286     | .415      | .3395     | .132      |
| 16   | .1886     | .3206     | .2452     | .2858     | .2829     | .4338     | .2075     |
| 17   | .2075     | .3018     | .1886     | .2641     | .3018     | .3584     | .1698     |
| 18   | .1886     | .3206     | .2075     | .3018     | .2829     | .3395     | .0943     |
| 19   | .132      | .2452     | .1132     | .2452     | .2858     | .3395     | .1509     |
| 20   | .0953     | .1132     | .0867     | .132      | .1132     | .1698     | .0377     |
| 21   | .1132     | .0566     | .0754     | .0754     | .0566     | .2075     | .0377     |
| 22   | .132      | .0566     | .0566     | .0566     | .0377     | .1132     | .1132     |
| 23   | .1143     | .1132     | .0566     | .0943     | .0381     | .132      | .1132     |
| 24   | .0943     | .1132     | .0754     | .0572     | .0943     | .0381     | .1509     |
| Max  | .2096     | .3206     | .4904     | .381      | .4338     | .4527     | .2263     |
| Min  | .0377     | .0377     | .0377     | .0381     | .0377     | .0377     | .0377     |
| Avg  | .1283     | .1421     | .1555     | .1486     | .2018     | .1911     | .1423     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314006 / 33 kv fulchur s/stn

Feeder No / Name : 205 / Maheshwari industrial  
Feeder KV- 11 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2477     | .3206     | .2477     | .2829     | .2096     | .1524     | .3048     |
| 2    | .2096     | .2858     | .2667     | .2858     | .1334     | .1524     | .3048     |
| 3    | .2477     | .0762     | .2667     | .2829     | .1524     | .1524     | .3239     |
| 4    | .2858     | .2667     | .2667     | .2667     | .1334     | .1509     | .3048     |
| 5    | .2667     | .2667     | .2667     | .2667     | .1524     | .1509     | .3048     |
| 6    | .2477     | .2286     | .2667     | .2667     | .1524     | .1715     | .3239     |
| 7    | .2477     | .2667     | .2858     | .2667     | .1143     | .1524     | .3429     |
| 8    | .2477     | .2667     | .2667     | .2667     | .1524     | .1698     | .3048     |
| 9    | .2096     | .2286     | .2477     | .2667     | .1524     | .1715     | .2858     |
| 10   | .362      | .3048     | .2858     | .3429     | .2667     | .2477     | .2667     |
| 11   | .381      | .2477     | .3429     | .4001     | .4001     | .4382     | .381      |
| 12   | .4001     |           | .3048     | .4001     | .4001     | .4382     | .4572     |
| 13   | .381      | .2096     | .3429     | .4001     | .4382     | .4572     | .4954     |
| 14   | .362      | .3048     | .3048     | .4191     | .4191     | .4763     | .4001     |
| 15   | .3429     | .3048     | .2667     | .4001     | .381      | .4191     | .547      |
| 16   | .381      | .3239     | .3734     | .4001     | .4001     | .4763     | .4715     |
| 17   | .381      | .2667     | .4108     | .362      | .381      | .4191     | .4572     |
| 18   | .3429     | .2667     | .3395     | .3239     | .3429     | .381      | .362      |
| 19   | .3239     | .2858     | .3018     | .3048     | .2858     | .3048     | .3239     |
| 20   | .3239     | .2858     | .2858     | .3048     | .2858     | .3048     | .3239     |
| 21   | .3048     | .2667     | .2858     | .2858     | .2667     | .3239     | .3239     |
| 22   | .3239     | .2858     | .3048     | .2858     | .1715     | .3048     | .3239     |
| 23   | .2452     | .2667     | .3048     | .2858     | .1524     | .3048     | .3048     |
| 24   | .2477     | .2858     | .2667     | .2829     | .2667     | .1524     | .3048     |
| Max  | .4001     | .3239     | .4108     | .4191     | .4382     | .4763     | .547      |
| Min  | .2096     | .0762     | .2477     | .2667     | .1143     | .1509     | .2667     |
| Avg  | .3047     | .2657     | .2959     | .3188     | .2588     | .2864     | .3560     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314006 / 33 kv fulchur s/stn

Feeder No / Name : 206 / Saha Industrial feeder  
Feeder KV- 11 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7049     | .8215     | .5658     | .3921     | .6668     | .3772     | .7621     |
| 2    | .7049     | .8299     | .5281     | .2286     | .5716     | .3547     | .724      |
| 3    | .6287     | .2427     | .547      | .2263     | .5144     | .3361     | .7811     |
| 4    | .5906     | .5658     | .547      | .2286     | .5335     | .3361     | .6859     |
| 5    | .6859     | .5975     | .3772     | .3018     | .5906     | .3772     | .7811     |
| 6    | .5525     | .7282     | .3206     | .2667     | .5716     | .4294     | .7621     |
| 7    | .6859     | .5975     | .4338     | .3174     | .3429     | .415      | .6668     |
| 8    | .6859     | .5788     | .415      | .2987     | .5716     | .3772     | .7049     |
| 9    | .5906     | .6161     | .3206     | .3048     | .6097     | .4191     | .6287     |
| 10   | .8383     | .7922     | .5847     | .362      | .6602     | .5144     | .6287     |
| 11   | 1.0288    | 1.2071    | 1.0751    | .8775     | .9054     | .8002     | .8029     |
| 12   | 1.2449    |           | 1.086     | 1.0642    | .8775     | .8764     | 1.1763    |
| 13   | 1.2765    | .679      | 1.1431    | 1.1203    | 1.1016    | 1.1241    | 1.2696    |
| 14   | 1.0098    | 1.2826    | 1.105     | .9149     | .9709     | 1.0098    | 1.1203    |
| 15   | 1.0098    | 1.0479    | 1.086     | 1.0642    | .9522     |           | .9709     |
| 16   | 1.1241    | 1.3014    | .9709     | .9709     | 1.0082    | .9335     | 1.0456    |
| 17   | 1.2071    | 1.1389    | .9335     | 1.1431    | .8962     | .8002     | 1.0669    |
| 18   | 1.1883    | .9808     | .8589     | .8383     | .7842     | .7621     | .9526     |
| 19   | 1.0751    | .8865     | .8589     | .8383     | .6348     | .9145     | .9526     |
| 20   | .8402     | .811      | .7621     | .7621     | .6348     | .8192     | .6859     |
| 21   | .9425     | .9431     | .8383     | .6859     | .5041     | .8192     | .6478     |
| 22   | .9522     | .7356     | .7545     | .8002     | .4715     | .8383     | .724      |
| 23   | .9335     | .5658     | .7655     | .7811     | .4904     | .8764     | .6859     |
| 24   | .743      | .9335     | .5093     | .7023     | .6097     | .5228     | .9717     |
| Max  | 1.2765    | 1.3014    | 1.1431    | 1.1431    | 1.1016    | 1.1241    | 1.2696    |
| Min  | .5525     | .2427     | .3206     | .2263     | .3429     | .3361     | .6287     |
| Avg  | .8852     | .8210     | .7245     | .6454     | .6864     | .6536     | .8416     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314006 / 33 kv fulchur s/stn

Feeder No / Name : 207 / Civil Line

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2197    | 1.3443    | 1.2136    | 1.4377    | 1.4784    | 1.4784    | 1.419     |
| 2    | 1.1458    | 1.307     | 1.0456    | 1.307     | 1.386     | 1.4377    | 1.2696    |
| 3    | 1.0903    | 1.2696    | .9335     | 1.2696    | 1.2936    | 1.1949    | 1.1203    |
| 4    | 1.0349    | 1.3256    | .8962     | 1.1763    | 1.2197    | 1.1949    | 1.0829    |
| 5    | .9795     | 1.2136    | .8775     | 1.1203    | 1.1273    | 1.1389    | 1.0456    |
| 6    | .8501     | .9709     | .8962     | .9896     | 1.0164    | 1.0082    | 1.0269    |
| 7    | .7762     | .8676     | .7842     | .8589     | .8871     | .8215     | .8402     |
| 8    | .7023     | .7468     | .7655     | .8215     | .7865     | .8589     | .8402     |
| 9    | .7207     | .7655     | .7282     | .7468     | .823      | .7947     | .8215     |
| 10   | .7842     | .7655     | .8131     | .7468     | .8215     | .8131     | .7577     |
| 11   | .8029     | .8402     | .8215     | .8029     | .8215     | .8316     | .8316     |
| 12   | .8215     |           | .8589     | .8402     | .8402     | .8686     | .9709     |
| 13   | .9335     | 1.2136    | .8573     | .9335     | 1.0082    | 1.0479    | .9979     |
| 14   | .9709     | 1.1389    | .961      | 1.0456    | .4108     | 1.1088    | 1.1273    |
| 15   | .9709     | 1.1088    | 1.0164    | .9896     | .3921     | 1.1273    | 1.1458    |
| 16   | .9709     | 1.0719    | .961      | 1.0642    | .3734     | 1.0719    | 1.1643    |
| 17   | .8962     | .9979     | 1.0164    | 1.0164    | 1.1576    | .9694     | 1.0642    |
| 18   | .8775     | .8589     | 1.0456    | 1.0534    | 1.1576    | .9522     | .9335     |
| 19   | 1.0269    | 1.0456    | 1.0829    | 1.1088    | 1.1576    | 1.0719    | 1.1763    |
| 20   | 1.0829    | 1.1016    | 1.1827    | 1.2197    | 1.251     | 1.1016    | 1.2323    |
| 21   | 1.1273    | 1.1389    | 1.2136    | 1.2382    | 1.2197    | 1.2136    | 1.3443    |
| 22   | 1.2567    | 1.2323    | 1.3443    | 1.3306    | 1.3121    | 1.3256    | 1.4377    |
| 23   | 1.4415    | 1.4003    | 1.4415    | 1.5154    | 1.5339    | 1.4937    | 1.587     |
| 24   | 1.2936    | 1.3817    | 1.419     | 1.4784    | 1.5154    | 1.5497    | 1.4937    |
| Max  | 1.4415    | 1.4003    | 1.4415    | 1.5154    | 1.5339    | 1.5497    | 1.587     |
| Min  | .7023     | .7468     | .7282     | .7468     | .3734     | .7947     | .7577     |
| Avg  | .9907     | 1.0916    | 1.0073    | 1.0880    | 1.0413    | 1.1031    | 1.1138    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314011 / DASGAON

Feeder No / Name : 201 / 11KV Dasgaon

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 4.148     | 3.9018    | 3.8413    | 3.6906    | 2.2611    | 3.9376    | 3.77      |
| 2    | 4.1327    | 3.8097    | 3.8113    | 3.6365    | 4.2501    | 3.9498    | 3.7547    |
| 3    | 4.055     | 3.757     | 3.8121    | 3.6004    | 4.1922    | 3.9056    | 3.6633    |
| 4    | 4.0101    | 3.6755    | 3.7645    | 3.6835    | 4.1529    | 3.8546    | 3.6785    |
| 5    | 3.9224    | 3.6096    | 3.7162    | 3.778     | 4.0977    | 3.8013    | 3.6511    |
| 6    | 3.7481    | 3.549     | 3.6557    | 3.7176    | 4.0383    | 3.6999    | 3.6298    |
| 7    | 3.5203    | 3.5482    | 3.5588    | 3.4835    | 1.765     | 3.5032    | 3.4198    |
| 8    | 3.4352    | 3.3562    | 3.557     | 3.397     |           | 3.1772    | 3.5848    |
| 9    | 3.2584    | 3.4019    | 3.5755    | 3.4667    |           | 2.7869    | 3.6443    |
| 10   | 3.5245    | 3.4286    | 3.6199    | 3.6647    | 3.7753    | 2.9066    | 3.603     |
| 11   | 3.7228    | 3.5485    | 3.8577    | 3.7388    | 3.8017    | 3.0818    | 3.8431    |
| 12   | 3.9651    | 3.0842    | 3.8683    | 3.8638    | 3.9119    | 3.1085    | 2.0149    |
| 13   | 3.8683    | 3.6294    | 3.8422    | 3.927     | 3.9294    | 3.4804    | 3.8788    |
| 14   | 3.8813    | 3.7275    | 3.8159    | 3.9369    | 2.9386    | 3.8188    | 3.868     |
| 15   | 3.7342    | 3.6326    | 3.7411    | 3.786     | 3.6469    | 3.2777    | 3.7687    |
| 16   |           | 3.6201    | 1.9936    | 3.5071    | 3.6423    | 3.5246    | 3.8052    |
| 17   | 2.5888    | 3.6475    | 2.8739    | 3.8051    | 3.6837    | 3.6618    | 3.4711    |
| 18   | 3.7921    | 3.7374    | 3.8052    | 3.9964    | 3.553     | 3.8656    | 3.0539    |
| 19   | 3.9836    | 3.9617    | 4.2233    | 4.244     | 4.2452    | 4.1488    | 4.0937    |
| 20   | 3.9133    | 3.9618    | 4.2309    | 4.4589    | 3.9943    | 4.1396    | 4.3869    |
| 21   | 4.0063    | 3.9066    | 4.3275    | 4.4117    | 4.1487    | 4.1808    | 4.334     |
| 22   | 4.0566    | 3.9247    | 4.3908    | 4.4109    | 4.2352    | 4.1609    | 4.3401    |
| 23   | 4.0634    | 3.9249    | 4.3585    | 4.4086    | 4.1663    | 4.2288    | 4.1122    |
| 24   | 4.0375    | 3.9293    | 4.1268    | 4.0802    | 4.3263    | 4.0474    | 4.1472    |
| Max  | 4.148     | 3.9618    | 4.3908    | 4.4589    | 4.3263    | 4.2288    | 4.3869    |
| Min  | 2.5888    | 3.0842    | 1.9936    | 3.397     | 1.765     | 2.7869    | 2.0149    |
| Avg  | 3.7986    | 3.6781    | 3.7653    | 3.8622    | 3.7616    | 3.6770    | 3.7299    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314011 / DASGAON

Feeder No / Name : 202 / Dangurli Express

Feeder KV- 11 / OUTGOING

NON SHEDDABLE WATER SUPPLY AND  
UTILITY

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .277      | .2862     | .2987     | .2662     | .2827     | .2616     | .2854     |
| 2    | .277      | .2869     | .2995     | .2654     | .2623     | .2612     | .285      |
| 3    | .2766     | .2854     | .2801     | .2812     | .2631     | .2793     | .2835     |
| 4    | .2763     | .2843     | .2816     | .2812     | .2642     | .2604     | .2744     |
| 5    | .2574     | .2846     | .2786     | .0987     | .2623     | .2782     | .2823     |
| 6    | .2578     | .2854     | .2812     | .2797     | .2635     | .277      | .2812     |
| 7    | .0911     | .1319     | .1253     | .0895     | .2616     | .0473     | .1193     |
| 8    | .2122     | .265      | .2583     | .2789     | .0991     | .2589     | .2443     |
| 9    | .2759     | .2658     | .2755     | .277      |           | .2582     | .2561     |
| 10   | .2766     | .2627     | .2572     | .2789     | .2846     | .2793     | .2744     |
| 11   | .2831     | .2751     | .2563     | .2831     | .282      | .2816     | .2755     |
| 12   | .2843     | .2744     | .2563     | .2823     | .0591     | .2808     | .2755     |
| 13   | .2831     | .2736     | .2751     | .2827     |           | .2793     | .2759     |
| 14   | .2823     | .277      | .2751     | .2839     | .2782     | .2816     | .2763     |
| 15   | .2627     | .2747     | .2585     | .2839     | .2801     | .2619     | .2759     |
| 16   | .3066     | .2744     | .2559     | .1002     | .2656     | .2612     | .2763     |
| 17   | .2707     | .2759     | .2744     | .1368     | .2566     | .2812     | .2778     |
| 18   | .2654     | .2747     | .2563     | .2843     | .2563     | .282      | .2763     |
| 19   | .1362     | .1318     | .2578     | .2827     | .257      | .2816     | .1204     |
| 20   | .2577     | .2987     | .2404     | .2843     | .2574     | .2823     | .2595     |
| 21   | .2673     | .2976     | .2789     | .2816     | .2574     | .2835     | .2778     |
| 22   | .2888     | .2995     | .2631     | .2646     | .2585     | .2827     | .2782     |
| 23   | .2877     | .3003     | .2654     | .2638     | .2601     | .2835     | .261      |
| 24   | .2843     | .2877     | .2991     | .2601     | .2635     | .2658     | .2846     |
| Max  | .3066     | .3003     | .2995     | .2843     | .2846     | .2835     | .2854     |
| Min  | .0911     | .1318     | .1253     | .0895     | .0591     | .0473     | .1193     |
| Avg  | .2599     | .2689     | .2645     | .2488     | .2489     | .2646     | .2615     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314011 / DASGAON

Feeder No / Name : 203 / 11kv Birsola

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.0045    | 2.8825    | 2.9344    | 3.5364    | 3.6463    | 3.7153    | 3.7277    |
| 2    | 2.9917    | 2.8641    | 2.9317    | 3.5539    | 3.6524    | 3.7267    | 3.7282    |
| 3    | 2.9879    | 2.8511    | 2.9466    | 3.5482    | 3.637     | 3.7145    | 3.7247    |
| 4    | 3         | 2.8365    | 2.9248    | 3.511     | 3.6431    | 3.6811    | 3.681     |
| 5    | 2.9695    | 2.8327    | 2.9146    | 3.5254    | 3.6455    | 3.656     | 3.6533    |
| 6    | 2.9643    | 2.8045    | 2.9085    | 3.5718    | 3.6564    | 3.578     | 3.7069    |
| 7    | 3.127     | 3.019     | 3.1524    | 3.7412    | 1.843     | 3.5065    | 3.6644    |
| 8    | 3.1379    | 2.745     | 3.0205    | 3.7082    | .2035     | 3.6678    | 3.6471    |
| 9    | 3.1158    | 3.0451    | 3.1215    | 3.5899    |           | 3.8235    | 3.7717    |
| 10   | 3.2264    | 3.1331    | 3.2012    | 3.6871    | .3454     | 3.8303    | 3.7579    |
| 11   | 3.379     | 3.0391    | 3.0622    | 3.8551    | .3661     | 4.0456    | 3.8102    |
| 12   | 3.5471    | 3.6984    | 3.1112    | 3.4784    | .1966     | 3.6378    | 3.4004    |
| 13   | 3.5488    | 3.6631    | 3.1338    | 3.2827    | 3.4812    | 3.4645    | 3.131     |
| 14   | 3.4745    | 3.6267    | 2.9201    | 3.3071    | 2.7717    | 3.4896    | 3.1946    |
| 15   | 3.2904    | 3.4869    | 1.1949    | 3.2716    | 3.4593    | 3.3056    | 3.1874    |
| 16   | .4214     | 3.4929    | .1036     | 3.2379    | 3.4907    | 3.228     | 3.2594    |
| 17   | .7705     | 3.5391    | 2.3663    | 3.2398    | 3.5639    | 3.3185    | 3.2149    |
| 18   | 3.8404    | 3.5802    | 3.36      | 3.3355    | 3.601     | 3.3478    | 3.3383    |
| 19   | 3.0019    | 3.9655    | 3.5548    | 3.5718    | 3.7531    | 3.5622    | 3.4858    |
| 20   | 3.6678    | 4.0524    | 3.363     | 3.6546    | 3.6792    | 3.5652    | 3.5254    |
| 21   | 3.661     | 3.7079    | 3.4107    | 3.5543    | 3.2935    | 3.6134    | 3.5277    |
| 22   | 3.714     | 3.7859    | 3.4518    | 3.5656    | 3.4942    | 3.6463    | 3.509     |
| 23   | 3.7439    | 3.7925    | 3.4343    | 3.4602    | 3.4996    | 3.6165    | 3.272     |
| 24   | 3.2766    | 3.2598    | 3.1889    | 3.5606    | 3.7074    | 3.6507    | 3.6736    |
| Max  | 3.8404    | 4.0524    | 3.5548    | 3.8551    | 3.7531    | 4.0456    | 3.8102    |
| Min  | .4214     | 2.745     | .1036     | 3.2379    | .1966     | 3.228     | 3.131     |
| Avg  | 3.0776    | 3.321     | 2.9047    | 3.5145    | 2.8970    | 3.5996    | 3.5247    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314011 / DASGAON

Feeder No / Name : 204 / 11kv Dasgaon AGP

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .1619     | .1457     | .1457     | .1619     |
| 2    |           |           | .1619     | .1457     | .1457     | .1619     |
| 3    |           |           | .1457     | .1457     | .1457     | .1619     |
| 4    |           |           | .1457     | .1457     | .1457     | .1781     |
| 5    |           |           | .1457     | .1457     | .1457     | .1619     |
| 6    |           |           | .1619     | .1457     | .1296     | .1802     |
| 7    |           |           | .1781     | .1619     | .1619     | .1619     |
| 8    |           |           | .1781     |           | .1619     | .1619     |
| 9    |           |           | .1457     |           | .1619     | .1781     |
| 10   |           |           | .1619     | .1457     | .1457     | .1781     |
| 11   |           |           | .1457     | .1619     | .1619     | .1781     |
| 12   | .1619     | .1943     |           |           |           |           |
| 13   | .1619     | .1781     |           |           |           |           |
| 14   | .1619     | .1619     |           |           |           |           |
| 15   | .1457     | .1619     |           |           |           |           |
| 16   | .1943     | .1619     |           |           |           |           |
| 17   |           | .1619     |           |           |           |           |
| 18   | .1619     | .16       |           |           |           |           |
| 19   | .1457     | .1619     |           |           |           |           |
| 20   | .1619     | .1619     |           |           |           |           |
| 21   | .1619     | .1619     |           |           |           |           |
| 22   | .1619     | .1619     |           |           |           |           |
| 23   | .1619     | .1619     |           |           |           |           |
| 24   |           |           | .1619     | .1457     | .1457     | .1619     |
| Max  | .1943     | .1943     | .1781     | .1619     | .1619     | .1802     |
| Min  | .1457     | .16       | .1457     | .1457     | .1296     | .1619     |
| Avg  | .1619     | .1658     | .1579     | .1489     | .1498     | .1688     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314012 / 33 KV SURYATOLA S/STN

Feeder No / Name : 205 / 11kv Tumkheda Industrial SHEDDABLE FEEDER HAVING WEEKLY  
 Feeder KV- 11 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4024     | .2865     | .4329     | .4374     | .413      | .4954     | .5197     |
| 2    | .4039     | .2957     | .4618     | .57       | .4405     | .4938     | .5624     |
| 3    | .4161     | .2942     | .4679     | .5624     | .439      | .4938     | .5502     |
| 4    | .4222     | .2957     | .4679     | .5716     | .4405     | .4893     | .5182     |
| 5    | .2408     | .2942     | .4496     | .5548     | .4481     | .4893     | .4862     |
| 6    | .2423     | .2972     | .3948     | .5624     | .4176     | .4832     | .5152     |
| 7    | .0488     | .2728     | .2896     | .3475     | .3597     | .3307     | .346      |
| 8    | .1174     | .2743     | .3094     | .2103     | .1692     | .029      | .3003     |
| 9    | .1082     | .1951     | .3048     | .1936     | .2195     | .157      | .2774     |
| 10   | .2301     | .2073     | .3155     | .1905     | .2119     | .1677     | .2896     |
| 11   | .3841     | .4146     | .4954     | .3079     | .3628     | .3414     | .378      |
| 12   | .4862     | .4954     | .5731     | .3856     | .442      | .4481     | .3064     |
| 13   | .5335     | .7072     | .6417     | .5548     | .4923     | .5365     | .5731     |
| 14   | .506      | .7941     | .7118     | .5838     | .4832     | .5639     | .5655     |
| 15   | .4588     | .7484     | .5761     | .5731     | .3765     | .5167     | .5304     |
| 16   | .5365     | .8246     | .6981     | .5091     | .378      | .4877     | .5091     |
| 17   | .5319     | .7499     | .7148     | .5487     | .4313     | .4755     | .6173     |
| 18   | .5213     | .6447     | .6722     | .4512     | .4344     | .5319     | .6295     |
| 19   | .5639     | .5959     | .4893     | .4207     | .4359     | .5075     | .4923     |
| 20   | .5487     | .5792     | .3734     | .349      | .41       | .3643     | .4786     |
| 21   | .4542     | .4298     | .3033     | .3338     | .285      | .2789     | .3719     |
| 22   | .3338     | .2469     | .221      | .1997     | .2241     | .2774     | .2728     |
| 23   | .5472     | .4237     | .4649     | .3536     | .3292     | .5045     | .4862     |
| 24   | .535      | .4283     | .471      | .4329     | .5228     | .5258     | .5243     |
| Max  | .5639     | .8246     | .7148     | .5838     | .5228     | .5639     | .6295     |
| Min  | .0488     | .1951     | .221      | .1905     | .1692     | .029      | .2728     |
| Avg  | .3989     | .4498     | .4708     | .4252     | .3819     | .4162     | .4625     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314012 / 33 KV SURYATOLA S/STN

Feeder No / Name : 206 / 11kv Kuradi

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.2449    | 3.3303    | 3.3059    | 3.3394    | 3.3577    | 3.2907    | 2.8395    |
| 2    | 3.216     | 3.3196    | 3.2526    | 3.3013    | 3.315     | 3.2373    | 2.8426    |
| 3    | 3.1733    | 3.2541    | 3.2114    | 3.2815    | 3.2952    | 3.2251    | 2.8212    |
| 4    | 3.1367    | 3.1962    | 3.1794    | 3.2266    | 3.2587    | 3.1794    | 2.8014    |
| 5    | 3.1154    | 3.1261    | 3.1215    | 3.216     | 3.2312    | 3.1626    | 2.7709    |
| 6    | 3.059     | 3.059     | 3.0849    | 3.1763    | 3.2236    | 3.094     | 2.7938    |
| 7    | 2.681     | 2.6947    | 2.6734    | 2.7115    | .9496     | 2.431     | 2.521     |
| 8    | 2.5179    | 2.524     | 2.5225    | 2.5743    | 2.4981    | 2.2786    | 2.489     |
| 9    | 2.4432    | 2.4874    | 2.4493    | 2.3365    | 2.5469    | 2.1917    | 2.4874    |
| 10   | 2.1795    | 2.2939    | 2.4234    | 2.396     | 2.5438    | 2.271     | 2.4981    |
| 11   | 2.4234    | 2.463     | 2.4387    | 2.5514    | 2.5835    | 2.4417    | 2.5636    |
| 12   | 2.556     | 2.4859    | 2.4371    | 2.6033    | 2.6627    | 2.2893    | 2.6871    |
| 13   | 2.6033    | 2.5453    | 2.4798    | 2.5469    | 2.7221    | 2.5667    | 2.7145    |
| 14   | 2.5972    | 2.6459    | 2.1216    | 2.6734    | 2.7252    | 2.6459    | 2.431     |
| 15   | 2.5484    | 2.3792    | 2.588     | 2.6734    | 2.6581    | 2.5972    | 2.4752    |
| 16   | .9938     | 2.4387    | 2.5789    | 2.681     | 2.6155    |           | 2.5362    |
| 17   | 1.7314    | 2.4691    | 2.4981    | 2.6429    | 2.3182    |           | 2.5133    |
| 18   | 2.7161    | 2.495     | 2.5667    | 1.5333    | 2.2253    | 2.6566    | 2.4661    |
| 19   | 3.0575    | 3.0194    | 3.0971    | 3.1321    | 2.9965    | 3.0925    | 3.0575    |
| 20   | 3.4202    | 3.3638    | 3.4416    | 3.4339    | 3.3379    | 3.408     | 3.469     |
| 21   | 3.4324    | 3.3608    | 3.5162    | 3.5147    | 3.344     | 3.4705    | 3.5711    |
| 22   | 3.4858    | 3.4202    | 3.504     | 3.5315    | 3.4202    | 3.4781    | 3.5726    |
| 23   | 3.3989    | 3.3958    | 3.4873    | 3.4461    | 3.3684    | 3.4461    | 3.4324    |
| 24   | 3.3425    | 3.3714    | 3.4126    | 3.4172    | 3.3288    | 3.3699    | 3.3791    |
| Max  | 3.4858    | 3.4202    | 3.5162    | 3.5315    | 3.4202    | 3.4781    | 3.5726    |
| Min  | .9938     | 2.2939    | 2.1216    | 1.5333    | .9496     | 2.1917    | 2.431     |
| Avg  | 2.7947    | 2.8808    | 2.8913    | 2.9142    | 2.8553    | 2.9011    | 2.8222    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314017 / 33 kv Zilmilli

Feeder No / Name : 201 / Kamtha-Birsi Feeder

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| 2    | ***       | ***       | ***       | ***       | ***       | ***       | 9.3355    |
| 3    | ***       | 8.9544    | ***       | 9.6784    | ***       | 9.964     | ***       |
| 4    | ***       | ***       | ***       | 9.6403    | ***       | 9.7394    | ***       |
| 5    | ***       | ***       | ***       | ***       | 9.9718    | 9.6634    | 9.0306    |
| 6    | ***       | ***       | ***       | ***       | ***       | 9.5748    | ***       |
| 7    | ***       | ***       | ***       | ***       | 1.5242    | ***       | 9.6891    |
| 8    | ***       | 9.9775    | ***       | ***       | ***       | 9.981     | ***       |
| 9    | ***       | ***       | ***       | ***       | ***       | ***       | 9.2593    |
| 10   | ***       | ***       | ***       | ***       | ***       | 9.8308    | 9.6022    |
| 11   | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| 12   | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| 13   | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| 14   | ***       | ***       | ***       | ***       | 7.7351    | ***       | ***       |
| 15   | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| 16   |           | ***       | 4.5344    | ***       | ***       | ***       | ***       |
| 17   | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| 18   | ***       | 9.7185    | ***       | ***       | ***       | ***       | ***       |
| 19   | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| 20   | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| 21   | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| 22   | ***       | ***       | ***       | ***       | ***       | ***       | 9.7927    |
| 23   | ***       | ***       | ***       | ***       | ***       | ***       | 9.7165    |
| 24   | 9.1831    | ***       | ***       | ***       | 8.5734    | ***       | ***       |
| Max  | 12.8477   | 12.2973   | 13.5081   | 13.305    | 13.1654   | 13.7525   | 14.1153   |
| Min  | 9.1831    | 8.9544    | 4.5344    | 9.6403    | 1.5242    | 9.5748    | 9.0306    |
| Avg  | 11.4674   | 11.0537   | 11.3644   | 11.7134   | 10.5769   | 11.3353   | 11.1727   |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314017 / 33 kv Zilmilli

Feeder No / Name : 202 / 11kv Girola

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 5.668     | 5.8924    | 5.2249    | 5.1829    | 6.0248    | 5.9453    | 5.8634    |
| 2    | 5.6794    | 5.8558    | 5.161     | 4.4201    | 5.9423    | 5.9072    | 5.7922    |
| 3    | 5.615     | 5.7461    | 5.1279    | 5.1025    | 5.9042    | 5.8832    | 4.9916    |
| 4    | 5.5939    | 5.7674    | 5.0349    | 4.4201    | 5.8394    | 5.7442    | 5.6022    |
| 5    | 5.5632    | 5.7415    | 5.018     | 5.1544    | 5.8848    | 5.7899    | 4.8011    |
| 6    | 5.5464    | 5.6701    | 4.8944    | 5.2081    | 5.7209    | 5.6447    | 5.6125    |
| 7    | 5.7324    | 5.5918    | 4.6068    | 5.2372    |           | 5.5205    | 5.4584    |
| 8    | 5.6828    | 5.2462    | 4.5226    | 5.2447    | 5.4965    | 5.4245    | 5.4584    |
| 9    | 5.3946    | 5.1059    | 4.8401    | 4.7506    | 5.3995    | 5.4268    | 4.6487    |
| 10   | 4.5946    | 5.161     | 5.1319    | 2.1308    | 5.306     | 4.1533    | 4.6487    |
| 11   | 4.7763    | 5.5135    | 5.045     | 2.2112    | 5.2416    | 4.7927    | 5.2416    |
| 12   | 5.2371    | 4.1852    | 5.5156    | 5.2298    | 5.1367    | 5.2207    | 5.2611    |
| 13   | 5.1027    | 4.9842    | 5.3011    | 5.4203    | 4.9714    | 5.0556    | 5.3373    |
| 14   | 4.9544    | 5.1536    | 5.1357    | 4.9163    | 1.8671    | 5.161     | 5.4657    |
| 15   | 4.9672    | 4.9967    | 4.7136    | 5.0645    | 4.7135    | 5.17      | 4.4963    |
| 16   |           | 5.5651    | 2.21      | 5.1868    | 4.6068    | 5.1027    | 5.3887    |
| 17   | 3.1375    | 4.9459    | 4.6289    | 5.5135    | 4.6792    | 5.3365    | 4.9569    |
| 18   | 5.0998    | 4.822     | 5.0388    | 5.3056    | 4.8316    | 4.4201    | 5.042     |
| 19   | 4.4201    | 5.0708    | 4.5725    | 6.4068    | 6.0067    | 5.4733    | 5.6348    |
| 20   | 5.8055    | 5.1207    | 5.4178    | 5.9381    | 5.7167    | 5.6912    | 5.6478    |
| 21   | 6.1432    | 5.1879    | 5.4276    | 6.1637    | 5.6236    | 5.7177    | 5.6367    |
| 22   | 6.2735    | 5.1669    | 4.763     | 6.2956    | 5.7781    | 6.0661    | 5.7177    |
| 23   | 6.1638    | 5.1959    | 5.5007    | 6.1812    | 5.58      | 5.9579    | 5.144     |
| 24   | 5.1821    | 5.3155    | 5.2249    | 6.0595    | 5.0297    | 6.0113    | 6.0013    |
| Max  | 6.2735    | 5.8924    | 5.5156    | 6.4068    | 6.0248    | 6.0661    | 6.0013    |
| Min  | 3.1375    | 4.1852    | 2.21      | 2.1308    | 1.8671    | 4.1533    | 4.4963    |
| Avg  | 5.3188    | 5.2918    | 4.9191    | 5.1143    | 5.2740    | 5.4424    | 5.3270    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314017 / 33 kv Zilmilli

Feeder No / Name : 203 / 11kv Sirpur Feeder

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4582    | 1.3565    | 1.5089    | 1.3413    | 1.3565    | 1.3916    | 1.2763    |
| 2    | 1.4083    | 1.3375    | 1.4918    |           | 1.3077    | 1.3916    | 1.3032    |
| 3    | 1.3904    | 1.3176    | 1.4737    |           | 1.2717    | 1.406     | 1.2689    |
| 4    | 1.3717    | 1.2717    | 1.4723    |           | 1.291     | 1.3735    |           |
| 5    | 1.3904    | 1.3226    | 1.4232    |           | 1.3395    | 1.3916    | 1.3226    |
| 6    | 1.3916    | 1.3272    | 1.4074    | 1.3435    | 1.3889    | 1.3923    | 1.3748    |
| 7    | 1.4582    | 1.3283    | 1.4074    | 1.3748    |           | 1.2803    |           |
| 8    | 1.4074    | 1.3763    | 1.2407    | 1.3245    | 1.2887    | 1.2431    | 1.3094    |
| 9    | 1.3395    | 1.2811    | 1.358     | 1.1361    | 1.1233    | 1.3077    |           |
| 10   | 1.4074    | 1.3123    | 1.4083    | 1.278     | 1.17      |           |           |
| 11   | 1.1797    | 1.3077    | 1.3245    | 1.5432    | 1.2346    | 1.0111    | 1.2378    |
| 12   | 1.3272    | 1.2517    | 1.326     | 1.3056    | 1.3203    | 1.2407    | 1.2289    |
| 13   | 1.326     | 1.5089    | 1.1768    | 1.1488    | 1.286     | 1.1961    |           |
| 14   | 1.2887    | 1.4918    | 1.2289    | 1.2717    |           | 1.2431    | 1.1401    |
| 15   | 1.3077    | 1.2887    | 1.2289    | 1.2887    | 1.2517    | 1.2071    |           |
| 16   |           | 1.2689    |           | 1.3226    | 1.2174    | 1.2407    |           |
| 17   | .763      | 1.3565    | 1.2452    | 1.3735    | 1.3226    | 1.2887    | 1.1305    |
| 18   | 1.4043    | 1.2717    | 1.3272    | 1.2548    | 1.3735    | 1.2452    | 1.2616    |
| 19   | 1.5083    | 1.5257    | 1.3245    | 1.5604    | 1.4746    | 1.1633    | 1.3245    |
| 20   | 1.4091    | 1.6297    | 1.3426    | 1.5074    | 1.4752    | 1.2597    | 1.3735    |
| 21   | 1.3763    | 1.5261    | 1.2944    | 1.5249    | 1.5091    | 1.3413    | 1.3592    |
| 22   | 1.3763    | 1.4575    |           | 1.543     | 1.4243    | 1.3916    | 1.4091    |
| 23   | 1.3443    | 1.543     | 1.4419    | 1.5083    | 1.4419    | 1.3108    |           |
| 24   |           | 1.3565    | 1.5091    | 1.4232    |           |           | 1.2944    |
| Max  | 1.5083    | 1.6297    | 1.5091    | 1.5604    | 1.5091    | 1.406     | 1.4091    |
| Min  | .763      | 1.2517    | 1.1768    | 1.1361    | 1.1233    | 1.0111    | 1.1305    |
| Avg  | 1.347     | 1.3756    | 1.3619    | 1.3687    | 1.3271    | 1.2871    | 1.2884    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314024 / 33/11 kv Hiwra ss

Feeder No / Name : 201 / I-Green Fibrex Indu.  
Feeder KV- 11 / OUTGOINGNON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 21-APR-17 |
|------|-----------|-----------|
| HR   | Load (MW) | Load (MW) |
| 8    |           | .1521     |
| 16   | .038      |           |
| Max  | .038      | .1521     |
| Min  | .038      | .1521     |
| Avg  | .038      | .1521     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314024 / 33/11 kv Hiwra ss

Feeder No / Name : 402 / 33 kv Gondia ckt-1

Feeder KV- 33 / INCOMING

NON SHEDDABLE WATER SUPPLY AND  
UTILITY

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| 2    | 29.1551   | ***       | ***       | ***       | ***       | ***       | ***       |
| 3    | 27.8041   | ***       | ***       | ***       | ***       | ***       | ***       |
| 4    | 26.9186   | 28.7644   | 29.6069   | 28.5457   | 29.3028   | 29.7519   | 29.6217   |
| 5    | 26.1712   | 27.6289   | 27.8744   | 27.0428   | 28.2019   | 27.5092   | 27.7836   |
| 6    | 24.5029   | 25.7344   | 25.443    | 25.286    | 27.1811   | 25.4573   | 26.2936   |
| 7    | 22.5039   | 22.9791   | 22.9985   | 22.6385   | 23.9066   | 23.3693   | 23.4491   |
| 8    | 21.1924   | 21.6975   | 21.3193   | 21.9768   | 22.8938   | 22.1702   | 20.6465   |
| 9    | 21.0413   | 21.2031   | 20.7716   | 20.8735   | 22.3314   | 22.3227   | 22.3542   |
| 10   | 21.3666   | 23.0533   | 17.0513   | 22.4806   | 23.266    | 22.6451   | 22.8834   |
| 11   | 23.7199   | 24.9675   | 23.5826   | 25.1786   | 23.1727   | 14.0203   | 26.0917   |
| 12   | 26.7946   | 27.212    | 27.2305   | 27.7802   | 23.4911   | 28.6346   | 28.7158   |
| 13   | 27.6113   | 28.2448   | 29.1743   | 29.544    | 26.0088   | ***       | ***       |
| 14   | 27.7079   | 29.624    | 29.9317   | ***       | ***       | ***       | ***       |
| 15   | 25.1392   | 29.1754   | ***       | ***       | ***       | ***       | ***       |
| 16   | 22.3357   | 28.6791   | 27.1836   | ***       | ***       | 28.7159   | ***       |
| 17   | 22.3454   | 26.9656   | 28.0665   | ***       | 26.7399   | 26.8561   | ***       |
| 18   | 24.792    | 25.3459   | 27.0779   | 28.4025   | 23.9758   | 28.836    | 29.3028   |
| 19   | ***       | 28.9661   | ***       | ***       | 27.7001   | ***       | ***       |
| 20   | ***       | 16.2352   | ***       | ***       | 28.1322   | ***       | ***       |
| 21   | ***       | 29.3307   | ***       | ***       | ***       | ***       | 27.5321   |
| 22   | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| 23   | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| 24   | ***       | ***       | ***       | ***       | ***       | ***       | ***       |
| Max  | 33.4816   | 34.3405   | 34.5365   | 35.1959   | 35.5493   | 36.0111   | 36.8748   |
| Min  | 21.0413   | 16.2352   | 17.0513   | 20.8735   | 22.3314   | 14.0203   | 20.6465   |
| Avg  | 26.7565   | 27.5536   | 28.1662   | 29.1610   | 28.5173   | 28.8834   | 29.8138   |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 203 / 11 KV Gangazari

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .772      | .8272     | .8283     | .7657     | .8089     | .7422     | .8579     |
| 2    | .7804     | .8226     | .828      | .7573     | .7903     | .7331     | .8302     |
| 3    | .7697     | .8025     | .8078     | .74       | .7798     | .7338     | .8287     |
| 4    | .7651     | .8132     | .8189     | .7065     | .7842     | .716      | .8151     |
| 5    | .7499     | .8109     | .8181     | .7015     | .7628     | .7071     | .8174     |
| 6    | .7491     | .7985     | .7998     | .7015     | .7461     | .6912     | .7941     |
| 7    | .7243     | .8021     | .7381     | .7088     | .4077     | .7171     | .7156     |
| 8    | .7318     | .7384     | .7484     | .7194     | .3809     | .7323     | .6988     |
| 9    | .7165     | .743      | .7598     | .7423     | .7232     | .7644     | .7162     |
| 10   | .6421     | .7621     | .7388     | .7611     | .6701     | .7384     | .4016     |
| 11   | .5577     | .7522     | .7099     | .7156     | .6487     | .7369     | .407      |
| 12   | .6497     | .7198     | .6919     | .625      | .6466     | .7813     | .3772     |
| 13   | .7066     | .7095     | .6935     | .626      | .7264     | .7788     | .3795     |
| 14   | .6916     | .7173     | .7354     | .5689     | .6451     | .7605     | .3925     |
| 15   | .3803     | .7175     | .7099     | .5567     | .57       | .7337     | .3856     |
| 16   | .3025     | .6773     | .4031     | .5861     | .6203     | .7284     | .3864     |
| 17   | .2683     | .695      | .3312     | .634      | .665      | .7453     | .3833     |
| 18   | .6851     | .6954     | .7003     | .7122     | .7384     | .7792     | .3894     |
| 19   | .8421     | .736      | .7564     | .7898     | .7712     | .8581     | .4207     |
| 20   | .9177     | .8367     | .7954     | .796      | .7966     | .9092     | .5007     |
| 21   | .8878     | .8725     | .7863     | .8043     | .8034     | .9237     | .5083     |
| 22   | .8855     | .8607     | .8067     | .8246     | .7758     | .9137     | .5136     |
| 23   | .8562     | .8615     | .7666     | .8059     | .7614     | .8832     | .4862     |
| 24   | .8101     | .8395     | .7873     | .772      | .7777     | .8292     | .8459     |
| Max  | .9177     | .8725     | .8283     | .8246     | .8089     | .9237     | .8579     |
| Min  | .2683     | .6773     | .3312     | .5567     | .3809     | .6912     | .3772     |
| Avg  | .7018     | .7755     | .7317     | .7134     | .7000     | .7765     | .5772     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 205 / 11 KV MIDC

Feeder KV- 11 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1317    | 1.0185    | 1.0829    | .9431     | 1.226     | .7545     | .8865     |
| 2    | 1.1317    | .9709     | 1.0374    | .9431     | 1.1883    | .8299     | 1.0185    |
| 3    | 1.1694    | .9335     | .8488     | .8488     | 1.0829    | .8299     | .8488     |
| 4    | 1.1317    | .9335     | .811      | .7922     | .9149     | 1.1317    | .811      |
| 5    | .9808     | .8865     | .7733     | .6036     | .8865     | .9431     | 1.1694    |
| 6    | .8488     | .6224     | .6535     | .6602     | .8676     | .8676     | .9619     |
| 7    | .9054     | .9054     | .8402     | .6413     | .5658     | .7922     | .9431     |
| 8    | .7922     | .8865     | .7545     | .5281     | .6413     | .7167     |           |
| 9    | .8299     | .7545     | .8865     | .5658     | .5658     | .8299     |           |
| 10   | .9808     | .8299     | .8488     | 1.1317    | .9431     | .9619     |           |
| 11   | 1.0562    | 1.0374    | 1.4712    | 1.5844    | 1.1317    | 1.2071    |           |
| 12   | 1.6221    | 1.3769    | 1.6032    | 1.6975    | 1.1694    | 1.2826    |           |
| 13   | 1.4146    | 1.3203    | 1.4335    | 1.6032    | 1.0185    | 1.3392    |           |
| 14   | 1.4523    | 1.3957    | 1.4523    | 1.6598    | .9431     | 1.1883    |           |
| 15   | 1.3957    | 1.3957    | 1.2637    | 1.6032    | 1.226     | 1.3769    |           |
| 16   | 1.6221    | 1.358     | 1.358     | 1.3203    | 1.2826    | 1.5278    |           |
| 17   | 1.6598    | 1.226     | 1.0374    | 1.0185    | .9808     | 1.3392    |           |
| 18   | 1.4523    | 1.1506    | .9997     | .9808     | .8299     | 1.4146    |           |
| 19   | 1.3392    | 1.0374    | 1.0185    | 1.0562    | .8676     | 1.358     |           |
| 20   | 1.1694    | .7733     | .7922     | .9997     | .7545     | 1.226     |           |
| 21   | 1.0562    | .9242     | .7922     | .9619     | .7733     | 1.0374    |           |
| 22   | .9808     | .9808     | .9619     | .8488     | .7922     | .9808     |           |
| 23   |           | 1.1317    | .9431     | 1.0374    | .8676     | .9619     |           |
| 24   | 1.094     | .9054     | 1.094     | .9808     | 1.2071    | .8488     | .8676     |
| Max  | 1.6598    | 1.3957    | 1.6032    | 1.6975    | 1.2826    | 1.5278    | 1.1694    |
| Min  | .7922     | .6224     | .6535     | .5281     | .5658     | .7167     | .811      |
| Avg  | 1.1834    | 1.0315    | 1.0316    | 1.0421    | .9469     | 1.0728    | .9384     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 206 / 11KV Water Works

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3224     | .3189     | .3258     | .3258     | .3086     | .3258     | .3086     |
| 2    | .3224     | .3189     | .3052     | .3258     | .3155     | .3086     | .3086     |
| 3    | .3189     | .3189     | .3052     | .3292     | .3086     | .3121     | .3258     |
| 4    | .3189     | .3189     | .3052     | .3109     | .3121     | .3121     | .3121     |
| 5    | .3012     | .3045     | .2915     | .3045     | .3121     | .2915     | .3086     |
| 6    | .3012     | .3045     | .2804     | .2865     | .2883     | .2543     | .2713     |
| 7    | .2321     |           | .2486     | .2507     | .2458     | .2374     | .2543     |
| 8    | .2321     | .2629     | .2229     | .2715     | .2155     | .2204     | .2543     |
| 9    | .2347     | .2601     | .2267     | .2629     | .2321     | .2374     | .2713     |
| 10   | .2347     | .2774     | .2543     | .2658     | .2343     | .2572     |           |
| 11   |           | .2652     | .2374     | .2543     | .2343     | .2486     |           |
| 12   | .2601     | .2683     | .2947     | .2652     | .2429     | .2683     |           |
| 13   | .3012     | .2572     | .298      | .2652     | .2683     | .2818     |           |
| 14   | .2774     | .2743     | .2658     | .2652     | .2429     | .2652     |           |
| 15   | .2713     | .2652     | .2481     | .2683     | .2458     | .2818     |           |
| 16   |           |           | .2804     | .2458     | .2622     | .2652     |           |
| 17   | .2427     | .253      | .2835     | .2915     | .2321     | .2486     |           |
| 18   | .2883     | .2486     | .2835     | .2652     | .2543     | .285      |           |
| 19   | .3467     | .3222     | .333      | .1734     | .3361     | .3052     |           |
| 20   | .3155     | .333      | .3721     | .3294     | .3294     | .3429     |           |
| 21   | .3224     | .3366     | .3224     | .3294     | .3294     | .3086     |           |
| 22   | .3189     | .3366     | .3403     | .3294     | .333      | .3086     |           |
| 23   | .3258     | .333      | .3189     | .3121     | .3155     | .3086     |           |
| 24   | .3189     | .3224     | .333      | .3224     | .3121     | .3121     | .3086     |
| Max  | .3467     | .3366     | .3721     | .3294     | .3361     | .3429     | .3258     |
| Min  | .2321     | .2486     | .2229     | .1734     | .2155     | .2204     | .2543     |
| Avg  | .2913     | .2955     | .2907     | .2854     | .2796     | .2828     | .2924     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 401 / 33 KV RAWANWADI

Feeder KV- 33 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 16.2895   | 23.2562   | 16.7456   | 16.7679   | 16.7198   | 15.9683   | 16.825    |
| 2    | 15.7379   | 22.0765   | 16.238    | 16.3431   | 16.2265   | 15.2675   | 16.1351   |
| 3    | 15.4407   | 7.8304    | 15.8807   | 15.8894   | 15.6522   | 14.84     | 15.7236   |
| 4    | 14.9549   | 3.2345    | 15.8379   | 15.3075   | 15.4407   | 14.3821   | 15.3692   |
| 5    | 14.2072   | 2.2886    | 15.3578   | 14.7719   | 14.8663   | 13.7431   | 15.1349   |
| 6    | 13.5362   | 1.9445    | 14.4753   | 14.1352   | 13.8803   | 12.6361   | 14.1163   |
| 7    | 12.3702   | 1.5347    | 12.9263   | 12.8584   | 7.4125    | 11.5203   | 12.5754   |
| 8    | 11.0025   | 1.3289    | 12.0541   | 12.1936   | 10.9693   | 10.2538   | 3.8837    |
| 9    | 11.3454   | .4344     | 11.8581   | 11.1551   | 10.4761   | 12.001    | 3.5808    |
| 10   | 11.9684   | 8.167     | 12.5171   | 12.0661   | 8.3082    | 12.8715   | 3.8094    |
| 11   | 13.3259   | 9.141     | 13.3459   | 13.335    | 11.6335   | 13.4385   | 4.3267    |
| 12   | 13.9472   | .8002     | 13.6197   | 13.6311   | 5.8184    | 14.0626   | 4.984     |
| 13   | 14.0867   |           | 14.029    | 14.796    | 5.723     | 14.4096   | 4.8125    |
| 14   | 12.0856   | 14.6525   | 14.2335   | 15.0309   | 7.4302    | 14.792    | 5.1755    |
| 15   | 15.4006   | 17.0725   | 14.0563   | 14.8668   | 7.3971    | 14.884    | 4.9411    |
| 16   | 10.223    | 14.1569   | 9.6565    | 15.252    | 7.3542    | 14.7771   | 5.8671    |
| 17   | 16.5581   | 13.4962   | 11.071    | 14.1935   | 6.6729    | 14.2827   | 5.4812    |
| 18   | 19.0844   | 12.712    | 13.554    | 13.5408   | 13.4305   | 13.9906   | 5.0669    |
| 19   | 18.8844   | 14.5519   | 12.9744   | 15.1778   | 13.9203   | 15.2321   | 4.9697    |
| 20   | 19.0764   | 15.1772   | 16.1632   | 16.1265   | 15.8144   | 15.6018   | 5.5984    |
| 21   | 19.1078   | 15.7579   | 16.2581   | 16.0408   | 16.0808   | 15.9408   | 5.7613    |
| 22   | 20.0343   | 16.0562   | 16.6998   | 16.3358   | 16.6238   | 17.0119   | 6.1528    |
| 23   | 20.3407   | 16.5038   | 17.2479   | 16.9611   | 17.2268   | 17.4383   | 6.4329    |
| 24   | 16.8696   | 23.1185   | 16.8182   | 17.1239   | 17.0068   | 17.5697   | 17.2902   |
| Max  | 20.3407   | 23.2562   | 17.2479   | 17.1239   | 17.2268   | 17.5697   | 17.2902   |
| Min  | 10.223    | .4344     | 9.6565    | 11.1551   | 5.723     | 10.2538   | 3.5808    |
| Avg  | 15.2449   | 11.0997   | 14.3174   | 14.7458   | 12.1702   | 14.4548   | 8.5006    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 404 / 33 KV GONDIA CKT-II

SHEDDABLE RURAL

Feeder KV- 33 / INCOMING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 11.4209   | 15.9706   | 12.1422   | 12.568    | 12.3297   | 12.4383   | 11.8262   |
| 2    | 11.1009   | 15.0777   | 11.9027   | 12.4097   | 12.2222   | 12.1725   | 11.665    |
| 3    | 11.0472   | 14.4731   | 11.7433   | 12.292    | 11.849    | 12.1159   | 11.4437   |
| 4    | 10.4962   | 14.4079   | 11.5821   | 11.8781   | 11.741    | 11.7421   | 11.0465   |
| 5    | 10.1772   | 13.7392   | 10.9409   | 11.7958   | 11.5815   | 11.4815   | 10.5648   |
| 6    | 9.1044    | 12.8533   | 10.0337   | 10.4469   | 9.3667    | 10.0217   | 9.4501    |
| 7    | 8.2111    | 10.7911   | 8.9918    | 8.6271    | 6.701     | 8.1458    | 8.702     |
| 8    | 7.9995    | 10.2835   | 8.5706    | 7.808     | 8.5048    | 7.8441    | 3.4019    |
| 9    | 1.8679    | 10.0623   | 8.4237    | 7.9618    | 8.5677    | 7.8441    | 3.3311    |
| 10   | 6.2368    | 10.5521   | 8.426     | 8.3133    | 8.9758    | 8.2064    | 3.3848    |
| 11   | 9.0536    | 6.6358    | 8.7317    | 9.1506    | 9.2844    | 9.0478    | 3.7071    |
| 12   | 9.9702    | 11.9879   | 9.3535    | 9.5713    | 9.1867    | 8.9518    | 3.8146    |
| 13   | 9.8686    | 7.8961    | 10.1166   | 10.1463   | 9.5811    | 9.9503    | 3.9758    |
| 14   | 9.9702    | 13.0019   | 9.2947    | 10.2869   | 8.243     | 10.056    | 3.6534    |
| 15   | 10.2984   | 9.7423    | 10.0755   | 10.1269   | 9.8497    | 9.2622    | 3.7609    |
| 16   | 2.0804    | 9.8011    | 8.1207    | 9.9537    | 8.4802    | 4.7634    | 6.4472    |
| 17   | 7.5332    | 9.209     | 9.4536    | 9.5199    | 8.9209    | 5.6396    | 6.286     |
| 18   | 9.6399    | 9.3655    | 9.3461    | 7.7138    | 8.9267    | 8.291     | 5.695     |
| 19   | 10.375    | 11.7421   | 11.1934   | 11.4975   | 11.3969   | 10.0538   | 4.513     |
| 20   | 11.8535   | 12.2496   | 11.8244   | 12.2497   | 11.9016   | 12.0617   | 4.6205    |
| 21   | 11.877    | 11.7661   | 11.6438   | 12.0885   | 11.741    | 11.9005   | 4.6742    |
| 22   | 12.596    | 12.2766   | 12.296    | 12.4909   | 12.2759   | 12.9162   | 4.8354    |
| 23   | 12.5149   | 12.384    | 12.2497   | 12.7029   | 12.6504   | 13.0773   | 4.8891    |
| 24   | 11.6878   | 15.9757   | 12.2771   | 11.9857   | 12.3829   | 12.6497   | 12.7572   |
| Max  | 12.596    | 15.9757   | 12.296    | 12.7029   | 12.6504   | 13.0773   | 12.7572   |
| Min  | 1.8679    | 6.6358    | 8.1207    | 7.7138    | 6.701     | 4.7634    | 3.3311    |
| Avg  | 9.4575    | 11.7602   | 10.3639   | 10.5661   | 10.2775   | 10.0264   | 6.6019    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 405 / 33 KV GOREGAON

Feeder KV- 33 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 16.9816   | 11.138    | 16.8713   | 17.796    | 18.2431   | 16.713    | 17.943    |
| 2    | 16.4895   | 10.5555   | 16.3283   | 17.0948   | 18.8849   | 16.2237   | 17.6121   |
| 3    | 16.2746   | 11.9737   | 15.9466   | 16.9216   | 18.0704   | 16.0059   | 17.284    |
| 4    | 15.7796   | 18.5397   | 15.6664   | 16.2386   | 17.2588   | 15.2481   | 16.8004   |
| 5    | 15.096    | 18.3654   | 15.2366   | 15.4064   | 17.0411   | 14.9229   | 16.3169   |
| 6    | 14.3661   | 17.4589   | 14.2667   | 14.3753   | 14.3158   | 14.0295   | 15.0926   |
| 7    | 13.3511   | 16.8724   | 13.2213   | 12.9264   | 8.6677    | 12.776    | 13.8849   |
| 8    | 12.8052   | 14.405    | 11.326    | 12.1085   | 12.7075   | 11.733    | 1.2449    |
| 9    | 12.6681   | 13.5242   | 11.8216   | 12.1857   | 12.0491   | 12.2102   | 1.3014    |
| 10   | 11.0751   | 15.5933   | 12.776    | 12.4594   | 11.5661   | 12.644    | 1.3014    |
| 11   | 16.1832   | 17.1314   | 15.1029   | 15.3224   | 13.6248   | 15.1989   | 1.9805    |
| 12   | 17.743    |           | 15.9568   | 16.3935   | 12.5857   | 12.6183   | 2.037     |
| 13   | 17.3252   | 6.8684    | 17.7418   | 16.6049   | 13.0676   | 13.1499   | 2.2634    |
| 14   | 17.1119   | 16.9736   | 17.001    | 15.0121   | 10.7202   | 15.9522   | 2.2068    |
| 15   | 8.5066    | 16.9308   | 16.7884   | 15.3516   | 15.3224   | 17.2      | 2.32      |
| 16   | 4.417     | 16.8707   | 10.7859   | 16.2397   | 12.7681   | 17.2497   | 2.4331    |
| 17   | 10.5756   | 15.6927   | 16.0408   | 14.1838   | 12.4394   | 16.7181   |           |
| 18   | 9.784     | 15.539    | 15.842    | 14.8069   | 13.1859   | 16.2294   |           |
| 19   | 12.0302   | 17.5555   | 17.2462   | 17.8807   | 13.6094   | 13.2699   |           |
| 20   | 11.7079   | 17.0719   | 16.857    | 17.5075   | 16.3706   | 17.6092   |           |
| 21   | 7.7149    | 16.6393   | 16.6987   | 16.8513   | 16.0511   | 17.2331   |           |
| 22   | 11.4986   | 17.3434   | 18.1156   | 18.5426   | 16.9788   | 18.1522   |           |
| 23   | 11.6615   | 17.4652   | 18.3368   | 19.3656   | 17.256    | 17.943    |           |
| 24   | 17.1399   | 11.4523   | 17.1457   | 18.3957   | 17.8613   | 17.3635   | 18.4888   |
| Max  | 17.743    | 18.5397   | 18.3368   | 19.3656   | 18.8849   | 18.1522   | 18.4888   |
| Min  | 4.417     | 6.8684    | 10.7859   | 12.1085   | 8.6677    | 11.733    | 1.2449    |
| Avg  | 13.2619   | 15.3026   | 15.5467   | 15.8321   | 14.6102   | 15.3497   | 8.8536    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 406 / 33 KV GAYATRI AIPL

Feeder KV- 33 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 4.313     | 4.537     | 4.4993    | 4.4702    | 4.2798    | 4.5931    | 4.5462    |
| 2    | 4.4353    | 4.313     | 4.2135    | 4.5268    | 4.5462    | 4.4353    | 4.145     |
| 3    | 4.269     | 4.425     | 4.2798    | 4.257     | 4.145     | 4.4907    | 4.1027    |
| 4    | 4.269     | 4.7051    | .0114     | 4.8171    | 4.5462    | 4.1872    | 4.313     |
| 5    | 4.3896    | 4.6399    | 4.4353    | 4.8234    | 4.3799    | 4.313     | 4.313     |
| 6    | 4.225     | 4.6016    | 4.269     | 4.4445    | 4.3244    | 4.225     | 4.1027    |
| 7    | 4.269     | 4.0741    | 4.1581    | 4.225     | 2.5463    | 4.225     | 4.1027    |
| 8    | 4.225     | 4.2135    | 4.1267    | 4.2798    | 3.8866    | 4.0741    |           |
| 9    | 4.0604    | 4.4353    | 4.0889    | 4.269     | 4.257     | 4.313     |           |
| 10   | 4.2798    | 4.0889    | 4.4353    | 4.2135    | 3.9769    | 4.357     |           |
| 11   | 4.7188    | 4.269     | 4.269     | 4.269     | 4.225     | 4.3799    |           |
| 12   | .499      | 4.2135    | 4.5462    | 4.3896    | 4.1307    | 4.425     |           |
| 13   | .4938     | 4.3347    | 4.3896    | 4.225     | 4.3347    | 4.5462    |           |
| 14   | 4.3896    | 3.7311    | 4.4907    | 4.3244    | 4.2798    | 4.269     |           |
| 15   | 1.9404    | 4.2798    | 4.2798    | 4.1152    | 4.3347    | 4.3799    |           |
| 16   | 3.2253    | 4.4445    | 3.9506    | 4.6571    | 4.1701    | 4.2135    |           |
| 17   | 4.1152    | 4.2798    | 4.3244    | 4.425     | 4.2135    | 4.4353    |           |
| 18   | 4.2798    | 4.3347    | 4.2135    | 4.257     | 4.269     | 4.3799    |           |
| 19   | 4.4907    |           | 4.3244    | 4.5462    | 4.269     | 4.1581    |           |
| 20   | 4.3799    | 4.2798    | 4.3799    | 4.4353    | 4.257     | 4.3799    |           |
| 21   | 4.5462    | 4.425     | 4.4353    | 4.537     | 4.3799    | 1.8107    |           |
| 22   | 4.4907    | 4.3896    | 4.3799    | 4.4993    | 4.4353    | 4.4993    |           |
| 23   | 4.4136    | 4.3244    | 4.0889    | 4.425     | 4.3799    | 4.4353    |           |
| 24   | 4.257     | 4.4993    | 4.6571    | 4.425     | 4.6016    | 4.537     | 4.4353    |
| Max  | 4.7188    | 4.7051    | 4.6571    | 4.8234    | 4.6016    | 4.5931    | 4.5462    |
| Min  | .4938     | 3.7311    | .0114     | 4.1152    | 2.5463    | 1.8107    | 4.1027    |
| Avg  | 3.8740    | 4.3408    | 4.1353    | 4.4107    | 4.2154    | 4.2526    | 4.2576    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314012 / 33 KV SURYATOLA S/STN

Feeder No / Name : 201 / Town - I

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 4.2555    | 4.3241    | 4.2936    | 4.5675    | 4.6521    | 4.6062    | 4.6719    |
| 2    | 3.9918    | 4.1305    | 4.1107    | 4.3514    | 4.5222    | 4.4414    | 4.4825    |
| 3    | 3.7739    | 4.0699    | 4.0497    | 4.1594    | 4.2585    | 4.2352    | 4.3118    |
| 4    | 3.6001    | 3.8367    | 3.7556    | 3.908     | 4.0177    | 3.9567    | 3.9864    |
| 5    | 3.44      | 3.6489    | 3.6138    | 3.7492    | 3.789     | 3.6953    | 3.7165    |
| 6    | 3.2816    | 3.2944    | 3.4278    | 3.5193    | 3.688     | 3.5452    | 3.5225    |
| 7    | 3.0971    | 2.995     | 3.126     | 3.1611    | 3.2579    | 3.2252    | 3.2335    |
| 8    | 2.806     | 2.7786    | 2.8624    | 2.9093    | 3.0727    | 2.8113    | 3.0558    |
| 9    | 2.8746    | 2.7786    | 2.9508    | 2.9081    | 3.0441    | 2.8449    | 2.9965    |
| 10   | 3.1474    | 2.8288    | 3.0438    | 3.1081    | 3.2824    | 3.1512    | 3.2009    |
| 11   | 3.9308    | 3.3745    | 4.1945    | 4.1849    | 4.1808    | 4.1396    | 4.3092    |
| 12   | 5.1867    | 4.0726    | 5.1059    | 5.2095    | 5.2458    | 5.329     | 5.4172    |
| 13   | 5.6988    | 4.7066    | 5.6546    | 5.7216    | 5.7034    | 5.6439    | 5.8505    |
| 14   | 5.6501    | 4.5908    | 5.8596    | 5.8482    | 5.9512    | 5.9321    | 5.9499    |
| 15   | 5.7278    | 4.4276    | 5.7537    | 6.0692    | 6.0313    | 6.2304    | 6.299     |
| 16   | 5.8451    | 4.3241    | 5.8147    | 6.1119    | 5.9326    | 6.1534    | 6.2723    |
| 17   | 5.65      | 4.1061    | 5.8223    | 5.9625    | 5.6333    | 5.8696    | 6.1485    |
| 18   | 5.3376    | 3.6504    | 5.6432    | 5.618     | 5.4808    | 5.5632    | 5.8421    |
| 19   | 6.0265    | 3.8561    | 5.9322    | 5.9629    | 6.028     | 5.9899    | 6.1591    |
| 20   | 6.1089    | 3.9339    | 6.3463    | 6.1622    | 6.1592    | 6.0997    | 6.4808    |
| 21   | 5.7434    | 3.8348    | 5.8914    | 5.9705    | 5.7857    | 5.8451    | 6.1195    |
| 22   | 5.1025    | 3.9659    | 5.114     | 5.1065    | 5.0435    | 5.0671    | 5.3529    |
| 23   | 4.6216    | 4.2204    | 4.7112    | 4.6234    | 4.5725    | 4.8064    | 4.955     |
| 24   | 6.022     | 4.5192    | 4.4978    | 4.7691    | 4.7428    | 4.7828    | 4.9455    |
| Max  | 6.1089    | 4.7066    | 6.3463    | 6.1622    | 6.1592    | 6.2304    | 6.4808    |
| Min  | 2.806     | 2.7786    | 2.8624    | 2.9081    | 3.0441    | 2.8113    | 2.9965    |
| Avg  | 4.6217    | 3.8445    | 4.6490    | 4.7359    | 4.7531    | 4.7485    | 4.8867    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314012 / 33 KV SURYATOLA S/STN

Feeder No / Name : 202 / Town - II

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 7.3434    | 7.409     | 7.6363    | 7.6795    | 7.8376    | 7.6711    | 8.0415    |
| 2    | 6.8968    | 7.1942    | 7.2525    | 7.5385    | 7.7221    | 7.612     | 7.7275    |
| 3    | 6.4152    | 6.7006    | 6.7673    | 7.1123    | 7.5004    | 7.2169    | 7.3979    |
| 4    | 6.0661    | 6.3502    | 6.339     | 6.5204    | 6.8328    | 6.7719    | 6.7873    |
| 5    | 5.6622    | 5.9168    | 5.9991    | 6.3003    | 6.3619    | 6.1717    | 6.1863    |
| 6    | 5.1029    | 5.4321    | 5.3392    | 5.7088    | 5.8909    | 5.6152    | 5.5922    |
| 7    | 4.7371    | 4.9032    | 4.8728    | 5.1512    | 5.4192    | 5.2142    | 5.2862    |
| 8    | 4.3333    | 4.4364    | 4.4384    | 4.6247    | 4.9083    | 4.5898    | 4.6898    |
| 9    | 4.2329    | 4.1933    | 4.3758    | 4.3698    | 4.6149    | 4.4648    | 4.5256    |
| 10   | 4.1743    | 4.45      | 4.3095    | 4.4079    | 4.5063    | 4.3114    | 4.4446    |
| 11   | 4.5967    | 4.2078    | 4.4475    | 4.4689    | 4.6761    | 4.6213    | 4.6862    |
| 12   | 4.9333    | 4.6727    | 4.8971    | 4.9474    | 5.045     | 5.0484    | 5.176     |
| 13   | 5.2452    | 4.9055    | 5.2827    | 5.4123    | 5.3673    | 5.578     | 5.6594    |
| 14   | 5.4107    | 5.1583    | 5.5937    | 5.6409    | 5.6364    | 5.9077    | 5.9806    |
| 15   | 5.5846    | 5.325     | 5.894     | 5.8513    | 5.8558    | 6.1512    | 6.2769    |
| 16   | 5.7643    | 5.5502    | 5.948     | 5.9854    | 6.1256    | 6.1647    | 6.5474    |
| 17   | 5.4382    | 5.4235    | 5.7821    | 6.0067    | 6.0143    | 6.0173    | 6.4365    |
| 18   | 5.1959    | 5.1676    | 5.3802    | 5.58      | 5.4153    | 5.5883    | 5.8238    |
| 19   | 5.3255    | 5.2391    | 5.5724    | 5.8131    | 5.493     | 5.7154    | 5.7411    |
| 20   | 5.5818    | 5.4637    | 5.9656    | 6.146     | 5.9451    | 5.9101    | 5.9159    |
| 21   | 5.5452    | 5.5436    | 6.1057    | 6.1307    | 5.9336    | 5.9976    | 5.7908    |
| 22   | 5.7766    | 5.8699    | 6.5303    | 6.4304    | 6.336     | 6.4091    | 6.1357    |
| 23   | 6.6983    | 6.9511    | 7.3857    | 7.2649    | 7.2607    | 7.3341    | 7.5667    |
| 24   | 5.961     | 7.5096    | 7.814     | 7.8616    | 7.8685    | 8.047     | 8.1338    |
| Max  | 7.3434    | 7.5096    | 7.814     | 7.8616    | 7.8685    | 8.047     | 8.1338    |
| Min  | 4.1743    | 4.1933    | 4.3095    | 4.3698    | 4.5063    | 4.3114    | 4.4446    |
| Avg  | 5.5009    | 5.5822    | 5.8304    | 5.9564    | 6.0236    | 6.0054    | 6.1062    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314012 / 33 KV SURYATOLA S/STN

Feeder No / Name : 203 / Town - III

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.9883    | 6.8694    | 2.5648    | 2.7664    | 2.6703    | 2.7018    | 2.8258    |
| 2    | 1.9094    | 6.4426    | 2.4861    | 2.6703    | 2.553     | 2.673     | 2.7313    |
| 3    | 1.8004    | 6.2353    | 2.4871    | 2.6074    | 2.4493    | 2.6032    | 2.6501    |
| 4    | 1.6854    | 5.8786    | 2.3613    | 2.5233    | 2.3333    | 2.4627    | 2.5166    |
| 5    | 1.605     | 5.4214    | 2.2249    | 2.3716    | 2.2617    | 2.3198    | 2.3479    |
| 6    | 1.5004    | 4.83      | 2.0567    | 2.1597    | 2.0817    | 2.1196    | 2.1824    |
| 7    | 1.3834    | 4.1099    | 1.8654    | 1.8854    | 1.9174    | 1.9098    | 1.9799    |
| 8    | 1.3318    | 3.8222    | 1.6579    | 1.7056    | 1.7086    | 1.7214    | 1.7863    |
| 9    |           | 3.6771    | 1.6254    | 1.5711    | 1.6705    | 1.68      | 1.7009    |
| 10   |           | 3.9277    | 1.6008    | 1.568     | 1.6899    | 1.6095    | 1.7223    |
| 11   |           | 4.1367    | 1.6594    | 1.5895    | 1.7223    | 1.6822    | 1.7985    |
| 12   | .2816     | 4.284     | 1.6354    | 1.7696    | 1.7589    | 1.8196    | 1.7025    |
| 13   | .181      | .1555     | 1.914     | 1.8925    | 1.8888    | 1.8614    | 1.8686    |
| 14   | .181      | 5.4397    | 1.9399    | 1.9096    | 2.0881    | 1.9853    | 1.9601    |
| 15   | .181      | 2.0594    | 1.9628    | 2.0123    | 2.0789    | 2.0136    | 2.0165    |
| 16   |           | 2.026     | 1.9212    | 1.9506    | 2.0241    | 1.9812    | 6.1972    |
| 17   |           | 1.8445    | 1.8527    | 1.8503    | 1.8641    | 1.7673    | 7.2961    |
| 18   | 1.303     | 1.7303    | 1.6876    | 1.7783    | 1.7286    | 1.6728    | 6.4548    |
| 19   | 2.1059    | 2.0971    | 2.0353    | 2.0561    | 2.0216    | 2.0801    | 3.155     |
| 20   | 2.2504    | 2.2655    | 2.3309    | 2.3732    | 2.3503    | 2.2851    | 2.3625    |
| 21   | 2.2741    | 2.4141    | 2.3236    | 2.4401    | 2.345     | 2.3808    | 2.4177    |
| 22   | 2.4661    | 2.534     | 2.5899    | 2.7039    | 2.6582    | 2.5804    | 2.6799    |
| 23   | 2.7405    | 2.7401    | 2.8075    | 2.7923    | 2.8654    | 2.8486    | 2.8712    |
| 24   | 3.4568    | 4.9794    | 2.7479    | 2.7046    | 2.7572    | 2.8486    | 2.9309    |
| Max  | 3.4568    | 6.8694    | 2.8075    | 2.7923    | 2.8654    | 2.8486    | 7.2961    |
| Min  | .181      | .1555     | 1.6008    | 1.568     | 1.6705    | 1.6095    | 1.7009    |
| Avg  | 1.6119    | 3.7467    | 2.0974    | 2.1522    | 2.1453    | 2.1503    | 2.8398    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314012 / 33 KV SURYATOLA S/STN

Feeder No / Name : 204 / Town - IV

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 5.3231    | 6.5128    | 5.45      | 5.9324    | 5.9693    | 5.5414    | 6.2536    |
| 2    | 4.7539    | 6.536     | 5.1776    | 5.5662    | 5.7236    | 5.3928    | 6.0152    |
| 3    | 5.0195    | 6.1847    | 4.76      | 5.2211    | 5.1574    | 5.0842    | 5.5677    |
| 4    | 4.6864    | 5.9798    | 4.9402    | 5.1421    | 5.1407    | 4.8026    | 5.1959    |
| 5    | 4.3465    | 5.4565    | 4.5313    | 4.9497    | 4.9269    | 4.7104    | 4.6022    |
| 6    | 4.3138    | 4.9337    | 3.9373    | 4.5363    | 4.297     | 4.4875    | 4.3236    |
| 7    | 3.8824    | 4.6601    | 3.8901    | 4.2707    | 3.3616    | 4.0013    | 4.1027    |
| 8    | 3.5619    | 4.2498    | 3.376     | 3.7831    | 3.1513    | 3.7678    | 3.799     |
| 9    | 3.6324    | 4.3061    | 3.3352    | 3.6047    | 3.0026    | 3.6652    | 3.938     |
| 10   | 3.6641    | 4.3271    | 3.4873    | 3.7425    | 3.1835    | 3.8546    | 3.9811    |
| 11   | 3.6885    | 4.4627    | 3.988     | 3.9533    | 3.4929    | 4.1632    | 4.2192    |
| 12   | 4.1294    | 4.8168    | 4.1526    | 4.1643    | 2.0912    | 4.3649    | 4.5728    |
| 13   | 4.302     | 5.2343    | 4.4906    | 4.614     | .7351     | 4.545     | 4.9048    |
| 14   | 4.6648    | 5.3307    | 4.545     | 4.7459    | 4.4829    | 4.6124    | 4.7789    |
| 15   | 4.9227    | 5.5254    | 4.7939    | 5.0034    | 4.0829    | 4.9143    | 5.0106    |
| 16   | 4.8145    | 5.1852    | 4.7794    | 4.9143    | 3.9868    | 4.7934    | 5.2164    |
| 17   | 4.5789    | 4.4731    | 4.7169    | 4.9379    | 3.5441    | 3.0377    | 5.0694    |
| 18   | 4.6911    | 4.0535    | 4.417     | 4.6289    | 3.4975    | 4.3331    | 4.7587    |
| 19   | 4.6266    | 4.2409    | 4.3137    | 4.8442    | 4.3161    | 5.0358    | 4.9177    |
| 20   | 4.7375    | 4.4699    | 4.4475    | 5.165     | 4.5345    | 5.0442    | 5.1715    |
| 21   | 4.9348    | 4.4558    | 4.6548    | 5.3871    | 4.6791    | 5.2153    | 5.279     |
| 22   | 5.0979    | 4.8342    | 5.4196    | 5.596     | 5.2142    | 5.3593    | 5.6995    |
| 23   | 5.8231    | 5.5137    | 6.019     | 6.0867    | 5.6398    | 6.0753    | 6.2594    |
| 24   | 5.8238    | 5.5452    | 5.8951    | 6.0155    | 5.8055    | 6.3459    | 6.3059    |
| Max  | 5.8238    | 6.536     | 6.019     | 6.0867    | 5.9693    | 6.3459    | 6.3059    |
| Min  | 3.5619    | 4.0535    | 3.3352    | 3.6047    | .7351     | 3.0377    | 3.799     |
| Avg  | 4.5842    | 5.0537    | 4.5633    | 4.8669    | 4.1674    | 4.7145    | 4.9976    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314025 / 33/11 kv Parwatigath

Feeder No / Name : 202 / Urban industrial

Feeder KV- 11 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8158     | .6478     | .3231     | .3527     | .5375     | .1469     | .5833     |
| 2    | .7746     | .6725     | .3096     | .3557     | .5247     | .1827     | .5872     |
| 3    | .7564     | .6885     | .2809     | .3315     | .5436     | .1615     | .5136     |
| 4    | .7046     | .6612     | .2521     | .3375     | .4858     | .1577     | .5186     |
| 5    | .6199     | .5654     | .2717     | .3239     | .4405     | .1259     | .551      |
| 6    | .5617     | .3648     | .289      | .3042     | .368      | .1147     | .5232     |
| 7    | .4973     | .3412     | .3237     | .3042     | .3534     | .0377     | .5152     |
| 8    | .4157     | .1066     | .192      | .2905     | .419      | .0189     | .335      |
| 9    | .4837     | .2183     | .2705     | .3235     | .3533     | .0754     | .2665     |
| 10   | .3079     | .322      | .4376     | .4401     | .2328     | .2593     | .2943     |
| 11   | 1.8343    | .4546     | .7844     | .6268     | .1082     | .4439     | .5668     |
| 12   | 2.4415    | .3147     | .9105     | .9782     | .1238     | .6544     | .6908     |
| 13   | 2.5869    | .4824     | .9941     | .9092     | .1452     | .6801     | .6879     |
| 14   | 2.4848    | .4874     | .9608     | .8531     | .1455     | .7468     | .7516     |
| 15   | 2.4436    | .6755     | .8331     | .889      | .1558     | .7617     | .8189     |
| 16   | 2.4324    | .7422     | .8522     | .9008     | .1879     | .8725     | .8662     |
| 17   | 2.3436    | .6925     | .832      | .8915     | .1934     | .8512     | .8722     |
| 18   | 1.4388    | .6647     | .7941     | .9378     | .1684     | .7945     | .8872     |
| 19   | .7785     | .6384     | .6165     | .6883     | .1115     | .6123     | .8291     |
| 20   | .4948     | .5365     | .5209     | .4835     | .0581     | .4698     | .6779     |
| 21   | .3658     | .3974     | .3628     | .3174     | .0754     | .4474     | .4016     |
| 22   | .3917     | .4027     | .3654     | .3818     | .0673     | .4565     | .3208     |
| 23   | .4549     | .3382     | .4359     | .4338     | .163      | .4398     | .4488     |
| 24   | .6302     | .4875     | .4027     | .4195     | .2602     | .3504     | .6131     |
| Max  | 2.5869    | .7422     | .9941     | .9782     | .5436     | .8725     | .8872     |
| Min  | .3079     | .1066     | .192      | .2905     | .0581     | .0189     | .2665     |
| Avg  | 1.1275    | .4960     | .5257     | .5448     | .2593     | .4109     | .5884     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314025 / 33/11 kv Parwatigath

Feeder No / Name : 203 / Manohar Chowk

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.8038    | 1.7391    | 1.9119    | 1.8444    | 2.0037    | 1.9378    | 1.9006    |
| 2    | 1.6922    | 1.6427    | 1.8054    | 1.773     | 1.9717    | 1.8111    | 1.7577    |
| 3    | 1.5699    | 1.5803    | 1.7089    | 1.6978    | 1.8355    | 1.761     | 1.6568    |
| 4    | 1.4616    | 4.6325    | 1.5425    | 1.5878    | 1.6787    | 1.6526    | 1.5729    |
| 5    | 1.353     | 4.5003    | 1.4407    | 1.4657    | 1.6705    | 1.556     | 1.4582    |
| 6    | 1.1797    | 4.3109    | 1.2895    | 1.2841    | 1.3554    | 1.3261    | 1.379     |
| 7    | 1.0772    | 3.7422    | 1.247     | 1.1423    | 1.1507    | 1.137     | 1.1515    |
| 8    | .9499     | 3.3255    | .9175     | 1.0246    | 1.0677    | 1.0254    | 1.0684    |
| 9    | .8895     | 3.2377    | .9646     | .9526     | 1.0318    | 1.0313    | 1.0368    |
| 10   | .9206     | 3.2891    | .9493     | .9576     | 1.0082    | .9836     | 1.0298    |
| 11   | .947      | 3.4473    | .9874     | 1.0387    | 1.0456    | .9972     | 1.1616    |
| 12   | 1.0191    | 1.874     | 1.0054    | 1.1389    | 1.1813    | 1.0354    | 1.2232    |
| 13   | 1.1889    |           | 1.2468    | 1.2845    | 1.2914    | 1.0586    | 1.3617    |
| 14   | 1.299     | 1.5565    | 1.3369    | 1.4236    | 1.4182    | 1.2845    | 1.4571    |
| 15   | 1.3019    | 1.5238    | 1.4143    | 1.4472    | 1.4616    | 1.4205    | 1.5627    |
| 16   | 1.3211    | 1.4414    | 1.428     | 1.4297    | 1.4567    | 1.4487    | 1.5832    |
| 17   | 1.1727    | 1.3291    | 1.3485    | 1.35      | 1.3636    | 1.3374    | 1.4846    |
| 18   | 1.0882    | 1.2328    | 1.2732    | 1.1778    | 1.1852    | 1.2868    | 1.2264    |
| 19   | 1.235     | 1.2965    | 1.3252    | 1.2287    | 1.3003    | 1.2037    | 1.295     |
| 20   | 1.2565    | 1.3717    | 1.3839    | 1.4695    | 1.4323    | 1.3264    | 1.4407    |
| 21   | 1.311     | 1.4664    | 1.4613    | 1.5413    | 1.5016    | 1.4552    | 1.5482    |
| 22   | 1.4965    | 1.6392    | 1.7256    | 1.7361    | 1.7719    | 1.6579    | 1.8477    |
| 23   | 1.762     | 1.8056    | 1.9425    | 1.9054    | 2.054     | 1.9109    | 1.0524    |
| 24   | 1.7699    | 1.8133    | 1.9164    | 1.9178    | 2.0081    | 1.9851    | 2.0881    |
| Max  | 1.8038    | 4.6325    | 1.9425    | 1.9178    | 2.054     | 1.9851    | 2.0881    |
| Min  | .8895     | 1.2328    | .9175     | .9526     | 1.0082    | .9836     | 1.0298    |
| Avg  | 1.2944    | 2.3390    | 1.3989    | 1.4091    | 1.4686    | 1.4013    | 1.4310    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314028 / Civiline (Bhimghat)

Feeder No / Name : 201 / Chotta Gondia

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1978     | .2246     | .2101     | .1873     | .1562     | .2344     | .1935     |
| 2    | .1864     | .1989     | .2101     | .1653     | .1547     | .2008     | .1585     |
| 3    | .2298     | .1679     | .2109     | .1608     | .0901     | .1554     | .1359     |
| 4    | .2109     | .0754     | .2147     | .1592     | .0566     | .1547     | .1305     |
| 5    | .1316     | .0754     | .204      | .0754     | .0377     | .1882     | .1679     |
| 6    | .1949     | .0566     | .2063     | .1187     | .0377     | .1633     | .1912     |
| 7    | .1496     | .0189     | .1737     | .188      | .0566     | .0491     | .2018     |
| 8    | .0566     | .0189     | .0878     | .1918     | .0377     | .0468     | .1949     |
| 9    | .0377     |           | .0596     | .188      | .0377     | .0377     | .1503     |
| 10   | .0377     | .0566     | .0566     | .1768     |           | .0872     | .0566     |
| 11   | .0377     | .0619     | .0566     | .1562     | .0377     | .1623     | .0377     |
| 12   | .0377     | .0107     | .1193     | .101      | .1242     | .1044     | .099      |
| 13   | .0566     |           | .2033     | .0566     | .1918     | .1691     | .1261     |
| 14   | .1343     | .2207     | .1829     | .1199     | .2168     | .0769     | .148      |
| 15   | .1377     | .1684     | .1143     | .0635     | .1126     | .0566     | .0589     |
| 16   | .1044     | .1606     | .1275     | .1844     | .0581     | .1519     | .2275     |
| 17   |           | .1926     | .0566     | .1002     | .0377     | .1397     | .2002     |
| 18   | .1356     | .0606     | .0604     | .0566     | .0385     | .1455     | .1691     |
| 19   | .1531     | .0566     | .2033     | .0566     | .0566     | .1653     | .2229     |
| 20   | .1646     | .0943     | .2275     | .0566     | .1585     | .0657     | .226      |
| 21   | .144      | .1897     | .2275     | .1143     | .1867     | .0932     | .1972     |
| 22   | .2222     | .2031     | .2101     | .1547     | .1812     | .099      | .1972     |
| 23   | .2458     | .1973     | .1873     | .1615     | .2139     | .1646     | .242      |
| 24   | .242      | .2109     | .188      | .1781     | .195      | .2306     | .1996     |
| Max  | .2458     | .2246     | .2275     | .1918     | .2168     | .2344     | .242      |
| Min  | .0377     | .0107     | .0566     | .0566     | .0377     | .0377     | .0377     |
| Avg  | .1412     | .1237     | .1583     | .1321     | .1076     | .1309     | .1639     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314028 / Civiline (Bhimghat)

Feeder No / Name : 202 / Govindpur

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.5232    | 3.8897    | 3.9133    | 4.023     | 3.892     | 4.1305    | 4.0314    |
| 2    | 3.4027    | 3.7685    | 3.8302    | 3.8806    | 3.7769    | 3.9301    | 3.8241    |
| 3    | 3.2617    | 3.6313    | 3.7251    | 3.7197    | 3.5962    | 3.7784    | 3.6725    |
| 4    | 3.0354    | .2202     | 3.6191    | 3.6107    | 3.4271    | 3.6968    | 3.5093    |
| 5    | 2.9126    |           | 3.3714    | 3.4637    | 3.2579    | 3.395     | 3.4637    |
| 6    | 2.7504    |           | 3.1466    | 3.2084    | 3.0803    | 3.1947    | 3.1787    |
| 7    | 2.5096    |           | 2.7473    | 2.822     | 2.7237    | 2.7976    | 2.8668    |
| 8    | 2.2161    |           | 2.5293    | 2.412     | 2.4486    | 2.4997    | 2.4349    |
| 9    | 2.1567    |           | 2.3648    | 2.3167    | 2.4478    | 2.3305    | 2.3419    |
| 10   | 2.5088    |           | 2.5774    | 2.3533    | 1.2651    | 2.3975    | 2.3915    |
| 11   | 2.6208    |           | 2.7489    | 2.585     | 3.0536    | 2.6185    | 2.7374    |
| 12   | 2.8471    |           | 2.9272    | 2.8151    | 2.1872    | 2.8311    | 3.0194    |
| 13   | 3.0925    |           | 3.123     | 3.1435    | 2.2245    | 3.1208    | 3.3257    |
| 14   | 3.2754    | 3.6244    | 3.2426    | 3.402     | 3.5147    | 3.3234    | 3.2991    |
| 15   | 3.3128    | 3.3577    | 3.2518    | 3.3562    | 3.4667    | 3.3585    | 3.6945    |
| 16   | 3.2053    | 3.3066    | 3.3768    | 3.3204    | 3.4065    | 3.4393    | 3.7959    |
| 17   | 3.325     | 3.011     | 3.2045    | 3.0475    | 3.1154    | 3.2229    | 3.5498    |
| 18   | 2.8799    | 2.7184    | 3.03      | 2.8723    | 2.8318    | 3.0994    | 3.1764    |
| 19   | 3.2045    | 3.0369    | 3.472     | 3.2586    | 3.1108    | 3.2389    | 3.1626    |
| 20   | 3.251     | 3.2228    | 3.6427    | 3.6031    | 3.4378    | 3.3791    | 3.5155    |
| 21   | 3.2243    | 3.3265    | 3.7312    | 3.5018    | 3.5056    | 3.5604    | 3.5734    |
| 22   | 3.5307    | 3.6427    | 3.9834    | 3.6305    | 3.6511    | 3.9842    | 3.9041    |
| 23   | 3.9399    | 3.943     | 4.2349    | 3.991     | 4.0314    | 4.2471    | 4.2562    |
| 24   | 3.8005    | 3.9902    | 4.0619    | 4.0649    | 4.0565    | 4.1968    | 4.1869    |
| Max  | 3.9399    | 3.9902    | 4.2349    | 4.0649    | 4.0565    | 4.2471    | 4.2562    |
| Min  | 2.1567    | .2202     | 2.3648    | 2.3167    | 1.2651    | 2.3305    | 2.3419    |
| Avg  | 3.0745    | 3.2460    | 3.3273    | 3.2668    | 3.1462    | 3.3238    | 3.3713    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314028 / Civiline (Bhimghat)

Feeder No / Name : 203 / Vijaynagar SHEDDABLE URBAN  
Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7955    | 1.7416    | 1.592     | 1.713     | 1.7044    | 1.8683    | 1.725     |
| 2    | 1.6779    | 1.5528    | 1.5318    | 1.6175    | 1.6286    | 1.7924    | 1.6355    |
| 3    | 1.6221    | 1.4297    | 1.512     | 1.5546    | 1.5611    | 1.7673    | 1.5711    |
| 4    | 1.5282    | 1.318     | 1.4929    | 1.4539    | 1.5112    | 1.6846    | 1.5272    |
| 5    | 1.4068    | 1.4472    | 1.4324    | 1.3992    | 1.475     | 1.503     | 1.432     |
| 6    | 1.3379    | 1.2723    | 1.3205    | 1.3636    | 1.3737    | 1.3971    | 1.3584    |
| 7    | 1.1763    | 1.0391    | 1.2157    | 1.222     | 1.234     | 1.2944    | 1.1915    |
| 8    | 1.0708    | .86       | 1.1471    | 1.0585    | 1.1306    | 1.3228    | 1.1237    |
| 9    | 1.1473    | .4534     | 1.1016    | 1.0652    | 1.1569    | 1.3102    | 1.1538    |
| 10   | 1.2611    | 1.2241    | 1.1976    | 1.1778    | .6249     | 1.4296    | 1.2931    |
| 11   | 1.5284    | 1.3944    | 1.3683    | 1.3693    | .8326     | 1.6132    | 1.4781    |
| 12   | 1.4672    | .7529     | 1.4514    | 1.451     | 1.5825    | 1.6314    | 1.5918    |
| 13   | 1.3742    |           | 1.415     | 1.6757    | 1.5773    | 1.6846    | 1.5651    |
| 14   | 1.4687    | 1.4914    | 1.4377    | 1.6273    | 1.5328    | 1.6255    | 1.5853    |
| 15   | 1.5672    | 1.4038    | 1.4596    | 1.693     | 1.5385    | 1.7157    | 1.6938    |
| 16   | .7941     | 1.4057    | 1.6762    | 1.6955    | 1.5947    | 1.6886    | 1.6939    |
| 17   |           | 1.3308    | 1.548     | 1.5556    | 1.5025    | 1.6379    | 1.5682    |
| 18   | 1.547     | 1.1946    | 1.3916    | 1.4146    | 1.4226    | 1.5204    | 1.5528    |
| 19   | 1.483     | 1.2062    | 1.4404    | 1.3525    | 1.4419    | 1.5131    | 1.4958    |
| 20   | 1.5368    | 1.3624    | 1.5783    | 1.5771    | 1.6282    | 1.5747    | 1.7141    |
| 21   | 1.6034    | 1.5288    | 1.5716    | 1.649     | 1.7829    | 1.6314    | 1.8368    |
| 22   | 1.6777    | 1.6057    | 1.6715    | 1.7301    | 1.8142    | 1.7795    | 1.9492    |
| 23   | 1.7702    | 1.6332    | 1.7982    | 1.7892    | 1.874     | 1.8052    | 1.8866    |
| 24   | 1.8144    | 1.7164    | 1.7292    | 1.7621    | 1.8435    | 1.8515    | 1.8435    |
| Max  | 1.8144    | 1.7416    | 1.7982    | 1.7892    | 1.874     | 1.8683    | 1.9492    |
| Min  | .7941     | .4534     | 1.1016    | 1.0585    | .6249     | 1.2944    | 1.1237    |
| Avg  | 1.4633    | 1.3202    | 1.4617    | 1.4986    | 1.4737    | 1.6101    | 1.5611    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810] BU 4810

Substation No/ Name :- 314002 / 33 KV GOREGAON

Feeder No / Name : 201 / 11 KV GOREGAON

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .724      | .7682     | .7865     | .7964     | .8048     | .823      | .8316     |
| 2    | .6878     | .7762     | .7682     | .7964     | .7602     | .7964     | .7682     |
| 3    | .7059     | .7392     | .7602     | .7682     | .7602     | .788      | .7682     |
| 4    | .6878     | .7023     | .724      | .7682     | .7421     | .7701     | .7316     |
| 5    | .6516     | .6283     | .6653     | .6584     | .695      | .724      | .6838     |
| 6    | .543      | .5121     | .5973     | .5487     | .6219     | .6154     | .5853     |
| 7    | .4706     | .4525     | .4961     | .4755     |           | .4961     | .4887     |
| 8    | .4163     | .4835     | .4382     | .439      | .5068     | .4557     | .4706     |
| 9    | .5249     | .4557     | .4784     | .4287     | .5138     | .443      | .4887     |
| 10   | .5304     | .4557     | .4961     | .543      | .5258     | .5316     | .5552     |
| 11   | .5487     | .4908     | .5609     | .567      | .6089     | .591      | .6268     |
| 12   | .6154     |           |           | .6089     | .6335     | .6268     | .6697     |
| 13   | .6767     | .7059     |           | .6836     | .7265     | .6556     | .6878     |
| 14   | .7023     | .6697     |           | .7343     | .7133     | .6626     | .724      |
| 15   | .7392     | .6335     |           | .7164     | .6516     | .6805     | .7421     |
| 16   |           | .6335     |           | .7164     | .7316     | .6268     | .724      |
| 17   | .6767     | .6154     |           | .6805     | .7059     | .5973     | .6878     |
| 18   | .5973     | .5552     |           | .631      | .6626     | .5792     | .6154     |
| 19   | .7602     | .7023     |           | .7316     | .7522     | .7499     | .7602     |
| 20   | .8048     | .7392     |           | .7947     | .7865     | .7682     | .7602     |
| 21   | .7865     | .7392     |           | .7947     | .8048     | .8029     | .8145     |
| 22   | .7964     | .7947     |           | .8686     | .8413     | .8686     | .8145     |
| 23   | .823      | .8413     |           | .8501     | .8326     | .8686     | .8145     |
| 24   | .724      | .7865     | .823      | .7964     | .8413     | .823      | .8871     |
| Max  | .823      | .8413     | .823      | .8686     | .8413     | .8686     | .8871     |
| Min  | .4163     | .4525     | .4382     | .4287     | .5068     | .443      | .4706     |
| Avg  | .6606     | .6470     | .6329     | .6832     | .7054     | .6810     | .6959     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810]

BU 4810

Substation No/ Name :- 314002 / 33 KV GOREGAON

Feeder No / Name : 202 / 11 KV Mundipar

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 5.5182    | 5.8986    | 6.0616    | 6.311     | 6.2262    | 5.5655    | 6.2071    |
| 2    | 5.5022    | 5.5944    | 6.0014    | 6.2881    | 6.1759    | 5.5335    | 6.1774    |
| 3    | 5.3856    | 5.5319    | 5.9678    | 6.2691    | 6.1803    | 5.4767    | 6.1378    |
| 4    | 5.3741    | 5.4455    | 5.9211    | 6.0951    | 6.1319    | 5.4184    | 5.9815    |
| 5    | 5.2492    | 5.3443    | 5.8482    | 6.0258    | 6.0982    | 5.3993    | 5.9047    |
| 6    | 5.0632    | 5.3536    | 5.7808    | 5.8741    | 5.8741    | 5.374     | 5.7583    |
| 7    | 5.3994    | 5.5167    | 5.6097    | 5.7324    | 3.1802    | 5.1985    | 5.8086    |
| 8    | 5.3233    | 5.28      | 5.5472    | 5.7827    | 5.7187    | 4.8266    | 5.0911    |
| 9    | 5.146     | 5.2861    | 5.3665    | 5.7225    | 5.3578    | 4.9924    | 5.5986    |
| 10   | 5.0495    | 5.4786    | 5.1264    | 5.6859    | 5.5701    | 5.1498    | 5.6665    |
| 11   | 5.5527    | 5.7576    | 5.2386    | 5.7232    | 5.7658    | 5.6142    | 5.724     |
| 12   | 5.7224    | 5.8536    | 2.9256    | 5.9223    | 5.8423    | 5.7614    | 5.7925    |
| 13   | 5.6926    | 2.7496    | 3.1161    | 6.0989    | 5.9076    | 6.0326    | 5.673     |
| 14   | 5.5849    | 6.1229    | 3.1893    | 6.0722    | 5.9831    | 5.8978    | 5.3391    |
| 15   | 5.522     | 5.9718    | 3.1984    | 5.5853    | 5.792     | 5.6829    | 5.4641    |
| 16   | .6234     | 5.7979    | 3.1603    | 5.5457    | 2.4836    | 5.8754    | 5.3246    |
| 17   | 3.1627    | 5.5456    | .8017     | 4.5751    | 2.9622    | 5.7964    | 5.3399    |
| 18   | 5.8665    | 5.6637    | 3.1863    | 4.5816    | 4.7779    | 6.1247    | 5.8356    |
| 19   | 6.5502    | 6.3123    | 3.341     | 6.121     | 2.8395    | 6.0905    | 6.7033    |
| 20   | 6.7464    | 6.5706    | 3.5924    | 6.4007    | 5.732     | 6.6324    | 6.6617    |
| 21   | 6.1081    | 5.8338    | 3.5391    | 6.3999    | 5.7662    | 6.486     | 6.4944    |
| 22   | 5.4598    | 6.142     | 3.5589    | 6.3462    | 5.8805    | 6.5013    | 6.6396    |
| 23   | 6.0631    | 6.1565    | 3.53      | 6.4129    | 5.8066    | 6.329     | 6.8061    |
| 24   | 5.727     | 6.1006    | 6.2999    | 6.4093    | 5.9       | 5.9149    | 6.4563    |
| Max  | 6.7464    | 6.5706    | 6.2999    | 6.4129    | 6.2262    | 6.6324    | 6.8061    |
| Min  | .6234     | 2.7496    | .8017     | 4.5751    | 2.4836    | 4.8266    | 5.0911    |
| Avg  | 5.3080    | 5.6378    | 4.4128    | 5.9159    | 5.3314    | 5.7364    | 5.9411    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810] BU 4810

Substation No/ Name :- 314002 / 33 KV GOREGAON

Feeder No / Name : 203 / 11 KV Industrial Milltoli SHEDDABLE FEEDER HAVING WEEKLY  
Feeder KV- 11 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3772     | .6838     | .4572     | .7545     | .695      | .4954     | .5415     |
| 2    | .4191     | .7095     | .4763     | .7167     | .6283     | .5335     | .5544     |
| 3    | .381      | .6535     | .4382     | .6602     | .6535     | .4763     | .5601     |
| 4    | .4715     | .6348     | .4382     | .6097     | .6036     | .4572     | .5415     |
| 5    | .4763     | .6535     | .4572     | .6097     | .6036     | .4191     | .5415     |
| 6    | .5093     | .7577     | .4382     | .5335     | .6224     | .4382     | .5544     |
| 7    | .4904     | .6283     | .4382     | .7049     | .7468     | .4954     | .7095     |
| 8    | .6478     | .6099     | .3429     | .7049     | .5788     | .7049     | .8402     |
| 9    | .5716     | .6219     | .4382     | .724      | .5729     | .6908     | .6838     |
| 10   | .5093     | .5792     | .6348     | .6036     | .6584     | .7842     | .9145     |
| 11   | .9709     | .9955     | .8962     | .8029     | .499      | .924      | 1.0059    |
| 12   | 1.0164    |           |           | .7947     | .5729     |           | 1.1203    |
| 13   | 1.0082    | .5611     |           | .7783     | .5853     |           | 1.0829    |
| 14   | .9054     | .7392     |           | .5175     | .5487     | .7392     | .9619     |
| 15   | .9431     | .6584     |           | .4572     | .6283     | .7392     | .9619     |
| 16   | .9431     | 1.0164    |           | .6878     | .8589     | 1.0269    | .9808     |
| 17   | .9335     | .9877     |           | .6697     | .961      | 1.2197    | .9997     |
| 18   | .9522     | 1.1041    |           | .7499     | 1.0608    | 1.0719    | .9619     |
| 19   | .8215     | .9511     |           | .8326     | .8686     | .9335     | .9808     |
| 20   | .7392     | .8048     |           | .5601     | .6767     | .7842     | .7545     |
| 21   | .7577     | .462      |           | .4481     | .3921     | .2452     | .4338     |
| 22   | .7499     | .4382     |           | .5975     | .4904     | .5601     | .8488     |
| 23   | .724      | .4763     |           | .6838     | .362      | .4435     | .7167     |
| 24   | .3772     | .6401     | .4572     | .7392     | .695      | .4763     | .5228     |
| Max  | 1.0164    | 1.1041    | .8962     | .8326     | 1.0608    | 1.2197    | 1.1203    |
| Min  | .3772     | .4382     | .3429     | .4481     | .362      | .2452     | .4338     |
| Avg  | .6957     | .7116     | .4927     | .6642     | .6485     | .6663     | .7823     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810] BU 4810

Substation No/ Name :- 314002 / 33 KV GOREGAON

Feeder No / Name : 205 / 11KV Hirdamali

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9362     | 1.0056    | .9465     | 1.0498    | .964      | 1.1393    | 1.0679    |
| 2    | .9362     | .9774     | .9189     | 1.0498    | .9465     | 1.1218    | 1.0498    |
| 3    | .9189     | .9774     | .9015     | 1.0498    | .9465     | 1.0867    | 1.0387    |
| 4    | .9362     | .9709     | .8916     | 1.0317    | .9465     | 1.0749    | 1.0566    |
| 5    | 1.0056    | .9362     | .9015     | .9955     | .9362     | 1.0288    | 1.0631    |
| 6    | .9602     | .9259     | .7888     | .9134     | .9362     | 1.0056    | 1.0029    |
| 7    | .9816     | .8745     | .8059     | .8764     |           |           | .9745     |
| 8    | .9114     | .8669     | .8059     | .8764     | .9114     | .8916     | .9671     |
| 9    | .8589     | .8495     | .7716     | .8413     | .9088     | .9431     | .8583     |
| 10   | .8149     | .823      | .6613     | .7888     |           | .8745     | .8684     |
| 11   | .8764     | 1.2251    | .7716     | .7888     | .9214     | .9015     | .8817     |
| 12   | .8682     | .3506     |           | .823      | .9568     |           | .8309     |
| 13   | .9214     | .9175     |           | .8139     | .9745     |           | .8573     |
| 14   | .8859     | .8859     |           |           | .9922     | 1.0208    | .9991     |
| 15   | .9134     | .8764     |           |           | .985      | .985      | .8939     |
| 16   |           | .8328     |           | .823      | .9134     | .9671     | .9114     |
| 17   | .9231     | .8328     |           | .8745     | .9214     | .985      | .929      |
| 18   | .9511     | .8688     |           | .9362     | .9492     | 1.0136    | .8764     |
| 19   | 1.1157    | 1.0608    |           | 1.1462    | 1.1403    | .9412     | 1.1022    |
| 20   | 1.0974    | .9955     |           | 1.1765    | 1.2178    | 1.086     | 1.0174    |
| 21   |           | .9922     |           | 1.1584    | 1.2357    | 1.0631    | 1.0343    |
| 22   | 1.1403    | .9816     |           | 1.1163    | 1.1871    | 1.1517    | 1.0513    |
| 23   | 1.0631    | .964      |           | 1.0985    | 1.1568    | 1.0566    | 1.0682    |
| 24   | .9362     | 1.0341    | .9465     | 1.0498    | 1.0387    | 1.1269    | 1.0566    |
| Max  | 1.1403    | 1.2251    | .9465     | 1.1765    | 1.2357    | 1.1517    | 1.1022    |
| Min  | .8149     | .3506     | .6613     | .7888     | .9088     | .8745     | .8309     |
| Avg  | .9524     | .9177     | .8426     | .9672     | 1.0039    | 1.0221    | .9774     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810]

BU 4810

Substation No/ Name :- 314002 / 33 KV GOREGAON

Feeder No / Name : 206 / 11 KV Katangi Feeder

SHEDDABLE RURAL

Feeder KV- 11 / INCOMING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.595     | 1.6126    | 1.6476    | 1.7177    | 1.6827    | 1.6804    | 1.7556    |
| 2    | 1.595     | 1.6126    | 1.6476    | 1.7177    | 1.647     | 1.6632    | 1.7556    |
| 3    | 1.5775    | 1.5775    | 1.595     | 1.6827    | 1.647     | 1.6278    | 1.7558    |
| 4    | 1.5424    | 1.56      | 1.6126    | 1.6827    | 1.5947    | 1.6108    | 1.7194    |
| 5    | 1.56      | 1.5249    | 1.6124    | 1.6126    | 1.5432    | 1.5775    | 1.7013    |
| 6    | 1.4899    | 1.4737    | 1.4737    | 1.4548    | 1.3375    | 1.4746    | 1.5939    |
| 7    | 1.1919    | 1.335     | 1.3375    | 1.5249    |           | 1.166     | 1.2851    |
| 8    | 1.3146    | 1.3321    | 1.1361    | 1.1744    | 1.2174    | 1.1361    | 1.3432    |
| 9    | 1.2445    | 1.3003    | 1.1568    | 1.1919    | 1.2346    | 1.1191    | 1.3112    |
| 10   | 1.2971    | 1.2378    | 1.2239    | 1.2094    | 1.166     | 1.2174    | 1.3432    |
| 11   | 1.4706    | 1.3546    | 1.2517    | 1.2517    | 1.283     | 1.2689    | 1.3717    |
| 12   | 1.4548    |           |           | 1.2574    | 1.0867    |           | 1.406     |
| 13   | 1.5415    | 1.4746    |           | 1.2742    | 1.382     |           | 1.4022    |
| 14   | 1.4529    | 1.5424    |           | 1.2431    | 1.4118    | 1.4506    | 1.3146    |
| 15   | 1.4352    | 1.4899    |           | 1.2742    | 1.3575    | 1.4327    | 1.3289    |
| 16   |           | 1.2934    |           | 1.2209    | 1.2851    | 1.4118    | 1.262     |
| 17   | 1.2178    | 1.3112    |           |           | 1.3213    | 1.3575    | 1.2269    |
| 18   | 1.4661    | 1.3321    |           | 1.3146    | 1.3213    | 1.3937    | 1.3496    |
| 19   | 1.8473    | 1.7741    |           | 1.7372    | 1.6827    | 1.5581    | 1.6766    |
| 20   | 1.8099    | 1.7013    |           | 1.8099    | 1.8823    | 1.8099    | 1.643     |
| 21   |           | 1.7193    |           | 1.8088    | 1.828     | 1.6832    | 1.6766    |
| 22   | 1.8099    | 1.6655    |           | 1.7541    | 1.7551    | 1.8099    | 1.643     |
| 23   | 1.6834    | 1.7002    |           | 1.6827    | 1.6126    | 1.8107    | 1.6095    |
| 24   | 1.595     | 1.6478    | 1.647     | 1.7177    | 1.7177    | 1.6632    | 1.7558    |
| Max  | 1.8473    | 1.7741    | 1.6476    | 1.8099    | 1.8823    | 1.8107    | 1.7558    |
| Min  | 1.1919    | 1.2378    | 1.1361    | 1.1744    | 1.0867    | 1.1191    | 1.2269    |
| Avg  | 1.5087    | 1.5032    | 1.4452    | 1.4920    | 1.4781    | 1.4965    | 1.5096    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810] BU 4810

Substation No/ Name :- 314009 / 33KV TEDHA

Feeder No / Name : 201 / 11KV Tedha  
Feeder KV- 11 / OUTGOING

SHEDDABLE RURAL

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.332     | 2.3158    | 2.4143    | 2.4577    | 2.3594    | 2.3148    | 2.2775    |
| 2    | 2.3158    | 2.2996    | 2.364     | 2.5549    | 2.3594    | 2.2634    | 2.2611    |
| 3    | 2.3158    | 2.2672    | 2.3304    | 2.4249    | 2.343     | 2.1795    | 2.2283    |
| 4    | 2.2834    | 2.2024    | 2.3137    | 2.3758    | 2.3266    | 2.1795    | 2.2283    |
| 5    | 2.2672    | 2.2672    | 2.3304    | 2.3758    | 2.3594    | 2.1795    | 2.2447    |
| 6    | 2.2672    | 2.2024    | 2.2775    | 2.2939    | 2.343     | 2.3137    | 2.2611    |
| 7    | 2.251     | 2.0243    | 1.8623    | 2.3102    |           | 2.2377    | 1.704     |
| 8    | 2.0891    | 2.0567    | 2.17      | 2.1464    | 2.2283    | 2.0243    | 2.1628    |
| 9    | 2.1052    | 2.1376    | 2.1538    | 2.1956    | 2.3266    | 2.1052    | 2.13      |
| 10   | 2.2348    | 2.1538    | 2.2024    | 2.2447    | 2.3594    | 2.0567    | 2.2283    |
| 11   | 2.2186    | 2.2996    | 2.2024    | 2.2024    | 2.4413    | 2.0729    | 2.2834    |
| 12   | 2.2024    | 2.0405    | 2.2348    | 2.2672    | 2.4413    | 2.2672    | 2.4291    |
| 13   | 2.0081    | 1.9757    | 2.332     | 2.2996    | 2.3594    | 2.4615    | 2.5149    |
| 14   | 1.4899    | 2.1956    | 2.3158    | 2.2283    |           | 2.2611    | 2.3975    |
| 15   | 2.17      | 2.2611    | 2.2348    | 2.1538    | 2.2119    | 2.1956    | 2.2542    |
| 16   |           | 2.2348    |           | 2.1464    | 1.2289    | 2.13      | 2.2045    |
| 17   | 2.2024    | 2.2186    | 2.1792    | 2.1956    | .112      | 2.2611    | 2.2874    |
| 18   | 2.1214    | 2.1538    | 2.3758    | 2.1464    | 2.0081    | 2.3266    |           |
| 19   | 2.332     | 2.4249    | 2.3922    | 2.4741    | 2.5265    | 2.4249    | 2.4366    |
| 20   | 2.5263    | 2.1548    | 2.3266    | 2.343     | 2.4691    | 2.3594    | 2.4697    |
| 21   | 2.3158    | 2.4926    | 2.4577    | 2.4741    | 2.3491    | 2.2611    | 2.3537    |
| 22   | 2.4615    | 2.431     | 2.4577    | 2.343     | .12       | 2.4577    | 2.536     |
| 23   | 2.4291    | 2.4478    | 2.5069    | 2.343     | 2.3663    | 2.3594    | 2.3868    |
| 24   | 2.3482    | 2.332     | 2.4478    | 2.4905    | 2.3266    | 2.3491    | 2.3102    |
| Max  | 2.5263    | 2.4926    | 2.5069    | 2.5549    | 2.5265    | 2.4615    | 2.536     |
| Min  | 1.4899    | 1.9757    | 1.8623    | 2.1464    | .112      | 2.0243    | 1.704     |
| Avg  | 2.2299    | 2.2329    | 2.2992    | 2.3120    | 2.0893    | 2.2517    | 2.2865    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810] BU 4810

Substation No/ Name :- 314009 / 33KV TEDHA

Feeder No / Name : 202 / 11KV Chopra  
Feeder KV- 11 / OUTGOING

SHEDDABLE RURAL

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5432    | 1.7147    | 1.8031    | 1.6289    | 1.7661    | 1.5777    | 1.7147    |
| 2    | 1.5432    | 1.6804    | 1.7337    | 1.5261    | 1.6975    | 1.5604    | 1.6461    |
| 3    | 1.5261    | 1.6461    | 1.6991    | 1.4403    | 1.5604    | 1.543     | 1.5261    |
| 4    | 1.5089    | 1.5947    | 1.647     | 1.4746    | 1.5775    | 1.5089    | 1.4575    |
| 5    | 1.6289    | 1.6289    | 1.6297    | 1.4746    | 1.5261    | 1.5089    | 1.5261    |
| 6    | .9945     | 1.5775    | 1.5947    | 1.6118    | 1.0117    | 1.6289    | 1.5947    |
| 7    | 1.5261    | 1.6461    | 1.6118    | 1.4918    |           | 1.6289    | 1.5775    |
| 8    | 1.5775    | 1.5604    | 1.5261    | 1.6461    | 1.6118    | 1.4074    | 1.5604    |
| 9    | 1.5432    | 1.5089    | 1.5091    | 1.5947    | 1.6975    | 1.4413    | 1.6804    |
| 10   | 1.6289    | 1.5424    | 1.5939    | 1.6632    | 1.6118    | 1.5261    | 1.6975    |
| 11   | 1.5604    | 1.5927    | 1.5261    | 1.6632    | 1.7147    | 1.56      | 1.7635    |
| 12   | .8573     | 1.6095    | 1.6461    | 1.6461    | 1.749     | 1.6118    | 1.6617    |
| 13   | 1.4575    | 1.6263    | 1.6975    | 1.56      | 1.7147    | 1.5604    | 1.8551    |
| 14   | 1.3889    | 1.4582    | 1.5604    | 1.5769    |           | 1.6461    | 1.647     |
| 15   | 1.6118    | 1.4232    | 1.4899    | 1.6278    | 1.5261    | 1.5432    | 1.5432    |
| 16   |           | 1.5775    |           | 1.4752    | 1.4582    | 1.5261    | 1.5261    |
| 17   | 1.6461    | 1.5947    | 1.3717    | 1.6278    | 1.5089    | 1.5947    | 1.7147    |
| 18   | 1.5775    | 1.6975    | 1.6804    | 1.6956    | 1.6448    | 1.6632    |           |
| 19   | 1.9033    | 1.6975    | 1.7661    | 1.6804    | 1.8551    | 1.7318    | 1.8176    |
| 20   | 1.6804    | 1.6461    | 1.6975    | 1.6975    | 1.8204    | 1.7661    | 1.869     |
| 21   | 1.8519    | 1.7511    | 1.6975    | 1.8861    | 1.8551    | 1.8004    | 1.8519    |
| 22   | 1.6975    | 1.7684    | 1.6975    | 1.7318    | 1.5604    | 1.7833    | 1.7661    |
| 23   | 1.6461    | 1.8031    | 1.6975    | 1.7147    | 1.6297    | 1.8004    | 1.8176    |
| 24   | 1.5604    | 1.7318    | 1.8204    | 1.6804    | 1.7147    | 1.5775    | 1.7661    |
| Max  | 1.9033    | 1.8031    | 1.8204    | 1.8861    | 1.8551    | 1.8004    | 1.869     |
| Min  | .8573     | 1.4232    | 1.3717    | 1.4403    | 1.0117    | 1.4074    | 1.4575    |
| Avg  | 1.5417    | 1.6282    | 1.6390    | 1.6173    | 1.6278    | 1.6040    | 1.6774    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIORORA S/DN.[392]

BU 0392

Substation No/ Name :- 314007 / 33KV DHAPEWADA

Feeder No / Name : 201 / 11KV Dhapewada

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 6.2643    | 6.9045    | 6.9376    | 6.2188    |           | 5.5003    | 5.3712    |
| 2    | 6.2624    | 6.752     | 3.3227    | 6.2492    |           | 5.5003    | 5.3269    |
| 3    | 6.2948    | 6.3937    |           | .6706     |           | 5.4359    | 5.2188    |
| 4    | 6.2207    | 6.5276    |           |           |           | 5.3132    | 5.1883    |
| 5    | 6.2068    | 6.3148    |           |           |           | 5.2766    | 5.1578    |
| 6    | 6.2677    | 6.1995    |           |           |           | 5.0907    | 5.0374    |
| 7    | 5.3552    | 6.3916    |           |           |           |           |           |
| 8    | 6.0121    | 6.4548    |           |           |           |           |           |
| 9    | 6.2345    | 6.6609    |           |           |           |           |           |
| 10   | 6.4586    | 6.6137    |           |           |           | 2.431     | 2.3205    |
| 11   | 6.871     | 6.8237    |           |           |           | 5.3803    | .7545     |
| 12   | 6.4929    | 6.6468    |           |           |           | 5.458     | 2.3137    |
| 13   | 6.496     | 6.7795    |           |           |           | 5.2964    | 5.1242    |
| 14   | 6.4091    | 6.849     | 2.9334    | 5.2225    |           | 5.2492    | 5.3239    |
| 15   | 3.2312    |           | 6.2593    | 3.6443    | 1.989     |           | 2.3137    |
| 16   |           | 2.5888    | 5.9084    | 6.2967    | 4.5438    |           | 5.1685    |
| 17   | 2.7018    | 6.3148    | 5.8757    | 6.4392    | 4.7817    |           | 5.2964    |
| 18   | 6.621     | 6.816     | 2.0134    | 6.5238    | 4.9321    | 2.4813    | 5.2523    |
| 19   | 6.9441    | 7.3339    | 1.6793    | 6.334     | 5.1784    | 5.253     | 5.4801    |
| 20   | 7.2703    | 7.2264    | 3.0178    | 6.6929    | 5.2088    | 5.7918    | 5.2496    |
| 21   | 7.2186    | 7.3351    | 2.6113    | 6.0814    | 5.2801    | 5.707     | 5.341     |
| 22   | 7.5032    | 6.8424    | 6.4424    | 6.6561    | 5.0835    | 5.7274    | 5.4224    |
| 23   | 7.1982    | 7.1677    | 6.4798    | 3.597     | 5.4393    | 5.6291    | 5.6665    |
| 24   | 6.688     | 7.1033    | 6.5849    | 2.8656    | 2.9569    | 5.4428    | 5.4017    |
| Max  | 7.5032    | 7.3351    | 6.9376    | 6.6929    | 5.4393    | 5.7918    | 5.6665    |
| Min  | 2.7018    | 2.5888    | 1.6793    | .6706     | 1.989     | 2.431     | .7545     |
| Avg  | 6.2271    | 6.5670    | 4.6205    | 5.2494    | 4.5394    | 5.1091    | 4.6538    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314007 / 33KV DHAPEWADA

Feeder No / Name : 203 / 11kv MIDC jackwell water NON SHEDDABLE WATER SUPPLY AND  
works Feeder KV- 11 / OUTGOING UTILITY

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1322     | .1322     | .1322     | 1.4731    | 1.4827    | 1.5924    | 1.5421    |
| 2    | .1307     | .1326     | .1307     | 1.4323    | 1.4856    | 1.5855    | 1.5779    |
| 3    | .1326     | .1317     | .1305     | 1.4003    | 1.5513    | 1.5783    | 1.5623    |
| 4    | .1317     | .1313     | .1309     | 1.3999    | 1.5535    | 1.5718    | 1.5748    |
| 5    | .1307     | .1307     | .1288     | 1.3816    | 1.5341    | 1.5269    | 1.5775    |
| 6    | .1311     | .1345     | .1307     | 1.2556    | 1.5006    | 1.5242    | 1.5534    |
| 7    | .1311     | .0526     | .1288     | 1.1679    | 1.406     | 1.4018    | 1.4739    |
| 8    | .1303     | .0526     | .1286     | 1.1244    | 1.4914    | 1.4045    | 1.4956    |
| 9    | .1317     | .0526     | .1292     | 1.3251    | 1.5257    | 1.408     | 1.4056    |
| 10   | .1322     | .0532     | .1284     | 1.4194    | 1.56      | 1.4411    | 1.4503    |
| 11   | .1336     | .1119     | .1307     | 1.4       | 1.5057    | 1.4807    | 1.4864    |
| 12   | .1345     | .1305     | .8608     | 1.463     | 1.5025    | 1.5078    | 1.5859    |
| 13   | .1345     | .1314     | 1.132     | 1.4502    | 1.5349    | 1.5169    | 1.6301    |
| 14   | .1332     | .1333     | 1.24      | 1.4654    | 1.5864    | 1.5639    | 1.5958    |
| 15   | .128      | .1337     | 1.165     | 1.4171    | 1.5474    | 1.5741    | 1.5992    |
| 16   | .1231     | .1299     | 1.188     | 1.4819    | 1.4716    | 1.5417    | 1.5843    |
| 17   | .1336     | .1318     | 1.3405    | 1.5302    | 1.4632    | 1.5       | 1.5535    |
| 18   | .1027     | .1314     | 1.443     | 1.5723    | 1.3972    | 1.5476    | 1.5878    |
| 19   | .0655     | .132      | 1.4251    | 1.6699    | 1.4904    | 1.645     | 1.6207    |
| 20   | .0848     | .0961     | 1.5535    | 1.6202    | 1.6179    | 1.6468    | 1.6461    |
| 21   | .1322     | .0848     | 1.5642    | 1.4708    | 1.6297    | 1.6721    | 1.6484    |
| 22   | .1345     | .133      | 1.5371    | 1.4773    | 1.6709    | 1.5668    | 1.668     |
| 23   | .1349     | .1343     | 1.5166    | 1.5573    | 1.6743    | 1.7166    | 1.6781    |
| 24   | .1326     | .134      | .9063     | 1.5611    | 1.5322    | 1.6076    | 1.6127    |
| Max  | .1349     | .1345     | 1.5642    | 1.6699    | 1.6743    | 1.7166    | 1.6781    |
| Min  | .0655     | .0526     | .1284     | 1.1244    | 1.3972    | 1.4018    | 1.4056    |
| Avg  | .1259     | .1147     | .7626     | 1.4382    | 1.5298    | 1.5468    | 1.5713    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314007 / 33KV DHAPEWADA

Feeder No / Name : 204 / 11 KV AGP Dhapewada  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1882     | .1696     | .0762     | .2913     |           | 1.2552    | 1.1157    |
| 2    | .1882     | .1696     |           | .2759     |           | 1.2552    | 1.1252    |
| 3    | .1882     | .1696     |           | .2743     | .743      | 1.2552    | 1.1096    |
| 4    | .1882     | .1696     |           | .2743     | .6668     | 1.179     | 1.119     |
| 5    | .1696     | .1696     |           | .2713     | .6487     | 1.2552    | 1.119     |
| 6    | .1696     | .1696     |           | .281      | .634      | 1.2264    | 1.1279    |
| 7    | .1696     | .1696     |           | .2793     | .5791     | 1.2346    | 1.2569    |
| 8    | .1696     | .1686     |           | .281      | .6093     | 1.2346    | 1.2723    |
| 9    | .1696     | .1882     |           | .2827     | .5913     | 1.2569    | 1.2415    |
| 10   | .1696     | .1696     |           | .5277     | .1524     | 1.294     | 1.2415    |
| 11   | .1696     | .2069     |           | .3048     |           | 1.2868    | 1.2569    |
| 12   | 1.0237    | .9502     |           |           |           | .5121     | .3395     |
| 13   | 1.1315    | .9553     |           |           |           | .1501     | .224      |
| 14   | 1.1315    | .9921     | .1856     | .2743     |           | .1882     | .2056     |
| 15   | 1.0974    | .9603     | .1665     | .0191     | .823      | .1871     | 1.0079    |
| 16   | 1.0812    | .981      | .1608     | .0191     | 1.0334    | .1871     | 1.0999    |
| 17   | 1.1035    | .0762     | .1642     | .0191     | 1.119     | .2069     | 1.1538    |
| 18   | 1.1035    | .945      | .1619     | .0191     | 1.1344    | .2069     | 1.262     |
| 19   | 1.1315    | .9921     | .1619     | .0002     | 1.1498    | .3018     | .6829     |
| 20   | 1.1315    | 1.0079    | .1816     | .0002     | 1.271     | .3204     | .3018     |
| 21   | 1.1157    | .9763     | .1665     | .0002     | 1.2483    | .3204     | .3187     |
| 22   | 1.1315    | .9866     | .1654     | .0002     | 1.2552    | .3204     | .3187     |
| 23   | 1.0683    | .9921     | .1779     | .0002     | 1.2552    | .3018     | .3002     |
| 24   | .493      | .322      | .2818     | .1389     | .705      | 1.1028    | 1.0841    |
| Max  | 1.1315    | 1.0079    | .2818     | .5277     | 1.271     | 1.294     | 1.2723    |
| Min  | .1696     | .0762     | .0762     | .0002     | .1524     | .1501     | .2056     |
| Avg  | .6535     | .5441     | .1709     | .1743     | .8677     | .7516     | .8869     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314013 / 33KV TIRORA S/STN

Feeder No / Name : 201 / 11KV Tirora-U-

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.4434    | 2.6244    | 2.7149    | 2.6063    | 2.7149    | 2.5701    | 2.7873    |
| 2    | 2.4434    | 2.5339    | 2.6787    | 2.552     | 2.6244    | 2.5158    | 2.5701    |
| 3    | 2.3891    | 2.4434    | 2.6063    | 2.4615    | 2.5339    | 2.4615    | 2.4977    |
| 4    | 2.2805    | 2.3529    | 2.5158    | 2.3529    | 2.4434    | 2.3891    | 2.3891    |
| 5    | 2.1357    | 2.1719    | 2.2805    | 2.1719    | 2.2386    | 1.828     | 2.2805    |
| 6    | 1.7375    | 1.7194    | 1.9004    | 1.9909    | 1.8267    | 1.828     | 1.9185    |
| 7    | 1.448     | 1.4118    | 1.647     | 1.448     | 1.4685    | 1.4842    | 1.6289    |
| 8    | 1.3394    | 1.3575    | 1.5203    | 1.2851    | 1.4327    | 1.5203    | 1.5203    |
| 9    | 1.3432    | 1.4299    | 1.4842    | 1.379     | 1.4842    | 1.5565    | 1.5927    |
| 10   | 1.4327    | 1.5023    | 1.5927    | 1.3611    | 1.5927    | 1.6108    | 1.7556    |
| 11   | 1.7551    | 1.647     | 1.7375    | 1.6655    | 1.0136    | 1.8461    | 1.9547    |
| 12   | 2.0452    | 1.8823    | 1.8823    | 2.0452    | 1.1765    | 2.0452    | 2.19      |
| 13   | 2.2081    | 2.0995    | 2.19      | 2.19      | 2.3529    | 2.2986    | 2.371     |
| 14   | 2.2744    | 2.2805    | 2.3348    | 2.371     | 2.4615    | 2.2805    | 2.4796    |
| 15   | 2.2624    | 2.3348    | 2.3167    | 2.2986    | 2.3348    | 2.4253    | 2.4796    |
| 16   | 2.2081    | 2.19      | 2.3167    | 2.2443    | 2.2081    | 2.2624    | 2.4977    |
| 17   | 2.0058    | 1.9728    | 2.1357    | 1.9728    | 1.8642    | 2.0452    | 2.3529    |
| 18   | 1.8461    | 1.828     | 1.9909    | 1.9909    | 1.8823    | 1.9547    | 2.1357    |
| 19   | 2.19      | 2.2986    | 2.4434    | 2.3891    | 2.3529    | 2.4072    | 2.4977    |
| 20   | 2.3167    | 2.4615    | 2.5701    | 2.4615    | 2.5339    | 2.5158    | 2.552     |
| 21   | 2.4434    | 2.4796    | 2.5158    | 2.5701    | 2.552     | 2.5882    | 2.6968    |
| 22   | 2.6337    | 2.6244    | 2.4977    | 2.6606    | 2.7149    | 2.7149    | 2.7511    |
| 23   | 2.652     | 2.8235    | 2.7511    | 2.7692    | 2.733     | 2.8778    | 2.9321    |
| 24   | 2.4977    | 2.6886    | 2.7511    | 2.6425    | 2.7511    | 2.8235    | 2.8416    |
| Max  | 2.652     | 2.8235    | 2.7511    | 2.7692    | 2.7511    | 2.8778    | 2.9321    |
| Min  | 1.3394    | 1.3575    | 1.4842    | 1.2851    | 1.0136    | 1.4842    | 1.5203    |
| Avg  | 2.0972    | 2.1316    | 2.2239    | 2.1617    | 2.1372    | 2.2021    | 2.3197    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314013 / 33KV TIRORA S/STN

Feeder No / Name : 202 / 11KV Mangezari

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9955     | 1.0498    | .9412     | .9774     | .9774     | 1.0317    | 1.0679    |
| 2    | .9412     | 1.0136    | .9412     | .9593     | .9412     | .9955     | 1.0317    |
| 3    | .9412     | .9593     | .905      | .9593     | .9313     | .9774     |           |
| 4    | .905      | .905      | .8688     | .9412     | .8954     | .9593     |           |
| 5    | .8688     | .905      | .8326     | .9231     | .8596     | .9412     |           |
| 6    | .8145     | .8507     | .7964     | .905      | .8417     | .7964     | .5792     |
| 7    | .7421     | .7602     | .6697     | .7059     | .7964     | .6516     | .4887     |
| 8    | .7421     | .7059     | .6335     | .6697     | .7602     | .6697     | .7602     |
| 9    | .7421     | .724      | .6516     | .6805     | .7421     | .6697     | .7783     |
| 10   | .7343     | .6878     | .7059     | .6805     | .7783     | .7783     | .7783     |
| 11   | .8059     | .7602     | .6878     | .6268     | .7602     | .7783     | .8145     |
| 12   | .8059     | .8145     | .7783     | .7522     | .4887     | .8145     | .8688     |
| 13   | .7522     | .7964     | .8145     | .8059     | .5973     | .8507     | .905      |
| 14   | .788      | .7602     | .8507     | .8417     | .7964     | .8869     | .905      |
| 15   | .788      | .5611     | .8326     | .8688     | .7421     | .8507     | .8869     |
| 16   | .7783     | .5611     | .5249     | .8059     | .6697     | .7783     | .8326     |
| 17   | .7602     | .543      | .8145     | .7701     | .6335     | .7602     | .8507     |
| 18   | .7602     | .5792     | .7783     | .6268     |           | .7783     | .8145     |
| 19   | 1.0679    | .9593     | .9774     | .8417     | 1.0317    | 1.0498    | 1.0136    |
| 20   | 1.1157    | 1.0498    | 1.0136    | .8059     | 1.1403    | 1.1403    | 1.1403    |
| 21   | 1.1523    | 1.0679    | 1.1584    | .8417     | 1.1403    | 1.1584    | 1.1765    |
| 22   | 1.1706    | 1.0679    | 1.1403    | 1.0136    | 1.1222    | 1.1765    | 1.1765    |
| 23   | 1.0791    | 1.0136    | 1.1041    | .9955     | 1.0679    | 1.086     | 1.086     |
| 24   | .9955     | 1.0608    | .9774     | .9955     | .9774     | 1.0679    | 1.0679    |
| Max  | 1.1706    | 1.0679    | 1.1584    | 1.0136    | 1.1403    | 1.1765    | 1.1765    |
| Min  | .7343     | .543      | .5249     | .6268     | .4887     | .6516     | .4887     |
| Avg  | .8853     | .8398     | .8499     | .8331     | .8561     | .9020     | .9059     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314013 / 33KV TIRORA S/STN

Feeder No / Name : 203 / 11KV Mandvi

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4377    | 1.3884    | 1.3897    | 1.3982    | 1.4265    | 1.4292    | 1.4139    |
| 2    | 1.4007    | 1.3532    | 1.3598    | 1.3636    | 1.3385    | 1.3956    | 1.3765    |
| 3    | 1.3976    | 1.3152    | 1.3198    | 1.3101    | 1.3175    | 1.3945    | 1.3036    |
| 4    | 1.3573    | 1.2581    | 1.2821    | 1.3118    | 1.2797    | 1.373     | 1.3009    |
| 5    | 1.3025    | 1.2417    | 1.2398    | 1.3074    | 1.2394    | 1.3314    | 1.28      |
| 6    | 1.2257    | 1.1806    | 1.1481    | 1.2661    | 1.1968    | 1.1287    | 1.2743    |
| 7    | 1.0242    | 1.1367    | 1.0618    | 1.2389    | .0854     | .8576     | 1.2115    |
| 8    | 1.0489    | 1.1149    | .9951     | .9944     | .8114     | 1.0706    | 1.14      |
| 9    | 1.1192    | 1.0979    | 1.0237    | 1.0475    | 1.0189    | 1.0966    | 1.1815    |
| 10   | .0835     | 1.2638    | 1.1563    | 1.0759    | 1.1628    | 1.1533    | 1.2261    |
| 11   | .0523     | .7235     | 1.2249    | 1.0404    | 1.167     | 1.2069    | 1.2495    |
| 12   | .9278     | 1.2158    | 1.207     | 1.1264    | 1.1086    | 1.121     | 1.2944    |
| 13   | 1.0029    | 1.281     | 1.2285    | 1.117     | 1.18      | 1.0904    | .5845     |
| 14   | 1.1222    | 1.0094    | 1.231     | .97       | .8597     | 1.1602    | .0528     |
| 15   | 1.1222    | 1.0353    | 1.1365    | .9562     | 1.1406    | 1.1231    | .9103     |
| 16   |           | 1.0583    | .0762     | .5715     | .9963     | 1.0464    | .9941     |
| 17   | .0657     | 1.0999    | .8809     | 1.1501    | 1.0981    | 1.0662    | .9791     |
| 18   | 1.2457    | 1.191     | 1.205     | 1.0265    | 1.1994    | 1.1414    | 1.044     |
| 19   | 1.5009    | 1.3269    | 1.4132    | 1.3332    | 1.3912    | 1.3699    | 1.259     |
| 20   | 1.5231    | 1.419     | 1.52      | 1.4471    | 1.3178    | 1.4366    | 1.3161    |
| 21   | 1.5511    | 1.4691    | 1.4983    | 1.3649    | 1.4549    | 1.5232    | 1.3886    |
| 22   | 1.6469    | 1.5691    | 1.429     | 1.4193    | 1.5032    | 1.471     | 1.4631    |
| 23   | 1.4709    | 1.4273    | 1.5657    | 1.3695    | 1.463     | 1.3363    | 1.4334    |
| 24   | 1.4672    | 1.4309    | 1.4388    | 1.4296    | 1.3867    | 1.4529    | 1.4308    |
| Max  | 1.6469    | 1.5691    | 1.5657    | 1.4471    | 1.5032    | 1.5232    | 1.4631    |
| Min  | .0523     | .7235     | .0762     | .5715     | .0854     | .8576     | .0528     |
| Avg  | 1.1346    | 1.2336    | 1.2096    | 1.1932    | 1.1726    | 1.2407    | 1.1712    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314013 / 33KV TIRORA S/STN

Feeder No / Name : 204 / 11KV Paldongri

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2172     | .2534     | .2353     | .2172     | .2534     | .2534     | .2353     |
| 2    | .1991     | .2534     | .2353     | .1991     | .2534     | .2353     | .2172     |
| 3    | .1991     | .2353     | .2172     | .181      | .2353     | .2172     | .2172     |
| 4    | .181      | .181      | .1991     | .1629     | .2149     | .2172     | .2172     |
| 5    | .181      | .1448     | .181      | .1629     | .1791     | .1991     | .2172     |
| 6    | .1448     | .1086     | .1629     | .1448     | .1433     | .1629     | .1448     |
| 7    | .0905     | .0724     | .1086     | .0905     | .1086     | .0905     | .0905     |
| 8    | .0905     | .0724     | .1086     | .0905     | .1086     | .1086     | .0905     |
| 9    | .0895     | .0724     | .1086     | .0895     | .0905     | .1086     | .0905     |
| 10   | .1075     | .0905     | .1086     | .0537     | .1267     | .1086     | .1086     |
| 11   | .1254     | .1267     | .1086     | .0895     | .1267     | .1267     | .1086     |
| 12   | .1254     | .1629     | .1086     | .1075     | .1629     | .1267     | .1448     |
| 13   | .1433     | .1629     | .1448     | .1254     | .1629     | .1448     | .1629     |
| 14   | .1612     | .1629     | .1448     | .1254     | .1629     | .1448     | .1629     |
| 15   | .1612     | .1448     | .1629     | .1254     | .1629     | .1448     | .1629     |
| 16   |           | .1267     | .1448     | .1075     | .1267     | .1086     | .1448     |
| 17   |           | .1086     | .1086     | .1254     | .1448     | .0905     | .1267     |
| 18   | .1433     | .1086     | .1086     | .1075     | .1267     | .1086     | .1086     |
| 19   | .2172     | .181      | .1991     | .181      | .181      | .1991     | .181      |
| 20   | .2715     | .2172     | .2353     | .2328     | .2353     | .2172     | .2172     |
| 21   | .2534     | .2353     | .2353     | .2534     | .2534     | .2353     | .2534     |
| 22   | .2561     | .2534     | .2353     | .2507     | .2715     | .2534     | .2715     |
| 23   | .2534     | .2534     | .2353     | .2534     | .2715     | .2534     | .2353     |
| 24   | .2172     | .2561     | .2353     | .2353     | .2534     | .2534     | .2353     |
| Max  | .2715     | .2561     | .2353     | .2534     | .2715     | .2534     | .2715     |
| Min  | .0895     | .0724     | .1086     | .0537     | .0905     | .0905     | .0905     |
| Avg  | .1740     | .1660     | .1697     | .1547     | .1815     | .1712     | .1727     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314013 / 33KV TIRORA S/STN

Feeder No / Name : 205 / 11 kv mandvi AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / INCOMING

| DATE | 15-APR-17 | 16-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .0181     | .0373     | .0362     | .0543     |
| 2    |           |           | .0362     | .056      | .0362     | .0543     |
| 3    |           |           | .0362     | .056      | .0362     | .0543     |
| 4    |           |           | .0362     | .056      | .0362     | .0543     |
| 5    |           |           | .0362     | .056      | .0362     | .0543     |
| 6    |           |           | .0362     | .0747     | .0362     | .0543     |
| 7    |           |           | .0543     | .0724     | .0724     | .0724     |
| 8    |           |           | .0724     | .0724     | .0724     | .0724     |
| 9    |           |           | .0747     | .0724     | .0724     | .0724     |
| 10   |           |           | .0187     | .0724     | .0724     | .0724     |
| 11   |           |           | .0187     | .0724     | .0543     | .0724     |
| 12   | .0187     | .0181     |           |           |           |           |
| 13   | .0373     | .0543     |           |           |           |           |
| 14   | .056      | .0543     |           |           |           |           |
| 15   | .056      | .0724     |           |           |           |           |
| 16   | .0373     | .0724     |           |           |           |           |
| 17   | .056      | .0724     |           |           |           |           |
| 18   | .0747     | .0543     |           |           |           |           |
| 19   | .0747     | .0181     |           |           |           |           |
| 20   | .0747     | .0362     |           |           |           |           |
| 21   | .0747     | .0543     |           |           |           |           |
| 22   | .0747     | .0543     |           |           |           |           |
| 23   | .0747     | .0543     |           |           |           |           |
| 24   |           |           | .0181     | .0187     | .0362     | .0181     |
| Max  | .0747     | .0724     | .0747     | .0747     | .0724     | .0724     |
| Min  | .0187     | .0181     | .0181     | .0187     | .0362     | .0181     |
| Avg  | .0591     | .0513     | .038      | .0597     | .0498     | .0588     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIORORA S/DN.[392]

BU 0392

Substation No/ Name :- 314020 / 33KV EKODI SUBSTATION

Feeder No / Name : 201 / 11KV DAWNIWADA

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9412     | .8573     | .8589     | .9412     | .8916     | .8916     | .9088     |
| 2    | .9412     | .823      | .8589     | .9412     | .8916     | .8916     | .8916     |
| 3    | .9412     | .823      | .8238     | .9335     | .8573     | .8573     | .8573     |
| 4    | .905      | .7716     | .815      | .905      | .8573     | .8573     | .8402     |
| 5    | .8326     | .7716     | .7796     | .8326     | .823      | .823      | .7373     |
| 6    | .7783     | .7373     | .7442     | .7783     | .7545     | .7716     | .7545     |
| 7    | .6516     | .7202     | .691      | .7421     |           | .6859     | .6344     |
| 8    | .7059     | .6859     | .691      | .724      | .7373     | .6344     | .6516     |
| 9    | .7421     | .703      | .7842     | .7421     |           | .6687     | .7202     |
| 10   | .7499     | .7362     | .6878     | .703      | .7545     | .7716     | .7545     |
| 11   | .7545     | .7362     | .7602     | .7545     | .7373     | .7545     | .7716     |
| 12   | .7888     | .7537     | .7783     | .7373     | .7373     | .7888     | .8059     |
| 13   | .823      | .7265     | .8688     | .8059     | .8745     | .8402     | .8059     |
| 14   | .8059     | .7362     | .8326     | .7888     |           | .823      | .8059     |
| 15   | .7888     | .7712     | .8413     | .7716     | .7545     | .823      | .7716     |
| 16   |           | .7442     |           | .7202     |           | .7095     | .7716     |
| 17   | .7373     | .788      | .7421     | .7373     | .7202     | .703      | .7545     |
| 18   | .823      | .9214     | .7964     | .7716     |           | .7373     |           |
| 19   | .9088     | .9214     | .9412     | .8916     | .9602     | .8916     | .9088     |
| 20   | .8573     | .929      | .9593     | .9602     | .9431     | .9088     | .9602     |
| 21   | .9259     | .9568     | .9593     | .9431     |           | .9088     | .9774     |
| 22   | .9431     | .9568     | .9774     | .9945     | .9945     | .9431     | .9945     |
| 23   | .8573     | .9391     | .9593     | .9774     | .9774     | .9431     | .9774     |
| 24   | .9412     | .8573     | .8939     | .9511     | .9602     | .9602     | .9945     |
| Max  | .9431     | .9568     | .9774     | .9945     | .9945     | .9602     | .9945     |
| Min  | .6516     | .6859     | .6878     | .703      | .7202     | .6344     | .6344     |
| Avg  | .8323     | .8070     | .8280     | .8353     | .8459     | .8162     | .8283     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIORORA S/DN.[392]

BU 0392

Substation No/ Name :- 314020 / 33KV EKODI SUBSTATION

Feeder No / Name : 202 / 11KV DONGARGAON

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3937    | 1.3203    | 1.3112    | 1.448     | 1.406     | 1.406     | 1.4746    |
| 2    | 1.3937    | 1.286     | 1.3112    | 1.448     | 1.3717    | 1.3717    | 1.4403    |
| 3    | 1.3756    | 1.286     | 1.2934    | 1.448     | 1.3717    | 1.3717    | 1.406     |
| 4    | 1.3394    | 1.2346    | 1.2445    | 1.4118    | 1.3375    | 1.3375    | 1.3717    |
| 5    | 1.267     | 1.2003    | 1.2048    | 1.3394    | 1.286     | 1.286     | 1.3717    |
| 6    | 1.2323    | 1.0631    | 1.1218    | 1.267     | 1.2346    | 1.2003    | 1.2174    |
| 7    | 1.1041    | 1.0802    | 1.0517    | 1.2127    |           | 1.1317    | 1.1145    |
| 8    | 1.086     | 1.0974    | 1.0867    | 1.1946    | 1.1145    | 1.0117    | 1.1831    |
| 9    | 1.1222    | 1.1317    | 1.1203    | 1.2127    | 1.166     | 1.1488    | 1.2174    |
| 10   | .1448     | 1.1517    | 1.1946    | 1.1488    | 1.2003    | 1.1831    | 1.2346    |
| 11   | 1.0974    | 1.1871    | 1.267     | 1.1488    | 1.2003    | 1.2346    | 1.2517    |
| 12   | 1.2254    | 1.262     | 1.3213    | 1.2689    | 1.2003    | 1.2517    | 1.3375    |
| 13   | 1.2071    | 1.0341    | 1.3575    | 1.3546    | .8059     | 1.3203    | 1.3375    |
| 14   | 1.0974    | 1.1517    | 1.3213    | 1.3546    |           | 1.4003    | 1.3375    |
| 15   | 1.1145    | 1.1218    | 1.3394    | 1.286     | 1.2517    | 1.4003    | 1.3375    |
| 16   |           | 1.0808    |           | 1.3032    |           | 1.2003    | 1.3032    |
| 17   | 1.1145    | .9745     | 1.2851    | 1.2689    | 1.2174    | .703      | 1.2346    |
| 18   | 1.3032    | 1.1694    | 1.3937    | 1.2517    |           | 1.1488    |           |
| 19   | 1.406     | 1.3847    | 1.5203    | 1.3889    | 1.5432    | 1.3889    | 1.4403    |
| 20   | 1.3717    | 1.4373    | 1.5912    | 1.4746    | 1.5432    | 1.5775    | 1.5432    |
| 21   | 1.4937    | 1.4529    | 1.5746    | 1.4918    |           | 1.5775    | 1.5089    |
| 22   | 1.3717    | 1.382     | 1.6095    | 1.4575    | 1.4746    | 1.5604    | 1.5089    |
| 23   | 1.3546    | 1.3643    | 1.4842    | 1.4403    | 1.4403    | 1.5089    | 1.4746    |
| 24   | 1.3937    | 1.3546    | 1.3321    | 1.448     | 1.4232    | 1.5497    | 1.4918    |
| Max  | 1.4937    | 1.4529    | 1.6095    | 1.4918    | 1.5432    | 1.5775    | 1.5432    |
| Min  | .1448     | .9745     | 1.0517    | 1.1488    | .8059     | .703      | 1.1145    |
| Avg  | 1.2178    | 1.2170    | 1.3190    | 1.3362    | 1.2941    | 1.3029    | 1.3538    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314020 / 33KV EKODI SUBSTATION

Feeder No / Name : 203 / 11KV KACHEWANI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4344     | .3772     | .3898     | .4525     | .4115     | .4115     | .4115     |
| 2    | .4344     | .3429     | .3506     | .4525     | .3944     | .3944     | .3772     |
| 3    | .4344     | .3258     | .3506     | .4525     | .3944     | .3772     | .3601     |
| 4    | .4163     | .3086     | .3155     | .4344     | .3772     | .3772     | .3601     |
| 5    | .3982     | .3086     | .3155     | .3801     | .3601     | .3601     | .3772     |
| 6    | .2896     | .3086     | .3155     | .3439     | .3086     | .3086     | .3258     |
| 7    | .2896     | .2572     | .3155     | .3077     |           | .2572     | .2743     |
| 8    | .2715     | .2572     | .3155     | .3077     | .2743     | .2058     | .2743     |
| 9    | .2715     | .2572     | .3361     | .3077     | .3086     | .2401     | .3258     |
| 10   | .2896     | .3012     | .2534     | .3086     | .2915     | .2743     | .3429     |
| 11   | .3429     | .2804     | .2534     | .3086     | .3258     | .2572     | .2915     |
| 12   | .3658     | .3155     | .2534     | .3086     | .3258     | .2915     | .3086     |
| 13   | .2926     | .298      | .2715     | .3086     | .3258     | .3174     | .3429     |
| 14   | .3086     | .3155     | .3658     | .3258     | .3429     | .3258     | .3601     |
| 15   | .2915     | .3155     | .362      | .3258     | .3258     | .3258     | .3429     |
| 16   |           | .2835     | .362      | .2915     |           | .2743     | .3429     |
| 17   | .2572     | .2835     | .3439     | .3258     | .3086     | .2743     | .3258     |
| 18   | .2743     | .3189     | .3258     | .2915     |           | .2572     |           |
| 19   | .4115     | .3898     | .4344     | .3601     | .4115     | .3429     | .4287     |
| 20   | .4115     | .4252     | .4572     | .3772     | .4115     | .3944     | .4458     |
| 21   | .4287     | .443      | .4706     | .4115     |           | .4115     | .4458     |
| 22   | .4287     | .443      | .4706     | .4287     | .4287     | .4115     | .463      |
| 23   | .4287     | .443      | .4706     | .4115     | .4115     | .4287     | .4458     |
| 24   | .4525     | .4287     | .4207     | .4525     | .4115     | .4115     | .4287     |
| Max  | .4525     | .443      | .4706     | .4525     | .4287     | .4287     | .463      |
| Min  | .2572     | .2572     | .2534     | .2915     | .2743     | .2058     | .2743     |
| Avg  | .3576     | .3345     | .3550     | .3615     | .3575     | .3304     | .3653     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314023 / 33 KV Birsi (Satona)

Feeder No / Name : 201 / 11 KV Sukadi (Dak)

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5601     | .6344     | .6036     | .5847     | .583      | .6024     | .6344     |
| 2    | .5415     | .6001     | .6036     | .567      | .5487     | .6024     | .6344     |
| 3    | .5228     | .583      | .5601     | .5316     | .5144     | .567      | .6001     |
| 4    | .5228     | .5487     | .5601     | .4961     | .4973     | .567      | .6001     |
| 5    | .5041     | .5144     | .547      | .4784     | .4973     | .5316     | .5487     |
| 6    | .5093     | .4801     | .5093     | .443      | .463      | .4784     | .5316     |
| 7    | .4294     | .3944     | .4481     | .3721     | .4458     | .4784     | .4458     |
| 8    | .3772     | .3944     | .4338     | .3898     | .4252     | .4784     | .3944     |
| 9    | .3772     | .4668     | .3961     | .3544     | .4252     | .443      | .439      |
| 10   | .4287     | .3734     | .4075     | .3601     | .4607     | .4252     | .4527     |
| 11   | .4115     | .4294     | .4075     | .4458     | .443      | .4287     | .4481     |
| 12   | .3944     | .4854     | .4607     | .4801     | .4607     | .463      | .4854     |
| 13   | .463      | .4854     | .4961     | .4287     | .4784     |           | .4904     |
| 14   | .3429     | .4854     | .4784     | .4115     | .4961     | .4801     | .5281     |
| 15   | .463      | .4668     | .4607     | .4115     | .4784     |           | .5093     |
| 16   | .463      | .4715     | .4557     | .4287     | .4607     |           |           |
| 17   | .4115     | .4668     | .443      | .4115     | .4252     |           | .4338     |
| 18   | .4458     | .4481     | .4607     | .463      | .4252     | .1029     |           |
| 19   | .6173     | .5788     | .631      | .583      | .6556     | .6344     | .6535     |
| 20   | .6516     | .6283     | .6379     | .583      | .7087     | .7373     | .7282     |
| 21   | .6687     | .679      | .6201     | .6344     | .7265     | .7373     | .7356     |
| 22   | .6687     | .6979     | .6379     | .6173     | .7087     | .7202     | .7356     |
| 23   | .6173     | .6535     | .6379     | .6001     | .6733     | .6859     | .6979     |
| 24   | .5788     | .6344     | .6348     | .6201     | .583      | .6733     | .6687     |
| Max  | .6687     | .6979     | .6379     | .6344     | .7265     | .7373     | .7356     |
| Min  | .3429     | .3734     | .3961     | .3544     | .4252     | .1029     | .3944     |
| Avg  | .4988     | .5250     | .5222     | .4873     | .5243     | .5418     | .5634     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314023 / 33 KV Birsi (Satona)

Feeder No / Name : 202 / 11 KV Wadegao new

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4563    | 1.4746    | 1.5655    | 1.4883    | 1.4232    | 1.4175    | 1.4746    |
| 2    | 1.4003    | 1.406     | 1.5089    | 1.4529    | 1.3717    | 1.382     | 1.4746    |
| 3    | 1.4003    | 1.3717    | 1.475     | 1.382     | 1.3203    | 1.382     | 1.4232    |
| 4    | 1.363     | 1.3203    | 1.4003    | 1.3112    | 1.286     | 1.3289    | 1.3717    |
| 5    | 1.307     | 1.286     | 1.3203    | 1.2048    | 1.2346    | 1.2048    | 1.2689    |
| 6    | 1.2136    | 1.1145    | 1.1763    | 1.1517    | 1.1145    | 1.2226    | 1.0802    |
| 7    | 1.0456    | .9774     | 1.094     | 1.0277    |           | .815      | 1.0117    |
| 8    | .9431     | .9945     | 1.0642    | 1.0099    | 1.0277    | .9745     | 1.1203    |
| 9    | .9431     | 1.1016    | 1.1317    | .9922     | 1.0985    | 1.1163    | 1.1694    |
| 10   | 1.0631    | 1.1763    | 1.0631    | 1.0802    | 1.134     | 1.1871    | 1.2637    |
| 11   | 1.1145    | 1.2826    | 1.1694    | 1.166     | 1.1871    | 1.2003    | 1.3014    |
| 12   | 1.2346    | 1.363     | 1.2403    | 1.2346    | 1.2403    | 1.2346    | 1.3817    |
| 13   | 1.3203    | 1.363     | 1.2934    | 1.286     | 1.1163    | 1.2689    | 1.4003    |
| 14   | 1.3032    | 1.363     | 1.2934    | 1.3375    | .5847     | 1.286     | 1.0642    |
| 15   | 1.2003    | 1.2883    | 1.2757    | 1.3032    | 1.2934    | 1.2003    | 1.1883    |
| 16   |           | 1.1949    | 1.258     | .9945     | 1.1517    | 1.1488    |           |
| 17   | 1.3203    | 1.1949    | 1.1871    | .9602     | 1.1163    | 1.0974    | 1.2883    |
| 18   | 1.2174    | 1.1949    | 1.1163    | .9945     | 1.1163    | 1.166     |           |
| 19   | 1.4918    | 1.5684    | 1.4175    | 1.3889    | 1.4883    | 1.4232    | 1.5844    |
| 20   | 1.5432    | 1.6244    | 1.5415    | 1.3203    | 1.5238    | 1.5432    | 1.6617    |
| 21   | 1.5432    | 1.6221    | 1.5415    | 1.4918    | 1.5415    | 1.5604    | 1.7353    |
| 22   | 1.5432    | 1.6244    | 1.5415    | 1.5089    | 1.5061    | 1.5604    | 1.7918    |
| 23   | 1.5089    | 1.6032    | 1.5592    | 1.4403    | 1.5061    | 1.5261    | 1.5775    |
| 24   | 1.531     | 1.4746    | 1.5684    | 1.5238    | 1.4232    | 1.4706    | 1.4918    |
| Max  | 1.5432    | 1.6244    | 1.5684    | 1.5238    | 1.5415    | 1.5604    | 1.7918    |
| Min  | .9431     | .9774     | 1.0631    | .9602     | .5847     | .815      | 1.0117    |
| Avg  | 1.3047    | 1.3327    | 1.3251    | 1.2521    | 1.2524    | 1.2799    | 1.3693    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314023 / 33 KV Birsi (Satona)

Feeder No / Name : 203 / 11 KV Gangla Navezari

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1883    | 1.3375    | 1.3769    | 1.2934    | 1.286     | 1.2445    | 1.2346    |
| 2    | 1.1763    | 1.286     | 1.307     | 1.2403    | 1.2517    | 1.1871    | 1.2346    |
| 3    | 1.1694    | 1.2174    | 1.2136    | 1.2226    | 1.2003    | 1.134     | 1.2003    |
| 4    | 1.1317    | 1.1831    | 1.226     | 1.1694    | 1.166     | 1.0867    | 1.1488    |
| 5    | 1.1317    | 1.1488    | 1.2071    | 1.0985    | 1.1145    | 1.1517    | 1.1145    |
| 6    | 1.0642    | 1.0974    | 1.1016    | 1.0277    | 1.046     | 1.0985    | 1.0631    |
| 7    | 1.0185    | .9945     | 1.0751    | .964      |           | .9745     | .9774     |
| 8    | .9088     | .9259     | 1.0456    | .9391     | .9922     | .9922     | 1.1317    |
| 9    | .9259     | 1.0269    | .7733     | .9391     | 1.0277    | .9568     | 1.0562    |
| 10   | .9602     | 1.1694    | .815      | .9774     | 1.1163    | 1.1163    | 1.2696    |
| 11   | 1.0288    | 1.1694    | .9745     | 1.0288    | 1.134     | 1.1317    | 1.363     |
| 12   | 1.0631    | 1.1763    | 1.0454    |           | 1.1871    | 1.2517    | 1.3817    |
| 13   | 1.166     | 1.2136    | 1.0985    | 1.1317    | 1.1871    | 1.1831    |           |
| 14   | 1.166     | 1.1949    | 1.1694    | 1.166     | 1.2048    | 1.1831    |           |
| 15   | 1.1317    | 1.1763    | 1.134     | 1.1488    | 1.1517    | 1.1317    |           |
| 16   |           | 1.1576    | 1.0692    | 1.0974    | 1.0277    | 1.1145    |           |
| 17   | 1.046     | 1.1317    | 1.0808    | 1.0631    | 1.0277    | 1.0631    |           |
| 18   | 1.0631    | 1.0829    | .9745     | 1.046     | 1.0631    | 1.0802    |           |
| 19   | 1.3546    | 1.3957    | 1.2226    |           | 1.3998    | 1.286     | 1.5123    |
| 20   | 1.3546    | 1.4003    | 1.3466    | 1.286     | 1.4529    | 1.406     | 1.643     |
| 21   | 1.3546    |           | 1.382     | 1.3546    | 1.3998    | 1.3546    | 1.6221    |
| 22   | 1.3889    | 1.4563    | 1.3643    | 1.4232    | 1.3289    | 1.3889    | 1.643     |
| 23   | 1.3717    | 1.4523    | 1.3643    | 1.3546    | 1.3289    | 1.3032    | 1.5278    |
| 24   | 1.3256    | 1.3375    | 1.4146    | 1.3466    | 1.286     | 1.2934    | 1.2517    |
| Max  | 1.3889    | 1.4563    | 1.4146    | 1.4232    | 1.4529    | 1.406     | 1.643     |
| Min  | .9088     | .9259     | .7733     | .9391     | .9922     | .9568     | .9774     |
| Avg  | 1.1517    | 1.2057    | 1.1576    | 1.1508    | 1.1904    | 1.1714    | 1.2986    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314023 / 33 KV Birsi (Satona)

Feeder No / Name : 204 / 11 Kv Tirora Urban AG

FEEDER SEPERATION/PURE AG

Feeder Feeder KV- 11 /  
OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0934     | .0857     | .1705     | .2941     | .2002     | .2764     | .2896     |
| 2    | .0943     | .0857     | .1696     | .2941     | .2002     | .2764     | .2896     |
| 3    | .0934     | .0857     | .1705     | .2002     | .2002     | .2764     | .2896     |
| 4    | .1132     | .0857     | .1894     | .2002     | .2002     | .2764     | .2896     |
| 5    | .112      | .0857     | .1882     | .2002     | .2002     | .2764     | .2896     |
| 6    | .1307     | .1029     | .1894     | .1825     | .2002     | .2764     | .2896     |
| 7    | .1307     | .1029     | .1696     | .2002     | .2941     | .2941     | .2896     |
| 8    | .12       | .1029     | .1696     | .1063     | .3119     | .3119     | .2844     |
| 9    | .12       | .112      | .1882     | .2764     | .2941     | .1524     | .3033     |
| 10   | .12       | .1494     | .1825     | .2724     | .2941     | .1524     | .3033     |
| 11   | .12       | .1307     | .2002     | .2724     | .2941     | .2896     | .2831     |
| 12   | .0857     | .0943     | .2002     | .2724     | .2941     | .2896     | .3018     |
| 13   | .0857     | .112      | .2002     | .2724     | .2941     | .2134     | .2271     |
| 14   | .0857     | .0934     | .2002     | .1962     | .2002     | .1962     | .2082     |
| 15   | .0857     | .0934     | .2179     | .1962     | .2002     | .1962     | .2271     |
| 16   | .0857     | .0934     | .2764     | .1619     | .2941     | .1962     | .1524     |
| 17   | .0857     | .1294     | .2941     | .2134     | .2941     | .1962     | .3222     |
| 18   | .0857     | .1478     | .2002     | .2896     | .2941     | .2134     | .1524     |
| 19   | .0857     | .112      | .2941     | .1962     | .2941     | .2896     | .3204     |
| 20   | .0857     | .0934     | .2941     | .1791     | .2179     | .2896     | .3033     |
| 21   | .0857     | .0943     | .2764     | .1791     | .2179     | .2896     | .2271     |
| 22   | .0857     | .0747     | .2002     | .2134     | .3119     | .2896     | .3222     |
| 23   | .0857     | .0934     | .2179     | .2134     | .3119     | .2724     | .3033     |
| 24   | .0934     | .0857     | .2467     | .2179     | .2896     | .2764     | .2896     |
| Max  | .1307     | .1494     | .2941     | .2941     | .3119     | .3119     | .3222     |
| Min  | .0857     | .0747     | .1696     | .1063     | .2002     | .1524     | .1524     |
| Avg  | .0987     | .1019     | .2128     | .2208     | .2585     | .2528     | .2733     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIORORA S/DN.[392]

BU 0392

Substation No/ Name :- 314026 / PARASWADA S/STN

Feeder No / Name : 201 / KARTI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0398    | 1.0867    | 1.1043    | .8194     | .7888     | .7455     | .763      |
| 2    | 1.0299    | 1.0867    | 1.0692    | .8194     | .7888     | .7282     | .763      |
| 3    | 1.0299    | 1.0341    | 1.0762    | .8168     | .7537     | .7362     | .7461     |
| 4    | 1.0299    | .9465     | 1.0517    | .799      | .7537     | .7282     | .7291     |
| 5    | .9944     | .9465     | 1.0166    | .7813     | .7011     | .6935     | .5765     |
| 6    | .9056     | .9465     | .9882     | .7103     | .6661     | .5721     | .6613     |
| 9    | .8346     | .964      | .9326     | .6215     | .5609     | .5533     | .6104     |
| 10   | .7459     | .9156     | .9797     | .6037     | .6036     | .631      | .6104     |
| 11   | .7956     | .9835     | .9233     | .6037     | .6036     | .7011     | .5765     |
| 12   | .8619     | .9835     | .963      | .6215     | .5967     | .6661     | .5765     |
| 13   |           |           |           |           |           |           | .5765     |
| 14   |           |           | .9588     |           |           |           | .5935     |
| 15   | .9503     | .8817     | 1.051     | .3856     | .6464     | .5784     |           |
| 16   |           | .8648     | .9808     | .631      | .6299     | .3506     |           |
| 17   | .964      | .7956     | .9588     | .6836     | .6062     | .6104     | .6299     |
| 18   | .9465     | .8288     | .6747     | .6836     | .5967     | .6274     | .5801     |
| 19   | .9816     | .9945     | .799      | .8063     | .6706     | .7461     | .9465     |
| 20   | 1.0867    | 1.1488    | .8523     | .8063     | .703      | .7969     | 1.1043    |
| 21   | 1.0867    | 1.1616    | .8701     | .8238     | .7628     | .7969     | 1.1568    |
| 22   | 1.1043    | 1.1269    | .8523     | .7537     | .7802     | .7969     | 1.1393    |
| 23   | 1.1043    | 1.1269    | .8523     | .7888     | .7802     | .7969     | 1.1393    |
| 24   | 1.0409    | 1.0867    | 1.0923    | .8372     | .7888     | .7455     | .78       |
| Max  | 1.1043    | 1.1616    | 1.1043    | .8372     | .7888     | .7969     | 1.1568    |
| Min  | .7459     | .7956     | .6747     | .3856     | .5609     | .3506     | .5765     |
| Avg  | .9754     | .9955     | .9546     | .7198     | .6891     | .6801     | .7630     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314026 / PARASWADA S/STN

Feeder No / Name : 202 / ARJUNI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6158    | 1.5091    | 1.3765    | 1.4915    | 1.5432    | 1.4746    | 1.4419    |
| 2    | 1.5981    | 1.5091    | 1.3765    | 1.4915    | 1.5432    | 1.4746    | 1.4419    |
| 3    | 1.5981    | 1.5091    | 1.3568    | 1.4979    | 1.5261    | 1.4746    | 1.4419    |
| 4    | 1.5803    | 1.4582    | 1.3441    | 1.4979    | 1.5089    | 1.4582    | 1.4419    |
| 5    | 1.5803    | 1.4582    | 1.3599    | 1.4801    | 1.4582    | 1.491     | 1.4255    |
| 6    | 1.5271    | 1.4582    | 1.3272    | 1.4073    | 1.4413    | 1.3603    | 1.3927    |
| 7    | 1.4383    | 1.4413    | 1.3435    | 1.3538    | 1.4752    | 1.3441    | 1.278     |
| 8    | 1.4738    | 1.4582    | 1.3108    | 1.2962    | 1.4582    | 1.3272    | 1.278     |
| 11   | 1.4091    | 1.4582    | 1.5626    | 1.4429    | 1.3603    | 1.4752    | 1.2125    |
| 12   | 1.2631    |           | 1.5626    | 1.5093    | 1.3765    | 1.4074    | 1.1469    |
| 13   | 1.3765    | .7373     | 1.5626    | 1.5626    | 1.4413    | 1.4582    |           |
| 14   | 1.3763    | .7373     | 1.5271    | 1.385     | 1.247     | 1.4752    |           |
| 15   |           |           |           |           |           |           | 1.1961    |
| 16   |           |           |           |           |           |           | 1.1305    |
| 17   | 1.5261    | .664      | 1.4429    | 1.4752    | 1.3117    | 1.278     | 1.0202    |
| 18   |           | .9717     | 1.4251    | 1.5091    | 1.4089    | 1.2289    | 1.166     |
| 19   | 1.6108    | 1.4403    | 1.5142    | 1.5939    | 1.5061    | 1.4419    | 1.2616    |
| 20   | 1.6278    | 1.4575    | 1.4738    | 1.6278    | 1.5565    | 1.4419    | 1.3272    |
| 21   | 1.6278    |           | 1.5981    | 1.6617    | 1.5402    | 1.4419    | 1.3272    |
| 22   | 1.56      | 1.4251    | 1.5448    | 1.6787    | 1.5402    | 1.4419    | 1.3272    |
| 23   | 1.5261    | 1.4089    | 1.5336    | 1.56      | 1.5238    | 1.4091    | 1.2944    |
| 24   | 1.6158    | 1.5091    | 1.3765    | 1.4915    | 1.5261    | 1.5074    | 1.4419    |
| Max  | 1.6278    | 1.5091    | 1.5981    | 1.6787    | 1.5565    | 1.5074    | 1.4419    |
| Min  | 1.2631    | .664      | 1.3108    | 1.2962    | 1.247     | 1.2289    | 1.0202    |
| Avg  | 1.5227    | 1.3117    | 1.4460    | 1.5007    | 1.4646    | 1.4206    | 1.2997    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314026 / PARASWADA S/STN

Feeder No / Name : 203 / SONEGAON

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3182    | 1.21      | 1.2289    | 1.385     | 1.3226    | 1.278     | 1.2616    |
| 2    | 1.314     | 1.21      | 1.2289    | 1.3909    | 1.3226    | 1.278     | 1.2616    |
| 3    | 1.2962    | 1.2597    | 1.1961    | 1.3909    | 1.3226    | 1.2452    | 1.2452    |
| 4    | 1.2607    | 1.2209    | 1.1961    | 1.3909    | 1.3056    | 1.2452    | 1.2289    |
| 5    | 1.2252    | 1.2039    | 1.1469    | 1.3731    | 1.2717    | 1.2289    | 1.1961    |
| 6    | 1.243     | 1.1768    | 1.1142    | 1.314     | 1.21      | 1.1961    | 1.1633    |
| 7    | 1.1542    | 1.1934    | 1.1633    | 1.247     | 1.1437    | 1.1469    | 1.1469    |
| 8    | 1.0476    | 1.1768    | 1.0814    | 1.1719    | 1.1603    | 1.0814    | 1.1305    |
| 9    | 1.0476    | 1.1603    | 1.0978    | 1.1364    | 1.21      | 1.1142    | 1.1305    |
| 10   | 1.0814    | 1.0688    | 1.1897    | 1.1719    | 1.1469    | 1.1768    | 1.1469    |
| 13   | 1.0526    | 1.1961    | 1.314     | 1.314     | 1.2146    | 1.2239    | 1.2125    |
| 14   | 1.1012    | 1.2125    | 1.2962    | 1.314     | 1.1822    | 1.2003    | 1.1961    |
| 15   | 1.0202    | 1.1305    | 1.2962    | 1.1934    | 1.1336    | 1.0608    | 1.1797    |
| 16   |           | 1.0814    | 1.1935    | 1.1934    | 1.1336    | 1.0442    | 1.1469    |
| 19   | 1.2597    | 1.247     | 1.3731    | 1.326     | 1.2944    | .8848     | 1.2944    |
| 20   | 1.326     | 1.2289    | 1.3495    | 1.3426    | 1.3108    | 1.2616    | 1.3272    |
| 21   | 1.2929    | 1.2289    | 1.4028    | 1.3094    | 1.1961    | 1.2616    | 1.3272    |
| 22   | 1.2763    | 1.1305    | 1.385     | 1.326     | 1.278     | 1.2616    | 1.2944    |
| 23   | 1.2431    | 1.2944    | 1.385     | 1.326     | 1.278     | 1.2616    | 1.3108    |
| 24   | 1.3317    | 1.21      | 1.278     | 1.3909    | 1.3226    | 1.278     | 1.2616    |
| Max  | 1.3317    | 1.2944    | 1.4028    | 1.3909    | 1.3226    | 1.278     | 1.3272    |
| Min  | 1.0202    | 1.0688    | 1.0814    | 1.1364    | 1.1336    | .8848     | 1.1305    |
| Avg  | 1.2048    | 1.1920    | 1.2458    | 1.3004    | 1.2380    | 1.1865    | 1.2231    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314026 / PARASWADA S/STN

Feeder No / Name : 204 / 11 KV AGP Paraswada  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0129    |           | .8104     | 1.0484    | .9266     | 1.0563    | .7691     |
| 2    | 1.0021    |           | .8866     | 1.0484    | .9266     | 1.0563    | .7691     |
| 3    | 1.0021    |           | .8866     | 1.0484    | .9099     | 1.0563    | .7876     |
| 4    | 1.0307    |           | .8866     | 1.0484    | .9099     | 1.0563    | .8061     |
| 5    | 1.0484    |           | .8291     | 1.0662    | .8931     | 1.0563    | .7876     |
| 6    | 1.1653    |           | 1.134     | 1.371     | 1.3001    | 1.1872    | 1.2643    |
| 7    | 1.7476    | 1.8625    | 1.8919    | 2.6857    | 2.3594    | 2.1696    | 2.4226    |
| 8    | 2.0041    | 1.9723    | 2.0062    | 1.3717    | 2.4859    | 2.4695    | 2.5154    |
| 9    | 2.0257    | 1.9128    | 2.0172    | 2.671     | 2.5788    | 2.3157    | 2.535     |
| 10   | 1.8591    | 1.9122    | 2.2085    | 2.6397    | 2.4729    | 2.335     | 2.4531    |
| 11   | 1.9517    | 1.9785    | 2.2618    | 2.8508    | 1.5108    | 2.5118    | 2.6605    |
| 12   | 1.9353    | 1.962     | 2.0996    | 2.5926    | 2.5215    | 2.6719    | 2.6769    |
| 13   | 1.9252    | 1.9785    | 1.3269    | 2.7975    | 2.5215    | 2.6719    | 2.7096    |
| 14   | 1.8766    | 1.9454    | .7081     | 1.3717    | 2.2995    | 2.5881    | 2.6932    |
| 15   | 1.8166    | 1.8195    | 2.1323    | 2.7222    | 2.191     | 2.3426    | 2.6932    |
| 16   | 1.8263    | .1524     | 2.2085    | 2.5788    | 2.1098    | 2.4188    | 2.6932    |
| 17   | 2.1064    | 1.8099    | 1.9713    | 2.4782    | 2.2557    | 2.3441    | 2.6788    |
| 18   | 1.9966    | 1.8166    | 2.0853    | 2.3594    | 2.2395    | 2.0721    | 2.6323    |
| 19   |           | .8245     | .9366     | .8931     | 1.0936    | 1.0325    | 1.131     |
| 20   |           |           | .9774     | .9099     | 1.1123    | 1.051     | 1.131     |
| 21   |           |           | .9189     | .9266     | 1.0936    | .5335     | 1.1123    |
| 22   |           | .0762     | 1.0662    | 1.0029    | 1.0003    |           | 1.1123    |
| 23   |           | .8104     | 1.084     | .9213     | 1.0189    |           | 1.1123    |
| 24   | .5908     | .381      | .9629     | .9538     | 1.0029    | .6752     | .9401     |
| Max  | 2.1064    | 1.9785    | 2.2618    | 2.8508    | 2.5788    | 2.6719    | 2.7096    |
| Min  | .5908     | .0762     | .7081     | .8931     | .8931     | .5335     | .7691     |
| Avg  | 1.5749    | 1.4509    | 1.4290    | 1.7232    | 1.6556    | 1.7578    | 1.7953    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 318002 / 220KV KAWALEWADA S/STN

Feeder No / Name : 402 / 33KV LIS Dhapewada

Feeder KV- 33 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6478    | 1.1283    | .9036     | 1.6655    | 1.773     | 1.6118    |           |
| 2    | 1.7193    | 1.1283    | .9036     | 1.6655    | 1.7193    | 1.6118    | .1143     |
| 3    | 1.7193    | 1.1283    | .9036     | 1.6655    | 1.7193    | 1.6289    | .1143     |
| 4    | 1.6478    | 1.1283    | .9036     | 1.6655    | 1.6118    | 1.6118    | .1143     |
| 5    | 1.6478    | 1.1283    | .9568     | 1.6655    | 1.6118    | 1.6118    | .1143     |
| 6    | 1.6478    | 1.1283    | .9568     | 1.6655    | 1.6118    | 1.6118    | .1143     |
| 7    | 1.5947    | 1.1283    | .9568     | 1.6655    | 1.6118    | 1.6118    | .1143     |
| 8    | 1.5947    | 1.1403    | 1.6632    | 1.6118    | 1.5043    |           | .1143     |
| 9    | 1.5947    | 1.1403    | 1.6632    | 1.6118    | 1.6118    |           |           |
| 10   | 1.5947    | 1.1403    | 1.5947    | 1.6118    | 1.5415    |           |           |
| 11   | 1.5947    | 1.1403    | 1.5947    | 1.6118    | 1.5415    |           |           |
| 12   | 1.5947    | 1.6289    | 1.5947    | 1.6118    | 1.6289    |           |           |
| 13   | 1.6118    | 1.6289    | 1.6289    | 1.6118    | 1.5947    |           |           |
| 14   | 1.6118    | 1.6289    | 1.5947    | 1.6118    | 1.5947    |           |           |
| 15   | 1.6118    | 1.6289    | 1.5947    | 1.6118    | 1.6118    |           |           |
| 16   | 1.6118    | 1.6289    | 1.5947    | 1.6118    | 1.5947    |           |           |
| 17   | 1.6118    | 1.5432    | 1.5947    | 1.6118    | 1.5947    |           |           |
| 18   | 1.6289    | 1.5432    | 1.5947    | 1.6118    | 1.5947    |           |           |
| 19   | 1.6655    | 1.5432    | 1.6289    | 1.6118    | 1.5947    |           |           |
| 20   | 1.6832    | 1.5432    | 1.6832    | 1.6118    | 1.5947    |           |           |
| 21   | 1.6655    | 1.5432    | 1.6478    | 1.7193    | 1.5947    |           |           |
| 22   | 1.6655    | 1.5432    | 1.6478    | 1.7193    | 1.5947    |           |           |
| 23   | 1.6655    | 1.5432    | 1.6478    | 1.7193    | 1.6118    |           |           |
| 24   | 1.701     | 1.6655    | .9036     | 1.6655    | 1.773     | 1.6118    |           |
| Max  | 1.7193    | 1.6655    | 1.6832    | 1.7193    | 1.773     | 1.6289    | .1143     |
| Min  | 1.5947    | 1.1283    | .9036     | 1.6118    | 1.5043    | 1.6118    | .1143     |
| Avg  | 1.6388    | 1.3780    | 1.3899    | 1.6431    | 1.6182    | 1.6139    | .1143     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-APR-17 and 21-APR-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 318002 / 220KV KAWALEWADA S/STN

Feeder No / Name : 403 / 33 KV Tirora

Feeder KV- 33 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-APR-17 | 16-APR-17 | 17-APR-17 | 18-APR-17 | 19-APR-17 | 20-APR-17 | 21-APR-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 8.5048    | 8.8237    | 8.1596    | 8.8237    |           | 8.9301    | 9.6742    |
| 2    | 8.3453    | 8.8237    | 8.155     | 8.6643    |           | 8.7174    | 9.7737    |
| 3    | 7.9927    | 8.6643    | 7.9561    | 8.5048    |           | 8.5185    | 9.7737    |
| 4    | 7.572     | 8.5048    | 7.8338    | 8.1859    |           | 8.3608    | 9.3599    |
| 5    | 7.2817    | 8.0796    | 7.2234    | 7.867     |           | 8.1139    | 9.0021    |
| 6    | 6.7616    | 7.867     | 6.5141    | 7.3354    |           | 6.9176    | 8.4877    |
| 7    | 5.6584    | 7.0165    | 5.8676    | 5.9517    |           | 5.4321    | 7.6452    |
| 8    | 5.3412    | 5.9002    | 5.7339    | 5.2812    |           | 5.5693    | 6.1163    |
| 9    | 5.443     | 5.2812    | 5.2904    | 5.5327    | 5.7339    | 5.4698    | 6.3529    |
| 10   | 4.9383    | 5.5327    | 5.7185    | 5.6973    | 5.8848    | 5.3704    | 6.5701    |
| 11   | 5.4012    | 5.9351    | 6.2369    | 6.2569    | 5.7842    | 5.3704    | 5.5196    |
| 12   | 6.6358    | 7.0588    | 6.5386    | 5.5956    | 5.6836    | 5.9174    | 5.5041    |
| 13   | 7.1216    | 6.7901    | 7.0416    | 6.969     | 6.7901    | 6.0665    | 5.4012    |
| 14   | 7.4777    | 6.5386    | 7.2931    | 7.2017    | 6.7901    | 6.4146    | 5.0412    |
| 15   | 7.2742    | 6.2872    | 7.2234    | 7.0988    | 6.2369    | 6.4643    | 4.8371    |
| 16   | 3.6117    | 6.8233    | 5.7482    | 6.7387    | 6.5329    | 6.166     | 4.265     |
| 17   | 7.6303    | 7.0382    | 6.4603    | 8.3333    | 6.2757    | 6.4152    | 6.9696    |
| 18   | 7.8847    | 6.7696    | 6.5112    | 9.0021    | 5.8128    | 6.5729    | 6.8359    |
| 19   | 8.139     | 7.8441    | 8.139     | 9.2593    | 8.0761    | 8.0796    | 8.7174    |
| 20   | 8.3934    | 8.9723    | 8.6934    | 9.465     | 8.8992    | 8.8237    | 9.1958    |
| 21   | 8.7494    | 9.1873    | 8.8477    | 9.5679    | 8.8992    | ***       | 9.5679    |
| 22   | 8.7494    | 9.4022    | 8.7963    | 9.5165    | 9.105     | 9.6754    | 9.7805    |
| 23   | 8.6477    | 9.4022    | 9.105     |           | 8.8477    | 9.9932    | 9.5679    |
| 24   | 8.7174    | 8.9832    | 8.5991    | 9.1427    |           | 8.9301    | 9.8337    |
| Max  | 8.7494    | 9.4022    | 9.105     | 9.5679    | 9.105     | 37.755    | 9.8337    |
| Min  | 3.6117    | 5.2812    | 5.2904    | 5.2812    | 5.6836    | 5.3704    | 4.265     |
| Avg  | 7.1780    | 7.5636    | 7.2369    | 7.6518    | 7.0235    | 8.5018    | 7.6580    |