

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314016 / 33/11KV KALIMATI

Feeder No / Name : 201 / KATTIPAR

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0288    | .7922     | .7011     | 1.0829    | 1.0791    | 1.2955    | 1.1568    |
| 2    | .9724     | .7655     | .6062     | 1.0751    | 1.0829    | 1.406     | 1.1142    |
| 3    | .9724     | .7545     | .6268     | 1.0374    | 1.0534    | 1.3904    | 1.1233    |
| 4    | .9556     | .7468     | .6173     | 1.0269    | 1.0751    | 1.4198    | 1.1361    |
| 5    | .9014     | .7733     | .5668     | 1.0082    | 1.0829    | 1.4022    | 1.1142    |
| 6    | .8802     | .7282     | .6173     | .9709     | 1.0374    | 1.3546    | 1.0202    |
| 7    | .8381     | .679      | .6173     | .9149     | 1.0974    | 1.4251    | .9831     |
| 8    | .8539     | .6413     | .6859     | .9145     | 1.0679    | 1.4419    | .9922     |
| 9    | .8333     | .6413     | .5959     | .7956     | 1.0679    | 1.3717    | 1.0722    |
| 10   | .9259     | .6224     | .6722     | .8097     | .8869     | 1.4083    | .9762     |
| 11   | .8192     |           | .7095     | .9614     | 1.1104    | 1.4746    | 1.0279    |
| 12   | .6661     |           | .6413     | .9667     | 1.1517    | .788      | .9998     |
| 13   | .5144     |           | .7023     | .8402     | 1.2308    | .9114     | .8162     |
| 14   | .463      |           | .6344     | .9175     | 1.1694    | .8697     | .873      |
| 15   |           |           | .6908     | .9602     | 1.3073    | .8905     | .8916     |
| 16   | .4031     |           | .7577     | .9175     | 1.335     | .9061     | .8905     |
| 17   | .2896     |           | .7947     | .8573     | 1.4937    | .9172     | .8796     |
| 18   | .3437     | .6687     | .8413     | .9313     | 1.4089    | .9922     | .9568     |
| 19   | .4382     | .779      | .9431     | 1.2567    | 1.4899    | 1.1271    | 1.0608    |
| 20   | .4961     | .8288     | 1.1317    | 1.3466    | 1.3108    | 1.2003    | 1.1105    |
| 21   | .8299     | .8029     | 1.1883    | 1.3491    | 1.5249    | 1.2239    | 1.17      |
| 22   | .8488     | .8573     | 1.1506    | 1.1389    | 1.3441    | 1.166     | 1.1401    |
| 23   | .811      | .7545     | 1.1128    | 1.1016    | 1.2803    | 1.1336    | 1.1191    |
| 24   | 1.0004    | .7922     | .7127     | 1.0751    | 1.1016    | 1.3375    | 1.1437    |
| Max  | 1.0288    | .8573     | 1.1883    | 1.3491    | 1.5249    | 1.4746    | 1.17      |
| Min  | .2896     | .6224     | .5668     | .7956     | .8869     | .788      | .8162     |
| Avg  | .7428     | .7428     | .7633     | 1.0107    | 1.1996    | 1.2022    | 1.0320    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314016 / 33/11KV KALIMATI

Feeder No / Name : 202 / SITEPAR

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2039    | .5359     | .4458     | .5611     | .2743     | .8987     | 1.2689    |
| 2    | 1.1305    | .5014     | .4207     | .5487     | .2507     | .8907     | 1.2795    |
| 3    | 1.1736    | .4706     | .4287     | .5611     | .2835     | .9448     | 1.2346    |
| 4    | 1.1271    | .4706     | .3601     | .5249     | .2658     | .9282     | 1.2445    |
| 5    | 1.0978    | .4938     | .3403     | .4908     | .2896     |           | 1.2003    |
| 6    | 1.0688    | .4607     | .4115     | .5194     | .2713     |           | 1.2003    |
| 7    | .9878     | .3856     | .3761     | .5138     | .298      |           | 1.153     |
| 8    | .9175     | .3898     | .3887     | .4973     | .6104     | .9175     | 1.1869    |
| 9    | .8951     | .3582     | .3932     | .823      | .6802     | .9831     | 1.1904    |
| 10   | .9555     | .3155     | .5784     | .8145     | .7293     | 1.1488    | 1.2548    |
| 11   | .6859     |           | .7442     | .7186     | .8402     |           | 1.3056    |
| 12   | .6626     |           | .5721     | .7164     | 1.0395    | 1.2346    | 1.3272    |
| 13   | .5609     |           | .631      | .5784     | 1.2039    | 1.0802    | 1.3748    |
| 14   | .4752     |           | .5201     | .6274     | .8619     | 1.0513    | 1.2239    |
| 15   | .4835     |           | .6241     | .6859     | .8848     | 1.1065    | 1.326     |
| 16   | .3441     |           | .7888     | .6687     | .9393     | 1.1065    | 1.2929    |
| 17   | .3521     |           | .5487     | .6344     | .9503     | 1.21      | 1.1934    |
| 18   | .3772     | .3582     | .5426     | .6203     | .9448     | 1.1233    | 1.21      |
| 19   | .4887     | .4973     | .9231     | .815      | .9945     | 1.4737    | 1.2689    |
| 20   | .5487     | .5144     | .6036     | .8859     | 1.0867    | 1.3321    | 1.3523    |
| 21   | .5249     | .5144     | .6283     | .8413     | 1.0749    | 1.3496    | 1.3672    |
| 22   | .5194     | .5144     | .6036     | .2926     | 1.0288    | 1.283     | 1.335     |
| 23   | .5249     | .4752     | .5853     | .2896     | .9231     | 1.2795    | 1.3146    |
| 24   | 1.2209    | .5249     | .463      | .5729     | .2715     | .9431     | 1.283     |
| Max  | 1.2209    | .5359     | .9231     | .8859     | 1.2039    | 1.4737    | 1.3748    |
| Min  | .3441     | .3155     | .3403     | .2896     | .2507     | .8907     | 1.153     |
| Avg  | .7636     | .4577     | .5384     | .6168     | .7082     | 1.1143    | 1.2662    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314016 / 33/11KV KALIMATI

Feeder No / Name : 203 / BHOSA

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1736    | .4656     | .4096     | .631      | .7888     | .9431     | 1.2944    |
| 2    | 1.1437    | .4525     | .4681     | .6415     | .788      | .9503     | 1.3496    |
| 3    | 1.1401    | .439      | .4409     | .6241     | .7802     | .8688     | 1.3032    |
| 4    | 1.1305    | .4477     | .3601     | .6485     | .8063     | .9717     | 1.3146    |
| 5    | 1.085     | .4706     | .4024     | .6415     | .7888     | .9686     | 1.2689    |
| 6    | 1.0155    | .4161     | .4382     | .6068     | .7122     | .9831     | 1.1768    |
| 7    | .9374     | .3185     | .4344     | .5721     | .6962     | 1.0159    | 1.1305    |
| 8    | .8855     | .3353     | .4656     | .5571     | .6964     | 1.134     | 1.2146    |
| 9    | .8333     | .3391     | .4656     | .583      | .7611     | 1.0159    | 1.2176    |
| 10   | .9671     | .2622     | .3953     | .6687     | .7449     | 1.1145    | 1.3117    |
| 11   | .7611     |           | .3163     | .6805     | .8029     | 1.1797    | .9646     |
| 12   | .6805     |           | .4161     | .6687     | .8802     | 1.3032    | 1.0159    |
| 13   | .5935     |           | .4321     | .6802     | .9069     | 1.2597    | 1.0242    |
| 14   | .4908     |           | .4858     | .6299     | .8381     | 1.1984    | 1.0105    |
| 15   | .407      |           | .4641     | .631      | .8322     | 1.1984    | 1.1789    |
| 16   | .394      |           | .427      | .6443     | .8124     | 1.2071    | 1.1683    |
| 17   | .3311     |           | .4428     | .6613     | .8539     | 1.2308    | 1.0416    |
| 18   | .3441     | .39       | .4748     | .5761     | .8583     | 1.1683    | 1.1843    |
| 19   | .4207     | .4588     | .6661     | .7716     | 1.0341    | 1.3245    | 1.3441    |
| 20   | .5121     | .5079     | .7522     | .924      | 1.1145    | 1.4575    | 1.4752    |
| 21   | .5068     | .5182     | .7602     | .8238     | 1.182     | 1.5043    | 1.4752    |
| 22   | .5014     | .4858     | .7186     | .8322     | 1.0402    | 1.3904    | 1.0682    |
| 23   | .4835     | .4973     | .7087     | .7888     | 1.0631    | 1.3413    | 1.2209    |
| 24   | 1.1603    | .4607     | .5083     | .6661     | .7975     | .9717     | 1.3245    |
| Max  | 1.1736    | .5182     | .7602     | .924      | 1.182     | 1.5043    | 1.4752    |
| Min  | .3311     | .2622     | .3163     | .5571     | .6962     | .8688     | .9646     |
| Avg  | .7458     | .4274     | .4939     | .6730     | .8575     | 1.1542    | 1.2116    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314022 / 33kv amgaon sub station

Feeder No / Name : 201 / 11 KV irri

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5581    | .0351     | .4435     | .5609     | .6335     | .4024     | 1.7909    |
| 2    | 1.5565    | .3189     | .4251     | .0567     | .5792     | .439      | 1.7193    |
| 3    | 1.5384    | .3224     | .3696     | .0537     | .5487     | .5121     | 1.7194    |
| 4    | 1.5203    | .0283     | .3326     | .5316     | .5487     | .5304     | 1.7013    |
| 5    | 1.5023    | .2507     | .3142     | .5373     | .4572     | .5487     | 1.6832    |
| 6    | 1.4661    | .2303     | .3511     | .3721     | .3841     | .5853     | 1.6651    |
| 7    | 1.5384    | .1791     | .3511     | .3224     | .3109     | .5853     | 1.5729    |
| 8    | 1.3756    | .1949     | .2772     | .815      | .2772     | .4755     | 1.5181    |
| 9    | 1.39      | .197      | .3696     | .3077     | .499      | .5493     | 1.4266    |
| 10   | .9877     | .2149     | .3142     | .2561     | .5175     | .4075     | 1.4083    |
| 11   | 1.2254    | .2481     | .2218     | .3292     | .5359     | 1.258     | 1.4815    |
| 12   | 1.0608    | .2507     | .2587     | .4066     | .499      | 1.4327    | 1.4373    |
| 13   | .9694     | .3012     | .3881     | .5175     | .6099     | 1.4327    | 1.5592    |
| 14   | .9145     | .3224     | .3142     | .5175     | .5544     | 1.3432    | 1.1641    |
| 15   | .9979     | .4075     | .5175     | .499      | .5729     | .6135     | 1.4299    |
| 16   | .7577     | .3841     | .3881     | .2772     | .5359     | 1.4175    | 1.5203    |
| 17   | .8871     | .2614     | .3544     | .3292     | .6283     | 1.4506    | 1.4327    |
| 18   | .9568     | .2561     | .3224     | .5121     | .5544     | 1.5729    | 1.4148    |
| 19   |           | .3696     | .4784     | .4572     | .499      | 1.7741    | 1.5939    |
| 20   |           | .5304     | .4024     | .4755     | .3511     | 1.7364    | 1.6827    |
| 21   | .1791     | .4066     | .5121     | .5194     | .462      | 1.8839    | 1.6461    |
| 22   | .4075     | .3734     | .4607     | .5552     | .6099     | 1.7375    | 1.6655    |
| 23   | .4024     | .3881     | .3012     | .6697     | .5853     | 1.7909    | 1.6644    |
| 24   | 1.5939    | .394      | .4805     | .6447     | .6697     | .3841     | 1.7896    |
| Max  | 1.5939    | .5304     | .5175     | .815      | .6697     | 1.8839    | 1.7909    |
| Min  | .1791     | .0283     | .2218     | .0537     | .2772     | .3841     | 1.1641    |
| Avg  | 1.1266    | .2861     | .3729     | .4385     | .5177     | 1.0360    | 1.5703    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314022 / 33kv amgaon sub station

Feeder No / Name : 202 / Anjora

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7193    | .9145     | .9145     | .1417     | 1.086     | 1.848     | 2.0995    |
| 2    | 1.7193    | .9145     | .8779     | 1.6834    | 1.0608    | 1.8111    | 2.0271    |
| 3    | 1.8099    | .8954     | .8779     | 1.3253    | 1.0608    | 1.7741    | 1.97      |
| 4    | 1.8099    | 1.0277    | .9145     | 1.2894    | 1.0242    | 1.7924    | 1.9342    |
| 5    | 1.8099    | .905      | .9511     | 1.2048    | 1.0242    | 1.7372    | 1.9185    |
| 6    | 1.8267    | .8954     | .9145     | .8596     | 1.1088    | 1.7177    | 1.8823    |
| 7    | 1.9909    | .8859     | .924      | .5316     | 1.2197    | 1.6057    | 1.829     |
| 8    | 1.9547    | .5014     | .8871     | 1.2894    | 1.1827    | 1.7177    | 1.829     |
| 9    | 1.8656    | .7087     | .7762     | 1.3032    | .8871     | 1.6118    | 1.9022    |
| 10   | 1.7741    | .788      | .8871     | 1.3535    | 1.1458    | 1.6655    | 1.893     |
| 11   | .5914     | .8505     | 1.1458    | 1.6095    | 1.1088    | 2.0683    | 2.0553    |
| 12   | .7392     | 1.1104    | 1.2197    | 1.4998    | 1.2197    | 1.9136    | 2.1616    |
| 13   | .6584     | 1.0985    | 1.3306    | 1.6461    | 1.3306    | 1.9342    | 2.1616    |
| 14   | .8048     | 1.1104    | 1.2936    | 1.4784    | 1.2567    | 1.9136    | 2.1132    |
| 15   | .6653     | .9214     | 1.2936    | 1.5893    | 1.5524    | 1.97      | 2.0995    |
| 16   | .7762     | .9145     | 1.0719    | 1.4784    | 1.4045    | 2.0271    | 2.3529    |
| 17   | .8413     | .9979     | 1.0745    | 1.5364    | 1.3306    | 1.9547    | 2.0805    |
| 18   | .815      | 1.0242    | 1.134     | .4755     | 1.6632    | 2.1491    | 1.8781    |
| 19   | .8596     | 1.2197    | 1.382     | 1.0608    | 2.0328    | 2.4806    | 2.0805    |
| 20   | 1.1104    | 1.134     | 1.5043    | 1.39      | 2.0328    | 2.2314    | 2.1582    |
| 21   | .9412     | .961      | 1.6461    | 1.2536    | 2.1068    | 2.1357    | 1.9387    |
| 22   | .9568     | .9979     | 1.576     | 1.2308    | 2.0165    | 2.0774    |           |
| 23   | .9313     | .961      | 1.6095    | 1.182     | 1.9589    | 2.1357    |           |
| 24   | 1.7375    | .8859     | .9145     | .1576     | 1.086     | 1.9959    | 2.1719    |
| Max  | 1.9909    | 1.2197    | 1.6461    | 1.6834    | 2.1068    | 2.4806    | 2.3529    |
| Min  | .5914     | .5014     | .7762     | .1417     | .8871     | 1.6057    | 1.829     |
| Avg  | 1.2795    | .9427     | 1.1300    | 1.1904    | 1.3709    | 1.9279    | 2.0244    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314022 / 33kv amgaon sub station

Feeder No / Name : 203 / Amgaon

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1584    | 1.0631    | 1.0349    | 1.1919    | 1.2178    | 1.3306    | 1.3611    |
| 2    | 1.1584    | 1.0745    | 1.0349    | 1.134     | 1.2308    | 1.3306    | 1.2894    |
| 3    | 1.0974    | 1.0631    | 1.1088    | 1.1462    | 1.2308    | 1.2567    | 1.2894    |
| 4    | 1.0974    | 1.0029    | 1.1088    | 1.0745    | 1.0631    | 1.2437    | 1.2308    |
| 5    | 1.0974    | .9816     | .961      | .9922     | 1.0974    | 1.1706    | 1.2308    |
| 6    | 1.0974    | .9922     | .961      | 1.0517    | 1.1706    | 1.1706    | 1.2308    |
| 7    | 1.0974    | .9816     | .9511     | .9922     | 1.0242    | 1.0974    | 1.1706    |
| 8    | 1.0974    | .9214     | 1.0242    | 1.0745    | .9511     | 1.0974    | 1.1706    |
| 9    | 1.0974    | .9214     | .8871     | 1.086     | .9511     | 1.0631    | 1.1706    |
| 10   | 1.0349    | .9214     | .961      | 1.0242    | .9511     | 1.0745    | 1.086     |
| 11   | 1.1088    | 1.0029    | 1.0349    | 1.0974    | 1.1706    | 1.2178    | 1.2308    |
| 12   | 1.0349    | .9214     | 1.0349    | 1.0974    | 1.1706    | 1.134     | 1.2308    |
| 13   | .8871     | .9313     | .9511     | 1.1706    | 1.1706    | 1.134     | 1.2308    |
| 14   |           | .9412     | 1.0974    | 1.1827    | 1.1706    | 1.1462    | 1.2178    |
| 15   | .9979     | .9922     | 1.0974    | 1.2567    | 1.1706    | 1.0631    | 1.3611    |
| 16   | 1.0349    | 1.0136    | 1.0242    | 1.0974    | 1.1706    | 1.0745    | 1.3032    |
| 17   | .961      | 1.1088    | 1.0029    | 1.2178    | 1.1706    | 1.134     | 1.0745    |
| 18   | 1.0631    | 1.1827    | .9412     | 1.0974    | 1.1706    | 1.6834    | 1.2757    |
| 19   | 1.0631    | 1.4045    | 1.0631    | 1.39      | 1.6095    | 1.4175    | 1.4327    |
| 20   | 1.2894    | 1.3306    | 1.4632    | 1.4632    | 1.6095    | 1.5364    | 1.5364    |
| 21   | 1.2178    | 1.3306    | 1.4632    | 1.2894    | 1.5524    | 1.6095    | 1.4632    |
| 22   | 1.2757    | 1.2567    | 1.2894    | 1.2757    | 1.5684    | 1.576     | 1.5364    |
| 23   | 1.134     | .961      | 1.2757    | 1.1462    | 1.4937    | 1.5043    | 1.4175    |
| 24   | 1.1584    | 1.0631    | 1.1088    | 1.2894    | 1.2894    | 1.419     | 1.3611    |
| Max  | 1.2894    | 1.4045    | 1.4632    | 1.4632    | 1.6095    | 1.6834    | 1.5364    |
| Min  | .8871     | .9214     | .8871     | .9922     | .9511     | 1.0631    | 1.0745    |
| Avg  | 1.0982    | 1.0568    | 1.0783    | 1.1599    | 1.2240    | 1.2702    | 1.2876    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 314022 / 33kv amgaon sub station

Feeder No / Name : 204 / 11 KV Salekasa

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.086     | .7442     | .9511     | 1.134     | .8775     | 1.0608    | 1.2757    |
| 2    | 1.0136    | .7087     | .9145     | .1134     | .8596     | 1.0425    | 1.2403    |
| 3    | 1.0242    | .0709     | .8962     | 1.134     | .8507     | 1.0791    | 1.2357    |
| 4    | 1.0425    | .0724     | .8413     | 1.0745    | .8507     | 1.1273    | 1.1999    |
| 5    | 1.0974    | .0709     | .823      | 1.0631    | .8326     | 1.1458    | 1.1641    |
| 6    | 1.0974    | .0724     | .7865     | 1.1462    | .8688     | 1.0164    | 1.1462    |
| 7    | 1.0791    | .7343     | .7682     | .9542     | .8145     | .9795     | 1.1403    |
| 8    | 1.0719    | .0669     | .7499     | .8238     | .7602     | .8871     | 1.1222    |
| 9    | 1.0349    | .6733     | .5853     | .6036     | .7316     | .7442     | 1.262     |
| 10   | .9979     | .6379     | .5853     | .6401     | .6401     | .4298     | .9134     |
| 11   |           | .1791     | .5487     | .6767     | .695      | 1.0277    | 1.0387    |
| 12   | .4805     | .6219     | .695      | .7316     | .9145     | .985      | 1.0566    |
| 13   |           | .6379     | .823      | .823      | .9511     | .985      | 1.0924    |
| 14   | .2402     | .6805     | .7682     | .9511     | .9328     | .9036     | 1.1584    |
| 15   | .2218     | .7499     | .8871     | .9511     | 1.0425    | 1.0029    | 1.1403    |
| 16   | .3511     | .7682     | .9425     | .8779     | .823      | .9922     | 1.1403    |
| 17   | .1478     | .8131     | .9313     | .815      | .9694     | 1.1706    | 1.0985    |
| 18   | .1829     | .8686     | .9214     | .6584     | .8596     | 1.0566    | 1.0924    |
| 19   |           | .9795     | .9671     | .788      | 1.1088    | 1.1765    | 1.2254    |
| 20   |           | 1.0164    | 1.1706    | .8962     | 1.0791    | 1.258     | 1.1517    |
| 21   | .3658     | .9795     | 1.1041    | .8417     | 1.0349    | 1.2403    | 1.2254    |
| 22   | .7087     | 1.1088    | 1.134     | .9231     | 1.1016    | 1.3073    | 1.2403    |
| 23   | .7442     | .9979     | 1.1999    | .8688     | 1.1763    | 1.2715    | 1.2715    |
| 24   | 1.086     | .7442     | .9979     | 1.1462    | .8869     | 1.0791    | 1.2757    |
| Max  | 1.0974    | 1.1088    | 1.1999    | 1.1462    | 1.1763    | 1.3073    | 1.2757    |
| Min  | .1478     | .0669     | .5487     | .1134     | .6401     | .4298     | .9134     |
| Avg  | .7537     | .6249     | .8747     | .8598     | .9026     | 1.0404    | 1.1628    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 207 / 33/11 kv 10 MVA T/R

NON SHEDDABLE EXPRESS HV FEEDERS

Feeder KV- 33 / INCOMING

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.095     | 2.1622    | 2.0725    | 2.8829    | 2.384     | 3.3471    | 3.5837    |
| 2    | 2.9864    | 2.1285    | 2.0725    | 2.7721    | 2.3285    | 3.3471    | 3.5294    |
| 3    | 2.9864    | 2.1845    | 2.0725    | 2.7721    | 2.3285    | 3.1276    | 3.5294    |
| 4    | 3.0407    | 2.1845    | 2.0165    | 2.9384    | 2.3285    | 3.1824    | 3.4208    |
| 5    | 3.0407    | 2.1285    | 2.0165    | 2.7721    | 2.3285    | 3.1047    | 3.4208    |
| 6    | 3.0087    | 2.0725    | 1.9605    | 2.5503    | 2.384     | 2.8532    | 3.3665    |
| 7    | 3.2236    | 1.9959    | 2.0165    | 1.0751    | 2.1948    | 2.8235    | 3.0407    |
| 8    | 3.2236    | 1.7741    | 1.9805    | 2.4949    | 2.1176    | 2.8235    | 3.1699    |
| 9    | 2.4966    | 1.9404    | 1.8107    | 2.7435    | 2.0851    | 2.8778    | 3.2236    |
| 10   | 2.8704    | 1.885     | 1.9753    | 2.9424    | 2.1948    | 3.0087    | 3.2036    |
| 11   | 2.6578    | 1.9547    | 2.2805    | 2.7984    | 2.6337    | 3.2036    | 3.546     |
| 12   | 1.893     | 2.0302    | 2.3891    | 2.8275    | 2.7721    | 3.4208    | 3.6534    |
| 13   | 1.6118    | 1.2226    | 2.4691    | 2.8532    | 2.7726    | 3.3122    | 3.6534    |
| 14   | 1.701     | 1.5364    | 2.4434    | 2.8235    | 2.5789    | 3.2579    | 3.5997    |
| 15   | 1.7541    | 2.2028    | 2.4434    | 2.9081    | 2.8235    | 3.2579    | 3.7209    |
| 16   | 1.9342    | 2.5789    | 1.7684    | 2.7435    | 2.6886    | 3.2773    | 3.774     |
| 17   | 1.9879    | 2.1948    | 2.3594    | 2.6606    | 2.8778    | 3.7609    | 3.5614    |
| 18   | .0103     | 2.3285    | 2.4691    | 1.6078    | 3.095     | 3.5082    | 3.5614    |
| 19   | 2.4394    | 2.7446    | 2.9384    | 2.5206    | 3.5665    | 4.181     | 3.786     |
| 20   | 2.5766    | 2.6326    | 3.1927    | 2.9687    | 3.8255    | 4.0604    | 3.8958    |
| 21   | 2.3525    | 2.4086    | 3.1602    | 2.7446    | 3.7311    | 3.9506    | 3.6214    |
| 22   | 2.4086    | 2.3525    | 3.1927    | 2.6057    | 3.7146    | 3.9506    | 1.6244    |
| 23   | 2.3525    | 2.2405    | 3.1602    | 2.6337    | 3.4568    | 3.8552    | 1.5684    |
| 24   | 3.2579    | 2.2405    | 2.1845    | 2.9938    | 2.4949    | 3.5117    | 3.8009    |
| Max  | 3.2579    | 2.7446    | 3.1927    | 2.9938    | 3.8255    | 4.181     | 3.8958    |
| Min  | .0103     | 1.2226    | 1.7684    | 1.0751    | 2.0851    | 2.8235    | 1.5684    |
| Avg  | 2.4546    | 2.1302    | 2.3519    | 2.6514    | 2.7377    | 3.3752    | 3.3690    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 208 / 33/11 KV 5 MVA T/R

NON SHEDDABLE EXPRESS HV FEEDERS

Feeder KV- 33 / INCOMING

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.1845    | 1.0099    | 1.4661    | 1.5746    | 1.3575    | 1.6461    | 2.7149    |
| 2    | 2.1325    | .9134     | 1.4506    | 1.6832    | 1.4118    | 1.7375    | 2.6863    |
| 3    | 2.1605    | .9231     | 1.5043    | 1.6289    | 1.3032    | 1.5746    | 2.7938    |
| 4    | 2.2119    | 1.0099    | 1.3969    | 1.6832    | 1.2489    | 1.5746    | 2.7149    |
| 5    | 2.2119    | .9671     | 1.3032    | 1.3969    | 1.3575    | 1.5364    | 2.6863    |
| 6    | 2.1874    | 1.0631    | 1.1283    | 1.3432    | 1.262     | 1.4815    | 2.5789    |
| 7    | 2.1628    | .8322     | 1.0099    | 1.182     | 1.0974    | 1.5203    | 2.4451    |
| 8    | 2.1125    | .8939     | .9671     | 1.2226    | 1.0208    | 1.386     | 2.3388    |
| 9    | 2.0622    | .7888     | .8842     | 1.182     | 1.086     | 1.3032    | 2.0199    |
| 10   | .7059     | .7842     | .823      | 1.086     | 1.1163    | 1.0099    | 1.9879    |
| 11   | .8059     | .5041     | .7802     | .9991     | 1.2226    | 1.2226    | 2.1033    |
| 12   | .6984     | .6224     | .8939     | 1.2226    | 1.182     | 1.9004    | 2.2365    |
| 13   | .7888     | 1.0317    | .8596     | 1.2757    | 1.2515    | 2.1262    | 2.4188    |
| 14   | .9036     | .9671     | 1.0745    | 1.3432    | 1.3969    | 2.0199    | 1.9667    |
| 15   | .9774     | 1.1043    | 1.2894    | 1.3672    | 1.5947    | 1.4198    | 2.2325    |
| 16   | 1.0317    | .9602     | 1.2894    | 1.2483    | 1.2757    | 2.2565    | 2.1794    |
| 17   | .6584     | .9991     | 1.382     | 1.1443    | 1.5415    | 2.2857    | 2.1794    |
| 18   | .004      | .9134     | 1.2094    | 1.0208    | 1.262     | 2.4188    | 2.2085    |
| 19   | .0057     | 1.3575    | 1.4352    | 1.2071    | 1.4815    | 2.552     | 2.4714    |
| 20   | .0051     | 1.4815    | 1.5364    | 1.3169    | 1.4118    | 2.7692    | 2.6606    |
| 21   | .5258     | 1.386     | 1.6461    | 1.4266    | 1.5581    | 2.8778    | 2.5252    |
| 22   | 1.0317    | 1.5364    | 1.5364    | 1.4969    | 1.6655    | 2.7692    | 2.6046    |
| 23   | .9328     | 1.3169    | 1.6832    | 1.5364    | 1.6655    | 2.7692    | 2.5514    |
| 24   | 2.4177    | 1.0974    | 1.4266    | 1.7918    | 1.3169    | 1.4506    | 2.7938    |
| Max  | 2.4177    | 1.5364    | 1.6832    | 1.7918    | 1.6655    | 2.8778    | 2.7938    |
| Min  | .004      | .5041     | .7802     | .9991     | 1.0208    | 1.0099    | 1.9667    |
| Avg  | 1.2883    | 1.0193    | 1.2490    | 1.3491    | 1.3370    | 1.9003    | 2.4208    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 401 / 33 KV SALEKASA FDR

NON SHEDDABLE EXPRESS HV FEEDERS

Feeder KV- 33 / INCOMING

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.364     | 1.5592    | 1.5592    | 1.8404    | 1.9765    | 2.2885    | 2.8607    |
| 2    | 2.3137    | 1.4243    | 1.6598    | 1.7684    | 1.9765    | 2.3148    | 2.8292    |
| 3    | 2.364     | .8648     | 1.6598    | 1.7684    | 1.9547    | 2.2365    | 2.8292    |
| 4    | 2.3137    | 1.4083    | 1.6598    | 1.8204    | 1.9765    | 2.3148    | 2.6749    |
| 5    | 2.364     | 1.4083    | 1.6787    | 1.8204    | 2.0285    | 2.3148    | 2.7778    |
| 6    | 2.4366    | 1.4083    | 1.5261    | 1.9033    | 2.1091    | 2.2891    | 2.5149    |
| 7    | 2.6543    | 1.1305    | 1.4586    | 2.1382    | 2.2119    | 2.5149    | 2.9675    |
| 8    | 2.6052    | 1.4746    | 1.3735    | 2.1628    | 2.2634    | 2.5857    | 3.1327    |
| 9    | 2.6406    | 1.4575    | 1.2631    | 2.2382    | 2.1874    | 2.536     | 3.1824    |
| 10   | 2.5617    | 1.406     | 1.4089    | 2.0576    | 2.0885    | 2.5263    | 3.083     |
| 11   | 1.9616    | 1.2963    | 1.5546    | 1.5729    | 2.3137    | 2.5857    | 3.0967    |
| 12   | 1.2003    | 1.25      | 1.4746    | 1.7204    | 2.2119    | 2.7349    | 3.0967    |
| 13   | 1.07      | 1.3592    | 1.5912    | 1.989     | 2.0885    | 2.5857    | 3.1824    |
| 14   | 1.4506    | 1.326     | 1.749     | 2.0622    | 2.0388    | 2.536     | 3.1459    |
| 15   | 1.2597    | 1.4632    | 1.5729    | 2.1382    | 2.3371    | 2.8509    | 3.1459    |
| 16   | 1.382     | 1.6095    | 1.5912    | 2.3371    | 2.3102    | 2.9338    | 3.1459    |
| 17   | 1.9404    | 1.7078    | 1.5592    | 2.4086    | 2.1628    | 2.9984    | 2.9984    |
| 18   | 1.4998    | 1.5729    | 1.5415    | 1.6278    | 1.9393    | 2.3868    | 2.3594    |
| 19   | 1.893     | 2.1491    | 2.364     | 1.773     | 2.8172    | 3.2076    | 3.0498    |
| 20   | 2.0508    | 2.2028    | 2.2805    | 2.3891    | 2.9235    | 3.3488    | 3.2602    |
| 21   | 1.893     | 2.073     | 2.2805    | 2.1719    | 2.9012    | 2.9864    | 3.2247    |
| 22   | 1.8004    | 1.5432    | 1.9547    | 1.9879    | 2.5766    | 2.5143    | 3.1379    |
| 23   | 1.6787    | 1.4918    | 1.8267    | 1.893     | 2.3926    | 2.6818    | 2.8487    |
| 24   | 2.5149    | 1.7295    | .7042     | 1.893     | 1.9765    | 2.3405    | 2.9127    |
| Max  | 2.6543    | 2.2028    | 2.364     | 2.4086    | 2.9235    | 3.3488    | 3.2602    |
| Min  | 1.07      | .8648     | .7042     | 1.5729    | 1.9393    | 2.2365    | 2.3594    |
| Avg  | 2.0089    | 1.5132    | 1.6372    | 1.9784    | 2.2401    | 2.6089    | 2.9774    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 402 / 33 KV DEORI feeder

NON SHEDDABLE EXPRESS HV FEEDERS

Feeder KV- 33 / INCOMING

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 10.9191   | 6.8896    | 7.6738    | 9.4662    | 10.8665   | 12.5972   | 12.1811   |
| 2    | 10.8642   | 7.0576    | 7.6178    | 9.4102    | 10.8111   | 12.38     | 12.0165   |
| 3    | 10.7545   | 6.8467    | 7.5057    | 8.7792    | 10.7556   | 12.6515   | 11.4678   |
| 4    | 10.8093   | 6.7335    | 7.4497    | 8.906     | 10.8111   | 12.3257   | 11.358    |
| 5    | 10.8093   | 6.6204    | 7.5617    | 9.1667    | 10.9219   | 12.5972   | 11.358    |
| 6    | 10.535    | 6.1454    | 7.3377    | 8.906     | 10.6447   | 11.8913   | 11.4129   |
| 7    | 10.4253   | 6.3295    | 7.5955    | 9.0369    | 10.7545   | 11.9456   | 12.2497   |
| 8    | 10.3704   | 6.4415    | 7.9538    | 9.9794    | 10.8596   | 11.9273   | 12.3851   |
| 9    | 9.8766    | 6.1614    | 8.1447    | 4.5931    | 11.0288   | 12.5978   | 12.332    |
| 10   | 9.9909    | 5.5133    | 7.9275    | 6.2243    | 10.8596   | 12.2171   | 12.5675   |
| 11   | 7.1331    | 5.8768    | 7.9275    | 10.096    | 8.7792    | 11.8839   | 11.6941   |
| 12   | 5.9728    | 5.9877    | 7.9275    | 10.423    | 9.1084    | 9.425     | 12.62     |
| 13   | 5.2126    | .5601     | 8.1756    | 10.4253   | 11.2586   | 8.79      | 13.1985   |
| 14   | 4.9383    | 6.1054    | 8.0361    | 10.423    | 10.8596   | 9.5679    | 11.014    |
| 15   | 5.655     | 6.2174    | 8.3076    | 9.1478    | 10.371    | 10.4253   | 10.9065   |
| 16   | 1.2146    | 3.0178    | 8.2533    | 8.3219    | 10.6424   | 11.5512   | 10.8528   |
| 17   | 6.5072    | 5.1006    | 3.1493    | 10.8596   | 11.3363   | 11.8736   | 12.332    |
| 18   | 6.9599    | 7.0016    | 9.0261    | 10.4253   | 11.4975   | 12.0662   | 11.4975   |
| 19   | 8.5443    | 8.2613    | 11.6427   | 13.4117   | 14.5645   | 10.3155   | 14.4582   |
| 20   | 8.8272    | 7.1296    | 12.0308   | 13.3882   | 14.7211   | 14.9366   | 13.6626   |
| 21   | 8.0659    | 7.0165    | 14.5633   | 13.0041   | 13.9266   | 14.0089   | 13.059    |
| 22   | 7.7858    | 8.4579    | 10.9785   | 11.8519   | 13.6466   | 13.4117   | 12.7058   |
| 23   | 1.6244    | 8.0659    | 10.3064   | 11.0883   | 13.0859   | 12.4343   | 12.2171   |
| 24   | 11.0288   | 7.2257    | 7.7858    | 9.5222    | 11.0883   | 12.7058   | 12.1628   |
| Max  | 11.0288   | 8.4579    | 14.5633   | 13.4117   | 14.7211   | 14.9366   | 14.4582   |
| Min  | 1.2146    | .5601     | 3.1493    | 4.5931    | 8.7792    | 8.79      | 10.8528   |
| Avg  | 8.1177    | 6.2818    | 8.5366    | 9.8690    | 11.3833   | 11.9386   | 12.1546   |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 403 / 33 KV Tedha feeder

NON SHEDDABLE EXPRESS HV FEEDERS

Feeder KV- 33 / INCOMING

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 6.9445    | 3.7294    | 4.525     | 5.8676    | 6.31      | 8.2819    | 8.4877    |
| 2    | 6.893     | 3.6717    | 1.4506    | 5.8179    | 6.31      | 8.3333    | 8.3333    |
| 3    | 6.8673    | 3.6797    | 4.525     | 5.8179    | 6.2574    | 7.3857    | 8.3848    |
| 4    | 6.8416    | 3.6797    | 4.4239    | 5.8676    | 6.2723    | 7.4897    | 8.2819    |
| 5    | 6.8416    | 3.6797    | 4.4256    | 5.7682    | 6.2191    | 7.4143    | 8.4779    |
| 6    | 6.7901    | 3.5803    | 4.2764    | 5.3207    | 6.3786    | 7.2297    | 8.2699    |
| 7    | 6.8164    | 3.4008    | 4.3747    | 5.4561    | 6.2574    | 6.9696    | 8.6934    |
| 8    | 6.7656    | 3.2933    | 4.4753    | 5.4561    | 6.1374    | 8.0761    | 8.8512    |
| 9    | 5.5304    | 3.2933    | 4.1295    | 5.4698    | 6.4152    | 8.5248    | 9.2073    |
| 10   | 5.3241    | 3.2648    | 4.225     | 6.0357    | 7.0473    | 8.139     | 8.7517    |
| 11   | 4.6639    | 7.4669    | 4.6291    | 6.1523    | 7.7161    | 8.2305    | 8.4442    |
| 12   | 3.6437    | 7.6458    | 4.3724    | 6.3786    | 8.834     | 7.7161    | 8.8512    |
| 13   | 2.1765    | 7.8069    | 4.5222    | 6.3626    | 7.9515    | 8.3425    | 9.1541    |
| 14   | 2.2291    | 6.4146    | 5.5813    | 6.4849    | 7.7675    | 8.2087    | 8.9026    |
| 15   | 2.1491    | 8.3059    | 4.9954    | 6.3975    | 7.6132    | 8.3425    | 9.0535    |
| 16   | 2.2222    | 3.7449    | 4.473     | 8.1139    | 7.6646    | 8.5968    | 9.1564    |
| 17   | 2.4194    | 8.4134    | 4.6205    | 6.7616    | 8.0247    | 8.3934    | 8.8523    |
| 18   | 2.672     | 3.9838    | 4.8663    | 6.2934    | 7.8704    | 8.3934    | 8.802     |
| 19   | 4.0124    | 5.0926    | 6.3586    | 7.3886    | 9.105     | 9.6194    | 9.5165    |
| 20   | 4.2181    | 5.1955    | 6.6873    | 7.3525    | 9.6222    | 9.5165    | 2.8121    |
| 21   | 4.1152    | 4.9851    | 7.1216    | 11.0951   | 8.642     | 9.465     | 2.7892    |
| 22   | 4.0186    | 4.7782    | 6.2369    | 10.8705   | 8.179     | 8.8992    | 7.1794    |
| 23   | 3.8226    | 4.525     | 5.9854    | 6.3626    | 8.3848    | 8.686     | 2.5857    |
| 24   | 6.9959    | 3.722     | 4.5748    | 5.9854    | 6.3255    | 8.3848    | 8.642     |
| Max  | 6.9959    | 8.4134    | 7.1216    | 11.0951   | 9.6222    | 9.6194    | 9.5165    |
| Min  | 2.1491    | 3.2648    | 1.4506    | 5.3207    | 6.1374    | 6.9696    | 2.5857    |
| Avg  | 4.7906    | 4.8897    | 4.8273    | 6.6199    | 7.3877    | 8.2766    | 7.9367    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 405 / 33/0.4 KV substation

Feeder KV- 33 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9014     | 1.0814    | 1.0814    | 1.0814    | .8551     | .823      | .9717     |
| 2    | .9231     | 1.0814    | .9717     | 1.0688    | .8642     | .763      | 1.0082    |
| 3    | .8745     | 1.0814    | .9122     | 1.0814    | .8345     | .7202     | .9717     |
| 4    | .8642     | 1.0814    | .7773     | .9831     | .8916     | .6539     | .9448     |
| 5    | .8162     | 1.0814    | .6687     | .9831     | .5721     | .6379     | .9156     |
| 6    | .5144     | 1.0814    | .5921     | .8848     | .5796     | .6836     | .7682     |
| 7    | .5144     | .7865     | .535      | .6802     | .535      | .7202     | .7133     |
| 8    | .463      | .7865     | .5213     | .6882     | .5281     | .7888     | .823      |
| 9    | .5721     | .6882     | .535      | .7042     | .5796     | .6882     | 1.0631    |
| 10   | .5258     | .7865     | .5944     | .639      | .5796     | .6882     | 1.2883    |
| 11   | .4733     | .6882     | .587      | .5658     | .6562     | .6882     | 1.1088    |
| 12   | .5144     | .6882     | .6401     | .6613     | .7116     | .6882     | 1.2071    |
| 13   | .5721     | .6882     | .703      | .6036     | .7773     | .6882     | 1.0631    |
| 14   | .5144     | .6882     | .8048     | .6104     | .7287     | 1.0814    | .9991     |
| 15   | .5658     | .6882     | .7676     | .6687     | .7545     | .9831     | .9774     |
| 16   | .6036     | .6882     | .7316     | .823      | .8139     | .9831     | .9774     |
| 17   | .6036     | .7545     | .7865     | .823      | .8745     | .9831     | .9774     |
| 18   | .763      | .7133     | .7865     | .7865     | .6036     | .9831     | .9831     |
| 19   | 4.9234    | 1.0517    | 1.3763    | .7865     | .7888     | .9831     | .9831     |
| 20   | .9808     | 1.1248    | 1.3763    | .7865     | .8139     | 1.0814    | .9831     |
| 21   | .9328     | 1.2146    | 1.0814    | .7865     | .8745     | 1.2757    | .9831     |
| 22   | .9659     | 1.1305    | 1.0814    | .9145     | .9465     | 1.0814    | .9831     |
| 23   | 1.0814    | 1.0688    | .9831     | .8299     | 1.0208    | .9717     | .9831     |
| 24   | 1.0059    | 1.0814    | 1.1934    | .9831     | .8425     | 1.0517    | .7373     |
| Max  | 4.9234    | 1.2146    | 1.3763    | 1.0814    | 1.0208    | 1.2757    | 1.2883    |
| Min  | .463      | .6882     | .5213     | .5658     | .5281     | .6379     | .7133     |
| Avg  | .8946     | .9085     | .8370     | .8093     | .7511     | .8621     | .9756     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 406 / 33 KV KALIMATI

NON SHEDDABLE EXPRESS HV FEEDERS

Feeder KV- 33 / INCOMING

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.9492    | 1.7375    | 1.7375    | 4.465     | 2.3663    | 3.2047    | 3.5305    |
| 2    | 2.9001    | 1.6655    | 1.7375    | 11.6187   | 2.3663    | 3.2047    | 3.3916    |
| 3    | 2.915     | 1.6118    | 1.6832    | 5.5693    | 2.3405    | 3.103     | 3.4808    |
| 4    | 2.8509    | 1.6655    | 1.6832    | 2.2085    | 2.3137    | 3.2047    | 3.4311    |
| 5    | 2.8509    | 1.6655    | 1.6832    | 2.1794    | 2.3137    | 3.103     | 3.4311    |
| 6    | 2.7206    | 1.5581    | 1.5746    | 2.0508    | 2.2611    | 3.0178    | 3.2933    |
| 7    | 2.6406    | 1.4198    | 1.5043    | 2.0285    | 2.2119    | 3.0333    | 3.195     |
| 8    | 5.1132    | 3.0482    | 3.3236    | 4.1392    | 4.8988    | 5.9991    | 6.5353    |
| 9    | 2.4966    | 1.3146    | 1.5083    | 2.0508    | 2.2119    | 2.6658    | 3.4979    |
| 10   | 2.372     | 1.3003    | 1.5604    | 2.0416    | 2.1125    | 3.1459    | 3.3522    |
| 11   | 2.2297    |           | 1.6124    | 2.1948    | 2.6355    | 3.3316    | 3.2167    |
| 12   | 1.6872    |           | 1.6461    | 2.3285    | 2.6155    | 2.915     | 3.4008    |
| 13   | 1.2186    |           | 1.7353    | 2.0576    | 2.5434    | 3.0121    | 3.2065    |
| 14   | 1.1523    |           | 1.749     | 2.2611    | 2.8235    | 3.1093    | 3.2648    |
| 15   | 1.0562    |           | 1.4563    | 2.2891    | 2.7526    | 3.2065    | 3.1093    |
| 16   | 2.7578    |           | 3.4328    | 12.7801   | 5.1749    | 6.1002    | 6.6689    |
| 17   | 1.166     |           | 1.5604    | 2.0348    | 2.8509    | 3.1579    | 3.4591    |
| 18   | 1.2574    | 3.1996    | 1.8004    | 2.1365    | 3.0333    | 3.1687    | 3.3608    |
| 19   | 1.5947    | 1.9753    | 2.4177    | 2.7869    | 2.8487    | 3.8289    | 3.6797    |
| 20   | 1.773     | 2.0302    | 2.5252    | 2.9973    | 2.8487    | 3.9735    | 3.9283    |
| 21   | 1.8656    | 2.0302    | 2.5789    | 2.8395    | 3.1379    | 3.9232    | 3.9283    |
| 22   | 3.842     | 1.9004    | 4.9406    | 5.3321    | 3.4082    | 3.7294    | 3.5391    |
| 23   | 3.4386    | 1.7918    | 2.2857    | 2.1559    | 3.2047    | 3.5803    | 3.4494    |
| 24   | 2.9984    | 3.4207    | 3.5779    | 4.5714    | 5.2195    | 6.2391    | 7.0885    |
| Max  | 5.1132    | 3.4207    | 4.9406    | 12.7801   | 5.2195    | 6.2391    | 7.0885    |
| Min  | 1.0562    | 1.3003    | 1.4563    | 2.0285    | 2.1125    | 2.6658    | 3.1093    |
| Avg  | 2.4103    | 1.9609    | 2.1381    | 3.6299    | 2.9373    | 3.6232    | 3.8516    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

AMGAON S/DN.[388]

BU 0388

Substation No/ Name :- 317007 / 132/33 KV AMGAON S/S

Feeder No / Name : 407 / 33 KV KAWARABANDH

NON SHEDDABLE EXPRESS HV FEEDERS

Feeder KV- 33 / INCOMING

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5249    | .9979     | .9979     | 1.3306    | .8871     | 1.4969    | 1.7918    |
| 2    | 1.4723    | .9979     | .9522     | 1.2197    | 1.0534    | 1.4815    | 1.7375    |
| 3    | 1.4198    | .9328     | .9979     | 1.2197    | .9979     | 1.3306    | 1.6832    |
| 4    | 1.4198    | .9877     | .9425     | 1.1643    | .9979     | 1.4415    | 1.5203    |
| 5    | 1.3289    | .9979     | 1.1088    | 1.0534    | .9522     | 1.4415    | 1.6832    |
| 6    | 1.262     | .9979     | .9522     | .9425     | 1.0082    | 1.386     | 1.5746    |
| 7    | 1.2483    | .9328     | .8962     | 1.0534    | .9522     | 1.2071    | 1.2357    |
| 8    | 1.2483    | .8871     | .9619     | .9979     | .8316     | 1.262     | 1.2357    |
| 9    | 1.1317    | .7762     | .6584     | 1.0642    | .6722     | 1.0317    | 1.1283    |
| 10   | 1.1191    | .5761     | .6099     | 1.1317    | .6099     | 1.0099    | .9991     |
| 11   | .9156     | .499      | .823      | .9774     | .3721     | 1.0631    | 1.4198    |
| 12   | .7202     | .6036     | .823      | 1.0425    | .591      | 1.0208    | 1.2226    |
| 13   | .6687     | .7133     | .8871     | 1.0974    | .7059     | 1.0208    | 1.262     |
| 14   | .6762     | .7682     | .823      | 1.2197    | .7602     | 1.0745    | 1.3146    |
| 15   | .7442     | .6516     | .7682     | .9774     | .8145     | 1.0631    | 1.3146    |
| 16   | .7442     | .6447     | .8779     | 1.086     | .1646     | 1.1568    | 1.3672    |
| 17   | .6379     | .6099     | .8779     | 1.086     | .4207     | 1.1163    | 1.5775    |
| 18   | .7059     | .7762     | .7207     | .8316     | .823      | 1.2094    | 1.2483    |
| 19   | 1.0642    | .9054     | 1.1203    | .9054     | 1.1203    | 1.5203    | 1.6289    |
| 20   | 1.1763    | 1.0751    | 1.2323    | 1.1317    | 1.2883    | 1.701     | 1.8461    |
| 21   | 1.1203    | 1.0642    | 1.1883    | .9522     | 1.386     | 1.701     | 2.009     |
| 22   | 1.0974    | 1.0642    | 1.2323    | .8962     | 1.4969    | 1.7375    | 1.7541    |
| 23   | 1.0974    | 1.0082    | 1.2197    | .9979     | 1.5524    | 1.7918    | 1.9136    |
| 24   | 1.5775    | .5544     | .9979     | 1.7364    | .8962     | 1.4969    | 1.8461    |
| Max  | 1.5775    | 1.0751    | 1.2323    | 1.7364    | 1.5524    | 1.7918    | 2.009     |
| Min  | .6379     | .499      | .6099     | .8316     | .1646     | 1.0099    | .9991     |
| Avg  | 1.0884    | .8343     | .9446     | 1.0881    | .8898     | 1.3234    | 1.5131    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314004 / 33/11 KV CHICHGAD

Feeder No / Name : 201 / 11 KV Chichgad

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6219     | .5041     | .4527     | .5281     | .5544     | .8383     | .6602     |
| 2    | .6036     | .4715     | .4481     | .5281     | .5415     | .8383     | .6224     |
| 3    | .6283     | .4527     | .4527     | .5093     | .5415     | .8383     | .5788     |
| 4    | .6468     | .4481     | .4527     | .4854     | .5729     | .8383     | .6348     |
| 5    | .6516     | .462      | .4338     | .499      | .5487     | .8215     | .6535     |
| 6    | .6154     | .462      | .4338     | .5175     | .5304     | .7842     | .679      |
| 7    | .5973     | .4904     | .5335     | .5544     | .6154     | .7842     | .7095     |
| 8    | .6154     | .4854     | .5525     | .591      | .6653     | .7842     | .6908     |
| 9    | .5853     | .4477     | .6287     | .591      | .6653     | .7468     | .7095     |
| 10   | .543      | .4075     | .547      | .5552     | .5853     | .7468     | .7095     |
| 11   | .5175     | .4298     | .5041     | .5847     | .5731     | .7655     | .6556     |
| 12   | .4805     | .4207     | .5138     | .6024     | .5914     | .8131     | .6733     |
| 13   | .4435     | .4207     | .3475     | .6089     | .6348     | .6908     | .6805     |
| 14   | .3395     | .3109     | .4656     | .591      | .6722     | .6838     | .6584     |
| 15   | .3841     | .3292     | .5014     | .3544     | .6908     | .6348     | .6335     |
| 16   | .443      | .3475     | .5194     | .443      | .7095     | .6838     | .7316     |
| 17   | .4607     | .3658     | .5792     | .5792     | 1.7193    | .6401     | .7316     |
| 18   | .4835     | .462      | .5847     | .6584     | .7392     | .6219     | .7316     |
| 19   | .6447     |           | .7577     | .9335     | .961      | .8507     | .8686     |
| 20   | .6722     |           | .7842     | .961      | 1.0082    | .7655     | .9795     |
| 21   | .6348     |           | .6413     | .924      | 1.0082    | .8402     | .7842     |
| 22   | .5975     | .4481     | .6036     | .5788     | .9709     | .8029     | .7282     |
| 23   | .5228     | .4527     | .5658     | .5729     | .9431     | .7167     | .6722     |
| 24   | .6468     | .5281     | .4527     | .5281     | .5914     | .8215     | .6979     |
| Max  | .6722     | .5281     | .7842     | .961      | 1.7193    | .8507     | .9795     |
| Min  | .3395     | .3109     | .3475     | .3544     | .5304     | .6219     | .5788     |
| Avg  | .5575     | .4356     | .5315     | .5950     | .7347     | .7647     | .7031     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314004 / 33/11 KV CHICHGAD

Feeder No / Name : 202 / 11 KV Ganutola Feeder

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3961     | .3961     | .4954     | .4715     | .5601     | .6287     | .4338     |
| 2    | .3772     | .415      | .4954     | .4715     | .5415     | .6287     | .3961     |
| 3    | .3772     | .3961     | .4954     | .4904     | .5415     | .6287     | .3921     |
| 4    | .3547     | .415      | .4904     | .4854     | .5487     | .6287     | .4108     |
| 5    | .3734     | .3961     | .4763     | .4805     | .5304     | .6478     | .4294     |
| 6    | .3734     | .3696     | .4715     | .462      | .5175     | .5975     | .3921     |
| 7    | .3326     | .3395     | .4572     | .3881     | .4755     | .4481     | .4481     |
| 8    | .3142     | .3174     | .4191     | .3982     | .4298     | .3361     | .4481     |
| 9    | .3018     | .3258     | .381      | .4163     | .362      | .3361     | .4294     |
| 10   | .3547     | .3224     | .3772     | .394      | .3189     | .2957     | .3921     |
| 11   | .3584     | .3077     | .3547     | .3761     | .2743     | .2987     | .3658     |
| 12   | .3961     | .3292     | .3761     | .362      | .2987     | .2987     | .3292     |
| 13   | .3206     | .2926     | .3761     | .4252     | .2987     | .2957     | .4207     |
| 14   | .2829     | .2743     | .3801     | .3721     | .3174     | .3142     | .3841     |
| 15   | .3018     | .2896     | .362      | .3761     |           | .3547     | .4706     |
| 16   | .3403     | .2743     | .3224     | .3045     | .3547     | .3326     | .4344     |
| 17   | .4163     | .3292     | .2896     | .362      | .3292     | .3326     | .4938     |
| 18   | .462      | .3881     | .3511     | .3258     | .4435     | .3841     | .439      |
| 19   | .5175     | .5041     | .547      | .5914     | .6653     | .567      | .6283     |
| 20   | .5228     |           | .6036     | .7468     | .6653     | .7095     | .7655     |
| 21   | .4854     |           | .6036     | .6584     | .6584     | .5975     | .6908     |
| 22   | .4435     | .4715     | .5658     | .5601     | .7095     | .5228     | .5041     |
| 23   | .4338     | .4715     | .5281     | .5601     | .6602     | .4715     | .4668     |
| 24   | .3961     | .415      | .4904     | .4715     | .5544     | .6036     | .4668     |
| Max  | .5228     | .5041     | .6036     | .7468     | .7095     | .7095     | .7655     |
| Min  | .2829     | .2743     | .2896     | .3045     | .2743     | .2957     | .3292     |
| Avg  | .3847     | .3655     | .4462     | .4563     | .4807     | .4691     | .4597     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314004 / 33/11 KV CHICHGAD

Feeder No / Name : 203 / 11 KV Palandur

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3206     | .2263     | .2667     | .2641     | .3395     | .4191     | .4338     |
| 2    | .3206     | .2263     | .2667     | .2641     | .3395     | .4108     | .3921     |
| 3    | .3018     | .2241     | .2667     | .2452     | .3584     | .4108     | .3772     |
| 4    | .2957     | .2452     | .2667     | .2427     | .3547     | .4191     | .4108     |
| 5    | .3174     | .2263     | .2477     | .2641     | .3511     | .4191     | .4715     |
| 6    | .3018     | .1867     | .2452     | .2075     | .3475     | .3696     | .415      |
| 7    | .2561     | .1509     | .2096     | .2054     | .3142     | .3734     | .4108     |
| 8    | .2686     | .1307     | .2096     | .2075     | .2926     | .4481     | .4481     |
| 9    | .2829     | .1109     | .1905     | .2241     | .2957     | .3734     | .3584     |
| 10   | .2926     | .1109     | .1886     | .2054     | .2587     | .3658     | .3511     |
| 11   | .2033     | .0924     | .1307     | .1612     | .2772     | .3921     | .3658     |
| 12   | .1886     | .0914     | .1494     | .1629     | .2614     | .3921     | .362      |
| 13   | .1886     | .0914     | .1509     | .2402     | .2801     | .3734     | .4024     |
| 14   | .132      | .0914     | .168      | .2534     | .2801     | .3921     | .3658     |
| 15   | .1663     | .0905     | .1494     | .2534     | .2987     | .3921     | .3841     |
| 16   | .181      | .0914     | .1267     | .2507     | .2801     | .3921     | .4251     |
| 17   | .2218     | .1478     | .128      | .2507     | .2926     | .3921     | .4024     |
| 18   | .2534     | .1829     | .2427     | .2896     | .3326     | .4251     | .4066     |
| 19   | .3696     | .2987     | .3772     | .4527     | .4805     | .5228     | .5228     |
| 20   | .3961     | .3734     | .3961     | .5093     | .5121     | .5788     | .6099     |
| 21   |           | .3326     | .3584     | .4904     | .499      | .5847     | .5415     |
| 22   | .132      | .2987     | .3206     | .4108     | .4207     | .547      | .5228     |
| 23   | .2263     | .2641     | .2829     | .3921     | .415      | .4904     | .5093     |
| 24   | .3395     | .2452     | .2641     | .2641     | .3772     | .4108     | .4715     |
| Max  | .3961     | .3734     | .3961     | .5093     | .5121     | .5847     | .6099     |
| Min  | .132      | .0905     | .1267     | .1612     | .2587     | .3658     | .3511     |
| Avg  | .2590     | .1888     | .2335     | .2797     | .3441     | .4290     | .4317     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314008 / 33/11 KV DEORI SUB STATION

Feeder No / Name : 201 / 11KV AMGAON

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.0271    | 1.1088    | 1.1317    | 1.6289    | 1.6032    | 2.0883    | 1.8484    |
| 2    | 2.0271    | 1.0719    | 1.1317    | 1.5592    | 1.6598    | 2.0883    | 1.7924    |
| 3    | 1.97      | 1.0719    | 1.1016    | 1.576     | 1.6278    | 2.1068    | 1.7187    |
| 4    | 1.9342    | 1.0719    | 1.0719    | 1.5581    | 1.6095    | 2.0513    | 1.6817    |
| 5    | 2.0058    | 1.0719    | 1.0829    | 1.6108    | 1.6975    | 2.1807    | 1.6617    |
| 6    | 1.9366    | .961      | 1.1088    | 1.5546    | 1.6617    | 1.9035    | 1.5655    |
| 7    | 1.828     | 1.0349    | 1.1506    | 1.6817    | 1.9022    | 2.2177    | 1.9616    |
| 8    | 1.8665    | 1.0534    | 1.3443    | 1.7741    | 2.1313    | 2.4025    | 2.347     |
| 9    | 1.9418    | 1.0185    | 1.531     | 2.0698    | 2.1948    | 2.4615    | 2.2177    |
| 10   | 1.905     | .9877     | 1.4937    | 1.9959    | 2.2218    | 2.3891    | 2.2177    |
| 11   | 1.8484    | .9896     | 1.4632    | 2.2177    | 2.1807    | 2.396     | 1.9959    |
| 12   | 1.5339    | 1.0185    | 1.5278    | 2.1807    | 2.2068    | 2.0668    | 2.2177    |
| 13   | 1.2696    | 1.0082    | 1.6095    | 2.2177    | 1.4083    | 2.2805    | 2.2916    |
| 14   | 1.0751    | 1.0791    | 1.7353    | 2.0698    | 1.9231    | 2.4143    | 2.0698    |
| 15   | 1.0269    | 1.0425    | 1.6804    | 2.0698    | 1.7924    | 1.6461    | 1.922     |
| 16   | 1.0269    | 1.1203    | 1.5729    | 2.0698    | 1.7541    | 2.1216    | 1.5203    |
| 17   | 1.0349    | .8488     | 1.7194    | 2.3577    | 2.2177    | 2.4331    | 2.1948    |
| 18   | 1.1088    | 1.0456    | 1.7375    | 2.0668    | 2.2916    | 2.452     | 1.957     |
| 19   | 1.3306    | 1.3121    | 2.0119    | 2.5766    | 2.5133    | 2.384     | 2.4977    |
| 20   | 1.3306    | 1.2803    | 2.1622    | 1.8298    | 2.6057    | 2.3712    | 1.7375    |
| 21   | 1.3306    | 1.3443    | 2.0698    | 2.0351    | 2.3655    | 2.1658    | 1.7737    |
| 22   | 1.2936    | 1.2567    | 1.848     | 1.8296    | 2.384     | 2.1807    | 1.828     |
| 23   | 1.386     | 1.2071    | 1.7556    | 1.5466    | 2.2177    | 1.9805    | 1.7193    |
| 24   | 2.0452    | 1.1827    | 1.1506    | 1.6297    | 1.6448    | 2.1253    | 1.905     |
| Max  | 2.0452    | 1.3443    | 2.1622    | 2.5766    | 2.6057    | 2.4615    | 2.4977    |
| Min  | 1.0269    | .8488     | 1.0719    | 1.5466    | 1.4083    | 1.6461    | 1.5203    |
| Avg  | 1.5868    | 1.0912    | 1.5080    | 1.9044    | 1.9923    | 2.2045    | 1.9434    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314008 / 33/11 KV DEORI SUB STATION

Feeder No / Name : 202 / 11 KV DEORI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0136    | .961      | .9522     | 1.0498    | 1.1506    | 1.2936    | 1.2449    |
| 2    | 1.0029    | .8871     | .9149     | 1.0317    | 1.094     | 1.2936    | 1.226     |
| 3    | 1.0136    | .8871     | .9054     | 1.0208    | 1.1016    | 1.1827    | 1.1643    |
| 4    | 1.0136    | .8871     | .8686     | 1.0136    | 1.1157    | 1.2197    | 1.1458    |
| 5    | 1.0136    | .8871     | .8865     | 1.0425    | 1.0903    | 1.2197    | 1.1203    |
| 6    | .9955     | .8871     | .9055     | .961      | 1.0829    | 1.1643    | 1.1128    |
| 7    | 1.0349    | .8871     | .8962     | .9795     | 1.0751    | 1.1088    | 1.0751    |
| 8    | 1.0349    | .961      | .8871     | .9979     | .9997     | 1.1273    | 1.0534    |
| 9    | 1.0751    | .8779     | .9149     | .961      | .961      | 1.1584    | .924      |
| 10   | 1.0829    | .9145     | 1.0562    | 1.1088    | 1.0903    | 1.1706    | .9979     |
| 11   | 1.0642    | .9511     | 1.094     | 1.1827    | 1.0082    | 1.1888    | 1.1827    |
| 12   | 1.0374    | .9619     | 1.1317    | 1.1827    | 1.1506    | 1.267     | 1.2567    |
| 13   | .8215     | .7733     | .9877     | 1.2567    | 1.1949    | 1.1946    | 1.2752    |
| 14   | .7682     | .7922     | 1.0082    | 1.1088    | 1.1088    | 1.0974    | 1.2567    |
| 15   | .8299     | .8316     | 1.1694    | 1.1827    | 1.1273    | 1.1706    | 1.2012    |
| 16   | .811      | 1.0082    | 1.1694    | 1.1827    | 1.1016    | 1.1706    | 1.134     |
| 17   | .8131     | .9145     | 1.086     | 1.1203    | .9979     | 1.1506    | 1.1523    |
| 18   | .8871     | .9896     | 1.1706    | 1.1949    | 1.0349    | 1.1389    | 1.134     |
| 19   | 1.1088    | 1.1763    | 1.3535    | 1.4146    | 1.2567    | 1.3443    | 1.39      |
| 20   |           | 1.2136    | 1.3352    | 1.363     | 1.4784    | 1.5154    | 1.3169    |
| 21   | 1.0534    | 1.1694    | 1.262     | 1.4523    | 1.4415    | 1.39      | 1.267     |
| 22   | 1.0534    | 1.1088    | 1.2071    | 1.3203    | 1.4415    | 1.5123    | 1.3032    |
| 23   | .9979     | 1.0751    | 1.1706    | 1.2449    | 1.4045    | 1.3957    | 1.3032    |
| 24   | 1.0136    | 1.1827    | .9896     | 1.086     | 1.2637    | 1.3306    | 1.2382    |
| Max  | 1.1088    | 1.2136    | 1.3535    | 1.4523    | 1.4784    | 1.5154    | 1.39      |
| Min  | .7682     | .7733     | .8686     | .961      | .961      | 1.0974    | .924      |
| Avg  | .9800     | .9661     | 1.0551    | 1.1441    | 1.1572    | 1.2419    | 1.1865    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314008 / 33/11 KV DEORI SUB STATION

Feeder No / Name : 203 / 11 KV KAKODI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0229    | .7023     | .8488     | .9088     | 1.1203    | 1.1827    | 1.0608    |
| 2    | 1.0229    | .7023     | .8488     | .9088     | 1.1317    | 1.1827    | 1.0903    |
| 3    | 1.0229    | .7023     | .8215     | .9015     | 1.1128    | 1.1827    | 1.0829    |
| 4    | 1.0341    | .6653     | .8029     | .8916     | 1.1203    | 1.1827    | 1.0719    |
| 5    | 1.0517    | .6653     | .7762     | .9015     | 1.094     | 1.1827    | 1.0751    |
| 6    | 1.0166    | .7023     | .7842     | .8939     | 1.0562    | 1.1827    | 1.0751    |
| 7    | 1.0341    | .7392     | .823      | 1.0349    | 1.094     | 1.1827    | 1.1203    |
| 8    | 1.0517    | .7762     | .8962     | 1.0903    | 1.1576    | 1.2197    | 1.1458    |
| 9    | 1.1088    | .7682     | .9997     | 1.1088    | 1.1763    | 1.2048    | 1.2197    |
| 10   | 1.0829    | .7468     | .8865     | 1.0719    | 1.1763    | 1.1443    | 1.2197    |
| 11   | 1.1157    | .7468     | .9709     | 1.0534    | 1.134     | 1.0974    | 1.2012    |
| 12   | 1.0456    | .7733     | .961      | 1.0719    | 1.226     | 1.0852    | 1.2197    |
| 13   | .8488     | .7655     | .8676     | 1.0719    | 1.2197    | 1.0682    | 1.2382    |
| 14   | .8029     | .811      | .8962     | 1.0164    | 1.1949    | .9602     | 1.2197    |
| 15   | .7167     | .7922     | .8962     | 1.0349    | 1.1694    | .9945     | 1.2197    |
| 16   | .6838     | .7545     | .9694     | 1.0349    | 1.2136    | 1.0288    | 1.166     |
| 17   | .7392     | .7922     | .964      | 1.094     | 1.1827    | 1.1273    | 1.1488    |
| 18   | .7392     | .8029     | .9922     | 1.094     | 1.1827    | 1.1458    | 1.0802    |
| 19   | .7762     | .8402     | 1.0867    | 1.226     | 1.2752    | 1.2136    | 1.1361    |
| 20   | .7762     | .9335     | 1.0277    | 1.2637    | 1.46      | 1.251     | 1.1488    |
| 21   | .7762     | .9335     | 1.0099    | 1.2449    | 1.3121    | 1.2071    | 1.166     |
| 22   | .7762     | .8686     | .964      | 1.1576    | 1.2752    | 1.1317    | 1.1488    |
| 23   | .7282     | .8316     | .9088     | 1.1203    | 1.2382    | 1.0903    | 1.1022    |
| 24   | 1.0056    | .7023     | .8131     | .9189     | 1.1203    | 1.1827    | 1.0829    |
| Max  | 1.1157    | .9335     | 1.0867    | 1.2637    | 1.46      | 1.251     | 1.2382    |
| Min  | .6838     | .6653     | .7762     | .8916     | 1.0562    | .9602     | 1.0608    |
| Avg  | .9158     | .7716     | .9090     | 1.0465    | 1.1851    | 1.1430    | 1.1433    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314008 / 33/11 KV DEORI SUB STATION

Feeder No / Name : 204 / 11 KV KOHAMARA FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7147    | .6283     | .823      | 1.3375    | 1.8861    | 2.1437    | 2.2257    |
| 2    | 1.7147    | .7023     | .8488     | 1.3056    | 1.6787    | 2.1437    | 2.1879    |
| 3    | 1.7147    | .7023     | .8402     | 1.3203    | 1.8484    | 2.1068    | 2.1879    |
| 4    | 1.6956    | .7023     | .8402     | 1.335     | 1.8861    | 2.0698    | 2.1253    |
| 5    | 1.5432    | .6468     | .8131     | 1.335     | 1.8861    | 2.1068    | 2.1845    |
| 6    | 1.5604    | .6099     | .8686     | 1.3176    | 1.8861    | 2.1437    | 2.2218    |
| 7    | 1.7147    | .5914     | .9979     | 1.6078    | 1.9805    | 2.3285    | 2.6139    |
| 8    | 1.7833    | .6283     | 1.1506    | 1.9774    | 2.1879    | 2.5503    | 2.6886    |
| 9    | 2.0725    | .679      | 1.2449    | 1.922     | 2.3577    | 2.5139    | 2.7801    |
| 10   | 2.0911    | .679      | 1.226     | 1.9959    | 2.4143    | 2.4006    | 2.6612    |
| 11   | 1.7558    | .7167     | .2801     | 2.0698    | 2.4272    | 2.2539    | 2.5133    |
| 12   | 1.5466    | .7167     | .2829     | 2.0328    | 2.4272    | .5201     | 2.6612    |
| 13   |           | .6348     | 1.3014    | 1.9959    | 2.3101    | 1.5257    | 2.7351    |
| 14   | .1698     | .695      | 1.358     | 1.9959    | 2.3577    | .9536     | 2.5873    |
| 15   | .8488     | .7468     | 1.358     | 2.0698    | 2.2405    | 1.9204    | 2.5873    |
| 16   | .8029     | .7545     | 1.4335    | 2.1437    | 2.2634    | 2.2119    | 2.34      |
| 17   | .7023     | .7922     | 1.3546    | 2.3011    | 2.4394    | 2.6139    | 2.4863    |
| 18   | .7207     | .8589     | 1.406     | 2.1125    | 2.2916    | 2.5393    | 2.3834    |
| 19   | .7023     | .924      | 1.595     | 2.2634    | 2.5133    | 2.6797    | 2.3834    |
| 20   | .7023     | .961      | 1.5604    | 2.2634    | 2.5503    | 2.8669    | 1.989     |
| 21   | .7023     | .9709     | 1.4403    | 2.037     | 2.4579    | 2.4949    | 1.9376    |
| 22   | .6653     | .9054     | 1.4563    | 1.9616    | 2.384     | 2.4209    | 1.869     |
| 23   | .6653     | .8501     | 1.387     | 1.905     | 2.1992    | 2.2634    | 1.8176    |
| 24   | 1.7147    | .6348     | .8589     | 1.3375    | 1.8671    | 2.1807    | 2.2592    |
| Max  | 2.0911    | .9709     | 1.595     | 2.3011    | 2.5503    | 2.8669    | 2.7801    |
| Min  | .1698     | .5914     | .2801     | 1.3056    | 1.6787    | .5201     | 1.8176    |
| Avg  | 1.2741    | .7388     | 1.1136    | 1.8310    | 2.1975    | 2.1647    | 2.3511    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314008 / 33/11 KV DEORI SUB STATION

Feeder No / Name : 205 / 11 KV EXPRESS FEEDER MBCP NON SHEDDABLE EXPRESS HV FEEDERS  
SIRP Feeder KV- 11 / OUTGOING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0566     | .0554     | .0566     | .0566     | .0566     | .0566     | .0566     |
| 2    | .0566     | .0566     | .0566     | .0566     | .0566     | .0566     | .0566     |
| 3    | .0566     | .0566     | .0566     | .0566     | .0566     | .0566     | .0566     |
| 4    | .0566     | .0566     | .0566     | .0566     | .0566     | .0566     | .0566     |
| 5    | .0566     | .0343     | .0373     | .0566     | .0377     | .0377     | .0377     |
| 6    | .0377     | .0185     | .0377     | .0377     | .0373     | .0377     | .0377     |
| 7    | .0377     | .0377     | .0373     | .037      | .0377     | .0377     | .0377     |
| 8    | .0377     | .0189     | .0377     | .037      | .0377     | .0377     | .0377     |
| 9    | .0377     | .0189     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 10   | .0373     | .0366     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 11   | .0373     | .0366     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 12   | .0189     | .0377     | .0366     | .0377     | .0377     | .0377     | .0377     |
| 13   | .0189     | .0373     | .0377     | .0377     | .0377     | .0377     | .037      |
| 14   | .0183     | .0377     | .0373     | .037      | .0377     | .0377     | .037      |
| 15   | .0377     | .0377     | .0377     | .037      | .0377     | .0377     | .037      |
| 16   | .0377     | .0377     | .0377     | .037      | .0377     | .0377     | .0377     |
| 17   | .0377     | .0377     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 18   | .0381     | .0377     | .0377     | .0366     | .0377     | .0373     | .0373     |
| 19   | .0377     | .0377     | .0377     | .0566     | .0566     | .0566     | .0566     |
| 20   | .0566     | .0566     | .0566     | .0566     | .0554     | .0566     | .0566     |
| 21   | .0566     | .056      | .0566     | .0566     | .0566     | .0566     | .0566     |
| 22   | .0566     | .0566     | .0754     | .0549     | .0566     | .0566     | .0566     |
| 23   | .0566     | .0566     | .0566     | .0554     | .0566     | .0566     | .0566     |
| 24   | .0566     | .0566     | .0566     | .0566     | .056      | .679      | .0566     |
| Max  | .0566     | .0566     | .0754     | .0566     | .0566     | .679      | .0566     |
| Min  | .0183     | .0185     | .0366     | .0366     | .0373     | .0373     | .037      |
| Avg  | .0432     | .0421     | .0455     | .0461     | .0455     | .0715     | .0455     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

DEORI S/DN.[389]

BU 0389

Substation No/ Name :- 314008 / 33/11 KV DEORI SUB STATION

Feeder No / Name : 403 / 33KV OUTGOING KORCHI

NON SHEDDABLE EXPRESS HV FEEDERS

FEEDER Feeder KV- 33 /  
INCOMING(NON-CONTINUOUS PROCESS)(NO  
STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.5463    | 1.9239    | 1.9959    | 2.3765    | 2.6029    | 2.8858    | 2.7726    |
| 2    | 2.4897    | 1.8673    | 1.8313    | 2.3765    | 2.5206    | 2.8292    | 2.7726    |
| 3    | 2.4897    | 1.8107    | 1.8519    | 2.32      | 2.4646    | 2.8292    | 2.7166    |
| 4    | 2.4897    | 1.8107    | 1.9959    | 2.1502    | 2.5206    | 2.8858    | 2.7446    |
| 5    | 2.4897    | 1.8107    | 1.9605    | 2.2068    | 2.4897    | 2.7726    | 2.6337    |
| 6    | 2.4331    | 1.7541    | 1.9805    | 2.1502    | 2.4331    | 2.6612    | 2.6326    |
| 7    | 2.32      | 1.6975    | 1.9605    | 2.037     | 2.2068    | 2.4897    | 2.4394    |
| 8    | 2.2068    | 1.5844    | 1.8296    | 1.9805    | 2.037     | 2.4331    | 2.5463    |
| 9    | 1.8296    | 1.5278    | 1.7541    | 1.9805    | 2.0165    | 2.1502    | 2.1622    |
| 10   | 1.7364    | 1.3443    | 1.6409    | 1.8673    | 1.6804    | 2.1502    | 2.2068    |
| 11   | 1.6975    | 1.358     | 1.4712    | 1.8107    | 1.8296    | 2.2068    | 2.1622    |
| 12   | 1.6975    | 1.3169    | 1.5123    | 1.8107    | 1.8107    | 2.037     | 2.1502    |
| 13   | 1.4712    | 1.0425    | 1.358     | 1.9239    | 1.9239    | 2.1502    | 2.2634    |
| 14   | 1.262     | 1.1203    | 1.4712    | 1.885     | 1.9605    | 2.1502    | 2.2068    |
| 15   | 1.4146    | 1.1883    | 1.4712    | 1.7541    | 1.6632    | 2.1502    | 2.2634    |
| 16   | 1.4969    | 1.1763    | 1.4563    | 1.7541    | 1.9404    | 2.1502    | 2.3765    |
| 17   | 1.8107    | 1.3306    | 1.5278    | 1.9239    | 2.037     | 2.1399    | 2.4331    |
| 18   | 2.037     | 1.6244    | 1.7541    | 1.9605    | 2.0936    | 2.2177    | 2.3765    |
| 19   | 2.8858    | 1.6804    | 2.8292    | 2.9687    | 3.3951    | 3.3608    | 3.3951    |
| 20   | 2.999     | .3961     | 3.1687    | 3.5082    | 3.6214    | 3.5848    | 3.7912    |
| 21   | 2.3765    | .3326     | 3.0556    | 3.3608    | 3.5082    | 3.4517    | 3.3951    |
| 22   | 2.2731    | 2.1622    | 2.7161    | 2.7446    | 3.3385    | 3.2819    | 3.2253    |
| 23   | 2.0513    | 2.1845    | 2.4897    | 2.5463    | 3.0556    | 2.9127    | 2.9424    |
| 24   | 2.5463    | 2.037     | 2.0725    | 2.4331    | 2.5463    | 2.8858    | 2.8006    |
| Max  | 2.999     | 2.1845    | 3.1687    | 3.5082    | 3.6214    | 3.5848    | 3.7912    |
| Min  | 1.262     | .3326     | 1.358     | 1.7541    | 1.6632    | 2.037     | 2.1502    |
| Avg  | 2.1271    | 1.5034    | 1.9648    | 2.2429    | 2.4040    | 2.6153    | 2.6421    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314010 / 33/11KV KESHORI

Feeder No / Name : 201 / 11 KV Keshori

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5844    | 1.5844    | 1.6409    | 1.6032    | 1.5844    | 1.6032    | 1.5844    |
| 2    | 1.5844    | 1.5844    | 1.6409    | 1.6032    | 1.5844    | 1.5844    | 1.6221    |
| 3    | 1.5466    | 1.5655    | 1.6221    | 1.6032    | 1.5655    | 1.5844    | 1.5844    |
| 4    | 1.5466    | 1.5655    | 1.6221    | 1.6032    | 1.5655    | 1.5655    | 1.5844    |
| 5    | 1.5466    |           | 1.6221    | 1.5844    | 1.5655    | 1.5655    | 1.5466    |
| 6    | 1.5466    | 1.5655    | 1.5844    | 1.5655    | 1.5278    | 1.5089    | 1.5278    |
| 7    | 1.5278    | 1.5655    | 1.5655    | 1.4901    | 1.4523    | 1.5089    | 1.4901    |
| 8    |           | 1.5466    | 1.5466    | 1.4712    | 1.4523    | 1.5466    | 1.5089    |
| 9    | 1.5466    | 1.5089    | 1.5466    | 1.4712    | 1.4335    | 1.5655    | 1.4712    |
| 10   |           | .4715     | 1.5466    | 1.4523    | 1.4335    | 1.5844    | 1.4901    |
| 11   |           |           | 1.5089    | 1.4523    | 1.4523    | 1.6409    | 1.5844    |
| 12   |           | 1.5466    | 1.5089    | 1.4523    | 1.4901    | 1.6409    | 1.5844    |
| 13   |           | 1.6032    | 1.5089    | 1.4901    | 1.5089    | 1.6975    | 1.6032    |
| 14   |           | 1.5844    | 1.5089    | 1.4901    | 1.5278    | 1.7164    | 1.6221    |
| 15   |           | 1.5655    | 1.5089    | 1.4712    | 1.5278    | 1.5655    | 1.6221    |
| 16   |           |           | 1.5089    | 1.4712    | 1.4712    | 1.5466    | 1.6221    |
| 17   | 1.5089    | 1.5655    | 1.5089    | 1.4712    | 1.5278    | 1.5466    | 1.6221    |
| 18   | 1.5844    | 1.5655    | 1.5466    | 1.4712    | 1.5278    | 1.5655    | 1.6032    |
| 19   | 1.6221    | 1.6409    | 1.6787    | 1.6032    | 1.6787    | 1.6787    | 1.7353    |
| 20   | 1.6598    | 1.7164    | 1.6598    | 1.6787    | 1.7353    | 1.7353    | 1.8484    |
| 21   | 1.6598    | 1.6975    | 1.6598    | 1.6787    | 1.7164    | 1.7164    | 1.8296    |
| 22   | 1.6221    | 1.6598    | 1.6409    | 1.6032    | 1.6787    | 1.6787    | 1.7541    |
| 23   | 1.6032    | 1.6598    | 1.6221    | 1.6032    | 1.6409    | 1.6032    | 1.7541    |
| 24   | 1.5844    | 1.5844    | 1.6409    | 1.6221    | 1.5844    | 1.6221    | 1.5844    |
| Max  | 1.6598    | 1.7164    | 1.6787    | 1.6787    | 1.7353    | 1.7353    | 1.8484    |
| Min  | 1.5089    | .4715     | 1.5089    | 1.4523    | 1.4335    | 1.5089    | 1.4712    |
| Avg  | 1.5796    | 1.5403    | 1.5812    | 1.5419    | 1.5514    | 1.6072    | 1.6158    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314010 / 33/11KV KESHORI

Feeder No / Name : 202 / 11 KV Mahagaon Feeder From  
33k Feeder KV- 11 / OUTGOING

SHEDDABLE RURAL

| DATE | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|
| HR   | Load (MW) | Load (MW) |
| 1    |           | .5365     |
| 2    |           | .5365     |
| 3    |           | .503      |
| 4    |           | .503      |
| 5    |           | .4862     |
| 6    |           | .4694     |
| 7    |           | .4527     |
| 8    |           | .4862     |
| 9    |           | .4862     |
| 11   |           | .5533     |
| 12   |           | .6371     |
| 13   |           | .6706     |
| 14   |           | .7042     |
| 15   |           | .7042     |
| 16   |           | .7042     |
| 17   |           | .6706     |
| 18   |           | .6539     |
| 19   | .7042     | .7377     |
| 20   | .788      | .8215     |
| 21   | .7712     | .8215     |
| 22   | .503      | .788      |
| 23   |           | .7545     |
| 24   |           | .5365     |
| Max  | .788      | .8215     |
| Min  | .503      | .4527     |
| Avg  | .6916     | .6182     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314010 / 33/11KV KESHORI

Feeder No / Name : 203 / 11 KV Bondgaon

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3601     | .3601     | .3641     | .3988     | .4854     | .5784     |
| 2    | .3601     | .3601     | .3641     | .3814     | .4681     | .5609     |
| 3    | .3429     | .3601     | .3467     | .3814     | .4681     | .5434     |
| 4    | .3429     | .3429     | .3467     | .3814     | .4681     | .5434     |
| 5    | .3258     |           | .3294     | .3814     | .4508     | .5434     |
| 6    | .3258     | .2401     | .3121     | .3467     | .3988     | .4908     |
| 7    | .3086     | .2229     | .2947     | .2947     | .3467     | .4557     |
| 8    |           | .2058     | .2774     | .3121     | .3467     | .5784     |
| 9    | .2743     | .2229     | .3121     | .2947     | .3121     | .6135     |
| 10   |           | .2058     | .2427     | .2947     | .2947     | .631      |
| 11   |           |           | .2427     | .2947     | .3294     | .6135     |
| 12   |           |           | .2601     | .3121     | .3814     | .5434     |
| 13   |           | .2572     | .2774     | .3294     | .3988     | .631      |
| 14   |           | .2743     | .2774     | .3467     | .4334     | .631      |
| 15   |           | .2601     | .2774     | .3121     | .4334     | .5784     |
| 16   |           |           | .2774     | .3121     | .4681     | .5784     |
| 17   | .3258     |           | .2947     | .3294     | .4681     | .5784     |
| 18   | .3258     | .2947     | .3294     | .3641     | .5028     | .5959     |
| 19   | .4458     | .3988     | .4334     | .4508     | .5721     |           |
| 20   | .4801     | .4854     | .4854     | .5375     | .6241     |           |
| 21   | .4458     | .4681     | .4508     | .5548     | .6415     |           |
| 22   | .3944     | .4161     | .4508     | .5028     | .6415     |           |
| 23   | .3944     | .3988     | .4161     | .4854     | .6068     |           |
| 24   | .3601     | .3772     | .3814     | .3988     | .4854     | .5784     |
| Max  | .4801     | .4854     | .4854     | .5548     | .6415     | .631      |
| Min  | .2743     | .2058     | .2427     | .2947     | .2947     | .4557     |
| Avg  | .3633     | .3238     | .3352     | .3749     | .4594     | .5720     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314015 / 33/11 KV NAVEGAON/BANDH

Feeder No / Name : 201 / 11 KV BHIVKHANDKI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .439      | .2149     | .2103     | .2378     | .2454     | .394      | .591      |
| 2    | .439      | .2195     | .1949     | .2195     | .2454     | .394      |           |
| 3    | .4207     | .2012     | .1949     | .2195     | .2454     | .3506     | .567      |
| 4    | .4207     | .1991     | .1791     | .2195     | .2279     | .3506     | .5493     |
| 5    | .4024     |           | .1791     | .2012     | .2279     | .3224     | .5552     |
| 6    | .4024     |           | .1612     | .1829     | .2126     | .3224     | .5373     |
| 7    | .3841     |           | .1448     | .1646     | .1791     | .298      | .4961     |
| 8    | .3475     |           | .1267     | .1433     | .1949     | .2835     | .5138     |
| 9    | .2926     | .1294     | .1267     | .1612     | .1578     | .3258     | .5316     |
| 10   | .2743     | .128      | .128      | .1417     | .1595     | .4287     | .5434     |
| 11   | .2561     |           | .1267     | .1052     | .1753     | .3772     | .5784     |
| 12   | .2743     |           | .1448     | .1543     | .1928     | .3506     | .5784     |
| 13   | .2378     | .128      | .1448     | .1715     | .2481     | .3506     | .5895     |
| 14   | .181      | .1646     | .1629     | .1578     | .2481     | .3856     | .631      |
| 15   | .1448     | .1463     | .1448     | .1578     | .2658     | .3856     | .5959     |
| 16   | .1448     | .128      | .1448     | .1254     | .2126     | .4733     | .5895     |
| 17   | .1417     | .1463     | .1267     | .1433     | .3012     | .463      | .6001     |
| 18   | .1886     | .1658     | .1524     | .1907     | .2949     | .5847     | .6154     |
| 19   | .2229     | .2229     | .2294     | .2658     | .3856     | .6068     | .6554     |
| 20   | .2629     | .2401     | .2915     | .3189     | .4287     | .6485     | .7373     |
| 21   | .2629     | .2572     | .3109     | .333      | .4458     | .6556     | .7362     |
| 22   | .2481     | .2229     | .2926     | .2804     | .4382     | .6379     | .7186     |
| 23   | .2328     | .2279     | .2561     | .2629     | .4207     | .6268     | .7186     |
| 24   | .4525     | .2149     | .2103     | .2378     | .2454     | .394      | .6089     |
| Max  | .4525     | .2572     | .3109     | .333      | .4458     | .6556     | .7373     |
| Min  | .1417     | .128      | .1267     | .1052     | .1578     | .2835     | .4961     |
| Avg  | .2947     | .1865     | .1827     | .1998     | .2666     | .4338     | .6016     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314015 / 33/11 KV NAVEGAON/BANDH

Feeder No / Name : 202 / 11 KV PAUNI/DHABE

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4024     | .2353     | .2481     | .2926     | .3544     | .5194     | .6805     |
| 2    | .4024     | .2402     | .2328     | .2926     | .3544     | .5194     |           |
| 3    | .4024     | .2402     | .2328     | .2743     | .3544     | .5194     | .6447     |
| 4    | .3841     | .2402     | .2172     | .2743     | .3366     | .5138     | .6447     |
| 5    | .3841     |           | .2172     | .2378     | .3366     | .5138     | .6379     |
| 6    | .3696     | .2218     | .2172     | .2195     | .3366     | .5304     | .6379     |
| 7    | .3326     | .1829     | .2012     | .2561     | .3403     | .5373     | .6626     |
| 8    | .3142     | .1829     | .1829     | .2561     | .3721     | .5731     | .7343     |
| 9    | .2772     | .1646     | .1829     | .2561     | .3681     | .5959     | .7701     |
| 10   | .2402     | .1629     | .1463     | .2353     | .3366     | .631      | .7362     |
| 11   | .2033     | .1267     | .1448     | .2328     | .3721     | .5434     | .7537     |
| 12   | .1663     |           | .1448     | .2686     | .3898     | .5959     | .7537     |
| 13   | .1478     | .128      | .1463     | .3155     | .4477     | .5721     | .8063     |
| 14   | .1463     | .128      | .1448     | .3403     | .4298     | .6485     | .815      |
| 15   | .128      | .128      | .1629     | .3582     | .4477     | .6836     | .7888     |
| 16   | .128      | .128      | .181      | .3189     | .4656     | .6836     | .7975     |
| 17   | .1254     | .1463     | .1991     | .3189     | .4298     | .6173     | .823      |
| 18   | .1772     | .1928     | .2294     | .2401     | .4694     | .6626     | .8059     |
| 19   | .2865     | .2804     | .3258     | .443      | .583      | .7545     | .8745     |
| 20   | .3045     | .3155     | .3841     | .4835     | .631      | .8238     | .9015     |
| 21   | .2896     | .298      | .3658     | .443      | .5959     | .7973     | .8842     |
| 22   | .2743     | .2629     | .3475     | .4031     | .567      | .7619     | .8589     |
| 23   | .2378     | .2658     | .3109     | .3721     | .5316     | .7522     | .8238     |
| 24   | .4024     | .2353     | .2481     | .2926     | .3544     | .5068     | .724      |
| Max  | .4024     | .3155     | .3841     | .4835     | .631      | .8238     | .9015     |
| Min  | .1254     | .1267     | .1448     | .2195     | .3366     | .5068     | .6379     |
| Avg  | .2719     | .2049     | .2256     | .3094     | .4252     | .6190     | .7635     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314015 / 33/11 KV NAVEGAON/BANDH

Feeder No / Name : 203 / 11 KV NAVEGAON/BANDH  
Feeder KV- 11 / OUTGOING

SHEDDABLE RURAL

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0719    | .7865     | .6984     | .7392     | .9671     | 1.1946    | 1.4632    |
| 2    | 1.0719    | .7602     | .7059     | .7207     | .9492     | 1.1283    |           |
| 3    | 1.0534    | .7602     | .6878     | .7207     | .9313     | 1.1283    | 1.3575    |
| 4    | 1.0082    | .7164     | .695      | .7023     | .8954     | 1.0517    | 1.2127    |
| 5    | .9979     |           | .695      | .6468     | .8775     | 1.0745    | 1.1888    |
| 6    | .961      | .6584     | .5487     | .6099     | .8775     | 1.0242    | 1.1523    |
| 7    | .924      | .5853     | .5544     | .6653     | .7602     | .9492     | 1.0974    |
| 8    | .6838     | .5973     | .5729     | .695      | .7164     | .985      | 1.1946    |
| 9    | .6653     | .5731     | .6099     | .6584     | .7701     | .9991     | 1.2127    |
| 10   | .7392     | .5611     | .7316     | .6805     | .543      | 1.0166    | 1.4175    |
| 11   | .7947     | .6401     | .7421     | .7011     | .9036     | 1.0974    | 1.2226    |
| 12   | .7392     |           | .7783     | .7619     | .9922     | 1.1218    | 1.4352    |
| 13   | .6838     | .4251     | .7421     | .8682     | 1.0029    | .7888     | 1.4373    |
| 14   | .6584     | .4251     | .6219     | .8238     | 1.0924    | .8764     | .9671     |
| 15   | .5853     | .439      | .6767     | .788      | 1.1222    | .9114     | 1.3289    |
| 16   | .7499     | .5175     | .6154     | .8059     | 1.086     | 1.3321    | 1.3466    |
| 17   | .6878     | .6283     | .5973     | .788      | 1.1403    | 1.3321    | 1.2971    |
| 18   | .8328     | .5609     | .5973     | .7712     | .9536     | 1.3756    | 1.283     |
| 19   | .7888     | .6485     | .7682     | .9492     | 1.1041    | 1.3643    | 1.3003    |
| 20   | .8238     | .691      | .8596     | 1.0208    | 1.1283    | 1.4506    |           |
| 21   | .8059     | .6733     | .8402     | .9774     | 1.1523    | 1.448     | 1.3496    |
| 22   | .8688     | .7265     | .8131     | 1.0566    | 1.1641    | 1.4661    | 1.3847    |
| 23   | .823      | .7164     | .7762     | .985      | 1.182     | 1.4998    | 1.4175    |
| 24   | 1.1088    | .7865     | .6984     | .7392     | 1.0029    | 1.1946    | 1.5203    |
| Max  | 1.1088    | .7865     | .8596     | 1.0566    | 1.182     | 1.4998    | 1.5203    |
| Min  | .5853     | .4251     | .5487     | .6099     | .543      | .7888     | .9671     |
| Avg  | .8387     | .6308     | .6928     | .7865     | .9714     | 1.1588    | 1.2994    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314027 / 33/11 KV Arjuni/Morgaon

Feeder No / Name : 201 / 11KV ARJUNI MOR FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1949    | 1.2323    | .9335     | 1.0082    | 1.0642    | 1.3443    | 1.307     |
| 2    | 1.2136    | 1.1203    | .9335     | 1.0082    | 1.1016    | 1.307     |           |
| 3    | 1.2883    | 1.0719    | .8962     | .9709     | 1.1016    | 1.3256    | 1.1576    |
| 4    | 1.2136    | 1.0269    | .9149     | .9335     | 1.0829    | 1.2696    | 1.2696    |
| 5    | 1.1763    | .7842     | .8775     | 1.0456    | 1.1576    | 1.1763    | 1.307     |
| 6    | 1.251     | .8589     | .8402     | 1.0082    | 1.1016    | 1.0082    | 1.363     |
| 7    | 1.1576    | .8589     | .5788     | 1.0642    | 1.0456    | 1.1763    | .9149     |
| 8    | 1.1576    | .8402     | .7468     | 1.0642    | 1.1016    | 1.1763    | .9522     |
| 9    | 1.1203    | .6535     | .7468     | 1.1203    | 1.1203    | .8215     | 1.1016    |
| 10   |           | .6348     | .9149     | 1.2883    | 1.2883    | 1.0456    | .9335     |
| 11   | .5601     | .6535     | .8775     | 1.307     | 1.1016    | 1.0456    | 1.1949    |
| 12   | .5975     | .6908     | .8402     | 1.2136    | .9896     | 1.0642    | 1.1763    |
| 13   | .7282     | .5788     | .6767     | 1.0829    | .8589     | .9522     | 1.0642    |
| 14   | .6348     | .6161     | .6535     | 1.1016    | .9335     | .9149     | .8962     |
| 15   | .7095     | .7468     | .7095     | 1.1016    | .9335     | .9709     | .9335     |
| 16   | .7282     | .5415     | .6535     | 1.0642    | .8962     | .8962     | 1.0269    |
| 17   |           | .6348     | .8215     | 1.0456    | .9335     | .9522     | 1.0269    |
| 18   | .7282     | .6348     | .7468     | 1.0456    | .8029     | .7095     | 1.1016    |
| 19   | .8775     | .7468     | .8589     | 1.1576    | .9522     | .8962     | 1.0456    |
| 20   | .8215     | .7468     | .9149     | 1.1576    | 1.1576    | .9335     | .9522     |
| 21   | .8215     | .7095     | .8402     | 1.1763    | 1.2136    | 1.1576    | 1.0082    |
| 22   | 1.4003    | .8962     | .9709     | 1.0829    | .8962     | 1.2883    | 1.4377    |
| 23   | 1.1763    | .9335     | 1.0269    | 1.1576    | 1.1576    | 1.307     | 1.4563    |
| 24   | 1.307     | 1.2696    | .9149     | 1.0082    | 1.0269    | 1.363     | 1.2696    |
| Max  | 1.4003    | 1.2696    | 1.0269    | 1.307     | 1.2883    | 1.363     | 1.4563    |
| Min  | .5601     | .5415     | .5788     | .9335     | .8029     | .7095     | .8962     |
| Avg  | .9938     | .8117     | .8287     | 1.0922    | 1.0425    | 1.0876    | 1.1259    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314027 / 33/11 KV Arjuni/Morgaon

Feeder No / Name : 202 / 11 KV Gothangaon

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3647     | .2984     | .2486     | .2984     | .3647     | .5138     | .4807     |
| 2    | .3647     | .2652     | .2486     | .2984     | .3647     | .4973     |           |
| 3    | .3647     | .2652     | .2155     | .2984     | .3647     | .4973     | .4641     |
| 4    | .3647     | .2984     | .2155     | .2984     | .3647     | .4807     | .4641     |
| 5    | .3647     | .2984     | .1989     | .2984     | .3647     | .4475     | .431      |
| 6    | .3315     | .2652     | .1989     | .3149     | .2984     | .4144     | .3647     |
| 7    | .3149     | .1989     | .1658     | .1823     | .2652     | .4144     | .3812     |
| 8    | .2818     | .1823     | .1492     | .1823     | .2652     | .431      | .431      |
| 9    | .2984     | .1823     | .1492     | .1823     | .2984     | .3647     | .4807     |
| 10   | .1989     | .1658     | .1823     | .2321     | .3149     | .4807     | .4641     |
| 11   | .1658     | .1326     | .1492     | .2155     | .3149     | .5636     | .5304     |
| 12   | .1658     | .1492     | .1492     | .2818     | .3315     | .5636     | .4475     |
| 13   | .1658     | .1326     | .1492     | .2321     | .3481     | .5801     | .5636     |
| 14   | .1823     | .1326     | .1658     | .1989     | .3315     | .5967     | .3647     |
| 15   | .1326     | .1326     | .1823     | .2155     | .3647     | .5801     | .6299     |
| 16   | .1658     | .116      | .1823     | .2321     | .3812     | .4144     | .7293     |
| 17   | .1658     | .1326     | .1823     | .1989     | .3978     | .3481     | .779      |
| 18   | .2652     | .1492     | .1989     | .2652     | .4807     | .4144     | .7956     |
| 19   | .3481     | .3315     | .3149     | .3812     | .5636     | .547      | .9448     |
| 20   | .3481     | .3315     | .3978     | .4807     | .6133     | .547      | .9779     |
| 21   | .3647     | .3481     | .4807     | .4641     | .5801     | .5801     | .9614     |
| 22   | .3315     | .3149     | .3647     | .4144     | .5636     | .547      | .7459     |
| 23   | .2652     | .2818     | .3315     | .3812     | .5304     | .4973     | .7293     |
| 24   | .3812     | .2984     | .2652     | .2984     | .3647     | .4973     | .5138     |
| Max  | .3812     | .3481     | .4807     | .4807     | .6133     | .5967     | .9779     |
| Min  | .1326     | .116      | .1492     | .1823     | .2652     | .3481     | .3647     |
| Avg  | .2790     | .2252     | .2286     | .2852     | .3930     | .4924     | .5946     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314027 / 33/11 KV Arjuni/Morgaon

Feeder No / Name : 203 / 11 KV Sangadi

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5154    | 1.6263    | 1.7002    | 1.6263    | 1.5708    | 1.6448    | 1.7556    |
| 2    | 1.5154    | 1.6263    | 1.6817    | 1.6263    | 1.6078    | 1.6632    |           |
| 3    | 1.5154    | 1.5893    | 1.6817    | 1.6263    | 1.6078    | 1.7187    | 1.7002    |
| 4    | 1.5524    | 1.5893    | 1.6817    | 1.6078    | 1.5893    | 1.6448    | 1.6632    |
| 5    | 1.5893    | 1.6263    | 1.6632    | 1.6078    | 1.5708    | 1.6263    | 1.6078    |
| 6    |           | 1.6817    | 1.6817    | 1.5708    | 1.5339    | 1.5154    | 1.5708    |
| 7    | 1.0164    | 1.4737    | 1.5893    | 1.5339    | 1.4784    | 1.4969    | 1.5339    |
| 8    | 1.423     | 1.6817    | 1.6078    | 1.5339    | 1.4045    | 1.5893    | 1.5339    |
| 9    | 1.386     | 1.6263    | 1.6078    | 1.5154    | 1.4045    | 1.5524    | 1.6263    |
| 10   | 1.6263    | 1.8111    | 1.5893    | 1.4784    | 1.386     | 1.4784    | 1.6632    |
| 11   | 1.6632    | 1.7002    | 1.5339    | 1.4969    | 1.386     | 1.5154    | 1.7556    |
| 12   | 1.3279    | 1.6078    | 1.5339    | 1.4784    | 1.4045    | 1.5339    | 1.7741    |
| 13   | 1.6078    | 1.6263    | 1.5339    | 1.4969    | 1.4415    | 1.5524    | 1.8111    |
| 14   | 1.5154    | 1.6078    | 1.5339    | 1.4969    | 1.4784    | 1.5154    |           |
| 15   | 1.5708    | 1.6263    | 1.5339    | 1.4784    | 1.5524    | 1.5339    | 1.8665    |
| 16   | 1.5893    | 1.4784    | 1.5154    | 1.4415    | 1.5893    | 1.5154    | 1.9035    |
| 17   | 1.5893    | 1.5893    | 1.5339    | 1.4415    | 1.4045    | 1.5154    | 1.8665    |
| 18   | 1.6078    | 1.6632    | 1.5708    | 1.4415    | 1.4415    | 1.5524    | 1.6263    |
| 19   | 1.6817    | 1.7002    | 1.6632    | 1.6078    | 1.6263    | 1.8111    | 1.8111    |
| 20   | 1.7372    | 1.7556    | 1.7556    | 1.7187    | 1.7372    | 1.9589    | 1.9959    |
| 21   | 1.7002    | 1.7372    | 1.7187    | 1.7002    | 1.7002    | 1.9589    | 2.0144    |
| 22   | 1.6263    | 1.7187    | 1.6817    | 1.6078    | 1.6632    | 2.0144    | 1.9589    |
| 23   |           | 1.6817    | 1.6263    | 1.5893    | 1.6448    | 1.9035    | 1.885     |
| 24   | 1.5339    | 1.6263    | 1.6817    | 1.6263    | 1.5524    | 1.6078    | 1.8296    |
| Max  | 1.7372    | 1.8111    | 1.7556    | 1.7187    | 1.7372    | 2.0144    | 2.0144    |
| Min  | 1.0164    | 1.4737    | 1.5154    | 1.4415    | 1.386     | 1.4784    | 1.5339    |
| Avg  | 1.5405    | 1.6438    | 1.6209    | 1.5562    | 1.5323    | 1.6425    | 1.7615    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314027 / 33/11 KV Arjuni/Morgaon

Feeder No / Name : 204 / 11 KV Mahagaon

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .298      | .2629     | .2804     | .2454     | .3155     | .3506     | .3681     |
| 2    | .298      | .2454     | .2629     | .2454     | .3155     | .3681     |           |
| 3    | .2629     | .2103     | .2629     | .2454     | .3155     | .3506     | .333      |
| 4    | .2629     | .2103     | .2486     | .2629     | .298      | .3506     | .3506     |
| 5    | .2454     | .1928     | .2279     | .2804     | .298      | .3155     | .298      |
| 6    | .2279     | .1578     | .1928     | .1928     | .2454     | .2804     | .2629     |
| 7    | .1578     | .1578     | .1227     | .1928     | .1928     | .2279     | .2103     |
| 8    | .1227     | .1578     | .1578     | .1227     | .1753     | .1928     | .2279     |
| 9    | .1402     | .1052     | .1402     | .1578     | .1578     | .1578     | .2629     |
| 10   | .1052     | .1753     | .1402     | .1227     | .1402     | .1928     | .2454     |
| 11   | .1052     | .1052     | .1402     | .1227     | .1753     | .2103     | .2279     |
| 12   | .1052     |           | .1227     | .1227     | .1753     | .2454     | .298      |
| 13   | .1052     | .1052     | .1227     | .1928     | .2103     | .2804     | .2804     |
| 14   | .6485     | .1052     | .1227     | .1928     | .1928     | .2629     | .2629     |
| 15   | .6135     | .1052     | .1578     | .2103     | .2804     | .2804     | .2804     |
| 16   | .2629     | .1052     | .1578     | .1402     | .2804     | .2804     | .298      |
| 17   | .1052     | .1227     | .1402     | .1402     | .2629     | .3681     | .2804     |
| 18   | .1753     | .1753     | .1772     | .2103     | .2454     | .298      | .298      |
| 19   | .298      | .3155     | .298      | .333      | .3681     | .4207     | .4382     |
| 20   | .3856     | .3506     | .3856     | .4382     | .4557     | .4733     | .5434     |
| 21   | .3681     | .3681     | .3856     | .4031     | .4207     | .4733     | .4733     |
| 22   | .333      | .3506     | .3155     | .3506     | .4031     | .4382     | .4733     |
| 23   | .2804     | .298      | .2804     | .333      | .4031     | .4207     | .4557     |
| 24   | .298      | .2629     | .2629     | .2454     | .3155     | .3506     | .4207     |
| Max  | .6485     | .3681     | .3856     | .4382     | .4557     | .4733     | .5434     |
| Min  | .1052     | .1052     | .1227     | .1227     | .1402     | .1578     | .2103     |
| Avg  | .2585     | .2020     | .2127     | .2293     | .2768     | .3162     | .3300     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

MORGAON ARJUNI S/DN.[565] BU 0565

Substation No/ Name :- 314027 / 33/11 KV Arjuni/Morgaon

Feeder No / Name : 205 / 11 KV SANGADI AGP

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE       | 10-AUG-17    | 11-AUG-17    | 12-AUG-17    | 13-AUG-17    | 14-AUG-17    |
|------------|--------------|--------------|--------------|--------------|--------------|
| HR         | Load (MW)    | Load (MW)    | Load (MW)    | Load (MW)    | Load (MW)    |
| 1          |              | .064         |              | .0648        |              |
| 2          |              | .064         |              | .0972        |              |
| 3          |              | .064         |              | .0972        |              |
| 4          |              | .0625        |              | .0972        |              |
| 5          |              | .0625        |              | .1296        |              |
| 6          |              | .0625        |              | .1296        |              |
| 7          |              | .0972        |              | .1296        |              |
| 8          |              | .0625        |              | .1296        |              |
| 9          |              | .0625        |              | .1457        |              |
| 10         |              |              | .0486        |              | .1943        |
| 11         | .0602        |              | .1296        |              | .2105        |
| 12         | .0772        |              | .1296        |              | .2105        |
| 13         | .0772        |              | .1296        |              | .2429        |
| 14         | .0762        |              | .1296        |              |              |
| 15         | .061         |              | .1457        |              | .2429        |
| 16         | .0772        |              | .1134        |              | .2429        |
| 17         | .0762        |              | .0648        |              | .2429        |
| 24         |              | .064         |              | .0648        |              |
| <b>Max</b> | <b>.0772</b> | <b>.0972</b> | <b>.1457</b> | <b>.1457</b> | <b>.2429</b> |
| <b>Min</b> | <b>.0602</b> | <b>.0625</b> | <b>.0486</b> | <b>.0648</b> | <b>.1943</b> |
| <b>Avg</b> | <b>.0722</b> | <b>.0666</b> | <b>.1114</b> | <b>.1085</b> | <b>.2267</b> |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314003 / 33/11KV DAWWA SUB-STATION

Feeder No / Name : 202 / 11KV SADAK ARJUNI FEEDER SHEDDABLE RURAL  
Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4251    | .8288     | .9448     | 1.4413    | 1.5581    | 2.0405    | 2.1262    |
| 2    | 1.4089    | .8648     | .9614     | 1.4582    | 1.5581    | 2.0062    | 2.0748    |
| 3    | 1.4089    | .8648     | .9614     | 1.4243    | 1.5581    | 1.8519    | 2.0748    |
| 4    | 1.4251    | .8288     | .9448     | 1.3916    | 1.5927    | 1.8519    | 2.0576    |
| 5    | 1.4089    | .8288     | .9175     | 1.4582    | 1.6095    | 1.869     | 2.0062    |
| 6    | 1.3763    | .8288     | .8745     | 1.3599    | 1.6278    | 1.869     | 2.0062    |
| 7    | 1.4255    | .8288     | .9503     | 1.5261    | 1.6598    | 1.3757    | 2.1262    |
| 8    | 1.4754    | .8048     | .9717     | 1.5424    | 1.2125    | 2.0348    | 2.2634    |
| 9    | 1.3763    | .8029     | .9667     | 1.6278    | 1.9669    | 1.9839    | 2.2382    |
| 10   | 1.3272    | .7935     | .9831     | 1.576     | 1.8652    | 1.933     | 2.2977    |
| 11   | 1.2616    | .7712     | .7125     | 1.5581    | 1.8991    | 2.0576    | 2.0008    |
| 12   | 1.2125    | .779      | .779      | 1.7101    | 2.0687    | 1.4083    | 2.1948    |
| 13   |           | .8215     | 1.8781    | 1.6956    | 2.0178    | 2.1091    | 2.2805    |
| 14   |           | .5668     | 1.8404    | 1.6095    | 2.0178    | 2.1091    | 2.1195    |
| 15   | .5693     | .5506     | 1.8031    | 1.5912    | 1.933     | 2.0517    | 2.2634    |
| 16   | .5761     | .631      | .8848     | 1.6617    | 1.933     | 2.1776    | 2.3148    |
| 17   | .8322     | .9015     | .9779     | 1.4586    | 2.0178    | 2.1262    | 2.1262    |
| 18   | .8288     | .8745     | .9831     | 1.4251    | 1.9161    | 2.0919    | 2.1605    |
| 19   | .8916     | 1.0174    | 1.5261    | 1.6278    | 2.1152    | 2.3579    | 2.2634    |
| 20   | .9015     | 1.0174    | 1.595     | 1.749     | 2.3579    | 2.226     |           |
| 21   | .8987     | 1.0631    | 1.5432    | 1.8378    | 2.2885    | 2.2712    |           |
| 22   | .8817     | 1.0004    | 1.5089    | 1.8404    | 2.2192    | 2.2018    |           |
| 23   | .8648     | .9448     | 1.4752    | 1.5927    | 2.1091    | 2.0919    |           |
| 24   | 1.4251    | .8551     | .9448     | 1.4413    | 1.5415    | 2.0919    | 2.1262    |
| Max  | 1.4754    | 1.0631    | 1.8781    | 1.8404    | 2.3579    | 2.3579    | 2.3148    |
| Min  | .5693     | .5506     | .7125     | 1.3599    | 1.2125    | 1.3757    | 2.0008    |
| Avg  | 1.1455    | .8362     | 1.1637    | 1.5669    | 1.8601    | 2.0078    | 2.1561    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314003 / 33/11KV DAWWA SUB-STATION

Feeder No / Name : 203 / 11KV PANDHRI FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9362     | .6335     | .6984     | .8238     | .9054     | 1.0749    | 1.0166    |
| 2    | .9536     | .6516     | .6984     | .8238     | .9156     | 1.0576    | 1.0341    |
| 3    | .9536     | .6335     | .6661     | .8238     | .9156     | 1.0576    | 1.0166    |
| 4    | .9536     | .6335     | .6661     | .8059     | .9189     | 1.0056    | 1.0166    |
| 5    | .9536     | .6335     | .6733     | .8238     | .9114     | 1.0056    | .9991     |
| 6    | .9156     | .6335     | .6556     | .7362     | .9114     | .9189     | .9465     |
| 7    | .8619     | .5611     | .6201     | .6415     | .8215     | .9054     | 1.0576    |
| 8    | .8383     | .543      | .4854     | .6556     | .8453     | .9259     | .9945     |
| 9    | .8453     | .5201     | .4694     | .6556     | .8215     | .9665     | .964      |
| 10   |           | .5028     | .4694     | .6952     | .7712     | .9496     | .9945     |
| 11   | .7969     | .4755     | .4917     | .7202     | .8648     | .9945     | .8669     |
| 12   | .5898     | .4458     | .5658     | .7545     | .9602     | 1.0852    | 1.0056    |
| 13   |           | .4607     | .6344     | .7625     | .9259     | 1.1191    | 1.1443    |
| 14   | .5506     | .4607     | .6706     | .78       | .9496     | 1.0974    | 1.1145    |
| 15   | .5426     | .4458     | .5898     | .7042     | .9835     | 1.0974    | 1.1393    |
| 16   | .5304     | .4572     | .6173     | .7042     | .9556     | 1.17      | 1.1919    |
| 17   | .5426     | .4458     | .6344     | .7122     | .9088     | 1.0229    | 1.0117    |
| 18   | .5973     | .5487     | .6443     | .7712     | 1.0174    | .9665     | 1.0513    |
| 19   | .7282     | .7865     | .961      | .9774     | 1.2308    | 1.2357    | 1.1283    |
| 20   | .7655     | .8596     | 1.0164    | 1.0566    | 1.2851    | 1.3032    |           |
| 21   | .7316     | .8413     | .9795     | 1.0498    | 1.267     | 1.4118    |           |
| 22   | .695      | .7522     | .9231     | 1.0136    | 1.1871    | 1.182     |           |
| 23   | .6516     | .7164     | .8596     | .9326     | 1.1218    | 1.0517    |           |
| 24   | .9536     | .6516     | .6984     | .8238     | .9362     | 1.0985    | 1.0566    |
| Max  | .9536     | .8596     | 1.0164    | 1.0566    | 1.2851    | 1.4118    | 1.1919    |
| Min  | .5304     | .4458     | .4694     | .6415     | .7712     | .9054     | .8669     |
| Avg  | .7676     | .5956     | .6829     | .802      | .9722     | 1.0710    | 1.0375    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314019 / 33/11KV SOUNDAD SUB-STATION

Feeder No / Name : 201 / 11KV KOKANA FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.9591    | .8962     | .8669     | 1.379     | 1.9591    | 2.5065    | 2.5415    |
| 2    | 1.9806    | .8962     | .9335     | 1.3611    | 1.9667    | 2.4714    |           |
| 3    | 1.9845    | .8962     | .8871     | 1.379     | 1.9244    | 2.4539    | 2.4097    |
| 4    | 1.9244    | .8962     | .8871     | 1.3611    | 1.9071    |           | 2.2436    |
| 5    | 1.8724    | .9149     | .8686     | 1.379     | 1.8404    | 2.4013    | 2.2961    |
| 6    | 1.8898    | .8501     | .8775     | 1.3611    | 1.858     | 2.3752    | 2.2611    |
| 7    | 1.8724    | .8316     | .9145     | 1.4148    | 1.9456    | 2.3926    | 2.2786    |
| 8    | 1.8724    | .7468     | .9511     | 1.4723    | 2.0631    | 2.6006    | 2.2539    |
| 9    | 1.4403    | .7468     | .9774     | 1.5775    | 2.0683    | 2.5139    | 2.3312    |
| 10   | 1.4403    | .7655     | 1.0745    | 1.6126    | 2.1209    | 2.7046    | 2.5833    |
| 11   | 1.4232    | .6036     | 1.0985    | 1.6478    | 2.2539    | 2.9127    | 2.4446    |
| 12   | 1.3889    | .7282     | 1.1641    | 1.647     | 2.3312    | 2.9473    | 2.3405    |
| 13   | 1.0802    | .7468     | 1.1765    | 1.7684    | 2.3232    | 2.722     | 2.6179    |
| 14   | .9816     | .7468     | 1.2934    | 1.8755    | 2.3579    | 2.774     | 2.5766    |
| 15   | .8779     | .7468     |           | 1.7857    | 2.3926    | 2.774     | 2.774     |
| 16   | .8871     | .8029     | 1.3176    | 1.8724    | 2.3579    | 2.7566    | 2.8607    |
| 17   | .7947     | .8871     | 1.4175    | 1.8898    | 2.5415    | 2.7566    | 2.7913    |
| 18   | .8145     | .924      | 1.4899    | 1.858     | 2.4099    | 2.5486    | 2.5892    |
| 19   | .9242     | 1.0269    | 1.4529    | 2.0553    | 2.7343    | 2.7168    | 2.8045    |
| 20   | .9242     | 1.0082    | 1.5043    | 2.0458    | 2.5941    | 2.7694    | 2.6292    |
| 21   | .8962     | .9896     | 1.4506    | 2.1209    | 2.6292    | 2.6642    | 2.5941    |
| 22   | .8962     | .9425     | 1.4685    | 1.9982    | 2.5415    | 2.5415    | 2.5766    |
| 23   | .8775     | .9522     | 1.3289    | 1.9982    | 2.5766    | 2.4364    | 2.489     |
| 24   | 1.9806    |           | .9425     | 1.379     | 2.0157    |           | 2.5766    |
| Max  | 1.9845    | 1.0269    | 1.5043    | 2.1209    | 2.7343    | 2.9473    | 2.8607    |
| Min  | .7947     | .6036     | .8669     | 1.3611    | 1.8404    | 2.3752    | 2.2436    |
| Avg  | 1.3743    | .8498     | 1.1454    | 1.6766    | 2.2380    | 2.6246    | 2.5158    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314019 / 33/11KV SOUNDAD SUB-STATION

Feeder No / Name : 202 / 11KV TIDKA FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0572     | .0381     | .0293     | .0625     | .0857     | .1        | .0857     |
| 2    | .0572     | .0381     | .0293     | .0762     | .0869     | .1        |           |
| 3    | .0572     | .0381     | .0286     | .0791     | .0857     | .1        | .0857     |
| 4    | .0572     | .0381     | .029      | .0791     | .0869     | .1        | .0857     |
| 5    | .0572     | .0381     | .029      | .0791     | .0869     | .1        | .0857     |
| 6    | .0572     | .0381     | .0293     | .0772     | .0857     | .1        | .0857     |
| 7    | .0572     | .0381     | .0297     | .0772     | .0857     | .1        | .0857     |
| 8    | .0724     | .0191     | .044      | .0914     | .0857     | .0857     | .0857     |
| 9    | .0714     | .0191     | .044      | .0762     | .0857     | .1        | .0857     |
| 10   | .0714     | .0381     | .0572     | .0762     | .1        | .1        | .0857     |
| 11   | .0714     | .0381     | .0429     | .0753     | .1        | .1        | .0857     |
| 12   | .0791     | .0381     | .0572     | .0743     | .1        | .0857     | .0857     |
| 13   | .0791     | .0381     | .0579     | .0857     | .1        | .1        | .0857     |
| 14   | .064      | .0381     | .0572     | .0857     | .1        | .0857     | .0857     |
| 15   | .0457     | .0381     | 1.3847    | .0857     | .1        | .0857     | .0857     |
| 16   | .048      | .0429     | .0579     | .0857     | .1        | .0857     | .0857     |
| 17   | .0286     | .0293     | .0724     | .0857     | .0857     | .0857     | .0857     |
| 18   | .0381     | .0286     | .0734     | .0869     | .0857     | .1        | .0857     |
| 19   | .0381     | .0293     | .0743     | .0857     | .1        | .0857     | .1        |
| 20   | .0381     | .0297     | .0762     | .0869     | .1        | .0857     | .1        |
| 21   | .0381     | .0293     | .0762     | .0857     | .1        | .0857     | .1        |
| 22   | .0381     | .0286     | .0762     | .0857     | .1        | .0857     | .1        |
| 23   | .0381     | .0297     | .0633     | .0857     | .1        | .0857     | .1027     |
| 24   | .0572     |           | .0293     | .0714     | .0857     | .1        | .0857     |
| Max  | .0791     | .0429     | 1.3847    | .0914     | .1        | .1        | .1027     |
| Min  | .0286     | .0191     | .0286     | .0625     | .0857     | .0857     | .0857     |
| Avg  | .0549     | .0340     | .1062     | .0808     | .093      | .0934     | .0889     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314019 / 33/11KV SOUNDAD SUB-STATION

Feeder No / Name : 203 / 11KV FUTALA FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4239     | .218      | .2303     | .3462     | .6249     | .6167     | .5601     |
| 2    | .3978     |           | .2126     | .3311     | .6019     | .6327     |           |
| 3    | .3978     | .218      | .2103     | .3605     | .5719     | .679      | .5506     |
| 4    | .4024     | .2155     | .197      | .3441     | .5639     | .6241     | .5121     |
| 5    | .3688     | .2155     | .1928     | .3441     | .4515     | .6081     | .5668     |
| 6    | .3441     | .2012     | .1928     | .3041     | .4161     | .5992     | .5312     |
| 7    | .3605     | .1823     | .2402     | .3361     | .4115     | .5155     | .5851     |
| 8    | .3479     | .2126     | .1928     | .3321     | .4475     | .6154     | .5639     |
| 9    | .3163     | .1802     | .1886     | .3361     | .4687     | .5344     | .5937     |
| 10   | .3321     | .2294     | .3121     | .2401     | .5344     | .6241     | .5401     |
| 11   | .4961     | .2622     | .3041     | .463      | .6718     | .679      | .6706     |
| 12   | .3647     | .2321     | .2846     | .463      | .6325     | .7011     | .6472     |
| 13   | .2785     | .1677     | .2881     | .4515     | .6325     | .6706     | .7282     |
| 14   | .218      | .1677     | .3005     | .4877     | .5468     | .6401     | .6327     |
| 15   | .2915     | .1677     | .2812     | .5117     | .5401     | .6249     | .6642     |
| 16   | .2743     | .1966     | .2778     | .4572     | .5247     | .5556     | .6019     |
| 17   | .2641     | .1718     | .3163     | .4515     | .5921     | .571      | .6249     |
| 18   | .2785     | .1718     | .3795     | .5401     | .506      | .4967     | .6173     |
| 19   | .2294     | .2328     | .3201     | .5792     | .5506     | .4877     | .4877     |
| 20   | .2374     | .2507     | .3561     | .5719     | .5571     | .571      | .5365     |
| 21   | .2543     | .2481     | .3601     | .4938     | .5571     | .5335     | .4877     |
| 22   | .2204     | .2507     | .3506     | .4744     | .5639     | .5182     | .7459     |
| 23   | .218      | .2303     | .4049     | .5401     | .6019     | .5792     | .6167     |
| 24   | .4359     |           | .2328     | .3932     | .6173     | .6081     | .583      |
| Max  | .4961     | .2622     | .4049     | .5792     | .6718     | .7011     | .7459     |
| Min  | .218      | .1677     | .1886     | .2401     | .4115     | .4877     | .4877     |
| Avg  | .3230     | .2101     | .2761     | .4230     | .5494     | .5952     | .5934     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314030 / 33/11KV KOHMARA SUB-STATION

Feeder No / Name : 201 / 11KV SPARE FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0852    | .6697     | .6516     | 1.0117    | 1.2689    |
| 2    | 1.0852    | .6697     | .6516     | 1.0117    | 1.2239    |
| 3    | 1.0852    | .6485     | .6859     | 1.0117    | 1.2407    |
| 4    | 1.0682    | .631      | .6859     | 1.0174    | 1.2146    |
| 5    | 1.0682    | .6344     | .6859     | 1.0174    | 1.1822    |
| 6    | 1.0852    | .6344     | .6859     | 1.0059    | 1.1822    |
| 7    | 1.0852    | .6173     | .6859     | 1.0004    | 1.3441    |
| 8    | 1.1191    | .6274     | .6952     | 1.0513    | 1.1904    |
| 9    | 1.0682    | .6344     | .7716     | 1.1488    | 1.1683    |
| 10   | 1.0174    | .5407     | .7888     | 1.2003    | 1.1683    |
| 11   | 1.0004    | .6173     | .78       | 1.286     | 1.1702    |
| 12   | 1.0174    | .6335     |           | 1.2689    | 1.2334    |
| 13   | 1.0288    | .5868     |           | 1.5432    | 1.2651    |
| 14   | .8288     | .5693     |           | 1.286     | 1.2176    |
| 15   | .7377     | .6447     |           | 1.3032    | 1.2018    |
| 16   | .6706     | .5258     | 1.1142    | 1.2689    |           |
| 17   | .6706     | .583      | .8886     | 1.3203    |           |
| 18   | .6718     | .6173     | .9945     | 1.3203    |           |
| 19   | .7209     | .7545     | 1.0974    | 1.3717    |           |
| 20   | .6882     | .7461     | 1.1145    | 1.3889    |           |
| 21   | .6882     | .7461     | 1.0974    | 1.3546    |           |
| 22   | .6718     | .7202     | 1.046     | 1.3056    |           |
| 23   | .6316     | .6859     | 1.0288    | 1.2717    |           |
| 24   | 1.1022    | .6697     | .695      | 1.0229    | 1.2689    |
| Max  | 1.1191    | .7545     | 1.1145    | 1.5432    | 1.3441    |
| Min  | .6316     | .5258     | .6516     | 1.0004    | 1.1683    |
| Avg  | .9123     | .6420     | .8422     | 1.1995    | 1.2213    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314030 / 33/11KV KOHMARA SUB-STATION

Feeder No / Name : 202 / 11KV DUGGIPAR FEEDER  
Feeder KV- 11 / OUTGOING

SHEDDABLE RURAL

| DATE       | 12-AUG-17     | 13-AUG-17     | 14-AUG-17     |
|------------|---------------|---------------|---------------|
| HR         | Load (MW)     | Load (MW)     | Load (MW)     |
| 1          |               | 1.1984        | 1.3565        |
| 2          |               | 1.1961        |               |
| 3          |               | 1.2239        | 1.4074        |
| 4          |               | 1.2071        | 1.3904        |
| 5          |               | 1.2071        | 1.3904        |
| 6          |               | 1.2039        | 1.3735        |
| 7          |               | 1.1022        | 1.4413        |
| 8          |               | 1.1736        | 1.4752        |
| 9          |               | 1.3056        | 1.4413        |
| 10         | 1.1683        | 1.3395        | 1.4752        |
| 11         | 1.2334        | 1.3904        | 1.4586        |
| 12         | 1.2334        | 1.4243        | 1.4575        |
| 13         |               | 1.3056        | 1.4575        |
| 14         |               | 1.3904        | 1.358         |
| 15         |               | 1.3056        | 1.3603        |
| 16         | 1.1561        | 1.3565        | 1.3748        |
| 17         | 1.2407        | 1.3395        | 1.2929        |
| 18         | 1.2289        | 1.3056        | 1.1469        |
| 19         | 1.2967        | 1.4074        | 1.4251        |
| 20         | 1.4083        | 1.4752        | 1.4754        |
| 21         | 1.3748        | 1.4582        | 1.4754        |
| 22         | 1.3413        | 1.4243        | 1.2239        |
| 23         | 1.3226        | 1.3904        | 1.6278        |
| 24         |               | 1.2717        | 1.3565        |
| <b>Max</b> | <b>1.4083</b> | <b>1.4752</b> | <b>1.6278</b> |
| <b>Min</b> | <b>1.1561</b> | <b>1.1022</b> | <b>1.1469</b> |
| <b>Avg</b> | <b>1.2731</b> | <b>1.3084</b> | <b>1.4018</b> |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314030 / 33/11KV KOHMARA SUB-STATION

Feeder No / Name : 203 / 11KV SAWANGI FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2452    | .8619     | .8848     | 1.326     | 1.3765    | 1.4737    | 1.6741    |
| 2    | 1.2125    | .852      | .8848     | 1.3413    | 1.3765    | 1.4737    |           |
| 3    | 1.1961    | .8356     | .8848     | 1.3565    | 1.3279    | 1.4575    | 1.5415    |
| 4    | 1.1797    | .8192     | .8848     | 1.3413    | 1.2811    | 1.4575    | 1.5415    |
| 5    | 1.1469    | .8356     | .8848     | 1.3565    | 1.2498    | 1.5089    | 1.5249    |
| 6    | 1.1142    | .8453     | .8848     | 1.3413    | 1.2498    | 1.3757    | 1.5415    |
| 7    | 1.1437    | .8453     | .8848     | 1.4074    | 1.2967    | 1.3272    | 1.5249    |
| 8    | 1.1271    | .852      | .9175     | 1.4413    | 1.4255    | 1.4586    | 1.6244    |
| 9    | 1.094     | .9231     | .9995     | 1.3916    | 1.3435    | 1.5746    | 1.442     |
| 10   | 1.0608    | .9069     | 1.0159    | 1.491     | 1.3927    | 1.5415    | 1.4083    |
| 11   | 1.0442    | .9882     | 1.0202    | 1.5089    | 1.4403    | 1.6244    | 1.4251    |
| 12   | 1.0442    | .8802     |           |           | 1.4563    | 1.5581    | 1.3916    |
| 13   | 1.0442    | .9221     |           | .3441     | 1.4737    | 1.5746    | 1.5061    |
| 14   | .9054     | .9054     |           | .2294     | 1.4899    | 1.4586    | 1.5424    |
| 15   | .8619     | .8097     | 1.0814    |           | 1.4899    | 1.4918    | 1.643     |
| 16   | .8192     | .8192     | .8192     | 1.2631    | 1.4413    | 1.3923    | 1.5746    |
| 17   | .8356     | .8002     | 1.1768    | .4049     | 1.5238    | 1.3094    | 1.7072    |
| 18   | .8356     | .8583     | 1.2308    | 1.1174    | 1.4582    | 1.4918    | 1.6385    |
| 19   | .8684     | .9496     | 1.3599    | 1.2963    | 1.6057    | 1.6787    | 1.6598    |
| 20   | .8848     | .9503     | 1.3272    | 1.3441    | 1.4582    | 1.5415    | 1.6108    |
| 21   | .8848     | .9892     | 1.4083    | 1.4251    | 1.4091    | 1.6741    | 1.6278    |
| 22   | .8684     | .9665     | 1.3441    | 1.4255    | 1.491     | 1.6575    | 1.6278    |
| 23   | .852      | .9496     | 1.3748    | 1.4091    | 1.4582    | 1.6741    | 1.6095    |
| 24   | 1.2763    | .8453     | .8951     | 1.3435    | 1.4575    | 1.491     | 1.6741    |
| Max  | 1.2763    | .9892     | 1.4083    | 1.5089    | 1.6057    | 1.6787    | 1.7072    |
| Min  | .8192     | .8002     | .8192     | .2294     | 1.2498    | 1.3094    | 1.3916    |
| Avg  | 1.0227    | .8838     | 1.0554    | 1.2230    | 1.4155    | 1.5111    | 1.5679    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314030 / 33/11KV KOHMARA SUB-STATION

Feeder No / Name : 204 / 11KV CHIKHLI NEW FEEDER SHEDDABLE RURAL  
Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6404    | .7773     | .6241     | 1.3546    | 1.5741    | .8065     | 1.9204    |
| 2    | 1.6204    | .7716     | .6539     | 1.3375    | 1.5779    | .8162     |           |
| 3    | 1.6248    |           | .6836     | 1.3375    | 1.5779    | .8002     | 1.8884    |
| 4    | 1.6049    |           | .6836     | 1.3375    | 1.5623    | .8097     | 1.8947    |
| 5    | 1.6049    |           | .7133     | 1.3546    | 1.5623    | .8259     | 1.8343    |
| 6    | 1.5466    |           | .7133     | 1.3375    | 1.5242    | .7935     | 1.8122    |
| 7    | 1.5278    |           | .743      | 1.3226    | 1.5851    | .8065     | 1.9292    |
| 8    | 1.4937    | .3121     | .743      | 1.382     | 1.5348    | .7876     | 1.9216    |
| 9    | 1.4937    | .743      | .8173     | 1.4861    | 1.1883    | 1.0595    | 2.0005    |
| 10   | 1.4901    | .8535     | .6836     | 1.6288    | 1.2654    | 1.0911    | 1.3599    |
| 11   | 1.475     | .8322     | .8619     | 1.6288    | 1.5586    | 1.7553    | 1.2186    |
| 12   | .5639     | .8471     |           | 1.5586    | 1.6358    | 1.8244    | 1.2346    |
| 13   | 1.4998    | .719      |           | 1.6358    |           | 1.6512    | 1.2651    |
| 14   | 1.0715    | .8177     |           | 1.6004    |           | 1.7236    | 1.0551    |
| 15   | .9728     | .8459     | 1.2029    | 1.6004    | .7343     | 1.6872    | 1.6644    |
| 16   | .9755     | .8318     | 1.2037    | 1.6156    |           | 1.656     | 1.6918    |
| 17   | .9389     | .8345     | 1.2193    | 1.6156    |           | 1.8185    | 1.6857    |
| 18   | .8535     | .8459     | 1.2041    | 1.6204    | 1.6091    | 1.8747    | 1.5242    |
| 19   | .7968     | .9646     | 1.3375    | 1.0155    |           | 1.945     | 1.7238    |
| 20   | .8124     | .6144     | 1.3643    | 1.6309    | .8583     | 2.0165    | 1.6644    |
| 21   | .8124     | .6958     | 1.3672    | 1.6667    | .8907     | 2.0005    | 1.6792    |
| 22   | .828      | .6718     | 1.3672    | 1.5203    | .8583     | 1.9685    | 1.6792    |
| 23   | .8025     | .6562     | 1.3375    | 1.5059    | .8162     | 1.9685    | 1.6461    |
| 24   | 1.6404    | .7773     | .6241     | 1.3565    | 1.5935    | .8162     | 1.9524    |
| Max  | 1.6404    | .9646     | 1.3672    | 1.6667    | 1.6358    | 2.0165    | 2.0005    |
| Min  | .5639     | .3121     | .6241     | 1.0155    | .7343     | .7876     | 1.0551    |
| Avg  | 1.2371    | .7585     | .9594     | 1.4771    | 1.3425    | 1.3876    | 1.6629    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SADAK ARJUNI S/DN.[811] BU 4811

Substation No/ Name :- 314030 / 33/11KV KOHMARA SUB-STATION

Feeder No / Name : 205 / 11KV BAMNI KHADKI FEEDER SHEDDABLE RURAL  
Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5668     | .1619     | .2214     | .3887     | .5487     | .68       | .788      |
| 2    | .5506     | .1619     | .2214     | .4049     | .5556     | .6882     |           |
| 3    | .5571     | .1619     | .2187     | .4049     | .5556     | .7042     | .8453     |
| 4    | .5735     | .1619     | .2372     | .3953     | .5468     | .7042     | .8383     |
| 5    | .5668     | .1781     | .2372     | .4049     | .5468     | .6882     | .8648     |
| 6    | .5668     | .1619     | .2372     | .3953     | .5624     | .6882     | .8648     |
| 7    | .5761     | .1943     | .0949     | .4111     | .6241     | .7362     | .8583     |
| 8    | .6081     | .1943     | .253      | .4372     | .6562     | .7164     | .779      |
| 9    | .6562     | .1781     | .2688     | .5506     | .6642     | .8029     | .9175     |
| 10   | .6249     | .1802     | .2785     | .5487     | .6562     | .8029     | .5735     |
| 11   | .6009     | .1718     | .2743     | .5487     | .6481     | .7935     | .333      |
| 12   | .5851     | .2105     |           | .5639     | .679      | .7209     | .2846     |
| 13   | .3005     | .1943     |           | .578      | .6636     | .7432     | .2753     |
| 14   | .2715     | .1829     |           | .5624     | .6706     | .7935     | .2846     |
| 15   | .2317     | .1829     | .2743     | .5944     | .6706     | .7202     | .2846     |
| 16   | .2286     | .1829     | .3361     | .6019     | .6706     | .7611     |           |
| 17   | .1829     | .1829     | .3479     | .6173     | .6249     | .7773     | .2286     |
| 18   | .1852     | .1981     | .3749     | .5864     | .6481     | .8002     | .8259     |
| 19   | .1852     | .2572     | .4115     | .5401     | .6481     | .8192     | .8259     |
| 20   | .1875     | .25       | .4012     | .5401     | .7373     | .8288     | .8097     |
| 21   | .2031     | .2713     | .421      | .5401     | .7537     | .8288     | .7621     |
| 22   | .1718     | .2713     | .4049     | .5864     | .7373     | .8122     | .8097     |
| 23   | .1698     | .2572     | .3887     | .571      | .7209     | .8215     | .7773     |
| 24   | .5735     | .1928     | .2572     | .3725     | .5761     | .6964     | .8139     |
| Max  | .6562     | .2713     | .421      | .6173     | .7537     | .8288     | .9175     |
| Min  | .1698     | .1619     | .0949     | .3725     | .5468     | .68       | .2286     |
| Avg  | .4135     | .1975     | .2933     | .5060     | .6402     | .7553     | .6657     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812]

BU 4812

Substation No/ Name :- 314005 / 33/11 KV SALEKASA

Feeder No / Name : 201 / 11 KV Salekasa

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4801     | .2915     | .4115     | .3721     | .3429     | .583      | .6783     |
| 2    | .4801     | .2915     | .4115     | .3467     | .3429     | .5895     | .6371     |
| 3    | .4801     | .2915     | .3988     | .3696     | .3258     | .5721     | .6443     |
| 4    | .4801     | .2743     | .3988     | .3222     | .3258     | .5721     | .6344     |
| 5    | .463      | .2743     | .3814     | .3366     | .3601     | .5548     | .6415     |
| 6    | .4458     | .2743     | .3601     | .3391     | .3429     | .5487     | .6584     |
| 7    | .463      | .2915     | .4287     | .39       | .3772     | .5028     | .5765     |
| 8    | .4458     | .2572     | .2401     | .4294     | .3772     | .3429     | .57       |
| 9    | .463      | .3142     | .2743     | .2427     | .3511     | .4161     | .6344     |
| 10   | .4681     | .3109     | .1886     | .3429     | .3292     | .4681     | .6001     |
| 11   | .4508     | .2658     | .2743     | .463      | .3982     | .4801     | .6173     |
| 12   | .4161     | .2172     |           |           | .4075     | .5895     | .6001     |
| 13   | .2229     | .2715     | .2743     | .2572     | .4294     | .5548     | .6516     |
| 14   | .2229     | .2957     | .3258     | .2774     |           | .6415     | .6173     |
| 15   | .2401     | .2801     | .3086     | .2401     | .3921     | .6588     | .6344     |
| 16   | .2229     | .3326     | .1886     | .4287     | .4251     | .6241     | .6173     |
| 17   | .2229     | .3086     | .2772     | .463      | .4801     | .6613     | .6516     |
| 18   | .2743     | .3944     | .362      | .3601     | .5375     | .5765     | .583      |
| 19   | .3601     | .463      | .5138     |           | .6588     | .7202     | .7202     |
| 20   | .4115     | .4973     | .5729     | .3601     | .7011     | .7537     | .7716     |
| 21   | .3429     | .4854     | .5601     | .3601     | .6836     | .7461     | .7116     |
| 22   | .3258     | .4334     | .3721     | .3429     | .6661     | .7202     | .7373     |
| 23   | .2915     | .4161     | .3841     | .3429     | .631      | .6952     | .6167     |
| 24   | .4801     | .2915     | .4287     | .3721     | .3258     | .6135     | .6783     |
| Max  | .4801     | .4973     | .5729     | .463      | .7011     | .7537     | .7716     |
| Min  | .2229     | .2172     | .1886     | .2401     | .3258     | .3429     | .57       |
| Avg  | .3814     | .3260     | .3624     | .3527     | .4440     | .5911     | .6451     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812]

BU 4812

Substation No/ Name :- 314005 / 33/11 KV SALEKASA

Feeder No / Name : 202 / 11 KV Tirkhedi

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .868      | .5361     | .5106     | .5716     | .9774     | .7202     | .7914     |
| 2    | .868      | .5361     | .5106     | .562      | .7276     | .6962     | .8173     |
| 3    | .868      | .5361     | .4851     | .5415     | .7148     | .6962     | .7926     |
| 4    | .868      | .5234     | .4723     | .5508     | .7148     | .695      | .7554     |
| 5    | .8935     | .5361     | .4723     | .5396     | .7531     | .7021     | .7804     |
| 6    | .8935     | .5361     | .4923     | .5415     | .7276     | .695      | .7194     |
| 7    | .8935     | .4978     | .4512     | .8551     | .7404     | .756      |           |
| 8    | .868      | .5106     | .6097     | .9326     | .8042     | .7922     | .8177     |
| 9    | .8162     | .4652     | .4723     | .6127     | .8962     | .8032     | .9701     |
| 10   | .7926     | .4184     | .4595     | .7148     | .5906     | .7922     | .9701     |
| 11   | .7682     | .3721     | .4978     | .1715     | .5967     | .9063     | .9318     |
| 12   | .756      | .3485     | .5234     | .6219     | .6182     | .8928     | .9701     |
| 13   | .5312     | .3702     | .5234     | .6382     | .6401     | .7545     | .9829     |
| 14   | .5182     | .3395     | .5361     | .6737     | .6857     | .8162     | .9318     |
| 15   | .43       | .3839     | .4212     | .6828     | .6851     | .8297     | .9829     |
| 16   | .4134     | .3715     | .4595     | .6811     | .652      | .8169     | .9701     |
| 17   | .4595     | .4468     | .4321     | .7276     | .5573     | .8282     | .9574     |
| 18   | .5234     | .6348     | .4384     | .5617     | .6127     | .7868     | .9701     |
| 19   | .7021     | .6996     | .7554     | .8297     | .9846     | 1.0402    | 1.1871    |
| 20   | .651      | .7148     | .6857     | .9063     | .9842     | 1.1043    | 1.2127    |
| 21   | .6127     | .7531     | .6409     | .868      | .9602     | 1.0111    | 1.2127    |
| 22   | .5872     | .651      | .6295     | .8042     | .8859     | .823      | 1.2127    |
| 23   | .5617     | .7276     | .6059     | .6765     | .8032     | .7868     | 1.1999    |
| 24   | .8935     | .5361     |           | .6001     | .7276     | .7087     | .8551     |
| Max  | .8935     | .7531     | .7554     | .9326     | .9846     | 1.1043    | 1.2127    |
| Min  | .4134     | .3395     | .4212     | .1715     | .5573     | .695      | .7194     |
| Avg  | .7099     | .5186     | .5254     | .6611     | .7517     | .8106     | .9562     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314005 / 33/11 KV SALEKASA

Feeder No / Name : 203 / 11 KV Darekasa

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3511     | .3326     | .2587     | .3222     | .3658     | .3841     | .373      |
| 2    | .3511     | .3326     | .2587     | .3052     | .3658     | .3658     | .3521     |
| 3    | .3511     | .3326     | .2402     | .3052     | .3475     | .3658     | .3391     |
| 4    | .3511     | .3326     | .2402     | .3052     | .3475     | .3658     | .3222     |
| 5    | .3511     | .3142     | .2587     | .3052     | .3658     | .3658     | .3018     |
| 6    | .3511     | .2957     | .2772     | .2515     | .3292     | .3475     | .2534     |
| 7    | .3326     | .2957     | .2772     | .2614     | .3109     | .3142     | .2374     |
| 8    | .2957     | .2587     | .2772     | .2035     | .2561     | .3142     | .218      |
| 9    | .2772     | .2241     | .2378     | .2218     | .2172     | .1478     | .2195     |
| 10   | .2587     | .2218     | .2195     | .2033     | .1829     | .2218     | .2218     |
| 11   | .2587     | .181      | .2195     | .1848     | .1991     | .2926     | .2402     |
| 12   | .2587     | .1867     | .2195     | .2033     | .1772     | .2772     | .2402     |
| 13   | .2218     | .2054     | .2012     | .2218     | .1772     | .2957     | .2402     |
| 14   | .2033     | .2033     | .1829     | .2402     | .1928     | .2587     | .2587     |
| 15   | .2033     | .2195     | .2012     | .2218     | .208      | .2587     | .2587     |
| 16   | .2033     | .2126     | .2195     | .2033     | .1991     | .2587     | .2402     |
| 17   | .2218     | .2402     | .2241     | .2195     | .2378     | .2926     | .2587     |
| 18   | .2772     | .2772     | .2378     | .2561     | .2561     | .2543     | .2402     |
| 19   | .3511     | .4066     | .3881     | .3841     | .4024     | .3944     | .3696     |
| 20   | .3881     | .3881     | .4163     | .439      | .4572     | .407      | .462      |
| 21   | .3696     | .4435     | .3898     | .4207     | .439      | .4359     | .4435     |
| 22   | .3696     |           | .3641     | .4024     | .4024     | .4239     | .4251     |
| 23   | .3511     |           | .3582     | .3841     | .4066     | .4334     | .4435     |
| 24   | .3582     | .3292     |           | .3149     | .3658     | .3841     | .39       |
| Max  | .3881     | .4435     | .4163     | .439      | .4572     | .4359     | .462      |
| Min  | .2033     | .181      | .1829     | .1848     | .1772     | .1478     | .218      |
| Avg  | .3044     | .2834     | .2682     | .2825     | .3004     | .3275     | .3062     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812]

BU 4812

Substation No/ Name :- 314005 / 33/11 KV SALEKASA

Feeder No / Name : 204 / 11 KV Water Works

NON SHEDDABLE WATER SUPPLY AND

Feeder KV- 11 / OUTGOING

UTILITY

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0301     | .1054     | .0602     | .0301     | .0297     | .0149     | .1054     |
| 2    |           |           | .0297     | .0297     | .0297     | .0149     | .1067     |
| 3    |           |           | .0297     | .0305     | .0297     | .0149     | .104      |
| 4    |           |           | .0297     | .0297     | .0297     | .0149     | .0446     |
| 5    |           |           | .0446     | .0297     | .0297     | .0301     | .0305     |
| 6    |           |           | .0594     | .0743     | .0743     | .0602     | .0743     |
| 7    |           |           | .1067     | .1187     | .104      | .0602     | .104      |
| 8    | .0151     |           | .1067     | .1174     | .104      | .0297     | .1067     |
| 9    | .0753     |           | .1067     | .1067     | .104      | .0301     | .104      |
| 10   | .1067     |           | .104      | .1054     | .1054     | .0151     | .1054     |
| 11   | .1067     |           | .104      | .1067     | .1067     | .0151     | .1054     |
| 12   |           | .0301     | .104      | .1067     | .1014     | .0151     | .1054     |
| 13   |           | .104      | .104      | .1067     | .1054     | .0151     | .1054     |
| 14   |           | .1067     | .104      | .1067     | .104      | .0151     | .1054     |
| 15   |           | .1107     | .104      | .1067     | .104      | .0457     | .1054     |
| 16   |           | .104      | .104      | .1067     | .104      | .1067     | .1054     |
| 17   | .061      | .1067     | .104      | .104      | .1067     | .104      | .1054     |
| 18   | .1067     | .1067     | .1067     | .1107     | .1067     | .1054     | .1054     |
| 19   | .1054     | .1067     | .1054     | .104      | .1067     | .104      | .1054     |
| 20   | .1054     | .1067     | .104      | .104      | .1067     | .104      | .1054     |
| 21   | .1054     | .1067     | .0293     | .0297     | .0297     | .1027     | .0743     |
| 22   | .1054     | .0446     | .0293     | .0297     | .0301     | .1054     | .104      |
| 23   | .1054     | .1067     | .029      | .0297     | .0301     | .1027     | .0301     |
| 24   | .1054     | .1054     | .1067     | .0297     | .0297     | .0149     | .104      |
| Max  | .1067     | .1107     | .1067     | .1187     | .1067     | .1067     | .1067     |
| Min  | .0151     | .0301     | .029      | .0297     | .0297     | .0149     | .0301     |
| Avg  | .0872     | .0965     | .0798     | .0772     | .0755     | .0517     | .0938     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812] BU 4812

Substation No/ Name :- 314005 / 33/11 KV SALEKASA

Feeder No / Name : 211 / 11 kv Salekasa AGP Feeder SEPARATED AG FEEDERS HAVING SPECIAL  
Feeder KV- 11 / OUTGOING DESIGN TRANSFORMER

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2846     |           | .2429     | .2374     | .2378     | .3239     | .503      |
| 2    | .2846     |           | .2429     | .2486     | .253      | .3401     | .5256     |
| 3    | .2846     |           | .2267     | .2543     | .253      | .3401     | .5365     |
| 4    | .2846     |           | .2429     | .2543     | .2846     | .3361     | .5596     |
| 5    | .3163     |           | .2591     | .2652     | .2688     | .3521     | .6104     |
| 6    | .4111     |           | .2591     | .3018     | .3479     | .4409     | .6783     |
| 7    | .506      |           |           | .4578     | .4428     | .6104     | .7969     |
| 8    | .5535     | .2056     |           | .5197     | .427      | .7265     | .8817     |
| 9    | .6316     | .3142     |           | .4049     | .5256     | .7888     | .8539     |
| 10   | .5506     | .3547     | .2031     | .583      | .5975     | .8402     | .7907     |
| 11   |           | .3734     | .2968     | .583      | .6516     | .5668     | .8223     |
| 12   |           | .3547     |           |           | .6099     | .6802     | .8065     |
| 13   |           | .3544     | .3281     | .2915     | .5493     | .6964     | .8539     |
| 14   |           | .3506     | .3749     | .5182     |           | .7611     | .8697     |
| 15   | .3077     | .4251     | .4062     | .5668     | .6219     | .8842     | .7748     |
| 16   | .3401     | .462      | .4374     | .5992     | .6485     | .9189     | .6009     |
| 17   | .3321     | .4321     | .3696     | .6249     | .7133     | .9391     | .6483     |
| 18   | .1423     | .1492     | .1772     | .1423     | .2195     | .2454     | .1739     |
| 19   | .1581     | .2126     | .1629     |           | .2402     | .2481     | .2214     |
| 20   | .1739     | .2126     | .1734     | .1107     | .2481     | .2454     | .253      |
| 21   | .1739     | .1949     | .1867     | 1.3599    | .2303     | .2401     | .253      |
| 22   | .1739     | .1949     | .1696     | .0949     | .2303     | .2204     | .2372     |
| 23   | .1107     | .1753     | .1696     | .1107     | .2303     | .2204     | .2372     |
| 24   | .2846     | .2214     | .2105     | .2035     | .253      | .2591     | .39       |
| Max  | .6316     | .462      | .4374     | 1.3599    | .7133     | .9391     | .8817     |
| Min  | .1107     | .1492     | .1629     | .0949     | .2195     | .2204     | .1739     |
| Avg  | .3152     | .2934     | .2570     | .3969     | .3950     | .5094     | .5783     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812]

BU 4812

Substation No/ Name :- 314018 / 33/11KV SAKHRITOLA S/Stn.

Feeder No / Name : 205 / 11KV SAKHRITOLA FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6415     | .4161     | .4508     | .5375     | .5201     | .7011     | .6588     |
| 2    | .6415     | .4161     | .4334     | .5201     | .5201     | .6836     | .6588     |
| 3    | .6241     | .4161     | .4334     | .5028     | .4854     | .6661     | .6068     |
| 4    | .6241     | .4161     | .4161     | .4854     | .4854     | .6485     | .6241     |
| 5    | .6068     | .4161     | .4161     | .4681     | .4508     | .631      | .6241     |
| 6    | .6068     | .3988     | .3814     | .4508     | .4508     | .6135     | .6241     |
| 7    | .6241     | .3641     | .3814     | .4681     | .4334     | .5784     | .8322     |
| 8    | .6415     | .3467     | .3988     | .4854     | .4161     | .631      | .5028     |
| 9    | .6068     | .3467     | .3988     | .3641     | .4161     | .6135     | .6068     |
| 10   | .6068     | .3467     | .4334     | .4161     | .3988     | .631      | .6241     |
| 11   | .5548     | .3467     | .3814     | .4334     | .156      | .6836     | .7802     |
| 12   | .3641     | .3121     | .3814     | .156      | .5375     |           | .7011     |
| 13   | .3467     | .2947     | .3814     | .3814     | .3641     |           | .7186     |
| 14   | .2601     | .3121     | .4334     | .2427     | .4161     | .5609     | .7362     |
| 15   | .2947     | .3121     | .4161     | .4334     | .4854     | .6661     | .7537     |
| 16   | .2947     | .2774     | .4334     | .3988     | .5548     | .6836     |           |
| 17   | .3294     | .2774     | .4161     | .3988     | .5609     | .6935     | .5784     |
| 18   | .3641     | .3121     | .4161     | .4161     | .6135     | .7628     | .631      |
| 19   | .4508     | .4334     | .5895     | .5548     | .7712     | .8322     | .8764     |
| 20   | .4854     | .5548     | .6762     | .6415     | .8063     | .9189     | .8764     |
| 21   | .4854     | .5721     | .6588     | .6068     | .8238     | .8149     | .8764     |
| 22   | .4681     | .5201     | .6241     | .5895     | .7712     | .7975     | .929      |
| 23   | .4334     | .5028     | .5721     | .5487     | .7186     | .7455     | .9114     |
| 24   | .6415     | .4161     | .4681     | .5548     | .5375     | .7186     | .6588     |
| Max  | .6415     | .5721     | .6762     | .6415     | .8238     | .9189     | .929      |
| Min  | .2601     | .2774     | .3814     | .156      | .156      | .5609     | .5028     |
| Avg  | .4999     | .3886     | .4580     | .4606     | .5289     | .6944     | .7126     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812]

BU 4812

Substation No/ Name :- 314018 / 33/11KV SAKHRITOLA S/Stn.

Feeder No / Name : 206 / 11KV SONEKHARI FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1831    | .8238     | 1.0802    | .823      | 1.0974    | 1.2445    | 1.1789    |
| 2    | 1.1831    | .7888     | 1.0802    | .8149     | 1.0802    | 1.2269    | 1.1443    |
| 3    | 1.2003    | .7802     | 1.0288    | .8149     | 1.0802    | 1.1919    | 1.1443    |
| 4    | 1.2003    | .7373     | 1.0288    | .8149     | 1.0802    | 1.1616    | 1.0631    |
| 5    | 1.2174    | .7202     | 1.0631    | .8063     | 1.0802    | 1.1443    | 1.0974    |
| 6    | 1.2174    | .7362     | 1.0802    | .8063     | 1.0802    | 1.1269    | 1.1317    |
| 7    | 1.2174    | .763      | 1.0682    | .964      | 1.1022    | 1.1789    | 1.3735    |
| 8    | 1.358     | .8048     | 1.1022    | .78       | 1.1191    | 1.335     | 1.3226    |
| 9    | 1.073     | .8383     | 1.1065    | .7716     | 1.0395    | 1.3523    | 1.2887    |
| 10   | 1.1233    | .8383     | 1.1233    | .8916     | 1.0227    | 1.1963    | 1.2887    |
| 11   | 1.0978    | .8383     | 1.0898    | .9774     | 1.153     | .9774     | 1.1191    |
| 12   | 1.0159    | .8215     | 1.1065    | .9774     | 1.1869    |           | 1.2887    |
| 13   | .7116     | .8215     | 1.0059    | .8916     | 1.1869    |           | 1.3056    |
| 14   | .5441     | .8048     | .9665     | .3258     | 1.1488    | 1.0227    |           |
| 15   | .5601     | .8048     | .9282     | .9945     | 1.2003    | 1.1022    |           |
| 16   | .6718     | .8288     | .8718     | 1.0288    | 1.0852    | 1.1145    | 1.1271    |
| 17   | .7209     | .8785     | .9389     | 1.0288    | 1.1361    | 1.0898    | 1.1401    |
| 18   | .8288     | .9431     | 1.0227    | 1.0974    | 1.2378    | 1.1401    | 1.0395    |
| 19   | .9214     | 1.0692    | 1.1736    | 1.262     | 1.5091    | 1.4217    | 1.1568    |
| 20   | .9391     | 1.2403    | 1.2934    | 1.2934    | 1.3735    | 1.382     | 1.2574    |
| 21   | .8939     | 1.1744    | 1.258     | 1.2269    | 1.5592    | 1.2548    | 1.2071    |
| 22   | .8669     | 1.1443    | 1.2226    | 1.1568    | 1.3466    | 1.1568    | 1.2071    |
| 23   | .823      | 1.0974    | 1.1317    | 1.1145    | 1.2934    | 1.0923    | 1.2003    |
| 24   | 1.1831    | .8238     | 1.0802    | .823      | 1.0974    | 1.262     | 1.1789    |
| Max  | 1.358     | 1.2403    | 1.2934    | 1.2934    | 1.5592    | 1.4217    | 1.3735    |
| Min  | .5441     | .7202     | .8718     | .3258     | 1.0227    | .9774     | 1.0395    |
| Avg  | .9897     | .8801     | 1.0771    | .9369     | 1.1790    | 1.1898    | 1.1937    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812]

BU 4812

Substation No/ Name :- 314018 / 33/11KV SAKHRITOLA S/Stn.

Feeder No / Name : 207 / 11KV HETI FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4748     | .039      | .3988     | .4681     | .4578     | .5765     | .5434     |
| 2    | .4748     | .3856     | .3814     | .4508     | .4578     | .5765     | .5434     |
| 3    | .4748     | .3856     | .3814     | .4334     | .4578     | .5765     | .5375     |
| 4    | .4748     | .373      | .3856     | .4334     | .4681     | .5765     | .5375     |
| 5    | .4748     | .373      | .3506     | .4161     | .4681     | .5765     | .5375     |
| 6    | .4748     | .2683     | .3506     | .3988     | .4681     | .5765     | .5658     |
| 7    | .4917     | .285      | .3772     | .3988     | .4801     | .5596     | .5533     |
| 8    | .3052     | .2949     | .3772     | .4334     | .4801     | .6104     | .6036     |
| 9    | .407      | .2949     | .3978     | .2774     | .503      | .6104     | .6133     |
| 10   | .4409     | .3113     | .4096     | .3641     | .0332     | .5765     | .5407     |
| 11   | .1865     | .3113     | .39       | .3814     | .431      | .5898     | .5344     |
| 12   | .2374     | .2984     | .407      | .4334     | .5079     | .5967     | .506      |
| 13   | .2543     | .2984     | .407      | .4508     | .5243     | .5735     | .5304     |
| 14   | .2374     | .2984     | .39       | .2947     | .5079     | .2652     | .6036     |
| 15   | .2713     | .2374     | .4191     | .3467     | .5636     | .2458     | .5636     |
| 16   | .2623     | .2622     | .39       | .3467     | .4973     | .4115     | .547      |
| 17   | .2778     | .2622     | .39       | .3429     | .5138     | .4239     | .5138     |
| 18   | .373      | .3086     | .4409     | .2743     | .5256     | .4917     | .2321     |
| 19   | .4588     | .4252     | .5256     | .5316     | .6443     | .7202     | .5935     |
| 20   | .4641     | .4525     | .6154     | .6089     | .6613     | .463      | .6379     |
| 21   | .4024     | .4887     | .5973     | .5609     | .6783     | .6001     | .6024     |
| 22   | .4239     | .4525     | .5552     | .5316     | .6443     | .5784     | .6201     |
| 23   | .4115     | .4075     | .5194     | .4748     | .6104     | .5609     | .567      |
| 24   | .4748     | .3944     | .4031     | .4854     | .4578     | .5765     | .5434     |
| Max  | .4917     | .4887     | .6154     | .6089     | .6783     | .7202     | .6379     |
| Min  | .1865     | .039      | .3506     | .2743     | .0332     | .2458     | .2321     |
| Avg  | .3845     | .3295     | .4275     | .4224     | .5017     | .5380     | .5488     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812]

BU 4812

Substation No/ Name :- 314021 / kawarabandh 33kv/11kv

Feeder No / Name : 208 / 11kv kawarabandh

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5914     | .4954     | .5144     | .6097     | .4572     | .8192     | .9717     |
| 2    | .5914     | .5144     | .4572     | .6287     | .4954     | .8573     | .8954     |
| 3    | .5729     | .5144     | .4572     | .6478     | .4954     | .7621     | .8192     |
| 4    | .5729     | .5335     | .6097     | .6097     | .4954     | .7842     | .8383     |
| 5    | .5729     | .5335     | .7049     | .5716     | .5144     | .8029     | .8573     |
| 6    | .5359     | .4954     | .5906     | .5144     | .5716     | .8383     | .8002     |
| 7    | .4805     | .5525     | .5335     | .5716     | .5335     | .724      | .5525     |
| 8    | .5121     | .5335     | .4382     | .5716     | .4763     | .8192     | .5716     |
| 9    | .4207     | .4763     | .3429     | .4382     | .4191     | .4763     | .5144     |
| 10   | .4938     | .3048     | .2667     | .4191     | .362      | .381      | .3475     |
| 11   | .4572     | .2858     | .4191     | .4382     |           | .381      | .7468     |
| 12   | .439      | .4001     | .4572     | .6908     | .2477     | .5144     | .5525     |
| 13   | .2561     | .4954     | .4954     | .6097     | .4001     | .5144     | .6535     |
| 14   | .3292     | .5906     | .5144     | .5906     | .4001     | .5525     | .6535     |
| 15   | .381      | .4191     | .4763     | .4763     | .4001     | .4954     | .6722     |
| 16   | .3696     | .4572     | .5144     | .6287     | .0953     | .5525     | .9335     |
| 17   | .2858     | .3429     | .4572     | .5525     |           | .5335     | .8962     |
| 18   | .3429     | .4001     | .4382     | .4382     | .4382     | .6348     | .6097     |
| 19   | .4954     | .381      | .4763     | .3239     | .4382     | .5144     | .6478     |
| 20   | .5525     | .381      | .4572     | .5144     | .4763     | .6668     | .7049     |
| 21   | .5335     | .4191     | .4763     | .3239     | .4191     | .6668     | .8573     |
| 22   | .5335     | .4191     | .6097     | .3239     | .6478     | .8383     | .7655     |
| 23   | .5144     | .4382     | .6668     | .362      | .8573     | .9145     | .9896     |
| 24   | .5914     | .4954     | .5144     | .5906     | .4191     | .8192     | .9907     |
| Max  | .5914     | .5906     | .7049     | .6908     | .8573     | .9145     | .9907     |
| Min  | .2561     | .2858     | .2667     | .3239     | .0953     | .381      | .3475     |
| Avg  | .4761     | .4533     | .4953     | .5186     | .4573     | .6610     | .7434     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812]

BU 4812

Substation No/ Name :- 314021 / kawarabandh 33kv/11kv

Feeder No / Name : 209 / 11kv sonpuri

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4252     | .2477     | .2477     | .2715     | .2667     | .362      | .4805     |
| 2    | .4252     | .2286     | .2286     | .2534     | .2667     | .362      | .4805     |
| 3    | .4075     | .2195     | .2286     | .2534     | .2667     | .362      | .462      |
| 4    | .4252     | .2378     | .2096     | .2353     | .2667     | .3258     | .462      |
| 5    | .4075     | .2743     | .2096     | .2353     | .2667     | .3439     | .462      |
| 6    | .4075     | .2507     | .1905     | .2172     | .2286     | .3077     | .4251     |
| 7    |           | .2149     | .1524     | .197      | .2286     | .2896     | .3681     |
| 8    | .2774     | .2149     | .1524     | .197      | .1905     | .2715     | .333      |
| 9    | .2947     | .2149     | .1143     | .2172     | .1905     | .2743     | .2507     |
| 10   | .2804     | .1715     | .1334     | .2303     | .1524     | .2915     | .2686     |
| 11   | .2303     | .1524     | .1715     | .1949     | .1334     | .3086     | .3258     |
| 12   | .1907     | .0953     | .1905     | .1905     | .1524     | .1928     | .2915     |
| 13   | .156      | .0953     | .1524     | .1905     |           | .2279     | .3086     |
| 14   | .1406     | .0953     | .1905     | .1753     | .1524     | .2629     | .3121     |
| 15   | .1372     | .0953     | .1524     | .1387     | .1715     | .298      | .2012     |
| 16   | .1387     | .0953     | .1524     | .1595     | .1334     | .3189     | .2743     |
| 17   | .125      | .1143     | .2096     | .1734     | .1524     | .3366     | .3294     |
| 18   | .1581     | .1905     | .2096     | .1949     | .2667     | .3353     | .3506     |
| 19   | .2477     | .2667     | .2858     | .2561     | .3429     | .4359     | .4835     |
| 20   | .3048     | .2858     | .3326     | .3048     | .4191     | .4862     | .543      |
| 21   | .3048     | .2858     | .3475     | .3239     | .4382     | .503      | .5611     |
| 22   | .2858     | .2858     | .3109     | .2858     | .4001     | .5175     | .543      |
| 23   | .2667     | .2477     | .2715     | .2858     | .5335     | .499      | .5121     |
| 24   | .4252     | .2477     | .2477     | .2896     | .2667     | .362      | .4805     |
| Max  | .4252     | .2858     | .3475     | .3239     | .5335     | .5175     | .5611     |
| Min  | .125      | .0953     | .1143     | .1387     | .1334     | .1928     | .2012     |
| Avg  | .2810     | .2012     | .2122     | .2280     | .2559     | .3448     | .3962     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

DEORI DIVISION[657]

SALEKASA S/DN.[812]

BU 4812

Substation No/ Name :- 314021 / kawarabandh 33kv/11kv

Feeder No / Name : 210 / 11KV NAVEGAON FEEDER

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6478     | .3641     | .2743     | .3224     | .2865     | .3439     | .4784     |
| 2    | .6478     | .3467     | .2743     | .3258     | .2896     | .3439     | .4801     |
| 3    | .664      | .3429     | .2743     | .3189     | .2865     | .3439     | .4801     |
| 4    | .6478     | .3429     | .2743     | .2835     | .2865     | .3086     | .4458     |
| 5    | .421      | .3353     | .2743     | .298      | .2715     | .3258     | .4458     |
| 6    | .4858     | .3018     | .2572     | .298      | .2507     | .2743     | .4458     |
| 7    | .5344     | .2915     | .2401     | .2915     | .2454     | .2743     | .4458     |
| 8    | .5506     | .2572     | .2149     | .3258     | .2279     | .3258     | .4458     |
| 9    | .4801     | .2572     | .2149     | .2915     | .2103     | .3258     | .3932     |
| 10   | .4961     | .1886     | .208      | .2785     | .1715     | .3521     | .4049     |
| 11   | .4696     | .1886     | .2328     | .2785     | .2058     | .3688     | .4588     |
| 12   | .381      | .1829     | .2347     | .3149     | .2204     | .3605     | .4372     |
| 13   | .3311     | .1829     | .2515     | .2949     | .2204     | .3932     | .4696     |
| 14   | .2896     | .192      | .2683     | .2949     | .2401     | .3768     | .4428     |
| 15   | .2656     | .208      | .2347     | .3239     | .2572     | .3768     | .4586     |
| 16   | .253      | .208      | .2241     | .3018     | .181      | .3932     | .4586     |
| 17   | .2401     | .2229     | .2347     | .3688     | .2347     | .3441     | .4641     |
| 18   | .2591     | .2401     | .2515     | .2012     | .2743     | .3401     | .4752     |
| 19   | .3681     | .3475     | .3856     | .2804     | .4024     | .4681     | .6068     |
| 20   | .3898     | .3475     | .462      | .3292     | .4024     | .5201     | .6588     |
| 21   | .4031     | .362      | .3881     | .3258     | .4163     | .5375     | .6485     |
| 22   | .3898     | .362      | .3881     | .3077     | .3982     | .5434     | .6104     |
| 23   | .3898     | .3439     | .3511     | .3077     | .362      | .5138     | .6001     |
| 24   | .6478     | .3721     | .2743     | .3511     | .2865     | .3439     | .4784     |
| Max  | .664      | .3721     | .462      | .3688     | .4163     | .5434     | .6588     |
| Min  | .2401     | .1829     | .208      | .2012     | .1715     | .2743     | .3932     |
| Avg  | .4439     | .2829     | .2787     | .3048     | .2762     | .3791     | .4889     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314001 / 33/11KV Rawanwadi S/stn.

Feeder No / Name : 201 / 11kv Kamtha

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3176    | 1.1317    | 1.1744    | 1.4529    | 1.5947    | 1.8031    | 1.9071    |
| 2    | 1.3003    | 1.1145    | 1.1443    | 1.4352    | 1.5775    | 1.8229    | 1.9105    |
| 3    | 1.3003    | 1.1022    | 1.1269    | 1.4352    | 1.56      | 1.8054    | 1.9105    |
| 4    | 1.3003    | 1.0852    | 1.1145    | 1.4022    | 1.543     | 1.7857    | 1.8724    |
| 5    | 1.3003    | 1.1022    | 1.1317    | 1.4022    | 1.5769    | 1.7661    | 1.8519    |
| 6    | 1.3546    | 1.1191    | 1.1191    | 1.3717    | 1.5939    | 1.7661    | 1.8107    |
| 7    | 1.3032    | 1.0227    | 1.0682    | 1.3032    | 1.5592    | 1.7337    | 1.6933    |
| 8    | 1.1616    | .9724     | 1.073     | 1.3889    | 1.5238    | 1.7164    | 1.7772    |
| 9    | 1.1191    | .9556     | 1.073     | 1.3889    | 1.5415    | 1.6461    | 1.7238    |
| 10   | 1.1065    | .9835     | 1.073     | 1.4074    | 1.5402    | 1.6975    | 1.6907    |
| 11   | 1.153     | .8309     | 1.073     | 1.2887    | 1.6787    | 1.7804    | 1.8442    |
| 12   | 1.153     | .8619     | 1.0898    | 1.3245    | 1.6975    | 1.7974    | 1.8442    |
| 13   | .9282     | .8951     | 1.1271    | 1.3413    | 1.7337    | 1.6766    | 1.5257    |
| 14   |           | .7459     | .8551     | 1.3763    | 1.5083    | 1.6263    | 1.5089    |
| 15   | .213      | .4915     | 1.2209    | .639      | 1.5074    | 1.3916    | 1.6787    |
| 16   | .9667     | .9116     | 1.17      | 1.3435    | 1.5074    | 1.6095    | 1.7635    |
| 17   | 1.0277    | .9724     | 1.153     | 1.2929    | 1.56      | 1.7436    | 1.8347    |
| 18   | 1.0442    | 1.0395    | 1.2039    | 1.3426    | 1.6297    | 1.543     | 1.8313    |
| 19   | 1.1736    | 1.1831    | 1.4575    | 1.6095    | 1.9938    | 2.0178    | 2.0631    |
| 20   | 1.2071    | 1.2483    | 1.5604    | 1.7465    | 1.9938    | 2.1195    | 2.0805    |
| 21   | 1.2003    | 1.2656    | 1.5249    | 1.7337    | 1.9418    | 2.1534    | 2.0458    |
| 22   | 1.1831    | 1.2309    | 1.4899    | 1.7164    | 1.9418    | 1.9719    | 2.0111    |
| 23   | 1.1616    | 1.1963    | 1.4548    | 1.6461    | 1.8378    | 1.9244    | 1.9719    |
| 24   | 1.3203    | 1.1443    | 1.1919    | 1.4373    | 1.5947    | 1.8204    | 1.9071    |
| Max  | 1.3546    | 1.2656    | 1.5604    | 1.7465    | 1.9938    | 2.1534    | 2.0805    |
| Min  | .213      | .4915     | .8551     | .639      | 1.5074    | 1.3916    | 1.5089    |
| Avg  | 1.1433    | 1.0253    | 1.1946    | 1.4094    | 1.6557    | 1.7800    | 1.8358    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314001 / 33/11KV Rawanwadi S/stn.

Feeder No / Name : 202 / 11kv Rawanwadi

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.0285    | 1.8404    | 1.7703    | 2.1085    | 2.4535    | 2.5139    | 2.0452    |
| 2    | 2.0508    | 1.8229    | 1.7528    | 2.0595    | 2.4013    | 2.489     | 2.0452    |
| 3    | 2.0332    | 1.8229    | 1.7528    | 2.0416    | 2.4451    | 2.489     | 2.0271    |
| 4    | 2.0332    | 1.7857    | 1.7364    | 2.0416    | 2.4451    | 2.4539    | 2.0271    |
| 5    | 2.0332    | 1.7684    | 1.7364    | 1.9845    | 2.3663    | 2.4806    | 2.0271    |
| 6    | 2.0111    | 1.7337    | 1.7703    | 1.7878    | 2.3137    | 2.4274    | 2.0271    |
| 7    | 1.8991    | 1.6632    | 1.6827    | 1.8347    | 2.3743    | 2.4274    | 1.9185    |
| 8    | 1.8313    | 1.6289    | 1.6289    | 1.9161    | 2.3211    | 2.4451    | 1.828     |
| 9    | 1.8004    | 1.3735    | 1.6461    | 1.9161    | 2.1209    | 2.4539    | 2.3137    |
| 10   | 1.7661    | 1.3565    | 1.5769    | 1.8821    | 2.3211    | 2.1033    | 2.4188    |
| 11   | 1.6108    | 1.3916    | 1.6766    | 1.8991    | 2.4983    | 2.2192    | 2.3059    |
| 12   | 1.5592    | 1.4083    | 1.7269    | 2.0233    | 2.0953    | 2.1948    | 2.4792    |
| 13   | 1.4563    | 1.3923    | 1.6933    | 1.989     | 2.2744    | 2.332     | 2.079     |
| 14   | 1.3603    | 1.1934    | 1.6617    | 1.7939    | 2.2386    | 2.5377    |           |
| 15   | 1.2018    | .8745     | 1.3735    | 1.9281    | 2.3529    | 2.0233    | 2.2977    |
| 16   | 1.2793    | 1.3748    | 1.56      | 1.9448    | 2.4072    | 2.2291    | 2.3834    |
| 17   | 1.4083    | 1.3916    | 1.5939    | 1.6617    | 2.4072    | 2.2977    | 2.4006    |
| 18   | 1.5091    | 1.6278    | 1.7295    | 1.8991    | 2.4535    | 2.4863    | 2.6467    |
| 19   | 1.825     | 1.893     | 2.2539    | 2.4356    | 2.9729    | 2.982     | 3.207     |
| 20   | 2.0058    | 1.97      | 2.4364    | 2.6326    | 3.0803    | 2.1491    | 3.1007    |
| 21   | 1.9845    | 1.9521    | 2.4097    | 2.3211    | 2.8045    | 2.2923    | 3.083     |
| 22   | 1.949     | 1.9163    | 2.2857    | 2.5789    | 2.6993    | 2.2028    | 3.0653    |
| 23   | 1.8983    |           | 2.1794    | 2.4983    | 2.5941    | 2.1176    | 2.9767    |
| 24   | 2.0285    | 1.8404    | 1.8229    | 2.1616    | 2.4356    | 2.5312    | 2.0633    |
| Max  | 2.0508    | 1.97      | 2.4364    | 2.6326    | 3.0803    | 2.982     | 3.207     |
| Min  | 1.2018    | .8745     | 1.3735    | 1.6617    | 2.0953    | 2.0233    | 1.828     |
| Avg  | 1.7735    | 1.6097    | 1.8107    | 2.0558    | 2.4532    | 2.3699    | 2.3811    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314001 / 33/11KV Rawanwadi S/stn.

Feeder No / Name : 203 / 11kv Kati

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6644    | .6874     | .6859     | .8309     | .9945     | .9709     | 1.0513    |
| 2    | 1.647     | .6706     | .6859     | .8402     | .9389     | .9431     | 1.0343    |
| 3    | 1.6297    | .6706     | .6687     | .8402     | .9389     | .9431     | 1.0343    |
| 4    | 1.6297    | .6796     | .6443     | .823      | .9116     | .9221     | 1.0343    |
| 5    | 1.6297    | .6962     | .6443     | .8478     | .8848     | .9054     | 1.0227    |
| 6    | 1.6108    | .6796     | .6464     | .8478     | .8848     | .8951     | 1.0111    |
| 7    | .78       | .6299     | .6962     | .8215     | .8848     | .8951     | 1.0111    |
| 8    | .763      | .6203     | .7545     | .788      | .8848     | .9665     | 1.0277    |
| 9    | .7712     | .7377     | .8215     | .779      | .9995     | 1.0513    | 1.1105    |
| 10   | .7545     | .7122     | .7701     | .8215     | .9614     | 1.1233    | 1.1568    |
| 11   | .7625     | .7291     | .8097     | .7625     | .7956     | 1.1603    | 1.0898    |
| 12   | .7956     | .6859     | .6964     | .8122     | .8817     | 1.0774    | 1.1065    |
| 13   | .6241     | .6001     | .7045     | .7461     | .8478     | 1.1105    | 1.0682    |
| 14   | .6327     | .6036     | .7209     | .2486     | .8648     | 1.1401    | 1.1305    |
| 15   | .6249     | .6154     | .7773     | .8817     | .9088     | .9054     | 1.0486    |
| 16   | .6154     | .5571     | .6316     | .9389     | .9602     | .9945     | 1.0159    |
| 17   | .6325     | .663      | .5992     | .8192     | .9945     | 1.0608    | 1.0774    |
| 18   | .6554     | .7127     | .7773     | .9012     | 1.0631    | 1.0111    | 1.0852    |
| 19   | .7122     | .7712     | .9012     | .9831     | 1.166     | 1.073     | 1.2039    |
| 20   | .7122     | .763      | .9945     | 1.0442    | 1.2136    | 1.1736    | 1.1963    |
| 21   | .7282     | .7716     | 1.0059    | 1.1317    | 1.1919    | 1.1191    | 1.1869    |
| 22   | .7282     | .7545     | .8817     | 1.1269    | 1.1096    | 1.1022    | 1.1869    |
| 23   | .7108     | .703      | .8478     | 1.0517    | 1.0749    | 1.0562    | 1.166     |
| 24   | 1.6461    | .6874     | .7108     | .8309     | 1.0166    | .9882     | 1.0395    |
| Max  | 1.6644    | .7716     | 1.0059    | 1.1317    | 1.2136    | 1.1736    | 1.2039    |
| Min  | .6154     | .5571     | .5992     | .2486     | .7956     | .8951     | 1.0111    |
| Avg  | .9775     | .6834     | .7532     | .8550     | .9739     | 1.0245    | 1.0873    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314001 / 33/11KV Rawanwadi S/stn.

Feeder No / Name : 204 / 11KV Banther

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3426    | 1.0911    | .9259     | 1.2193    | 1.4148    | 1.491     | 1.5394    |
| 2    | 1.3435    | 1.0911    | .9259     | 1.2346    | 1.3998    | 1.4746    | 1.5432    |
| 3    | 1.3441    | 1.0595    | .9442     | 1.2498    | 1.3672    | 1.406     | 1.5432    |
| 4    | 1.3441    | 1.0467    | .9717     | 1.2498    | 1.3672    | 1.3904    | 1.5432    |
| 5    | 1.3441    | 1.0623    | 1.004     | 1.2498    | 1.3546    | 1.3904    | 1.5242    |
| 6    | 1.2967    | 1.0623    | .9568     | 1.2342    | 1.3717    | 1.3077    | 1.5202    |
| 7    | 1.3123    | 1.0155    | 1.0155    | 1.1883    | 1.3889    | 1.3395    | 1.4449    |
| 8    | 1.1405    | 1.0623    | .9998     | 1.1574    | 1.2809    | 1.3094    | 1.4327    |
| 9    | 1.0936    | .9568     | 1.0364    | 1.1717    | 1.0623    | 1.3765    | 1.4327    |
| 10   | 1.0623    | .9217     | 1.004     | 1.1873    | 1.1248    | 1.2811    | 1.448     |
| 11   | .9726     | .8962     | 1.0526    | 1.1728    | 1.4523    | 1.2654    | 1.4175    |
| 12   | 1.0235    | .9442     | 1.0526    | 1.1111    | 1.3916    | 1.2651    | 1.4043    |
| 13   | 1.0898    | .9667     | 1.065     | .8025     | 1.4251    | 1.3108    | 1.3546    |
| 14   | 1.0562    | .9175     | 1.0608    | .8592     | 1.3763    | 1.4217    | 1.1584    |
| 15   | 1.0277    | .8785     | 1.0608    | 1.0957    | 1.3435    | 1.2176    | 1.3272    |
| 16   | .9779     | .788      | 1.0442    | 1.2186    | 1.3272    | 1.2654    | 1.2654    |
| 17   | 1.0159    | .9221     | 1.1437    | .5468     | 1.3283    | 1.3108    | 1.1728    |
| 18   | 1.065     | .9145     | 1.1437    | 1.1717    | 1.3565    | 1.0669    | 1.358     |
| 19   | 1.0084    | 1.0364    | 1.5074    | 1.4685    | 1.6156    | 1.6512    | 1.6004    |
| 20   | 1.0416    | 1.0136    | 1.5364    | 1.4563    | 1.5901    | 1.7185    | 1.7284    |
| 21   | 1.0536    | 1.0136    | 1.4175    | 1.475     | 1.5158    | 1.7497    | 1.6821    |
| 22   | 1.0536    | 1.0105    | 1.3672    | 1.5242    | 1.5089    | 1.6872    | 1.6358    |
| 23   | 1.0802    | 1.0084    | 1.2342    | 1.4784    | 1.4506    | 1.5503    | 1.6248    |
| 24   | 1.3735    | 1.0911    | .9568     | 1.2346    | 1.4327    | 1.5074    | 1.5202    |
| Max  | 1.3735    | 1.0911    | 1.5364    | 1.5242    | 1.6156    | 1.7497    | 1.7284    |
| Min  | .9726     | .788      | .9259     | .5468     | 1.0623    | 1.0669    | 1.1584    |
| Avg  | 1.1443    | .9904     | 1.1011    | 1.1982    | 1.3853    | 1.4064    | 1.4676    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314001 / 33/11KV Rawanwadi S/stn.

Feeder No / Name : 205 / 11KV Katangi Industrial SHEDDABLE FEEDER HAVING WEEKLY  
Feeder KV- 11 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1886     | .0943     | .0943     | .1886     | .0943     | .132      | .132      |
| 2    | .2075     | .0754     | .0943     | .2075     | .0943     | .132      | .132      |
| 3    | .2075     | .0754     | .1132     | .2075     | .112      | .1132     | .132      |
| 4    | .2075     | .0943     | .0943     | .2075     | .0934     | .1132     | .132      |
| 5    | .1886     | .0934     | .1132     | .2075     | .112      | .1132     | .132      |
| 6    | .1509     | .0934     | .1132     | .2075     | .132      | .1132     | .132      |
| 7    | .1509     | .0943     | .1132     | .1886     | .1132     | .0943     | .132      |
| 8    | .1698     | .0943     | .1132     | .1886     | .0943     | .0943     | .132      |
| 9    | .1494     | .1509     | .1132     | .132      | .1132     | .1132     | .132      |
| 10   | .168      | .0943     | .1509     | .1886     | .1132     | .132      | .1307     |
| 11   | .0943     | .132      | .1698     | .2614     | .1698     | .1698     | .1307     |
| 12   | .132      | .132      | .1509     | .3734     | .1698     | .2452     | .1494     |
| 13   | .1509     | .1509     | .1509     | .2829     | .2263     | .2263     | .1509     |
| 14   | .132      | .1509     | .132      | .2829     | .1698     | .1509     |           |
| 15   | .1494     | .132      | .1509     | .2075     | .1886     | .1698     | .1886     |
| 16   | .1494     | .1132     | .1886     | .2452     | .1886     | .1886     | .2075     |
| 17   | .1509     | .1509     | .1509     | .2075     | .2263     | .2075     | .1509     |
| 18   | .132      | .1698     | .1698     | .1509     | .2829     | .2075     | .1886     |
| 19   | .1509     | .1509     | .132      | .1494     | .2075     | .1698     | .132      |
| 20   | .1307     | .1509     | .132      | .1307     | .1698     | .132      | .132      |
| 21   | .0943     | .1132     | .0943     | .112      | .1509     | .132      | .1132     |
| 22   | .0943     | .0943     | .0943     | .0943     | .1698     | .132      | .1132     |
| 23   | .1132     | .1132     | .0943     | .0943     | .132      | .1132     | .1132     |
| 24   | .1886     | .0943     | .0943     | .1132     | .1132     | .132      | .132      |
| Max  | .2075     | .1698     | .1886     | .3734     | .2829     | .2452     | .2075     |
| Min  | .0943     | .0754     | .0943     | .0943     | .0934     | .0943     | .1132     |
| Avg  | .1522     | .1170     | .1258     | .1929     | .1516     | .1470     | .1400     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314001 / 33/11KV Rawanwadi S/stn.

Feeder No / Name : 401 / 33KV Executive Engineer NON SHEDDABLE WATER SUPPLY AND  
LIS, R Feeder KV- 33 / OUTGOING UTILITY

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5093     | .5093     | .5093     |           |           |           |           |
| 2    | .5093     | .5093     | .4527     |           |           |           |           |
| 3    | .5093     | .5093     | .4527     |           |           |           |           |
| 4    | .5093     | .5093     | .5093     |           |           |           |           |
| 5    | .5093     | .5093     | .5093     |           |           |           |           |
| 6    | .5093     | .5093     | .5093     |           |           |           |           |
| 7    | .4527     | .5093     | .5093     |           |           |           |           |
| 8    |           | .5093     | .5093     |           | .5093     |           |           |
| 9    |           | .5093     | .5093     |           | .5093     | .5093     | .5093     |
| 10   |           | .4527     | .5093     |           | .5093     | .5093     | .5093     |
| 11   |           | .5093     | .5093     |           | .5093     | .5093     | .5658     |
| 12   |           | .5093     | .5093     |           |           | .5658     | .5658     |
| 13   | .9979     | .5093     | .5093     |           |           | .5658     | .5658     |
| 14   | .9522     | .5093     | .5093     |           |           | .5658     |           |
| 15   | .9522     | .4527     | .5093     |           |           | .5658     | .5093     |
| 16   | .9425     | .4527     | .5093     |           | .463      | .5658     | .5658     |
| 17   | 1.0082    |           | .5093     |           | .5144     | .5658     | .5658     |
| 18   | .3961     | .5093     |           | .5093     | .5658     | .5093     | .5093     |
| 19   | .5093     | .5093     |           | .5658     | .5658     | .5093     | .5658     |
| 20   | .5093     | .5093     |           |           |           |           | .5658     |
| 21   | .5093     | .5658     |           |           |           |           | .5658     |
| 22   | .5093     | .5093     |           |           |           |           | .5658     |
| 23   | .5093     | .5093     |           |           |           |           | .5093     |
| 24   | .5093     | .5093     | .5093     |           |           |           |           |
| Max  | 1.0082    | .5658     | .5093     | .5658     | .5658     | .5658     | .5658     |
| Min  | .3961     | .4527     | .4527     | .5093     | .463      | .5093     | .5093     |
| Avg  | .6218     | .5044     | .5030     | .5376     | .5183     | .5401     | .5456     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314006 / 33/11KV Fulchur S/stn.

Feeder No / Name : 201 / Fulchur

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9335     | .9149     | 1.1389    | 1.1389    | 1.1016    | 1.1203    | 1.2696    |
| 2    | .9149     | .8589     | 1.1016    | 1.1203    | 1.0642    | 1.1016    | 1.0829    |
| 3    | .8775     | .9149     | 1.0082    | 1.0456    | 1.0456    | 1.0829    | 1.0269    |
| 4    | .8775     | .8962     | .9149     | .9709     | 1.0456    | 1.0829    | 1.0269    |
| 5    | .9149     | .9149     | 1.0642    | .9896     | 1.0456    | 1.1389    | 1.0456    |
| 6    | .9709     | .9149     | .9709     | .9896     | .9896     | .9896     | 1.0082    |
| 7    | .9149     | .8962     | .9335     | .8775     | .9335     | .9149     | .9335     |
| 8    | .8589     | .9149     | .7655     | .9335     | .8962     | .8962     | .9709     |
| 9    | .7842     | .9149     | .8029     | .8402     | .8215     | .9335     | .8775     |
| 10   | .8029     | .8775     | .9522     | .9335     | .8589     | .9335     | .9335     |
| 11   | .8962     | .8962     | 1.0456    | 1.2136    | 1.1203    | 1.1763    | 1.2883    |
| 12   | .9335     | .8962     | 1.1016    | 1.4003    | 1.1016    | .8402     | 1.3817    |
| 13   | .9896     | .8962     | 1.1763    | 1.251     | 1.0642    | 1.1016    | 1.2883    |
| 14   | .8215     | .8589     | .9149     | 1.0829    | .9335     | 1.1763    | 1.0456    |
| 15   | .7655     | .9335     | .9896     | 1.0829    | 1.1203    | 1.1576    | 1.1763    |
| 16   | .8029     |           | 1.0456    | 1.1576    | 1.0082    | 1.1576    | 1.1949    |
| 17   | .7468     | 1.0082    | 1.0456    | 1.1203    | 1.0269    | 1.1389    | 1.2136    |
| 18   | .8215     | 1.1016    | 1.1389    | 1.1203    | 1.0456    | 1.0269    | 1.1949    |
| 19   | .9896     | 1.1203    | 1.2696    | 1.3256    | 1.2323    | 1.2696    | 1.2323    |
| 20   | .9896     | 1.0829    | 1.1763    | 1.2323    | 1.1949    | 1.2136    | 1.1949    |
| 21   | 1.0829    | 1.1763    | 1.2136    | 1.2136    | 1.3817    | 1.3443    | 1.2136    |
| 22   | 1.0642    | 1.3256    | 1.3256    | 1.251     | 1.3256    | 1.4377    | 1.1203    |
| 23   | 1.0269    | 1.2696    | 1.2696    | 1.1949    | 1.2696    | 1.4003    | 1.1949    |
| 24   | 1.1203    | .9896     | 1.1576    | 1.1576    | 1.1763    | 1.1949    | 1.3256    |
| Max  | 1.1203    | 1.3256    | 1.3256    | 1.4003    | 1.3817    | 1.4377    | 1.3817    |
| Min  | .7468     | .8589     | .7655     | .8402     | .8215     | .8402     | .8775     |
| Avg  | .9125     | .9814     | 1.0635    | 1.1101    | 1.0751    | 1.1179    | 1.1350    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314006 / 33/11KV Fulchur S/stn.

Feeder No / Name : 203 / 11kv Adasi

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4251    | .8215     | .8718     | 1.1904    | 1.3413    | 1.5089    | 1.6263    |
| 2    | 1.4251    | .8215     | .8718     | 1.2071    | 1.3413    | 1.5089    | 1.6263    |
| 3    | 1.4251    | .8215     | .8718     | 1.2071    | 1.3413    | 1.5089    | 1.7924    |
| 4    | 1.4582    | .8215     | .8817     | 1.1904    | 1.3413    | 1.4922    | 1.5927    |
| 5    | 1.4582    | .8215     | .8718     | 1.1736    | 1.3413    | 1.5424    | 1.5927    |
| 6    | 1.4083    | .7712     | .8383     | 1.1233    | 1.358     | 1.4586    | 1.5592    |
| 7    | 1.2887    | .7377     | .6539     | 1.073     | 1.2742    | 1.1904    | 1.5089    |
| 8    | 1.291     | .6371     | .6203     | 1.0562    | 1.1568    | 1.1401    | 1.5089    |
| 9    | 1.2574    | .6371     | .6203     | 1.0395    | 1.0562    | 1.2071    | 1.5257    |
| 10   | 1.2517    | .6036     | .6874     | 1.1736    | 1.1401    | 1.2407    | 1.4586    |
| 11   | 1.0004    | .6036     | .503      | 1.291     | 1.2574    | 1.3413    | 1.1401    |
| 12   | .8718     | .6516     | .7377     | 1.1904    | 1.2407    | 1.3413    | 1.291     |
| 13   | .7377     | .6859     | .7377     | 1.2239    | 1.1233    | 1.3245    | 1.4251    |
| 14   | .6874     |           | .8551     | 1.2742    | 1.2574    | 1.3245    | 1.4251    |
| 15   | .7042     | .6539     | .8383     | 1.2574    | 1.3245    | 1.1904    | 1.3916    |
| 16   | .6371     |           | .9389     | 1.2407    | 1.3245    | 1.1904    | .9054     |
| 17   | .6371     | .7042     | .9389     | 1.2071    | 1.2742    | 1.2071    | .6874     |
| 18   | .7377     | .7377     | 1.0395    | 1.2574    | 1.2407    | 1.3077    | .8383     |
| 19   | .8383     | .9054     | 1.2742    | 1.4586    | 1.4922    | 1.6933    | 1.3916    |
| 20   | .8886     | .9221     | 1.3077    | 1.5592    | 1.6095    | 1.7436    | 1.3748    |
| 21   | .8886     | .9221     | 1.3077    | 1.3748    | 1.6095    | 1.7436    | 1.4083    |
| 22   | .8718     | .9221     | 1.2574    | 1.3916    | 1.6095    | 1.7101    | 1.0395    |
| 23   | .8383     | .8718     | 1.2071    | 1.3748    | 1.56      | 1.6766    | 1.0562    |
| 24   | 1.4419    | .8048     | .8718     | 1.1904    | 1.3413    | 1.5257    | 1.6095    |
| Max  | 1.4582    | .9221     | 1.3077    | 1.5592    | 1.6095    | 1.7436    | 1.7924    |
| Min  | .6371     | .6036     | .503      | 1.0395    | 1.0562    | 1.1401    | .6874     |
| Avg  | 1.0612    | .7672     | .9002     | 1.2386    | 1.3315    | 1.4216    | 1.3657    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314006 / 33/11KV Fulchur S/stn.

Feeder No / Name : 204 / 11 KV Bambleshwari

Feeder KV- 11 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY

STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3174     | .2427     | .3361     | .2241     | .3734     | .2987     | .1307     |
| 2    | .3921     | .3174     | .2054     | .2054     | .3734     | .2241     | .112      |
| 3    | .2801     | .2987     | .2427     | .2614     | .3361     | .2987     | .1494     |
| 4    | .3361     | .2987     | .2987     | .3361     | .2801     | .2263     | .168      |
| 5    | .3547     | .2614     | .2427     | .2614     | .3206     | .1886     | .1494     |
| 6    | .4294     | .2054     | .1867     | .2241     | .3734     | .1698     | .2054     |
| 7    | .168      | .1867     | .2427     | .1494     | .3547     | .1494     | .1494     |
| 8    | .2801     | .2427     | .168      | .2427     | .2241     | .0953     | .2241     |
| 9    | .2987     | .2241     | .112      | .2241     | .2241     | .0747     | .2427     |
| 10   | .2427     | .168      | .1509     | .2054     | .2614     | .056      | .3734     |
| 11   | .2427     | .2241     | .2241     | .1867     | .3547     | .3547     | .4108     |
| 12   | .2987     | .2614     | .2614     | .168      | .3361     | .4108     | .4294     |
| 13   | .3361     | .3547     | .3174     | .1494     | .5228     | .5415     | .4481     |
| 14   | .2987     | .3361     | .2801     | .1509     | .3921     | .4294     | .4481     |
| 15   | .2427     | .2801     | .3174     | .2427     | .2987     | .2987     | .3921     |
| 16   | .1867     |           | .3174     | .3547     | .4481     | .3174     | .3547     |
| 17   | .1867     | .2801     | .2801     | .4108     | .4854     | .3547     | .2987     |
| 18   | .1867     | .2054     | .2614     | .3547     | .4294     | .3921     | .3174     |
| 19   | .1867     | .0934     | .2241     | .3734     | .3921     | .3734     | .168      |
| 20   | .168      | .1509     | .2241     | .2614     | .3361     | .2987     | .1494     |
| 21   | .112      | .2667     | .2241     | .3734     | .112      | .168      | .168      |
| 22   | .168      | .2801     | .2427     | .4108     | .1494     | .1494     | .2427     |
| 23   | .1867     | .3206     | .2241     | .4481     | .2054     | .1494     | .2987     |
| 24   | .4294     | .2054     | .3584     | .2054     | .4481     | .3734     | .1494     |
| Max  | .4294     | .3547     | .3584     | .4481     | .5228     | .5415     | .4481     |
| Min  | .112      | .0934     | .112      | .1494     | .112      | .056      | .112      |
| Avg  | .2637     | .2480     | .2476     | .2677     | .3347     | .2664     | .2575     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314006 / 33/11KV Fulchur S/stn.

Feeder No / Name : 205 / 11KV Maheshwari industrial SHEDDABLE FEEDER HAVING WEEKLY  
Feeder KV- 11 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2477     | .2263     | .2477     | .2667     | .2477     | .2096     | .2096     |
| 2    | .2096     | .2263     | .2477     | .2286     | .2286     | .1905     | .1715     |
| 3    | .2286     | .1698     | .2477     | .2477     | .2096     | .1905     | .1905     |
| 4    | .2477     | .2263     | .2477     | .2477     | .2096     | .1905     | .1905     |
| 5    | .2286     | .2075     | .2286     | .2667     | .2096     | .2286     | .2096     |
| 6    | .2096     | .2452     | .2286     | .2858     | .2096     | .1715     | .2286     |
| 7    | .0381     | .2075     | .2286     | .2096     | .2477     | .2096     | .2286     |
| 8    | .2286     | .2263     | .2286     | .2096     | .1905     | .2096     | .2096     |
| 9    | .2286     | .2452     | .2096     | .2477     | .2096     | .2096     | .2096     |
| 10   | .2858     | .2477     | .2667     | .3048     |           | .2096     | .2667     |
| 11   | .2667     | .3048     | .3395     | .2858     | .2096     | .2096     | .3048     |
| 12   | .3239     | .381      | .3206     | .3429     | .2286     | .1905     | .3239     |
| 13   | .1715     | .3429     | .3206     | .3429     | .1524     | .2096     | .3239     |
| 14   | .2096     | .3429     | .3206     | .2858     | .4001     | .1905     | .3048     |
| 15   | .2096     | .3429     | .3018     | .3429     | .2286     | .1905     | .2858     |
| 16   | .2096     |           | .3395     | .3048     | .1905     | .1905     | .3239     |
| 17   | .2858     | .3429     | .3239     | .2858     | .2096     | .2286     | .2858     |
| 18   | .2477     | .2667     | .3048     | .2667     | .2096     | .2096     | .2286     |
| 19   | .2096     | .2477     | .2858     | .2477     | .2096     | .1905     | .2286     |
| 20   | .1524     | .2667     | .2667     | .2286     | .2096     | .1867     | .2096     |
| 21   | .2286     | .2667     | .2477     | .2286     | .2096     | .2096     | .2286     |
| 22   | .2477     | .2858     | .2477     | .2477     | .2286     | .2286     | .2477     |
| 23   | .2452     | .2286     | .2477     | .2286     | .1905     | .2096     | .2286     |
| 24   | .1905     | .2263     | .1905     | .2667     | .2477     | .2096     | .2054     |
| Max  | .3239     | .381      | .3395     | .3429     | .4001     | .2286     | .3239     |
| Min  | .0381     | .1698     | .1905     | .2096     | .1524     | .1715     | .1715     |
| Avg  | .2230     | .2641     | .2683     | .2675     | .2212     | .2031     | .2435     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314006 / 33/11KV Fulchur S/stn.

Feeder No / Name : 206 / Saha Industrial feeder SHEDDABLE FEEDER HAVING WEEKLY  
Feeder KV- 11 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7468     | .5716     | .4668     | .8962     | .7095     | .6722     | .7095     |
| 2    | .7468     | .5144     | .4854     | .7095     | .7468     | .6722     | .2241     |
| 3    | .7282     | .5335     | .5415     | .7655     | .7655     | .6722     | .5788     |
| 4    | .8215     | .6097     | .5415     | .7468     | .8029     | .7468     | .7282     |
| 5    | .7655     | .6478     | .5601     | .7095     | .7468     | .7655     | .7842     |
| 6    | .8029     | .743      | .5975     | .6348     | .7282     | .7468     | .8962     |
| 7    | .2987     | .7811     | .7095     | .7842     | .7468     | .7842     | .8962     |
| 8    | .743      | .724      | .5601     | .8215     | .6161     | .9896     | .8029     |
| 9    | .7655     | .6668     | .6908     | .8402     | .5975     | .8962     | .6535     |
| 10   | .5041     | .7095     | .5415     | .4668     | .5601     | .8402     | .6908     |
| 11   | .7842     | .7842     | .8962     | .6348     | .9709     | 1.0456    | 1.1203    |
| 12   | .8215     | .7842     | 1.1763    | .8299     | 1.1576    | .9709     | 1.1389    |
| 13   | .8775     | .8215     | 1.1016    | .9145     | 1.0642    | .9709     | 1.251     |
| 14   | .7282     | .8589     | .9522     | .9526     | .9335     | .9522     | 1.0456    |
| 15   | .7095     | .6722     | 1.0269    | 1.1506    | 1.0082    | .8215     | 1.0269    |
| 16   | .7468     |           | 1.1883    | 1.1763    | .9896     | 1.0269    | .8215     |
| 17   | .6535     | .7468     | 1.0829    | 1.1389    | 1.0269    | .8402     | .8029     |
| 18   | .6535     | .5788     | .7866     | 1.1016    | 1.0082    | .7655     | .8589     |
| 19   | .6161     | .4668     | .6722     | .9522     | .8215     | .7468     | .7282     |
| 20   | .7049     | .4854     | .8029     | .7095     | .7468     | .7095     | .7282     |
| 21   | .6478     | .5041     | .7095     | .6908     | .5975     | .8215     | .6908     |
| 22   | .6859     | .5041     | .7282     | .6535     | .7842     | .9335     | .8589     |
| 23   | .6287     | .4854     | .8029     | .7468     | .7733     | .8962     | .9896     |
| 24   | .8029     | .5716     | .5601     | .9335     | .6348     | .7095     | .7655     |
| Max  | .8775     | .8589     | 1.1883    | 1.1763    | 1.1576    | 1.0456    | 1.251     |
| Min  | .2987     | .4668     | .4668     | .4668     | .5601     | .6722     | .2241     |
| Avg  | .7077     | .6420     | .7576     | .8317     | .8141     | .8332     | .8247     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314006 / 33/11KV Fulchur S/stn.

Feeder No / Name : 207 / Civil Line

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8402     | .7842     | .7655     | .8589     | .8402     | .9709     | 1.0829    |
| 2    | .8029     | .7655     | .7655     | .8589     | .8215     | .9522     | 1.0456    |
| 3    | .8215     | .7655     | .7655     | .8402     | .8029     | .9335     | 1.0456    |
| 4    | .8029     | .7468     | .7282     | .8402     | .8029     | .9335     | 1.0082    |
| 5    | .8215     | .7842     | .7468     | .8589     | .8589     | .9335     | .9896     |
| 6    | .8589     | .8215     | .8029     | .8775     | .8775     | .8962     | .9522     |
| 7    | .9522     | .8589     | .8402     | .8962     | .8589     | .8962     | .9335     |
| 8    | .8589     | .8215     | .8402     | .8775     | .8029     | .8775     | .9335     |
| 9    | .7468     | .7468     | .7468     | .8775     | .7842     | .8589     | .9149     |
| 10   | .7095     | .7095     | .6535     | .7282     | .7282     | .8589     | .8215     |
| 11   | .6908     | .7468     | .6535     | .7095     | .7468     | .8029     | .8029     |
| 12   | .6722     | .6348     | .6722     | .7468     | .7282     | .8589     | .7468     |
| 13   | .6161     | .5601     | .6535     | .6908     | .7842     | .8215     | .7468     |
| 14   | .5415     | .5601     | .6535     | .6535     | .7655     | .8215     | .7468     |
| 15   | .5041     | .5228     | .6161     | .6535     | .7655     | .7655     | .7468     |
| 16   | .5228     |           | .6535     | .6722     | .7282     | .7655     | .7468     |
| 17   | .5359     | .6535     | .6908     | .6722     | .7282     | .8402     | .8029     |
| 18   | .6401     | .6722     | .8029     | .6908     | .7095     | .8402     | .8029     |
| 19   | .7947     | .8215     | .8962     | .8775     | .8962     | .9896     | .9522     |
| 20   | .8402     | .8962     | .9896     | 1.0269    | 1.0642    | 1.1016    | 1.2323    |
| 21   | .8676     | .8775     | 1.0082    | .9709     | 1.0829    | 1.1763    | 1.0269    |
| 22   | .9054     | .8962     | 1.0269    | .9522     | 1.1203    | 1.2323    | 1.0269    |
| 23   | .8589     | .8589     | .9709     | .9335     | 1.1203    | 1.1949    | 1.0456    |
| 24   | .8589     | .8215     | .8029     | .8962     | .8775     | .9709     | 1.1389    |
| Max  | .9522     | .8962     | 1.0269    | 1.0269    | 1.1203    | 1.2323    | 1.2323    |
| Min  | .5041     | .5228     | .6161     | .6535     | .7095     | .7655     | .7468     |
| Avg  | .7527     | .7533     | .7811     | .8192     | .8457     | .9289     | .9289     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314011 / 33/11KV Dasgaon S/Stn.

Feeder No / Name : 201 / 11KV Dasgaon

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9816     | 1.0898    | 1.0898    | 1.3916    | 1.5424    | 1.6095    | 1.893     |
| 2    | .9465     | 1.0852    | 1.073     | 1.3748    | 1.5074    | 1.5927    | 1.893     |
| 3    | .964      | 1.073     | 1.073     | 1.358     | 1.4899    | 1.5927    | 1.8229    |
| 4    | .9465     | 1.0562    | 1.0562    | 1.358     | 1.4899    | 1.576     | 1.7528    |
| 5    | .9465     | 1.0562    | 1.0562    | 1.3413    | 1.4723    | 1.5592    | 1.7353    |
| 6    | .929      | 1.0395    | 1.0562    | 1.3245    | 1.4723    | 1.5424    | 1.7177    |
| 7    | .929      | .9724     | 1.0059    | 1.2407    | 1.3496    | 1.4083    | 1.6476    |
| 8    | .8383     | .9556     | .9389     | .9556     | 1.2971    | 1.4754    | 1.6476    |
| 9    | .8048     | .8718     | .9389     | 1.2407    | 1.3496    | 1.5257    | 1.6651    |
| 10   | .788      | .8551     | .9221     | 1.3321    | 1.3847    | 1.4251    | 1.5775    |
| 11   | .788      | .8886     | .9892     | 1.3847    | 1.4586    |           | 1.5769    |
| 12   | .788      | .9221     | .9892     | 1.1919    | 1.3413    | .8383     | 1.5775    |
| 13   | .7209     | .9389     | 1.0562    | 1.2269    | 1.3916    | .4024     | 1.7528    |
| 14   | .7209     | .7042     | .9892     | 1.2269    | 1.358     | 1.1736    |           |
| 15   | .8551     | .9556     | 1.1065    | 1.3672    | 1.291     | 1.5249    | 1.8054    |
| 16   | .6036     | .9389     | 1.0682    | 1.2269    | 1.4251    | 1.7177    | 1.8755    |
| 17   | .8048     | .929      | 1.0682    | 1.2269    | 1.4251    | 1.8054    | 1.6766    |
| 18   | .8383     | 1.0517    | 1.1568    | 1.262     | 1.5089    | 1.9281    | 1.7101    |
| 19   | .9389     | 1.2269    | 1.2742    | 1.4373    | 1.6095    | 2.0157    | 1.8821    |
| 20   | 1.1401    | 1.3672    | 1.4251    | 1.7177    | 1.6598    | 2.0858    | 1.8442    |
| 21   | .9335     | 1.2269    | 1.4922    | 1.6827    | 1.7604    | 2.1262    | 1.8107    |
| 22   | 1.2239    | 1.1919    | 1.4754    | 1.6476    | 1.7436    | 2.0157    | 1.7772    |
| 23   | 1.1736    | 1.1393    | 1.4419    | 1.5775    | 1.6263    | 1.9456    | 1.7604    |
| 24   | .9991     | 1.1065    | 1.1393    | 1.3916    | 1.5424    | 1.6263    | 1.9281    |
| Max  | 1.2239    | 1.3672    | 1.4922    | 1.7177    | 1.7604    | 2.1262    | 1.9281    |
| Min  | .6036     | .7042     | .9221     | .9556     | 1.291     | .4024     | 1.5769    |
| Avg  | .9001     | 1.0268    | 1.1201    | 1.3535    | 1.4790    | 1.5875    | 1.7535    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314011 / 33/11KV Dasgaon S/Stn.

Feeder No / Name : 202 / 11KV Dangurli Express NON SHEDDABLE WATER SUPPLY AND  
Feeder KV- 11 / OUTGOING UTILITY

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3326     | .1867     | .168      | .168      | .3511     | .1867     | .1848     |
| 2    | .3326     | .168      | .168      | .168      | .1663     | .1867     | .1848     |
| 3    | .3326     | .168      | .168      | .168      | .1663     | .168      | .1663     |
| 4    | .1663     | .1867     | .168      | .168      | .1663     | .168      | .1663     |
| 5    | .1663     | .1867     | .168      | .168      | .1663     | .1867     | .1848     |
| 6    | .1663     | .168      | .168      | .168      | .1663     | .168      | .1663     |
| 7    | .1663     | .0747     | .168      | .168      | .0739     | .168      | .1663     |
| 8    | .168      | .0747     | .0747     | .0373     | .0739     | .0747     | .0739     |
| 9    | .0747     | .168      | .168      | .168      | .1663     | .168      | .0739     |
| 10   | .168      | .168      | .168      | .1663     | .1663     | .168      | .1663     |
| 11   | .168      | .168      | .168      | .1663     | .168      | .1494     | .1663     |
| 12   |           | .0747     | .168      | .1663     | .3547     | .1494     | .1663     |
| 13   | .3361     | .168      | .3361     | .3511     | .3547     | .3361     | .1663     |
| 14   | .1494     | .168      | .1867     | .1848     | .168      | .168      |           |
| 15   | .1494     | .168      | .168      | .1663     | .168      | .1663     | .1663     |
| 16   | .168      | .168      | .112      | .1663     | .168      | .1663     | .1663     |
| 17   | .0747     | .1663     | .1867     | .1848     | .1867     | .1663     | .168      |
| 18   | .168      | .1663     | .168      | .1663     | .168      | .1663     | .168      |
| 19   | .168      | .0739     | .0373     | .0648     | .168      | .1848     | .168      |
| 20   | .0747     | .1663     | .0373     | .0739     | .0747     | .0739     | .0648     |
| 21   | .168      |           | .168      | .1663     | .168      | .0739     | .0747     |
| 22   | .168      | .1663     | .168      | .1663     | .1867     | .1663     | .168      |
| 23   | .168      | .1663     | .168      | .3511     | .168      | .1663     | .168      |
| 24   | .3326     | .3361     | .1663     | .3361     | .3511     | .3361     | .3511     |
| Max  | .3361     | .3361     | .3361     | .3511     | .3547     | .3361     | .3511     |
| Min  | .0747     | .0739     | .0373     | .0373     | .0739     | .0739     | .0648     |
| Avg  | .1899     | .1611     | .1594     | .1774     | .1882     | .1713     | .1607     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314011 / 33/11KV Dasgaon S/Stn.

Feeder No / Name : 203 / 11kv Birsola

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .9419     | .8433     | 1.1953    | 1.262     | 1.4336    | 1.3167    |
| 2    |           | .9589     | .8263     | 1.2122    | 1.262     | 1.4183    | 1.3167    |
| 3    |           | .9589     | .8263     | 1.2122    | 1.2797    | 1.4013    | 1.3151    |
| 4    |           | .9419     | .8263     | 1.1953    | 1.2813    | 1.3844    | 1.3151    |
| 5    |           | .8139     | .8263     | 1.2122    | 1.2474    | 1.4174    | 1.349     |
| 6    |           | .9758     | .9187     | 1.2292    | 1.2651    | 1.4174    | 1.3683    |
| 7    | 1.0454    | .9429     | .9951     | 1.3319    | 1.4908    | 1.5685    | 1.4731    |
| 8    | 1.1793    | .9768     | 1.046     | 1.2657    | 1.4553    | 1.5855    | 1.5262    |
| 9    | 1.0097    | 1.0267    | 1.029     | 1.2996    | 1.4022    | 1.5516    | 1.631     |
| 10   | .7122     | .7122     | .9326     | 1.0277    | 1.0099    | 1.0852    | 1.5794    |
| 11   | .7122     | .78       | .8648     | 1.0985    | 1.1022    | 1.1191    | 1.4923    |
| 12   |           | .8309     | .8987     | .9214     | 1.153     | 1.1904    | 1.5277    |
| 13   | .6952     | .9156     | .8987     | 1.1163    | .9665     | 1.1191    | 1.5632    |
| 14   | .6783     | .8817     | .9156     | 1.0454    | 1.2039    | 1.2039    |           |
| 15   | .6443     | .8648     | .9665     | 1.1218    | 1.2039    | 1.2403    | 1.5809    |
| 16   | .6613     | .8139     | .9496     | 1.0808    | 1.153     | 1.2403    | 1.6163    |
| 17   | .7461     | .7442     | .8817     | 1.0277    | 1.2548    | 1.258     | 1.4344    |
| 18   | .763      | .7442     | .9665     | 1.2442    | 1.2378    | 1.2403    | 1.0852    |
| 19   | .8309     | .7442     | 1.0343    | 1.1517    | 1.2209    | 1.2757    | 1.2887    |
| 20   | .8478     | .8505     | 1.0343    | 1.2048    | 1.3226    | 1.3112    | 1.3056    |
| 21   | .8309     | .8505     | 1.0682    | 1.1871    | 1.2887    | 1.3643    | 1.3395    |
| 22   | .8309     | .815      | 1.0343    | 1.1694    | 1.2378    | 1.2757    | 1.3056    |
| 23   | .7969     | .7796     | .9835     | 1.0985    | 1.1869    | 1.2403    | 1.2717    |
| 24   |           | .9435     | .8768     | 1.197     | 1.2442    | 1.4352    | 1.3344    |
| Max  | 1.1793    | 1.0267    | 1.0682    | 1.3319    | 1.4908    | 1.5855    | 1.631     |
| Min  | .6443     | .7122     | .8263     | .9214     | .9665     | 1.0852    | 1.0852    |
| Avg  | .8115     | .8670     | .9351     | 1.1602    | 1.2388    | 1.3240    | 1.4059    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314011 / 33/11KV Dasgaon S/Stn.

Feeder No / Name : 204 / 11KV Dasgaon AGP

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .128      | .0972     | .1457     | .1457     | .128      | .1296     |
| 2    |           | .128      | .0972     | .144      | .1457     | .1296     | .1296     |
| 3    |           | .128      | .0972     | .144      | .1457     | .1296     | .1457     |
| 4    |           | .128      | .0972     | .144      | .1296     | .1296     | .1457     |
| 5    |           | .128      | .0972     | .144      | .1134     | .1457     | .1619     |
| 6    |           | .128      | .0972     | .144      | .1134     | .1457     | .1457     |
| 7    |           | .112      | .1134     | .128      | .1619     | .1781     | .1619     |
| 8    |           | .112      | .1134     | .1296     | .1619     | .1781     | .1619     |
| 9    | .1619     | .128      | .1134     | .1296     | .1619     | .1781     | .1781     |
| 10   |           |           |           |           |           |           | .1619     |
| 11   |           |           |           |           |           |           | .1457     |
| 12   |           |           |           |           |           |           | .1457     |
| 13   |           |           |           |           |           |           | .1457     |
| 15   |           |           |           |           |           |           | .1457     |
| 16   |           |           |           |           |           |           | .1457     |
| 17   |           |           |           |           |           |           | .1457     |
| 24   |           | .1296     | .0972     | .1457     | .1457     | .128      | .1296     |
| Max  | .1619     | .1296     | .1134     | .1457     | .1619     | .1781     | .1781     |
| Min  | .1619     | .112      | .0972     | .128      | .1134     | .128      | .1296     |
| Avg  | .1619     | .1250     | .1021     | .1399     | .1425     | .1471     | .1486     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314017 / 33/11KV Zilmilli S/stn.

Feeder No / Name : 201 / Kamtha-Birsi Feeder

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1963    | .7373     | .7888     | 1.1163    | 1.1469    | 1.3375    | 1.5402    |
| 2    | 1.1919    | .7209     | .7888     | 1.1163    | 1.1904    | 1.3375    | 1.5074    |
| 3    | 1.1568    | .6962     | .7969     | 1.0867    | 1.1831    | 1.3056    | 1.4918    |
| 4    | 1.1269    | .7122     | .7969     | 1.0867    | 1.1789    | 1.3056    | 1.4752    |
| 5    | 1.1096    | .6962     | .78       | 1.0517    | 1.1488    | 1.3226    | 1.4255    |
| 6    | 1.1096    | .7045     | .788      | 1.0341    | 1.2094    | 1.358     | 1.4255    |
| 7    | 1.1744    | .7045     | .8048     | 1.0341    | 1.1616    | 1.3077    | 1.4575    |
| 8    | 1.2757    | .7293     | .8478     | 1.0166    | 1.1022    | 1.2574    | 1.4563    |
| 9    | 1.258     | .7969     |           | 1.1517    | 1.3375    |           | 1.6787    |
| 10   | 1.0631    | .8139     |           |           | 1.2266    |           | 1.6632    |
| 11   | 1.0682    |           | .9326     | .9389     | 1.21      | 1.2517    | 1.6617    |
| 12   | .8916     |           | 1.0288    | .9835     | 1.2431    | 1.1317    | 1.7661    |
| 13   | .8669     |           | .9774     |           | 1.2742    | 1.2483    | 1.6956    |
| 14   | .8413     |           | .8817     | 1.094     | 1.2407    | 1.2689    | 1.6956    |
| 15   | .7888     |           | 1.0867    | 1.1437    | 1.1736    | 1.4922    | 1.7661    |
| 16   | .7373     |           | .9015     | 1.2039    | 1.153     | 1.439     | 1.5777    |
| 17   | .6783     |           | .9189     | 1.1022    | 1.2209    | 1.4737    | 1.7661    |
| 18   | .6874     | .763      | .9991     | 1.1488    | 1.3735    | 1.543     | 1.7295    |
| 19   | .8122     | .9665     | 1.2715    | 1.335     | 1.5261    | 1.8755    | 1.8945    |
| 20   | .9054     | .9665     | 1.379     | 1.406     | 1.5604    | 1.9281    | 1.8187    |
| 21   | .8619     | .9496     | 1.3432    | 1.3272    | 1.5604    | 1.7072    | 1.8067    |
| 22   | .8745     | .9431     | 1.258     | 1.2125    | 1.4737    | 1.6617    | 1.6933    |
| 23   | .8139     | .8573     | 1.0974    | 1.21      | 1.4217    | 1.5729    | 1.6956    |
| 24   | 1.1963    | .7712     | .7888     | 1.1163    | 1.1797    | 1.3546    | 1.5746    |
| Max  | 1.2757    | .9665     | 1.379     | 1.406     | 1.5604    | 1.9281    | 1.8945    |
| Min  | .6783     | .6962     | .78       | .9389     | 1.1022    | 1.1317    | 1.4255    |
| Avg  | .9869     | .7958     | .9662     | 1.1326    | 1.2707    | 1.4309    | 1.6360    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314017 / 33/11KV Zilmilli S/stn.

Feeder No / Name : 202 / 11kv Girola

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5959     | .543      | .39       | .5609     | .5973     | .6783     | .6836     |
| 2    | .5784     | .5083     | .373      | .5548     | .5792     | .6613     | .6516     |
| 3    | .5658     | .4908     | .373      | .5316     | .5552     | .6613     | .6154     |
| 4    | .5365     | .4854     | .3561     | .5316     | .5487     | .6443     | .5784     |
| 5    | .5426     | .463      | .3688     | .5087     | .5493     | .6104     | .5895     |
| 6    | .5487     | .3944     | .3521     | .4917     | .5784     | .6706     | .6104     |
| 7    | .547      | .3561     | .3521     | .5256     | .5365     | .6371     | .6443     |
| 8    | .57       | .3222     | .3688     | .5426     | .547      | .6539     | .6613     |
| 9    | .5533     | .3185     |           | .5365     | .503      |           | .6613     |
| 10   | .5197     | .3185     |           | .5365     | .547      |           |           |
| 11   | .5609     |           | .2347     | .547      | .5636     | .7042     | .6036     |
| 12   | .3856     |           | .3605     | .5365     | .5801     | .7209     | .6274     |
| 13   | .3439     |           | .3932     | .6104     | .5801     | .7461     | .7202     |
| 14   | .3045     |           | .4239     | .5967     | .5304     | .8059     | .6962     |
| 15   | .3077     |           | .333      | .5304     | .5533     | .7716     | .2096     |
| 16   | .362      |           | .3856     | .5967     | .4359     | .5144     | .5087     |
| 17   | .3294     |           | .4031     | .5243     | .5197     | .5658     | .5304     |
| 18   | .3429     | .2683     | .4557     | .5197     | .5935     | .6443     | .5935     |
| 19   | .4409     | .4239     | .5959     | .6443     | .7122     | .7716     | .7202     |
| 20   | .4694     | .4409     | .6379     | .6344     | .7373     | .763      | .7373     |
| 21   | .4641     | .4239     | .6379     | .9882     | .7455     | .7127     | .7545     |
| 22   | .4527     | .407      | .6379     | .631      | .7202     | .7461     | .6935     |
| 23   | .4557     | .3944     | .6344     | .6447     | .703      | .7202     | .6661     |
| 24   | .5895     | .4344     | .3772     | .5609     | .6089     | .6935     | .7011     |
| Max  | .5959     | .543      | .6379     | .9882     | .7455     | .8059     | .7545     |
| Min  | .3045     | .2683     | .2347     | .4917     | .4359     | .5144     | .2096     |
| Avg  | .4736     | .4114     | .4293     | .5786     | .5886     | .6863     | .6286     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314017 / 33/11KV Zilmilli S/stn.

Feeder No / Name : 203 / 11kv Sirpur Feeder

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0288    | .6001     | .78       | .929      | 1.0517    | 1.2174    | 1.2631    |
| 2    | 1.0288    | .5895     | .7969     | .9114     | .9945     | 1.2174    | 1.2452    |
| 3    | 1.0004    | .5935     | .7969     | .9015     | .9496     | 1.2346    | 1.2266    |
| 4    | .9835     | .6173     | .78       | .8842     | .8848     | 1.2039    | 1.2071    |
| 5    | 1.0117    | .6371     | .78       | .8939     | .9282     | 1.1568    | 1.2039    |
| 6    | .9602     | .639      | .78       | .9114     | 1.0229    | 1.2071    | 1.2346    |
| 7    | .9709     | .6464     | .7545     | .929      | 1.0117    | 1.1603    | 1.2689    |
| 8    | .8573     | .639      | .7461     | .9465     | .9496     | 1.1603    | 1.2039    |
| 9    | .7716     | .6104     |           | .8402     | .9945     |           | 1.2346    |
| 10   | .7202     | .5765     |           | .9431     | .9892     |           |           |
| 11   | .6554     |           | .7042     | .9326     | .9892     | 1.21      | 1.1361    |
| 12   | .547      |           | .7042     | .9602     | .9556     | 1.0898    | 1.17      |
| 13   | .5426     |           | .7209     | .8916     | .9724     | 1.1568    | 1.1869    |
| 14   | .5426     |           | .6796     | .8817     | 1.0004    | 1.1488    | 1.2209    |
| 15   | .4973     |           | .7209     | .8551     | .9835     | 1.1869    | 1.1361    |
| 16   | .5201     |           | .6443     | .8916     | .9774     | 1.1317    | 1.0774    |
| 17   | .5316     |           | .7373     | .7545     | 1.046     | 1.2346    | 1.1305    |
| 18   | .5596     | .6104     | .7545     | .8684     | 1.0288    | 1.2689    | 1.1603    |
| 19   | .6133     | .7969     | .9816     | 1.0486    | 1.3176    | 1.4403    | 1.2574    |
| 20   | .663      | .7969     | 1.0166    | 1.0682    | 1.3523    | 1.4022    | 1.3565    |
| 21   | .7042     | .7969     | .9991     | 1.065     | 1.3696    | 1.3426    | 1.3748    |
| 22   | .703      | .8059     | .9709     | 1.0802    | 1.3032    | 1.3272    | 1.3203    |
| 23   | .6588     | .7888     | .9156     | 1.0923    | 1.2517    | 1.3108    | 1.3003    |
| 24   | 1.046     | .631      | .7888     | .929      | 1.0867    | 1.2309    | 1.2793    |
| Max  | 1.046     | .8059     | 1.0166    | 1.0923    | 1.3696    | 1.4403    | 1.3748    |
| Min  | .4973     | .5765     | .6443     | .7545     | .8848     | 1.0898    | 1.0774    |
| Avg  | .7549     | .6692     | .7979     | .9337     | 1.0588    | 1.2291    | 1.2259    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314024 / 33/11KV Hiwra S/stn.

Feeder No / Name : 201 / I-Green Fibrex Indu.

NON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

Feeder KV- 11 / OUTGOING

| DATE       | 10-AUG-17    | 12-AUG-17   | 13-AUG-17    | 14-AUG-17   |
|------------|--------------|-------------|--------------|-------------|
| HR         | Load (MW)    | Load (MW)   | Load (MW)    | Load (MW)   |
| 15         | .038         |             |              |             |
| 16         | .0761        |             |              |             |
| 17         | .057         |             |              | .038        |
| 18         | .038         | .038        |              | .038        |
| 19         | .038         |             | .1521        | .038        |
| 20         | .038         |             |              |             |
| <b>Max</b> | <b>.0761</b> | <b>.038</b> | <b>.1521</b> | <b>.038</b> |
| <b>Min</b> | <b>.038</b>  | <b>.038</b> | <b>.1521</b> | <b>.038</b> |
| <b>Avg</b> | <b>.0475</b> | <b>.038</b> | <b>.1521</b> | <b>.038</b> |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314024 / 33/11KV Hiwra S/stn.

Feeder No / Name : 205 / 11KV Kudwa

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7182     | .7182     | .7938     | .8333     | .8496     | .8685     | .9099     |
| 2    | .6804     | .7182     | .7938     | .8333     | .8496     | .8307     | .891      |
| 3    | .6804     | .6804     | .7182     | .8143     | .8307     | .8307     | .891      |
| 4    | .6804     | .6804     | .7182     | .8143     | .8307     | .8119     | .872      |
| 5    | .7182     | .6615     | .6804     | .7954     | .8119     | .8307     | .8694     |
| 6    | .7182     | .6615     | .6804     | .7954     | .793      | .8496     | .872      |
| 7    | .567      | .6615     | .6804     | .6439     | .6231     | .6608     | .7393     |
| 8    | .567      | .567      | .5292     | .5687     | .5859     | .6231     | .5877     |
| 9    | .5292     | .567      | .5292     | .6066     | .5481     | .5853     | .6426     |
| 10   | .567      | .567      | .5687     | .567      | .5853     | .6224     | .6797     |
| 11   | .6804     | .567      | .6635     | .6426     | .7552     | .7545     | .7552     |
| 12   | .6804     | .6048     | .7772     | .7938     | .8143     | .811      | .8874     |
| 13   | .6048     | .6615     | .6635     | .7938     | .7552     | .8496     | .8119     |
| 14   | .567      | .6615     | .6445     | .6615     | .6419     | .7363     | .8496     |
| 15   | .567      | .6804     | .6445     | .6804     | .6042     | .7175     | .8307     |
| 16   | .5292     | .6804     | .6635     | .6804     | .5853     | .6797     | .7741     |
| 17   | .5292     | .6426     | .6445     | .5853     | .5475     | .7182     | .7552     |
| 18   | .567      | .6426     | .6066     | .6608     | .7175     | .7182     | .6249     |
| 19   | .6804     | .6048     | .7583     | .8119     | .793      | .8531     | .8496     |
| 20   | .6993     | .6615     | .8151     | .8685     | .9063     | .891      | .8874     |
| 21   | .7182     | .756      | .8901     | .8685     | .944      | .9478     | .9063     |
| 22   | .756      | .756      | .8901     | .8874     | .944      | .9289     | .9063     |
| 23   | .756      | .8316     | .8143     | .8685     | .8496     | .9099     | .9063     |
| 24   | .7182     | .756      | .8316     | .8522     | .8685     | .8685     | .9099     |
| Max  | .756      | .8316     | .8901     | .8874     | .944      | .9478     | .9099     |
| Min  | .5292     | .567      | .5292     | .567      | .5475     | .5853     | .5877     |
| Avg  | .6450     | .6662     | .7083     | .7470     | .7514     | .7874     | .8171     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314024 / 33/11KV Hiwra S/stn.

Feeder No / Name : 206 / 11KV Pandharabadi

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4454    | 1.8607    | 1.8939    | 2.2926    | 2.4672    | 2.5006    | 2.684     |
| 2    | 1.4121    | 1.8607    | 1.8939    | 2.2926    | 2.4672    | 2.4672    | 2.6673    |
| 3    | 1.4121    | 1.8939    | 1.8607    | 2.2428    | 2.4506    | 2.4339    | 2.6673    |
| 4    | 1.462     | 1.761     | 1.8607    | 2.2262    | 2.4339    | 2.4172    | 2.6506    |
| 5    | 1.4952    | 1.7444    | 1.9936    | 2.2096    | 2.3672    | 2.4506    | 2.6673    |
| 6    | 1.4952    | 1.8275    | 2.0268    | 2.193     | 2.3672    | 2.4672    | 2.6673    |
| 7    | 1.3623    | 1.8275    | 1.9936    | 2.1763    | 2.3005    | 2.4839    | 2.6006    |
| 8    | 1.3623    | 1.9271    | 2.0767    | 2.0767    | 2.3172    | 2.4754    | 2.5506    |
| 9    | 1.2294    | 1.9271    | 2.0767    | 2.1431    | 2.2505    | 2.4506    | 2.6083    |
| 10   | 1.4952    | 1.8773    | 2.0838    | 1.8109    | 2.3339    | 2.3703    | .2536     |
| 11   | 1.7776    | 1.8275    | 2.0838    | 1.8939    | 2.2505    | 2.4366    | 2.6189    |
| 12   | 1.761     | 1.8607    | 2.1172    | 2.0601    | 2.1672    | 2.4863    | 2.6686    |
| 13   | 1.6613    | 1.8109    | 2.1265    | 2.0624    | 2.1672    | 2.5029    | 2.6581    |
| 14   | 1.5783    | 1.8275    | 2.1099    | 2.0767    | 2.1505    | 2.1382    | 2.6581    |
| 15   | 1.5783    | 1.8939    | 2.0434    | 2.1431    | 2.1672    | 2.2708    | 2.6083    |
| 16   | 1.7278    | 1.8939    | 1.977     | 2.0933    | 2.2172    | 2.4394    | 2.6249    |
| 17   | 1.7278    | 1.9936    | 2.0767    | 2.0434    | 2.2672    | 2.5252    | 2.6023    |
| 18   | 1.7942    | 2.0434    | 2.0933    | 2.2262    | 2.4089    | 2.5751    | 2.5692    |
| 19   | 2.1597    | 2.1597    | 2.4588    | 2.5839    | 2.6249    | 2.934     | 3.0664    |
| 20   | 2.193     | 2.193     | 2.5585    | 2.6173    | 2.6581    | 3.0208    | 3.083     |
| 21   | 2.1597    | 2.0601    | 2.4588    | 2.5006    | 2.7506    | 3.1174    | 2.9507    |
| 22   | 1.9936    | 1.9936    | 2.4422    | 2.4672    | 2.6914    | 2.834     | 2.8673    |
| 23   | 1.9936    | 1.8939    | 2.3259    | 2.4839    | 2.5917    | 2.684     | 2.8673    |
| 24   | 1.4454    | 1.9105    | 1.8939    | 2.3259    | 2.4672    | 2.492     | 2.684     |
| Max  | 2.193     | 2.193     | 2.5585    | 2.6173    | 2.7506    | 3.1174    | 3.083     |
| Min  | 1.2294    | 1.7444    | 1.8607    | 1.8109    | 2.1505    | 2.1382    | .2536     |
| Avg  | 1.6551    | 1.9112    | 2.1053    | 2.2184    | 2.3890    | 2.5406    | 2.606     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 314024 / 33/11KV Hiwra S/stn.

Feeder No / Name : 402 / 33 kv Gondia ckt-1 NON SHEDDABLE EXPRESS HV FEEDERS  
Feeder KV- 33 / INCOMING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 13.7427   | 12.752    | 13.6351   | 14.1582   | 13.9398   | 15.6962   | 16.8062   |
| 2    | 13.5277   | 12.7544   | 13.1024   | 13.9758   | 13.7265   | 15.3716   | 16.4376   |
| 3    | 13.3151   | 12.5938   | 13.1024   | 13.3905   | 13.5665   | 15.107    | 15.6853   |
| 4    | 13.1904   | 12.4485   | 12.2588   | 13.2922   | 13.5186   | 13.8495   | 15.3675   |
| 5    | 13.2471   | 12.4382   | 12.3137   | 13.0699   | 13.2557   | 14.732    | 15.154    |
| 6    | 13.4637   | 12.5011   | 12.4165   | 13.2408   | 13.1082   | 14.0489   | 14.9909   |
| 7    | 13.6272   | 12.6646   | 12.8509   | 13.3025   | 13.2059   | 13.8911   | 14.9934   |
| 8    | 13.4316   | 12.668    | 12.8441   | 13.1425   | 12.6161   | 13.8957   | 14.1383   |
| 9    | 13.2007   | 12.879    | 12.899    | 13.3574   | 12.248    | 13.4408   | 5.4149    |
| 10   | 12.1137   | 12.3611   | 13.9369   | 13.0476   | 12.6406   | 13.6305   | 14.1233   |
| 11   | 12.444    | 13.0681   | 13.458    | 13.9643   | 13.271    | 14.5519   | 15.6881   |
| 12   | 12.4554   | 18.13     | 14.1221   | 15.0332   | 14.6091   | 15.1898   | 16.3263   |
| 13   | 12.2955   | 19.1862   | 14.2822   | 14.7656   | 14.9298   | 15.2561   | 16.1626   |
| 14   | 12.0279   | 19.2942   | 14.4445   | 14.393    | 14.7691   | 14.4353   | 16.1266   |
| 15   | 11.589    | 19.3994   | 14.2901   | 14.7634   | 14.5571   | 13.2328   | 16.2853   |
| 16   | 11.4837   | 18.7518   | 13.754    | 14.7108   | 14.4033   | 14.1855   | 16.2876   |
| 17   | 13.4156   | 19.2936   | 14.1267   | 13.9621   | 14.5656   | 13.69     | 16.2981   |
| 18   | 13.7317   | 10.8573   | 14.3942   | 14.1678   | 15.5213   | 13.8283   | 16.1903   |
| 19   | 15.8042   | 16.7719   | 17.7663   | 17.7331   | 18.0316   | 16.5992   | 19.5519   |
| 20   | 16.2974   | 16.7604   | 18.1539   | 17.6349   | 18.3494   | 17.4486   | 19.4273   |
| 21   | 15.5922   | 16.3192   | 17.1491   | 15.2127   | 17.8578   | 17.9814   | 17.7836   |
| 22   | 14.9474   | 14.7165   | 16.1785   | 14.8285   | 16.7878   | 17.7733   | 16.7052   |
| 23   | 13.754    | 14.2913   | 15.4453   | 14.6503   | 16.6118   | 17.7241   | 16.8679   |
| 24   | 14.2776   | 12.7081   | 13.9643   | 14.7983   | 14.2644   | 16.3421   | 17.1883   |
| Max  | 16.2974   | 19.3994   | 18.1539   | 17.7331   | 18.3494   | 17.9814   | 19.5519   |
| Min  | 11.4837   | 10.8573   | 12.2588   | 13.0476   | 12.248    | 13.2328   | 5.4149    |
| Avg  | 13.4573   | 14.8170   | 14.2037   | 14.3581   | 14.5981   | 15.0792   | 15.8334   |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 203 / 11 KV Gangazari

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2683     | .2652     | .2622     | .2622     | .218      | .3018     | .3481     |
| 2    | .2683     | .2652     | .2458     | .2622     | .218      | .3052     | .3315     |
| 3    | .2543     | .2652     | .2458     | .2458     | .218      | .3052     | .3315     |
| 4    | .2543     | .2652     | .2622     | .2458     | .1823     | .3018     | .3277     |
| 5    | .2543     | .2652     | .2458     | .2294     | .1823     | .2949     | .2949     |
| 6    | .2652     | .2486     | .2622     | .2458     | .1989     | .2949     | .2949     |
| 7    | .2652     | .2486     | .2458     | .213      | .1966     | .2622     | .3222     |
| 8    | .2622     | .2486     | .2204     | .213      | .213      | .2622     | .2785     |
| 9    | .2622     | .2486     | .2294     | .2294     | .1966     | .2785     | .2949     |
| 10   | .2622     | .2486     | .2294     | .2294     | .213      | .2949     | .2785     |
| 11   | .2622     |           | .1966     | .2294     | .213      | .2949     | .3277     |
| 12   | .2458     |           | .2294     | .2458     | .213      | .2949     | .2785     |
| 13   | .2294     |           | .2458     | .1966     | .1966     | .3113     | .2785     |
| 14   | .213      |           | .2785     | .2458     | .1966     | .3113     | .3113     |
| 15   | .213      |           | .2622     | .2652     | .213      |           | .3277     |
| 16   | .1966     | .2486     | .1966     | .2321     | .2785     |           | .3277     |
| 17   | .213      | .2486     | .1966     | .2321     | .2785     | .1475     | .3277     |
| 18   | .2294     | .2652     | .2294     | .2486     | .3292     | .2984     | .3315     |
| 19   | .2818     | .2984     | .3113     | .2984     | .3113     | .3647     | .3647     |
| 20   | .2785     | .285      | .3113     | .2321     | .3441     | .373      | .373      |
| 21   | .2785     | .2818     | .2949     | .2155     | .3113     | .3814     | .3429     |
| 22   | .2818     | .2652     | .2785     | .2155     | .2949     | .3772     | .2601     |
| 23   | .2622     | .2683     | .2622     | .2155     | .3113     | .3601     | .2774     |
| 24   | .2652     | .2622     | .2622     | .2622     | .1989     | .2949     | .3521     |
| Max  | .2818     | .2984     | .3113     | .2984     | .3441     | .3814     | .373      |
| Min  | .1966     | .2486     | .1966     | .1966     | .1823     | .1475     | .2601     |
| Avg  | .2528     | .2628     | .2502     | .2380     | .2386     | .3051     | .3160     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 204 / 11KV TOWN - V

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE       | 08-AUG-17    | 09-AUG-17    | 10-AUG-17    | 11-AUG-17    | 12-AUG-17    | 13-AUG-17    | 14-AUG-17    |
|------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| HR         | Load (MW)    | Load (MW)    | Load (MW)    | Load (MW)    | Load (MW)    | Load (MW)    | Load (MW)    |
| 1          | .7133        | .7023        | .6653        | .7316        | .7947        | .8215        | .7316        |
| 2          | .695         | .6653        | .6468        | .7316        | .7392        | .0189        | .7682        |
| 3          | .6219        | .5914        | .5853        | .6838        | .6838        | .7167        | .7682        |
| 4          | .6219        | .5975        | .6401        | .5914        | .6653        | .679         | .7316        |
| 5          | .6219        | .5975        | .5914        | .5544        | .6535        | .6653        | .6767        |
| 6          | .5487        | .5975        | .5729        | .6283        | .6535        | .6283        | .6219        |
| 7          | .5853        | .5975        | .5914        | .5914        | .6283        | .6099        | .6219        |
| 8          | .5914        | .5544        | .5914        | .5729        | .5914        | .5729        | .6401        |
| 9          | .6219        | .5544        | .6468        | .6838        | .5914        | .6468        | .6767        |
| 10         | .7133        | .5544        | .6767        | .7762        | .6468        | .7207        | .7499        |
| 11         | .7133        | .5914        | .6036        | .7023        | .7392        | .6838        | .6767        |
| 12         | .7316        | .5175        | .6838        | .7023        | .5914        | .7577        | .6584        |
| 13         | .7133        | .462         | .5914        | .6283        | .6283        | .6099        | .6099        |
| 14         | .5121        | .5359        | .7023        | .7392        | .7392        | .7207        | .7023        |
| 15         | .5487        | .499         | .6584        | .7023        | .7392        | .6653        | .7762        |
| 16         | .6219        | .4435        | .5487        | .6283        | .7392        | .7392        | .7023        |
| 17         | .462         | .462         | .5121        | .5544        | .5359        | .5729        | .5914        |
| 18         | .5544        | .5601        | .6584        | .5914        | .6468        | .6584        | .7392        |
| 19         | .6653        | .6535        | .8048        | .7392        | .7392        | .7682        | .7468        |
| 20         | .7133        | .679         | .8501        | .8501        | .8501        | .8413        | .9335        |
| 21         | .695         | .7095        | .7762        | .6838        | .7577        | .8299        | .7842        |
| 22         | .7947        | .6838        | .8501        | .8131        | .9055        | .9511        | .9335        |
| 23         | .8048        | .7023        | .8871        | .7577        | .9055        | .9511        | .961         |
| 24         | .7499        | .7947        | .6584        | .7577        | .8686        | .8501        | .8779        |
| <b>Max</b> | <b>.8048</b> | <b>.7947</b> | <b>.8871</b> | <b>.8501</b> | <b>.9055</b> | <b>.9511</b> | <b>.961</b>  |
| <b>Min</b> | <b>.462</b>  | <b>.4435</b> | <b>.5121</b> | <b>.5544</b> | <b>.5359</b> | <b>.0189</b> | <b>.5914</b> |
| <b>Avg</b> | <b>.6506</b> | <b>.5961</b> | <b>.6664</b> | <b>.6831</b> | <b>.7097</b> | <b>.6950</b> | <b>.7367</b> |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 205 / 11 KV MIDC

Feeder KV- 11 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE       | 08-AUG-17     | 09-AUG-17    | 10-AUG-17     | 11-AUG-17     | 12-AUG-17     | 13-AUG-17     | 14-AUG-17     |
|------------|---------------|--------------|---------------|---------------|---------------|---------------|---------------|
| HR         | Load (MW)     | Load (MW)    | Load (MW)     | Load (MW)     | Load (MW)     | Load (MW)     | Load (MW)     |
| 1          | .7356         | .9431        | .7545         | 1.1694        | 1.1694        | 1.358         | 1.358         |
| 2          | .6036         | .8299        | .7356         | 1.0185        | 1.2071        | 1.3392        | 1.3014        |
| 3          | .6036         | .7922        | .7733         | 1.1317        | 1.094         | 1.0751        | 1.3014        |
| 4          | .5658         | .6413        | .7545         | .9431         | 1.1317        | 1.0374        | 1.1694        |
| 5          | .679          | .9054        | .6224         | .9431         | 1.1694        | .8488         | 1.1317        |
| 6          | .6979         | .679         | .7545         | .8676         | 1.0562        | .9054         | 1.2637        |
| 7          | .679          | .7922        | .6413         | .7545         | .7922         | .7733         | 1.1694        |
| 8          | .5658         | .7545        | .6602         | .9242         | .6036         | 1.0374        | 1.1694        |
| 9          | .5281         | .7167        | .5847         | .9808         | .9431         | 1.1317        | 1.0185        |
| 10         | .547          | .7545        | .8676         | .9997         | 1.2826        | 1.2449        | 1.3392        |
| 11         | 1.0185        | .7922        | 1.1128        | 1.3203        | 1.5089        | 1.6787        | 1.4901        |
| 12         | 1.3014        | .8002        | 1.2071        | 1.3203        | 1.4523        | 1.5466        | 1.6221        |
| 13         | 1.0185        | .7621        | 1.3203        | 1.2071        | 1.4523        | 1.5278        | 1.6409        |
| 14         | 1.0751        | .7167        | 1.1506        | 1.3203        | 1.4523        | 1.8296        | 1.3957        |
| 15         | 1.1506        | .6413        | 1.6975        | 1.7353        | 1.6598        | 1.7353        | 1.5844        |
| 16         | .9808         | .7545        | 1.1317        | 1.358         | 1.8484        | 1.1883        | 1.358         |
| 17         | .8488         | .811         | 1.4335        | 1.4712        | 1.6221        | 1.7164        | 1.226         |
| 18         | .9054         | .5658        | 1.5278        | 1.3203        | 1.5844        | 1.5466        | .9808         |
| 19         | .8299         | .679         | 1.2449        | 1.094         | 1.4712        | 1.2637        | 1.0562        |
| 20         | .7922         | .7733        | .9242         | .8488         | 1.3014        | 1.3769        | .8676         |
| 21         | .679          | .7545        | .8865         | .8488         | 1.1506        | 1.2637        | .7922         |
| 22         | .8299         | .7545        | .9619         | 1.1317        | 1.1506        | 1.1128        | .5658         |
| 23         | .7733         | .9619        | .8299         | 1.226         | .9997         | 1.1317        | .7922         |
| 24         | .6979         | .9431        | .7167         | 1.1883        | .8488         | 1.0751        | 1.2826        |
| <b>Max</b> | <b>1.3014</b> | <b>.9619</b> | <b>1.6975</b> | <b>1.7353</b> | <b>1.8484</b> | <b>1.8296</b> | <b>1.6409</b> |
| <b>Min</b> | <b>.5281</b>  | <b>.5658</b> | <b>.5847</b>  | <b>.7545</b>  | <b>.6036</b>  | <b>.7733</b>  | <b>.5658</b>  |
| <b>Avg</b> | <b>.7961</b>  | <b>.7716</b> | <b>.9706</b>  | <b>1.1301</b> | <b>1.2480</b> | <b>1.2810</b> | <b>1.2032</b> |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 206 / 11KV Water Works

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2374     | .2303     | .2401     | .2204     | .2835     | .3292     | .3121     |
| 2    | .2374     | .2328     | .2254     | .2204     | .2835     | .3292     | .3189     |
| 3    | .2374     | .2328     | .2347     | .2155     | .2835     | .3292     | .3012     |
| 4    | .2254     | .2328     | .2294     | .2374     | .2804     | .3109     | .3012     |
| 5    | .208      | .2303     | .2294     | .2454     | .2804     | .3292     | .298      |
| 6    | .2126     | .2126     | .213      | .2254     | .3012     | .3109     | .298      |
| 7    | .2103     | .1753     | .2204     | .208      | .2254     | .2515     | .298      |
| 8    | .2254     | .1753     | .2035     | .2103     | .2427     | .2543     | .2947     |
| 9    | .2103     | .1734     | .2229     | .1928     | .2947     | .2374     | .2804     |
| 10   | .1928     | .156      | .2058     | .2103     | .2427     | .2713     | .3155     |
| 11   | .1928     | .156      | .2401     | .2103     | .2427     | .3052     | .3155     |
| 12   | .16       | .1526     | .2229     | .208      | .2254     | .3222     | .2804     |
| 13   | .176      | .1715     | .2401     | .2427     | .2774     | .2035     | .2629     |
| 14   | .16       | .1715     | .2058     | .208      | .2601     | .2035     | .2601     |
| 15   | .16       | .1886     | .156      | .2254     | .2774     | .2543     | .2774     |
| 16   | .1658     | .1698     | .1402     | .2103     | .2481     | .2374     | .2947     |
| 17   | .1696     | .1852     | .1865     | .2279     | .2683     | .2374     | .3121     |
| 18   | .1696     | .2229     | .1966     | .2454     | .2915     | .3086     | .298      |
| 19   | .2454     | .2401     | .2486     | .298      | .3222     | .3294     | .3544     |
| 20   | .2401     | .2515     | .2458     | .3155     | .3544     | .3681     | .3721     |
| 21   | .2401     | .2515     | .2486     | .2804     | .333      | .3429     | .2328     |
| 22   | .2427     | .2543     | .2658     | .2804     | .333      | .3222     |           |
| 23   | .2279     | .2347     | .2481     | .2804     | .3189     | .2984     | .2172     |
| 24   | .2401     | .2279     | .2294     | .2303     | .2601     | .2947     | .3052     |
| Max  | .2454     | .2543     | .2658     | .3155     | .3544     | .3681     | .3721     |
| Min  | .16       | .1526     | .1402     | .1928     | .2254     | .2035     | .2172     |
| Avg  | .2078     | .2054     | .2208     | .2354     | .2804     | .2909     | .2957     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 401 / 33 KV RAWANWADI

Feeder KV- 33 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 10.4796   | 9.0672    | 10.703    | .6584     | 12.803    | 13.894    | 15.423    |
| 2    | 10.5235   | 9.1724    | 10.5419   | .6584     | 12.803    | 13.8021   | 15.6859   |
| 3    | 10.3658   | 8.9072    | 10.4355   | .6036     | 12.6978   | 13.5391   | 16.0495   |
| 4    | 10.1589   | 9.0123    | 10.2761   | .6036     | 12.6978   | 13.3814   | 15.7888   |
| 5    | 10.1589   | 9.0123    | 10.3824   | .5487     | 12.6978   | 14.065    | 15.7385   |
| 6    | 10.168    | 8.9072    | 10.0617   | .5487     | 12.6429   | 12.9824   | 15.1577   |
| 7    | 9.2095    | 8.7254    | 10.0137   | .4938     | 12.5664   | 12.6732   | 14.3834   |
| 8    | 6.8404    | 8.4248    | 9.7508    | .5487     | 12.0234   | 12.3354   | 15.2629   |
| 9    | 7.7732    | 8.267     | 9.5931    | .5487     | 11.6633   | 12.9458   | 15.583    |
| 10   | 7.5714    | 7.7463    | 9.5954    | 10.6419   | 12.181    | 12.5343   | 1.5364    |
| 11   | 7.2565    | 12.3834   | 10.4366   | 11.7427   | 13.5139   | 14.1873   | 16.4118   |
| 12   | 7.1125    | 12.38     | 11.0174   | 10.8007   | 12.9447   | 14.1324   | 16.7296   |
| 13   | 7.0016    | 12.6475   | 10.8527   | 11.6935   | 13.2539   | 14.2913   | 16.0534   |
| 14   | 6.9467    | 11.4593   | 10.5441   | 9.9343    | 12.7      | 14.4445   | 12.6509   |
| 15   | 6.2346    | 11.6164   | 10.8007   | 11.5375   | 12.8075   | 14.2764   | 16.0477   |
| 16   | 7.8458    | 6.8022    | 11.3854   | 15.7567   | 13.546    | 15.4236   | 15.1635   |
| 17   | 8.0007    | 12.1708   | 10.9626   | 13.5986   | 14.1381   | 15.4784   | 15.0566   |
| 18   | 7.9812    | 12.6509   | 10.9597   | 13.4979   | 14.2336   | 15.2676   | 15.6344   |
| 19   | 9.7891    | 13.2522   | 13.1756   | 14.5336   | 15.9157   | 17.8487   | 17.6886   |
| 20   | 10.0052   | 11.1877   | 13.7174   | 14.5388   | 15.6516   | 16.9599   | 17.9167   |
| 21   | 9.7342    | 11.6186   | 13.5025   | 16.869    | 15.1715   | 17.7212   | 17.6383   |
| 22   | 9.7874    | 11.4575   | 13.155    | 17.0816   | 14.808    | 17.7767   | 17.1102   |
| 23   | 9.4376    | 10.9688   | 12.6749   | 13.331    | 14.1747   | 16.4792   | 16.9548   |
| 24   | 10.3807   | 9.2273    | 10.9157   | 12.4606   | 13.1711   | 13.8043   | 15.9031   |
| Max  | 10.5235   | 13.2522   | 13.7174   | 17.0816   | 15.9157   | 17.8487   | 17.9167   |
| Min  | 6.2346    | 6.8022    | 9.5931    | .4938     | 11.6633   | 12.3354   | 1.5364    |
| Avg  | 8.7818    | 10.2944   | 11.0606   | 8.4680    | 13.3669   | 14.5935   | 15.3154   |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 402 / 33 KV GONDIA CKT-I

Feeder KV- 33 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 8.8769    | 8.8112    | 8.8649    |           | 9.6108    | 10.4253   | 10.8968   |
| 2    | 8.7706    | 8.7037    | 8.5425    |           | 9.0798    | 10.1006   | 10.7905   |
| 3    | 8.5185    | 8.4888    | 8.5963    |           | 9.1335    | 9.8857    | 10.5167   |
| 4    | 8.2556    | 8.3814    | 8.3814    |           | 9.1335    | 9.9366    | 10.359    |
| 5    | 8.4517    | 8.3814    | 8.4351    |           | 8.9186    | 11.014    | 10.2058   |
| 6    | 8.8649    | 8.5963    | 8.4351    |           | 9.1221    | 9.7245    | 9.94      |
| 7    | 9.0364    | 8.6643    | 8.6643    |           | 8.8649    | 9.5096    | 9.7805    |
| 8    | 8.6111    | 8.203     | 8.3985    |           | 8.5048    | 9.3484    | 9.2947    |
| 9    | 8.0796    | 8.3082    | 8.3082    |           | 8.3082    | 9.1427    | 9.1335    |
| 10   | 7.6458    | 8.3608    | 8.9301    | 8.5963    | 8.5711    | 9.249     | 9.6211    |
| 11   | 8.4259    | 8.894     | 9.2547    | 9.3553    | 9.5148    | 9.7274    | 10.4716   |
| 12   | 8.53      | 8.7792    | 9.6211    | 9.94      | 9.9394    | 10.2589   | 10.8528   |
| 13   | 8.1139    | 12.1422   | 9.6211    | 9.8857    | 9.832     | 10.2058   | 10.7991   |
| 14   | 7.4589    | 11.7124   | 9.5148    | 9.6708    | 9.832     | 9.832     | 11.0031   |
| 15   | 6.7901    | 12.0348   | 8.9832    | 9.8868    | 9.832     | 8.558     | 11.0031   |
| 16   | 7.5617    | 11.5347   | 9.1427    | 9.8337    | 9.5148    | 9.7274    | 10.8436   |
| 17   | 7.8704    | 11.981    | 9.0798    | 9.3021    | 9.6742    | 9.3073    | 10.7373   |
| 18   | 8.4442    | 5.9099    | 9.4084    | 9.5176    | 10.4767   | 8.9918    | 10.6745   |
| 19   | 10.2618   | 11.014    | 11.6587   | 11.9456   | 12.1628   | 10.7796   | 12.7332   |
| 20   | 10.7453   | 10.9602   | 12.1085   | 11.6741   | 12.4343   | 11.358    | 12.9773   |
| 21   | 10.2618   | 10.423    | 11.5112   | 10.751    | 12.0542   | 11.641    | 12.0885   |
| 22   | 9.7245    | 9.8857    | 10.8596   | 10.2081   | 11.4569   | 11.8199   | 11.39     |
| 23   | 9.5096    | 9.5633    | 10.3155   | 9.9394    | 11.014    | 11.5655   | 11.2689   |
| 24   | 9.0261    | 9.1335    | 9.1335    | 9.832     | 9.6708    | 10.7991   | 11.1214   |
| Max  | 10.7453   | 12.1422   | 12.1085   | 11.9456   | 12.4343   | 11.8199   | 12.9773   |
| Min  | 6.7901    | 5.9099    | 8.3082    | 8.5963    | 8.3082    | 8.558     | 9.1335    |
| Avg  | 8.6598    | 9.5361    | 9.4071    | 10.0226   | 9.8607    | 10.1212   | 10.7710   |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 403 / 33 KV DHAPEWADA

Feeder KV- 33 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.3065    | 3.4979    | 4.1027    |           | 4.9383    | 6.1786    | 5.5441    |
| 2    | 3.2556    | 3.3573    | 3.9363    |           | 4.6696    | 6.0711    | 5.2652    |
| 3    | 3.0521    | 3.2556    | 3.9363    |           | 4.6153    | 5.8562    | 5.2652    |
| 4    | 2.9835    | 3.2556    | 3.8255    |           | 4.6639    | 5.9099    | 5.0972    |
| 5    | 3.0178    | 3.2556    | 3.8809    |           | 4.6639    | 4.9429    | 4.9931    |
| 6    | 3.103     | 3.2922    | 3.77      |           | 4.6639    | 5.8562    | 4.8285    |
| 7    | 3.7357    | 4.177     | 3.7311    |           | 4.4056    | 5.7407    | 4.7737    |
| 8    | 2.3594    | 2.8509    | 2.6606    |           | 4.4056    | 5.8471    | 4.7188    |
| 9    | 1.5729    | 2.915     | 3.6923    |           | 4.7817    | 5.9002    | 5.3189    |
| 10   | 1.9685    | 2.8018    | 2.9321    | 3.6797    | 4.0604    | 4.5068    |           |
| 11   | 1.9925    | 2.8807    | 3.2322    | 3.8786    | 4.3896    | 3.2487    | 4.7782    |
| 12   | .4167     | 2.8178    | 2.7161    | 3.7723    | 4.6091    | 3.5288    | 3.4082    |
| 13   | 2.1822    | 2.7526    | 2.9675    | 4.0238    | 4.4445    | 3.4728    | 3.3065    |
| 14   | 2.4074    | 1.7101    | 3.3813    | 3.1687    | 3.4202    | 3.5208    | 6.0597    |
| 15   | 2.4691    | 1.917     | 3.3699    | 3.3316    | 4.1701    | 9.1021    | 6.31      |
| 16   | 2.7652    | 1.8187    | 3.3196    | 3.4408    | 4.3439    | 3.9283    | 6.3626    |
| 17   | 2.2497    | 2.9492    | 3.4591    | 3.6374    | 4.6091    | 4.8868    | 6.3255    |
| 18   | 3.3276    | 3.2442    | 3.5608    | 3.834     | 4.7737    | 2.9864    | 5.1583    |
| 19   | 3.9209    | 4.0638    | 2.2365    | 4.3724    | 5.3224    | 5.3189    | 5.7613    |
| 20   | 4.0889    | 4.201     | 4.313     | 3.0498    | 5.3224    | 5.5338    | 5.8162    |
| 21   | 4.2135    | 3.7449    | 4.5931    | 4.1015    | 5.5418    | 5.695     | 5.7613    |
| 22   | 3.6008    | 3.6008    | 4.4353    | 4.481     | 5.3224    | 5.4298    | 5.647     |
| 23   | 3.4979    | 3.4591    | 4.2135    | 4.0695    | 5.048     | 5.0497    | 5.5384    |
| 24   | 2.3908    | 4.1027    | 4.1152    | 5.1583    | 4.9291    | 6.1786    | 6.31      |
| Max  | 4.2135    | 4.201     | 4.5931    | 5.1583    | 5.5418    | 9.1021    | 6.3626    |
| Min  | .4167     | 1.7101    | 2.2365    | 3.0498    | 3.4202    | 2.9864    | 3.3065    |
| Avg  | 2.8283    | 3.1634    | 3.5992    | 3.8666    | 4.6714    | 5.1954    | 5.3195    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 404 / 33 KV GONDIA CKT-II

Feeder KV- 33 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 9.9692    | 8.9438    | 9.908     | 4.137     | 9.8542    | 10.9511   | 11.4815   |
| 2    | 9.808     | 8.8906    | 9.908     | 4.0832    | 9.8005    | 10.79     | 11.5387   |
| 3    | 9.6983    | 8.7797    | 9.7451    | 4.0295    | 9.6359    | 10.6773   | 11.5593   |
| 4    | 9.5371    | 8.618     | 9.5251    | 3.922     | 9.5822    | 10.5665   | 11.45     |
| 5    | 9.369     | 8.7288    | 9.5748    | 3.9758    | 9.7468    | 11.0494   | 11.3929   |
| 6    | 9.3176    | 8.9414    | 9.3027    | 4.0832    | 9.8057    | 9.6868    | 10.9414   |
| 7    | 8.6694    | 8.5048    | 8.7575    | 3.7071    | 8.9758    | 9.1415    | 9.9435    |
| 8    | 7.6252    | 8.4505    | 8.5402    | 3.4922    | 8.3756    | 9.0838    | 9.8897    |
| 9    | 8.0676    | 7.9132    | 8.163     | 3.4922    | 8.1596    | 8.922     | 9.5022    |
| 10   | 9.4558    | 7.48      | 7.8441    | 8.9746    | 8.2173    | 8.2744    | 9.7194    |
| 11   | 9.3484    |           | 8.4339    | 9.2993    | 8.5402    | 8.7603    | 9.9366    |
| 12   | 9.3484    |           | 8.8666    | 8.5402    | 8.8672    | 9.9394    | 10.0452   |
| 13   | 7.7023    |           | 8.5419    | 8.4865    | 8.7072    | 9.7245    | 10.1538   |
| 14   | 6.8518    |           | 8.4345    | 8.7591    | 8.6523    | 9.6256    | 6.8021    |
| 15   | 6.549     |           | 8.2682    | 8.6505    | 8.9232    | 9.6788    | 9.2644    |
| 16   | 6.9719    |           | 8.2145    | 8.4339    | 8.6523    | 9.9497    | 9.1221    |
| 17   | 7.0771    | 1.4723    | 8.0052    | 5.2337    | 8.7072    | 9.6171    | 9.7194    |
| 18   | 7.8669    | 8.5208    | 7.7961    | 8.2167    | 9.5268    | 9.4022    | 9.9909    |
| 19   | 9.5953    | 9.8703    | 10.1737   | 10.7362   | 11.7707   | 11.9479   | 12.0221   |
| 20   | 10.1406   | 10.4132   | 11.9907   | 8.8021    | 12.3754   | 13.1116   | 11.8165   |
| 21   | 9.8703    | 10.3023   | 11.717    | 8.3745    | 12.1      | 12.4829   | 10.3155   |
| 22   | 10.0875   | 10.2383   | 11.2786   | 10.2926   | 11.9696   | 12.372    | 9.9389    |
| 23   | 9.5953    | 10.0737   | 10.5568   | 10.0189   | 11.4792   | 11.8782   | 10.6996   |
| 24   | 9.9063    | 9.2673    | 9.8469    | 10.719    | 9.7988    | 11.2083   | 11.5329   |
| Max  | 10.1406   | 10.4132   | 11.9907   | 10.7362   | 12.3754   | 13.1116   | 12.0221   |
| Min  | 6.549     | 1.4723    | 7.7961    | 3.4922    | 8.1596    | 8.2744    | 6.8021    |
| Avg  | 8.8512    | 8.6338    | 9.3080    | 7.0192    | 9.6760    | 10.3684   | 10.3658   |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA (R) S/DN.[390] BU 0390

Substation No/ Name :- 317014 / 132 KV GONDIA

Feeder No / Name : 405 / 33 KV GOREGAON

Feeder KV- 33 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 13.4877   | 10.0949   | 9.9978    | 2.7726    | 11.2598   | 12.6749   | 11.0717   |
| 2    | 12.9778   | 10.3755   | 9.9978    | 2.8858    | 11.2065   | 12.3835   | 11.1071   |
| 3    | 12.9304   | 10.0949   | 9.7731    | 2.7726    | 11.0368   | 12.272    | 11.2677   |
| 4    | 13.0384   | 10.2635   | 9.2798    | 2.6029    | 10.7019   | 12.0525   | 10.7511   |
| 5    | 12.9007   | 9.6988    | 9.5062    | 2.4897    | 10.7585   | 12.3817   | 10.9139   |
| 6    | 13.1882   | 10.208    | 9.3233    | 2.5463    | 10.5567   | 11.2192   | 10.0137   |
| 7    |           | 9.9492    | 9.2535    | 2.6595    | 10.1972   | 11.1888   | 9.4136    |
| 8    | 12.061    | 9.7817    | 8.974     | 2.32      | 9.8388    | 2.8292    | 8.7191    |
| 9    | 11.6289   | 9.5045    | 8.4185    | 2.32      | 9.0089    | 10.6705   | 9.7508    |
| 10   | 11.118    | 9.4479    | 8.8032    | 9.9794    | 9.9332    | 10.0441   | 10.5504   |
| 11   | 11.7061   | .9054     | 9.6262    | 10.5847   | 10.8665   | 11.4129   | 2.0936    |
| 12   | 9.0798    | 1.358     | 10.1235   | 8.3722    | 12.2457   | 11.9673   | 11.5638   |
| 13   | 8.3316    | 1.4146    | 10.18     | 9.0884    | 12.5669   | 12.2365   | 11.4592   |
| 14   | 8.7225    | 1.358     | 10.2572   | 10.3944   | 12.2863   | 11.7364   | 10.4184   |
| 15   | 8.6745    | 1.3014    | 10.0138   | 9.2901    | 11.9062   | 9.1907    | 9.788     |
| 16   | 9.6914    |           | 10.4801   | 2.999     | 12.0148   | 9.6862    | 11.1254   |
| 17   | 8.2887    | 1.2449    | 9.9422    | 2.999     | 11.4152   | 7.7915    | 8.3996    |
| 18   | 10.7785   | 7.3046    | 10.6693   | 9.4873    | 11.8427   | 9.0038    | 9.1667    |
| 19   | 12.3954   | 8.0367    | 12.8007   | 12.1966   | 13.3076   | 11.8673   | 8.2384    |
| 20   | 12.5063   | 10.4435   | 12.6412   |           | 13.5871   | 11.1339   | 9.6108    |
| 21   | 12.2846   | 10.1641   | 12.0313   |           | 9.8835    | 10.7339   | 9.0655    |
| 22   | 11.4421   | 9.4931    | 11.8793   |           | 12.8327   | 11.4901   | 6.1369    |
| 23   | 10.7842   | 9.9972    | 11.6066   | 10.2252   | 12.5514   | 11.1791   | 8.8409    |
| 24   | 13.8558   | 10.2829   | 9.8846    | 11.2157   | 11.5529   | 9.0878    | 11.3152   |
| Max  | 13.8558   | 10.4435   | 12.8007   | 12.1966   | 13.5871   | 12.6749   | 11.5638   |
| Min  | 8.2887    | .9054     | 8.4185    | 2.32      | 9.0089    | 2.8292    | 2.0936    |
| Avg  | 11.3858   | 7.5097    | 10.2276   | 6.2001    | 11.3899   | 10.6764   | 9.6159    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314012 / 33 KV SURYATOLA S/STN

Feeder No / Name : 201 / Town - I

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4937    | 1.3676    | 1.4415    | 1.4003    | 1.4045    | 1.5154    | 1.7187    |
| 2    | 1.4415    | 1.3676    | 1.4045    | 1.4003    | 1.46      | 1.4784    | 1.6448    |
| 3    | 1.4415    | 1.3676    | 1.3491    | 1.3306    | 1.4784    | 1.4045    | 1.5893    |
| 4    | 1.3717    | 1.3676    | 1.3306    | 1.2696    | 1.4784    | 1.4415    | 1.5708    |
| 5    | 1.3717    | 1.3676    | 1.3491    | 1.2752    | 1.4415    | 1.4415    | 1.5708    |
| 6    | 1.4784    | 1.3306    | 1.3491    | 1.3306    | 1.423     | 1.4415    | 1.5708    |
| 7    | 1.4784    | 1.4415    | 1.4784    | 1.5123    | 1.5339    | 1.423     | 1.5893    |
| 8    | 1.46      | 1.4415    | 1.4415    | 1.4563    | 1.4969    | 1.4045    | 1.5524    |
| 9    | 1.4784    | 1.6263    | 1.46      | 1.587     | 1.419     | 1.423     | 1.5893    |
| 10   | 1.6632    | 1.5364    | 1.5893    | 1.7187    | 1.5708    | 1.5708    | 1.6804    |
| 11   | 1.9959    | 2.0144    | 2.0698    | 2.1437    | 1.6244    | 1.8111    | 2.2546    |
| 12   | 2.2546    | 2.2546    | 2.2361    | 2.4394    | 2.2405    | 1.9589    | 2.5019    |
| 13   | 2.3285    | 2.2916    | 2.2916    | 2.5503    | 2.347     | 1.9774    | 2.5019    |
| 14   | 2.1622    | 2.2177    | 2.3101    | 2.4209    | 2.2916    | 1.9035    | 2.3899    |
| 15   | 2.0328    | 2.2177    | 2.384     | 2.4025    | 2.2916    | 1.8296    | 2.5393    |
| 16   | 1.9959    | 2.2361    | 2.3101    | 2.4209    | 2.2361    | 1.7372    | 2.5393    |
| 17   | 2.0328    | 2.1807    | 2.2916    | 2.2546    | 2.3655    | 1.5893    | 2.5393    |
| 18   | 2.1216    | 2.2546    | 2.2731    | 2.2731    | 2.3655    | 1.5708    | 2.4394    |
| 19   | 2.3525    | 2.5463    | 2.6612    | 2.6981    | 2.7721    | 1.885     | 2.838     |
| 20   | 2.4025    | 2.452     | 2.6139    | 2.5503    | 2.6057    | 1.885     | 2.6427    |
| 21   | 1.9774    | 2.1691    | 2.2779    | 2.2361    | 2.2916    | 1.8665    | 2.1437    |
| 22   | 1.6078    | 1.7164    | 1.7364    | 1.7187    | 1.8296    | 1.8665    | 1.8111    |
| 23   | 1.5154    | 1.6598    | 1.6991    | 1.6263    | 1.7372    | 1.9035    | 1.848     |
| 24   | 1.5893    | 1.4415    | 1.5089    | 1.5123    | 1.4969    | 1.6263    | 1.6632    |
| Max  | 2.4025    | 2.5463    | 2.6612    | 2.6981    | 2.7721    | 1.9774    | 2.838     |
| Min  | 1.3717    | 1.3306    | 1.3306    | 1.2696    | 1.4045    | 1.4045    | 1.5524    |
| Avg  | 1.7937    | 1.8278    | 1.8690    | 1.8970    | 1.8834    | 1.6648    | 2.0304    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314012 / 33 KV SURYATOLA S/STN

Feeder No / Name : 202 / Town - II

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.829     | 1.7372    | 1.8296    | 1.9774    | 1.9589    | 2.1068    | 2.2361    |
| 2    | 1.7741    | 1.7741    | 1.6817    | 1.9418    | 1.8665    | 1.9589    | 2.2177    |
| 3    | 1.7193    | 1.7372    | 1.7375    | 1.8858    | 1.8665    | 1.922     | 2.1807    |
| 4    | 1.7372    | 1.7372    | 1.7193    | 1.8665    | 1.7926    | 1.8671    | 2.1253    |
| 5    | 1.7741    | 1.7187    | 1.7193    | 1.848     | 1.7926    | 1.8671    | 2.1253    |
| 6    | 1.8665    | 1.7187    | 1.6644    | 1.8298    | 1.8296    | 1.8484    | 2.0144    |
| 7    | 1.9774    | 1.8296    | 1.8656    | 1.9231    | 1.9774    | 1.885     | 2.0698    |
| 8    | 1.9774    | 1.885     | 1.7924    | 1.9231    | 1.8111    | 1.9589    | 1.848     |
| 9    | 1.8296    | 1.848     | 1.7741    | 1.8858    | 1.6991    | 1.7741    | 1.8111    |
| 10   | 1.8461    | 1.701     | 1.8839    | 1.848     | 1.8111    | 1.8111    | 1.848     |
| 11   | 1.8099    | 1.7558    | 1.7924    | 1.885     | 1.9978    | 1.9589    | 1.9936    |
| 12   | 1.8823    | 1.6278    | 1.8296    | 1.9774    | 1.9204    | 1.9959    | 1.9774    |
| 13   | 1.7375    | 1.6827    | 1.7924    | 1.8296    | 1.9404    | 1.9589    | 1.885     |
| 14   | 1.9728    | 1.5912    | 1.8656    | 1.8665    | 1.922     | 1.9404    | 1.922     |
| 15   | 1.6289    | 1.6461    | 1.8839    | 1.8665    | 1.885     | 1.885     | 2.0144    |
| 16   | 1.5927    | 1.5565    | 1.7926    | 1.8665    | 1.8296    | 1.885     | 2.0144    |
| 17   | 1.5238    | 1.6108    | 1.8665    | 1.7372    | 1.7558    | 1.8111    | 1.9978    |
| 18   | 1.6118    |           | 1.7926    | 1.7372    | 1.9035    | 1.848     | 1.9791    |
| 19   | 1.957     | 2.6063    | 2.2916    | 2.2177    | 2.3285    | 2.2731    | 2.3655    |
| 20   | 2.0328    | 2.371     | 2.3712    | 2.2546    | 2.3655    | 2.384     | 2.4025    |
| 21   | 2.0328    | 2.1357    | 2.2405    | 2.0883    | 2.2731    | 2.384     | 2.1472    |
| 22   | 1.9774    | 2.0633    | 2.2779    | 2.1437    | 2.2546    | 2.4764    | 2.1807    |
| 23   | 1.9404    | 2.009     | 2.2592    | 2.0883    | 2.2546    | 2.5503    | 2.1807    |
| 24   | 1.9387    | 1.4784    | 1.9185    | 2.0725    | 2.0328    | 2.2731    | 2.5503    |
| Max  | 2.0328    | 2.6063    | 2.3712    | 2.2546    | 2.3655    | 2.5503    | 2.5503    |
| Min  | 1.5238    | 1.4784    | 1.6644    | 1.7372    | 1.6991    | 1.7741    | 1.8111    |
| Avg  | 1.8321    | 1.8183    | 1.9018    | 1.9400    | 1.9612    | 2.0260    | 2.0870    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314012 / 33 KV SURYATOLA S/STN

Feeder No / Name : 203 / Town - III

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8688     | .7762     | .8316     | .8871     | .9055     | .8962     | .9979     |
| 2    | .8871     | .7392     | .8131     | .8871     | .8871     | .8413     | .961      |
| 3    | .8316     | .7392     | .8131     | .8775     | .8686     | .823      | .924      |
| 4    | .823      | .7023     | .8131     | .8316     | .8686     | .823      | .924      |
| 5    | .8596     | .7023     | .8316     | .8589     | .924      | .8413     | .9425     |
| 6    | .8871     | .7947     | .8316     | .8871     | .961      | .8589     | .924      |
| 7    | .9425     | .8501     | .8686     | .9425     | .8871     | .8413     | .924      |
| 8    | .8871     | .8131     | .8686     | .8501     | .8686     | .8962     | .9425     |
| 9    | .8501     | .8131     | .7947     | .8501     | .823      | .8596     | .7023     |
| 10   | .7762     | .7865     | .8316     | .8131     | .7762     | .8501     | .9425     |
| 11   | .7762     |           | .7023     | .7023     | .7392     | .9055     | .8131     |
| 12   | .7023     | .5914     | .7392     | .7577     | .7865     | .8131     | .7762     |
| 13   | .7023     | .5914     | .6838     | .7207     | .7682     | .8316     | .7023     |
| 14   | .6283     | .6099     | .6283     | .7207     | .7682     | .7392     | .6653     |
| 15   | .6099     | .6099     | .6283     | .6838     | .7499     | .8316     | .7392     |
| 16   | .5914     | .5729     | .6099     | .6838     | .6767     | .7762     | .7023     |
| 17   | .5914     | .6468     | .6653     | .6653     | .695      | .7207     | .7207     |
| 18   | .6468     | .7207     | .7577     | .6838     | .7316     | .7577     | .7023     |
| 19   | .8131     | .924      | 1.0349    | .8871     | .9877     | 1.0349    | 1.0082    |
| 20   | .8501     | .9425     | 1.1016    | 1.1088    | 1.0608    | 1.1088    | 1.1203    |
| 21   | .8501     | .961      | 1.0829    | .9979     | 1.0608    | 1.0719    | 1.0164    |
| 22   | .8871     | .9425     | 1.0642    | 1.1273    | 1.0608    | 1.1458    | 1.0269    |
| 23   | .8501     | .924      | 1.0082    | .9979     | 1.0791    | 1.0719    | 1.0456    |
| 24   | .8869     | .8131     | .8686     | .9709     | .924      | .9877     | 1.0164    |
| Max  | .9425     | .961      | 1.1016    | 1.1273    | 1.0791    | 1.1458    | 1.1203    |
| Min  | .5914     | .5729     | .6099     | .6653     | .6767     | .7207     | .6653     |
| Avg  | .7916     | .7638     | .8280     | .8497     | .8691     | .8886     | .8850     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314012 / 33 KV SURYATOLA S/STN

Feeder No / Name : 204 / Town - IV

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9511     | .8871     | .961      | 1.0242    | 1.1088    | 1.1827    | 1.2567    |
| 2    | .9145     | .8871     | .961      | 1.0242    | 1.0349    | 1.1088    | 1.3306    |
| 3    | .9145     | .8501     | .961      | .9877     | .9979     | 1.1088    | 1.1088    |
| 4    | .8686     | .8871     | .961      | .9877     | .9979     |           | 1.1088    |
| 5    | .924      | .8871     | .961      | .9511     | 1.0349    | 1.0719    | 1.0349    |
| 6    | .961      | .961      | .924      | .9511     | 1.1088    | 1.0349    | .9979     |
| 7    | .9877     | .8871     | .924      | .9511     | 1.0349    | .9979     | 1.0349    |
| 8    | .9511     | .8871     | .8871     | .961      | .961      | 1.0349    | .9979     |
| 9    | .9511     | .961      | .924      | .9145     | 1.1706    | .961      | .9979     |
| 10   | .8871     | .8779     | .8871     | .961      | .9145     | .9979     | .961      |
| 11   | .924      | .961      | .8871     | .961      | .9145     | .9979     | 1.0349    |
| 12   | .8871     | .8131     | .8871     | .924      | .961      | .9979     | .9979     |
| 13   | .8871     | .8131     | .8871     | .8871     | .9511     | 1.0349    | .961      |
| 14   | .7392     | .8131     | .8871     | .8871     | .9511     | .961      | .961      |
| 15   | .7392     | .7762     | .8871     | .961      | .961      | .924      | .961      |
| 16   | .7392     | .7392     | .8501     | .924      | .961      | .924      | .9979     |
| 17   | .8131     | .8131     | .8779     | .8871     | .961      | .8871     | 1.0242    |
| 18   | .8962     | .8871     | .9511     | .8501     | 1.0349    | .8871     | 1.0974    |
| 19   | 1.0719    | 1.1827    | 1.2437    | 1.2197    | 1.1827    | 1.1827    | 1.3535    |
| 20   | 1.1827    | 1.2197    | 1.3535    | 1.4045    | 1.3306    | 1.3306    | 1.39      |
| 21   | 1.2197    | 1.2197    | 1.3535    | 1.1827    | 1.3306    | 1.4784    | 1.2803    |
| 22   | 1.1088    | 1.1827    | 1.2803    | 1.2197    | 1.3306    | 1.5154    | 1.2696    |
| 23   | 1.1088    | 1.1827    | 1.0974    | 1.2567    | 1.3306    | 1.4415    | 1.3169    |
| 24   | .9511     | .9979     | 1.1088    | 1.1088    | 1.1827    | 1.2567    | 1.3306    |
| Max  | 1.2197    | 1.2197    | 1.3535    | 1.4045    | 1.3306    | 1.5154    | 1.39      |
| Min  | .7392     | .7392     | .8501     | .8501     | .9145     | .8871     | .961      |
| Avg  | .9408     | .9406     | .9960     | 1.0161    | 1.0728    | 1.1008    | 1.1169    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314025 / 33/11 kv Parwatigath

Feeder No / Name : 202 / Urban industrial

Feeder KV- 11 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY

STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3174     | .2452     | .1509     | .3547     | .3772     | .4294     | .3395     |
| 2    | .2801     | .2452     | .2829     | .2987     | .3584     | .4108     | .3772     |
| 3    | .2427     | .2829     | .2829     | .2801     | .2829     | .4294     | .415      |
| 4    | .2427     | .2641     | .2641     | .2614     | .2641     | .4108     | .4338     |
| 5    | .2614     | .2075     | .2263     | .2614     | .2452     | .3734     | .4715     |
| 6    | .2614     | .2075     | .1509     | .2241     | .2075     | .2427     | .3018     |
| 7    |           | .1698     | .0754     | .1494     | .1886     | .2075     | .1698     |
| 8    | .112      | .132      | .0754     | .1307     | .1886     | .1509     | .0943     |
| 9    | .1509     | .1886     | .1307     | .1307     | .1132     | .2075     | .132      |
| 10   | .1886     | .112      | .1867     | .2054     | .3584     | .2641     | .2452     |
| 11   | .2263     | .056      | .2801     | .3361     | .4338     | .5658     | .4904     |
| 12   | .3772     | .2427     | .3361     | .3361     | .7733     | .6602     | .7167     |
| 13   | .3395     | .3734     | .3734     | .3921     | .679      | .6036     | .679      |
| 14   | .2829     | .3174     | .4481     | .5228     | .6036     | .5093     | .6224     |
| 15   | .3961     | .3361     | .4854     | .5041     | .5847     | .6036     | .5415     |
| 16   | .3961     |           | .5228     | .5228     | .6224     | .5847     | .5788     |
| 17   | .415      | .3018     | .5041     | .5281     | .5415     | .6224     | .3734     |
| 18   | .3772     | .1698     | .4481     | .2263     | .3174     | .4527     | .2427     |
| 19   | .3584     | .132      | .3361     | .2263     | .2241     | .2641     | .1307     |
| 20   | .2829     | .0943     | .2241     |           | .2241     | .3584     | .1307     |
| 21   | .2829     | .1132     | .1867     |           | .1494     | .132      | .0747     |
| 22   | .2829     | .132      | .168      |           | .1867     | .2263     | .168      |
| 23   | .1886     | .132      | .2241     | .3961     | .2829     | .2641     | .4294     |
| 24   | .3547     | .2263     | .132      | .2614     | .3206     | .4481     | .2452     |
| Max  | .415      | .3734     | .5228     | .5281     | .7733     | .6602     | .7167     |
| Min  | .112      | .056      | .0754     | .1307     | .1132     | .132      | .0747     |
| Avg  | .2877     | .2036     | .2706     | .3118     | .3553     | .3926     | .3502     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314025 / 33/11 kv Parwatigath

Feeder No / Name : 203 / Manohar Chowk

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.4712    | 1.4003    | 1.358     | 1.587     | .6602     |
| 2    |           | 1.4335    | 1.475     | 1.4523    | 1.5497    | .5847     |
| 3    |           | 1.3957    | 1.419     | 1.4146    | 1.5123    | .5281     |
| 4    |           | 1.3203    | 1.3817    | 1.3392    | 1.4563    | .4715     |
| 5    |           | 1.4523    | 1.3256    | 1.5089    | 1.4003    | .5093     |
| 6    |           | 1.3014    | 1.363     | 1.4712    | 1.4003    | .4904     |
| 7    |           | 1.3957    | 1.4937    | 1.4335    | 1.4335    | .5658     |
| 8    |           | 1.2637    | 1.2883    | 1.3014    | 1.4523    | .5093     |
| 9    |           | 1.2323    | 1.2883    | 1.1506    | 1.3392    | .415      |
| 10   |           | 1.1949    | 1.2883    | 1.226     | 1.3014    | .4527     |
| 11   |           | 1.1389    | 1.307     | 1.2071    | 1.358     | .4527     |
| 12   |           | 1.1576    | 1.3443    | 1.3769    | 1.3769    | .415      |
| 13   |           | 1.1694    | 1.1949    | 1.2826    | 1.358     | .4715     |
| 14   |           | 1.1389    | 1.1763    | 1.2637    | 1.3769    | .4527     |
| 15   |           | 1.1203    | 1.1576    | 1.2449    | .1698     | .4481     |
| 16   |           | 1.1203    | 1.2696    | 1.1694    | .1698     | .4294     |
| 17   |           | 1.1576    | 1.3203    | 1.1203    | .4904     | .4481     |
| 18   |           | 1.1949    | 1.226     | 1.2696    | .4715     | .4294     |
| 19   |           | 1.4377    | 1.5278    | 1.4377    | .4715     | .5228     |
| 20   | 1.3769    | 1.5123    |           | 1.5684    | .6224     | .5041     |
| 21   | 1.4146    | 1.587     |           | 1.5684    | .5847     | .5228     |
| 22   | 1.4523    | 1.6244    |           | 1.6991    | .6224     | .5228     |
| 23   | 1.4901    | 1.643     | 1.5089    | 1.7364    | .679      | .5601     |
| 24   |           | 1.3957    | 1.363     | 1.5655    | 1.475     | .7167     |
| Max  | 1.4901    | 1.643     | 1.5278    | 1.7364    | 1.587     | .7167     |
| Min  | 1.3769    | 1.1203    | 1.1576    | 1.1203    | .1698     | .415      |
| Avg  | 1.4335    | 1.3275    | 1.3390    | 1.3819    | 1.0691    | .5035     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314028 / Civiline (Bhimghat)

Feeder No / Name : 201 / Chotta Gondia

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0566     | .0754     | .0566     | .0377     | .0377     | .0377     | .0377     |
| 2    | .0566     | .0754     | .0566     | .0377     | .0377     | .0377     | .0377     |
| 3    | .0566     | .0566     | .0566     | .0377     | .0377     | .0377     | .0377     |
| 4    | .0566     | .0566     | .0566     | .0377     | .0377     | .0377     | .0377     |
| 5    | .0566     | .0566     | .0566     | .0377     | .0377     | .0377     | .0377     |
| 6    | .0566     | .0566     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 7    | .0566     | .0377     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 8    | .0377     | .0566     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 9    | .0566     | .0566     | .0189     | .0377     | .0189     | .0377     | .0377     |
| 10   | .0189     | .0377     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 11   | .0189     | .0377     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 12   | .0189     | .0754     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 13   | .0189     | .0754     | .0377     | .0377     | .0377     | .0566     | .0377     |
| 14   | .0189     | .0566     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 15   | .0189     | .0566     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 16   | .0566     | .0377     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 17   | .0566     | .0754     | .0377     | .0377     | .0377     | .0377     | .0377     |
| 18   | .0566     | .0943     | .0566     | .0566     | .0377     | .0377     | .0377     |
| 19   | .0943     | .0377     | .0754     | .0566     | .0566     | .0754     | .0566     |
| 20   | .0943     | .0566     | .0754     | .0566     | .0566     | .0377     | .0566     |
| 21   | .0943     | .0943     | .0566     | .0377     | .0566     | .0377     | .0377     |
| 22   | .0566     | .0943     | .1132     | .0377     | .0566     | .0566     | .0566     |
| 23   | .0943     | .0566     | .0377     | .0377     | .0566     | .0377     | .0377     |
| 24   | .0754     | .0754     | .0566     | .0566     | .0377     | .0377     | .0377     |
| Max  | .0943     | .0943     | .1132     | .0566     | .0566     | .0754     | .0566     |
| Min  | .0189     | .0377     | .0189     | .0377     | .0189     | .0377     | .0377     |
| Avg  | .0535     | .0621     | .0495     | .0409     | .0409     | .0408     | .0401     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314028 / Civiline (Bhimghat)

Feeder No / Name : 202 / Govindpur

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 11-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4415    | 1.2567    |           |           | 1.0719    |
| 2    | 1.4045    | 1.2567    |           |           | 1.0719    |
| 3    | 1.386     | 1.2382    |           |           | 1.0164    |
| 4    | 1.3306    | 1.2197    |           |           | 1.0349    |
| 5    | 1.2936    | 1.2382    |           |           | 1.0349    |
| 6    | 1.3306    | 1.2567    |           |           | 1.0349    |
| 7    | 1.386     | 1.2567    |           |           | .9979     |
| 8    | 1.2752    | 1.2752    |           |           | .9425     |
| 9    | 1.2382    | 1.2567    |           |           | .924      |
| 10   | 1.1827    | 1.1458    |           |           | .8686     |
| 11   | 1.2012    | 1.1088    |           |           | .8316     |
| 12   | 1.2012    | .9979     |           |           | .8686     |
| 13   | 1.1643    | 1.0349    |           |           | .8316     |
| 14   | 1.1088    | .9694     |           |           | .8501     |
| 15   | .9795     | .9328     |           | .8871     | .8686     |
| 16   | .924      | .9877     |           | .9055     | .7392     |
| 17   | 1.0719    | 1.1088    |           | .8871     | .8131     |
| 18   | 1.0903    | 1.1273    |           | .8686     | .9055     |
| 19   | 1.3676    | 1.2382    |           | 1.0719    | 1.0903    |
| 20   | 1.46      |           |           | 1.0719    | 1.1458    |
| 21   | 1.3491    |           | 1.6095    | 1.1458    | 1.1273    |
| 22   | 1.3306    |           | 1.5364    | 1.2012    | 1.0719    |
| 23   | 1.2936    |           |           | 1.1827    | 1.0903    |
| 24   | 1.4415    | 1.2752    |           |           | 1.1088    |
| Max  | 1.46      | 1.2752    | 1.6095    | 1.2012    | 1.1458    |
| Min  | .924      | .9328     | 1.5364    | .8686     | .7392     |
| Avg  | 1.2605    | 1.1591    | 1.5730    | 1.0246    | .9725     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314028 / Civiline (Bhimghat)

Feeder No / Name : 203 / Vijaynagar

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .4887     | .5121     | .6401     | .5853     | .6036     | .5487     |
| 2    |           | .4887     | .5121     | .6219     | .5853     | .5853     | .5487     |
| 3    |           | .4755     | .4938     | .5853     | .567      | .5853     | .5121     |
| 4    |           | .4755     | .4938     | .567      | .5487     | .567      | .5487     |
| 5    |           | .4572     | .4755     | .5121     | .5487     | .567      | .567      |
| 6    |           | .4572     | .4755     | .5304     | .5304     | .5853     | .5487     |
| 7    |           | .4755     | .5121     | .4755     | .5853     | .6036     | .5487     |
| 8    |           | .4755     | .5304     | .5304     | .5487     | .5853     | .6036     |
| 9    |           | .4938     | .5121     | .5121     | .6036     | .5121     | .6219     |
| 10   |           | .439      | .567      | .567      | .6219     | .5304     | .6401     |
| 11   |           | .5304     | .6219     | .7499     | .7682     | .7316     | .6767     |
| 12   |           | .4938     | .6219     | .6219     | .8596     | .6767     | .7499     |
| 13   |           | .4938     | .6401     | .7865     | .7865     | .7133     | .7682     |
| 14   |           | .4572     | .6036     | .695      | .6401     | .6767     | .7316     |
| 15   |           | .4024     | .6036     | .7682     | .6584     | .567      | .6401     |
| 16   | .5304     | .439      | .6401     | .7682     | .7499     | .6219     | .7499     |
| 17   | .439      | .4755     | .5853     | .7499     | .7682     | .6767     | .6219     |
| 18   | .4572     | .4755     | .6401     | .7499     | .6584     | .6401     | .6584     |
| 19   | .5304     | .4572     | .6401     | .6767     | .6584     | .6584     | .6401     |
| 20   | .567      | .5304     | .7682     | .823      | .695      | .695      | .6401     |
| 21   | .5487     | .5853     | .7499     | .6584     | .6584     | .7316     | .6767     |
| 22   | .5304     | .5487     | .7133     | .7133     | .7133     | .6584     | .6401     |
| 23   | .5249     | .5304     | .695      | .6401     | .6219     | .6219     | .6401     |
| 24   |           | .5068     | .5304     | .6584     | .5853     | .6036     | .6036     |
| Max  | .567      | .5853     | .7682     | .823      | .8596     | .7316     | .7682     |
| Min  | .439      | .4024     | .4755     | .4755     | .5304     | .5121     | .5121     |
| Avg  | .516      | .4855     | .5891     | .6501     | .6478     | .6249     | .6302     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314029 / Katangtola

Feeder No / Name : 201 / 11 KV GAJANAN COLONY

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2279     | .2454     | .2279     | .2454     | .2454     | .2427     | .3012     |
| 2    | .2103     | .2454     | .2279     | .2454     | .2279     | .2254     | .3012     |
| 3    | .2103     | .2279     | .2279     | .2279     | .2279     | .2254     | .3012     |
| 4    | .2103     | .2279     | .2279     | .2279     | .2103     | .2254     | .2658     |
| 5    | .2279     | .2103     | .2279     | .2103     | .2279     | .2254     | .2658     |
| 6    | .2454     | .2103     | .2279     | .2103     | .2454     | .2254     | .2303     |
| 7    | .2804     | .2279     | .2103     | .2279     | .2103     | .2254     | .2481     |
| 8    | .2454     | .2103     | .2279     | .2103     | .2279     | .208      | .2303     |
| 9    | .2454     | .2103     | .2279     | .2279     | .2279     | .208      | .2126     |
| 10   | .2454     | .2279     | .2279     | .2279     | .2279     | .2254     | .2303     |
| 11   | .2103     | .2279     | .2103     | .1928     | .3856     | .2254     | .2126     |
| 12   | .2229     | .1907     | .1578     | .1753     | .1928     | .2254     | .1772     |
| 13   | .2229     | .1734     | .1753     | .1753     | .1753     | .2254     | .1772     |
| 14   | .2103     | .1907     | .1578     | .1753     | .1753     | .2254     | .1772     |
| 15   | .2279     | .1907     | .1753     | .1753     | .1753     | .208      | .1949     |
| 16   | .2103     | .1907     | .5434     | .2103     | .1753     | .208      | .1772     |
| 17   | .2279     | .1907     | .1753     | .1753     | .1753     | .1907     | .2126     |
| 18   | .2454     | .2103     | .1928     | .1928     | .2103     | .208      | .2126     |
| 19   | .2454     | .2454     | .2454     | .2279     | .2279     | .2254     | .2481     |
| 20   | .2427     | .2454     | .2629     | .2454     | .2629     | .2774     | .2658     |
| 21   | .2454     | .2629     | .2629     | .2804     | .2804     | .2774     | .3012     |
| 22   | .2454     | .2629     | .2629     | .2629     | .2804     | .2947     | .2658     |
| 23   | .2454     | .2454     | .2629     | .2629     | .2804     | .3121     | .2658     |
| 24   | .2279     | .2454     | .2279     | .2454     | .2629     | .2774     | .3012     |
| Max  | .2804     | .2629     | .5434     | .2804     | .3856     | .3121     | .3012     |
| Min  | .2103     | .1734     | .1578     | .1753     | .1753     | .1907     | .1772     |
| Avg  | .2325     | .2215     | .2323     | .2191     | .2308     | .2341     | .2407     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GONDIA URBAN S/DN[387] BU 1937

Substation No/ Name :- 314029 / Katangtola

Feeder No / Name : 203 / 11KV Angurbagicha

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2048    | .7796     | .7186     | .8413     | .4207     | .9214     | 1.0208    |
| 2    | 1.2048    | .7796     | .7011     | .8238     | .4031     | .9214     | 1.0029    |
| 3    | 1.1517    | .7442     | .7011     | .8238     | .4031     | .8859     | .985      |
| 4    | 1.1517    | .7442     | .7011     | .8063     | .3856     | .8859     | .985      |
| 5    | 1.2226    | .7619     | .7011     | .7888     | .4207     | .8682     | .9671     |
| 6    | 1.258     | .7619     | .6836     | .7712     | .4733     | .8328     | .9492     |
| 7    | 1.3112    | .7973     | .7712     | .7712     | .4908     | .815      | .9671     |
| 8    | 1.2934    | .7796     | .7537     | .7888     | .4733     | .8682     | .8954     |
| 9    | 1.258     | .7265     | .7362     | .7537     | .4382     | .8505     | .8954     |
| 10   |           | .6556     | .7011     | .7011     | .3856     | .815      | .8417     |
| 11   |           | .6201     | .6661     | .631      | .5258     | .815      | .8059     |
| 12   |           | .5493     | .5609     | .631      | .631      | .7973     | .788      |
| 13   |           | .567      | .5784     | .631      | .631      | .8328     | .7701     |
| 14   |           | .6024     | .5959     | .631      | .6485     | .8322     | .7701     |
| 15   |           | .6201     | .5258     | .631      | .5959     | .7975     | .788      |
| 16   | .6733     | .6379     | .5434     | .6135     | .6836     | .815      | .7522     |
| 17   | .6024     | .6379     | .5784     | .5784     | .7011     | .7796     | .8059     |
| 18   | .6805     | .6135     | .6661     | .6485     | .7362     | .7973     | .8238     |
| 19   | .7712     | .7186     | .8939     | .7362     | .9465     | 1.0099    | 1.0208    |
| 20   | .8413     | .7712     | .8939     | .9465     | .9465     | 1.0808    | 1.0745    |
| 21   | .8417     | .8063     | .9114     | .4382     | .9816     | 1.0985    | .985      |
| 22   | .7973     | .7888     | .8589     | .4207     | .9114     | 1.0631    | .985      |
| 23   | .7796     | .7537     | .8413     | .4382     | .964      | 1.0277    | .9671     |
| 24   | 1.2403    | .7712     | .7186     | .8413     | .4207     | .9568     | 1.0277    |
| Max  | 1.3112    | .8063     | .9114     | .9465     | .9816     | 1.0985    | 1.0745    |
| Min  | .6024     | .5493     | .5258     | .4207     | .3856     | .7796     | .7522     |
| Avg  | 1.0158    | .7079     | .7084     | .6953     | .6091     | .8903     | .9114     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810] BU 4810

Substation No/ Name :- 314002 / 33 KV GOREGAON

Feeder No / Name : 201 / 11 KV GOREGAON

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5041     | .4668     | .4706     | .5041     | .4854     | .5175     | .5415     |
| 2    | .5041     | .4668     | .4572     | .4854     | .4854     | .5175     | .5544     |
| 3    | .5041     | .4668     | .4755     | .4854     | .4668     | .5041     | .5601     |
| 4    | .4854     | .4435     | .4706     | .4668     | .4668     | .5041     | .5228     |
| 5    | .4805     | .4435     | .4755     | .4668     | .5041     | .499      | .4294     |
| 6    | .5041     | .4481     | .4572     | .4854     | .4854     | .4706     | .5121     |
| 7    | .4525     | .3921     | .3658     | .4294     | .4108     | .4344     | .439      |
| 8    | .4163     | .3734     | .3696     | .4108     | .3361     | .394      | .4163     |
| 9    | .4108     | .4024     | .3841     | .3982     | .3361     | .4066     | .4525     |
| 10   | .3982     | .3881     | .3982     | .4525     | .4108     | .4163     | .4344     |
| 11   | .4119     | .3881     | .4024     | .4706     | .4572     | .4572     | .4344     |
| 12   | .3841     | .3696     | .4525     | .4938     | .4344     | .4572     | .4706     |
| 13   | .3292     | .3326     | .4344     | .439      | .4755     | .4435     | .4477     |
| 14   | .3439     | .3696     | .5304     | .4706     | .4572     | .4572     | .4706     |
| 15   | .3109     |           | .4207     | .4805     | .4251     | .4572     | .4706     |
| 16   | .3109     | .439      | .439      | .4572     | .4207     | .4481     | .4656     |
| 17   | .3258     | .4207     | .3982     | .4024     | .3982     | .439      | .4163     |
| 18   | .3982     | .4207     | .4755     | .439      | .4119     | .4163     | .4755     |
| 19   | .5415     | .543      | .6535     | .6584     | .6161     | .6219     | .5788     |
| 20   | .5415     | .5487     | .6348     |           | .6348     | .6878     | .5788     |
| 21   | .547      | .543      | .6161     | .5144     | .6535     | .6516     | .5975     |
| 22   | .5228     | .543      | .5788     | .4973     | .6468     | .6154     | .5601     |
| 23   | .4668     | .4706     | .5041     | .5228     | .6516     | .5853     | .5359     |
| 24   | .499      | .4668     | .4755     | .5041     | .4854     | .5359     | .5228     |
| Max  | .547      | .5487     | .6535     | .6584     | .6535     | .6878     | .5975     |
| Min  | .3109     | .3326     | .3658     | .3982     | .3361     | .394      | .4163     |
| Avg  | .4414     | .4412     | .4725     | .4754     | .4815     | .4974     | .4953     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810] BU 4810

Substation No/ Name :- 314002 / 33 KV GOREGAON

Feeder No / Name : 202 / 11 KV Mundipar

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.8121    | 1.6804    | 1.595     | 2.2977    | 1.8404    | 2.0119    | 2.6749    |
| 2    | 2.8121    | 1.6278    | 1.5604    | 2.2291    | 1.8404    | 1.9662    | 2.6749    |
| 3    | 2.7778    | 1.6108    | 1.5947    | 2.2291    | 1.8229    | 1.9559    | 2.6235    |
| 4    | 2.7435    | 1.5927    | 1.5775    | 2.1948    | 1.8054    | 1.9062    | 2.6063    |
| 5    | 2.7435    | 1.5424    | 1.6975    | 2.1605    | 1.8404    | 1.8679    | 2.572     |
| 6    | 2.692     | 1.4918    | 1.5089    | 2.0576    | 1.8229    | 1.8351    | 2.5034    |
| 7    | 2.6063    | 1.5927    | 1.5604    | 2.0576    | 1.8519    | 1.8351    | 2.4619    |
| 8    | 2.5549    | 1.442     | 1.6297    | 2.1948    | 1.8861    | 1.8785    | 2.3059    |
| 9    | 2.572     | 1.5089    | 1.595     | 2.2462    | 1.9033    | 1.9989    | 2.4863    |
| 10   | 2.5892    | 1.4922    | 1.6766    | 2.0062    | 1.9719    | 1.8947    | 2.572     |
| 11   | 2.572     | 1.3435    | 1.8004    | 2.1776    | 2.1948    | 1.9559    | 2.6578    |
| 12   |           | 1.3108    | 1.9547    |           | 2.2466    | 2.0287    | 2.6791    |
| 13   |           | 1.278     | 1.9719    | 1.0749    | 2.2611    | 2.1963    | 2.6322    |
| 14   | 1.6461    |           | 2.0683    | 2.0405    | 2.4006    | 2.1534    | 2.5484    |
| 15   | 1.5777    |           | 2.0199    | 1.9938    | 2.452     | 2.2634    | 2.304     |
| 16   | 1.4746    | 1.3599    | 2.0858    |           | 2.2634    | 2.2977    | 2.6543    |
| 17   |           | 1.4255    | 1.6478    |           | 2.4348    | 2.2131    | .6001     |
| 18   | 1.595     | 1.4746    | 2.1209    | 2.1776    | 2.4577    | 2.572     | 2.0062    |
| 19   | 1.8461    | 1.4419    | 2.4348    | 2.4863    | 2.8921    | 2.9492    | 2.0517    |
| 20   | 1.8983    | 1.6842    | 2.4863    |           | 2.7694    | 2.7206    | 2.3137    |
| 21   | 1.8229    | 1.704     | 2.4348    |           |           | 2.8807    | 2.4272    |
| 22   | 1.7878    | 1.5947    | 2.3663    |           | 2.2291    | 2.9683    |           |
| 23   | 1.6975    | 1.6644    | 2.3148    | .5228     | 2.0405    | 2.8898    | 1.7661    |
| 24   | 2.8121    | 1.6804    | 1.6301    | 2.2977    | 1.8404    | 2.0517    | 2.692     |
| Max  | 2.8121    | 1.704     | 2.4863    | 2.4863    | 2.8921    | 2.9683    | 2.692     |
| Min  | 1.4746    | 1.278     | 1.5089    | .5228     | 1.8054    | 1.8351    | .6001     |
| Avg  | 2.2683    | 1.5247    | 1.8889    | 2.0247    | 2.1334    | 2.2205    | 2.3832    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810] BU 4810

Substation No/ Name :- 314002 / 33 KV GOREGAON

Feeder No / Name : 203 / 11 KV Industrial Milltoli SHEDDABLE FEEDER HAVING WEEKLY  
Feeder KV- 11 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5658     | .1334     | .724      | .6413     | .7468     | .7811     | .7842     |
| 2    | .5281     | .1334     | .6859     | .6413     | .6722     | .8383     | .8029     |
| 3    | .5281     | .1334     | .7621     | .6036     | .6722     | .7842     | .7842     |
| 4    | .4904     | .1334     | .7621     | .6036     | .7095     | .7468     | .7842     |
| 5    | .4904     | .1143     | .7621     | .5658     | .7095     | .6908     | .7392     |
| 6    | .5093     | .1143     | .7621     | .5281     | .7468     | .5658     | .7316     |
| 7    | .5601     | .1143     | .8002     | .5658     | .7922     | .6602     | .7682     |
| 8    | .8775     | .5144     | .724      | .4715     | .7922     | .6979     | .2667     |
| 9    | .6161     | .5335     | .5906     | .4294     | .4904     | .6097     | .7468     |
| 10   | .6036     | .4954     | .8192     | .5658     | .7545     | .5335     | .8962     |
| 11   | .8402     | .6668     | .8192     | .7468     | .8676     | .8383     | .9709     |
| 12   | .9896     | .9526     | .6908     | .5658     | .5975     | .9145     | .8871     |
| 13   | .8029     | .9431     | .7356     | .4715     | .7095     | .9054     | .9055     |
| 14   | .6722     | .9054     | .7049     | .7356     | .7468     | .9335     | .8775     |
| 15   | .7682     |           | .6979     | .6348     | .7682     | .7545     | .2286     |
| 16   | .8596     | .8488     | .811      | .3077     | .8688     | .8962     | .9795     |
| 17   | .9145     | .8145     | .7545     |           | .8413     | 1.1203    | 1.0269    |
| 18   | .8962     | .5853     | .6602     | .5487     | .8962     | 1.1203    | .9431     |
| 19   | .8192     | .6878     | .811      | .5601     | .8589     | 1.1203    | .8871     |
| 20   | .8764     | .6584     | .7356     |           | .7095     | .6516     | .8215     |
| 21   | .9149     | .5335     | .5658     | .9412     | .6722     | .7499     | .5335     |
| 22   | .1334     | .5525     | .6413     | .905      | .7095     | .6584     | .4763     |
| 23   | .1334     | .6287     | .6602     | .9335     | .6722     | .724      | .5335     |
| 24   | .5658     | .1334     | .724      | .6602     | .7095     | .7049     | .7655     |
| Max  | .9896     | .9526     | .8192     | .9412     | .8962     | 1.1203    | 1.0269    |
| Min  | .1334     | .1143     | .5658     | .3077     | .4904     | .5335     | .2286     |
| Avg  | .6648     | .4926     | .7252     | .6194     | .7381     | .7917     | .7559     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810] BU 4810

Substation No/ Name :- 314002 / 33 KV GOREGAON

Feeder No / Name : 205 / 11KV Hirdamali

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9774     | .7455     | .4656     | .8573     | .7888     | .9431     | 1.0317    |
| 2    | .9774     | .7455     | .4835     | .8573     | .7712     | .9602     | 1.0425    |
| 3    | .9431     | .7537     | .4755     | .823      | .7712     | .9431     | 1.0136    |
| 4    | .9431     | .7202     | .4706     | .823      | .7888     | .9431     | 1.0242    |
| 5    | .9602     | .7202     | .4572     | .8402     | .8238     | .9536     | .9955     |
| 6    | .9774     | .7122     | .4525     | .8573     | .8238     | .9816     | 1.0425    |
| 7    | .9431     | .7202     | .4163     | .8402     | .8238     | .8842     | 1.0136    |
| 8    | .9088     | .6783     |           | .823      | .8238     | .8589     | .8954     |
| 9    | .8745     | .6687     | .3761     | .823      | .7537     | .7202     | .8939     |
| 10   | .9145     | .6173     | .3734     | .8238     | .8063     | .7865     | .9015     |
| 11   | .8322     | .6173     | .5784     | .8238     | .7442     | .8059     | .8669     |
| 12   | .7011     | .6001     | .631      | .8328     | .788      | .8322     | .9088     |
| 13   | .6556     | .5487     | .6556     | .8589     | .8688     | .8413     | .9156     |
| 14   | .6516     | .5487     | .6556     | .8859     | .823      | .8589     | .8309     |
| 15   | .6268     | .5658     | .6201     | .7628     | .7701     | .8573     | .8383     |
| 16   | .6024     | .5914     | .631      |           | .8029     | .8059     | .788      |
| 17   | .6268     | .6335     | .7087     |           | .7164     | .8322     | .7712     |
| 18   | .6984     | .724      | .7796     |           | .905      | .6241     | .7545     |
| 19   | .8507     | .5487     | .9431     | 1.0288    | 1.0692    | 1.0985    | .7545     |
| 20   | .9145     | .543      | .9945     |           | 1.1043    | 1.1104    | .9745     |
| 21   | .8145     | .823      | .9431     | .8383     | 1.0867    | 1.1403    | .8745     |
| 22   | .8238     |           | .9259     | .8383     | .9945     | 1.0745    | .8417     |
| 23   | .788      | .4835     | .8916     | .823      | .9602     | 1.0498    | .8328     |
| 24   | .9774     | .7373     | .4784     | .8573     | .7716     | .9602     | 1.0608    |
| Max  | .9774     | .823      | .9945     | 1.0288    | 1.1043    | 1.1403    | 1.0608    |
| Min  | .6024     | .4835     | .3734     | .7628     | .7164     | .6241     | .7545     |
| Avg  | .8326     | .6542     | .6264     | .8459     | .8492     | .9111     | .9111     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810]

BU 4810

Substation No/ Name :- 314002 / 33 KV GOREGAON

Feeder No / Name : 206 / 11 KV Katangi Feeder

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4043    | 1.3321    | 1.3717    | 1.4373    | 1.3032    | 1.4575    | 1.5203    |
| 2    | 1.4022    | 1.3146    | 1.3535    | 1.4373    | 1.286     | 1.4575    | 1.5546    |
| 3    | 1.4022    | 1.3289    | 1.3169    | 1.4373    | 1.286     | 1.4737    | 1.5546    |
| 4    | 1.387     | 1.262     | 1.3032    | 1.3672    | 1.286     | 1.4563    | 1.5203    |
| 5    | 1.4198    | 1.2483    | 1.3352    | 1.262     | 1.3375    | 1.4723    | 1.5546    |
| 6    | 1.4022    | 1.2136    | 1.2894    | 1.262     | 1.3032    | 1.4373    | 1.5223    |
| 7    | 1.262     | 1.1919    | 1.2489    | 1.2445    | 1.2795    | 1.3176    | 1.4022    |
| 8    | 1.1744    | 1.0277    | 1.2254    | 1.1919    | 1.2269    | 1.3496    | 1.1789    |
| 9    | 1.1145    | .964      | 1.0498    | 1.2094    | 1.1393    | 1.3032    | 1.2003    |
| 10   | 1.1317    | .9465     | .905      | 1.1744    | 1.0692    | 1.0631    | 1.2346    |
| 11   | 1.1096    | .9816     | 1.1744    | 1.1096    | 1.0985    | 1.1269    | 1.286     |
| 12   | 1.1403    | 1.0498    | 1.1871    | 1.2269    | 1.1104    | 1.0867    | 1.3003    |
| 13   | 1.1157    | 1.0608    | 1.0745    | 1.2656    | 1.2308    | 1.1744    | 1.2517    |
| 14   | 1.086     | 1.0498    | 1.0808    | 1.2971    | 1.1765    | 1.2795    | 1.2003    |
| 15   | 1.0608    |           | 1.0924    | 2.3136    | 1.1706    | 1.3003    | 1.1191    |
| 16   | 1.1041    | 1.0719    | 1.1283    |           | 1.267     | 1.2517    | 1.2517    |
| 17   | 1.0242    | 1.1694    | 1.134     |           | 1.182     | 1.0749    | 1.286     |
| 18   | 1.3169    | 1.2071    | 1.1871    | 1.2003    | 1.2851    | .8764     | 1.283     |
| 19   | 1.5565    | 1.4937    | 1.6651    | 1.6289    | 1.7737    | 1.7364    | 1.2226    |
| 20   | 1.6108    | 1.5364    | 1.6651    |           | 1.8267    | 1.7372    | 1.4685    |
| 21   | 1.576     | 1.4842    | 1.5947    | 1.4251    | 1.7177    | 1.8099    | 1.262     |
| 22   | 1.4706    | 1.4327    | 1.6126    | 1.3413    | 1.5432    | 1.6655    | 1.0387    |
| 23   | 1.382     | 1.3969    | 1.5089    | 1.3375    | 1.5249    | 1.5746    | 1.0166    |
| 24   | 1.4043    | 1.3523    | 1.3466    | 1.4723    | 1.3032    | 1.491     | 1.5546    |
| Max  | 1.6108    | 1.5364    | 1.6651    | 2.3136    | 1.8267    | 1.8099    | 1.5546    |
| Min  | 1.0242    | .9465     | .905      | 1.1096    | 1.0692    | .8764     | 1.0166    |
| Avg  | 1.2941    | 1.2224    | 1.2854    | 1.3639    | 1.3220    | 1.3739    | 1.3243    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810] BU 4810

Substation No/ Name :- 314009 / 33KV TEDHA

Feeder No / Name : 201 / 11KV Tedha SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.8591    | .8905     | 1.1248    | 1.2654    | 1.4083    | 1.7185    | 1.9841    |
| 2    | 1.8591    | .8749     | 1.1248    | 1.2498    | 1.3923    | 1.7654    | 2.0153    |
| 3    | 1.8591    | .8749     | 1.1092    | 1.2498    | 1.3923    | 1.6404    | 1.9841    |
| 4    | 1.8591    | .8749     | 1.1092    | 1.2342    | 1.3599    | 1.5935    | 1.9997    |
| 5    | 1.8591    | .8905     | 1.1092    | 1.2811    | 1.3599    | 1.6404    | 2.0153    |
| 6    | 1.8278    | .8905     | 1.1405    | 1.1248    | 1.3904    | 1.656     | 1.8591    |
| 7    | 1.781     | .9061     | 1.1717    | 1.4403    | 1.4373    | 1.6716    | 1.8747    |
| 8    | 1.7966    | .9061     | 1.1873    | 1.1873    | 1.531     | 1.7341    | 1.9997    |
| 9    | 1.8903    | .8749     | 1.1873    | 1.2342    | 1.5935    | 1.8747    | 1.9528    |
| 10   | 1.8122    | .8905     | 1.1248    | 1.2811    | 1.6404    | 1.8278    | 1.906     |
| 11   | 1.781     | .8592     | 1.078     | 1.2967    | 1.7185    | 1.8278    | 1.9216    |
| 12   | 1.406     | .8436     | 1.1092    | 1.2342    | 1.6248    | 1.8591    | 1.9372    |
| 13   | 1.3904    | .9061     | 1.1873    | 1.2811    | 1.656     | 1.7185    | 1.9997    |
| 14   | 1.1022    | .8905     | 1.1561    | 1.3279    | 1.7341    | 1.8435    | 1.9372    |
| 15   | .9804     | .9686     | 1.1248    | 1.2654    | 1.4529    | 1.906     | 1.9685    |
| 16   | .9488     | .3125     | 1.3123    | 1.4217    | 1.656     | 1.906     | 2.0934    |
| 17   | .933      | 1.0155    | 1.1248    | 1.4685    | 1.7029    | 1.7497    | 1.8435    |
| 18   | .9842     | 1.1092    | 1.1717    | 1.4842    | 1.7341    | 1.7966    | 1.7966    |
| 19   | .953      | 1.2186    | 1.3123    | 1.6716    | 2.0153    | 2.1247    | 1.9997    |
| 20   | .9686     | 1.2811    | 1.3748    | 1.4998    | 2.0309    | 2.2497    | 1.7029    |
| 21   | .9842     | 1.2811    | 1.3748    | .7042     | 1.8747    | 2.1559    | 1.7654    |
| 22   | .953      | 1.2498    | 1.3435    | 1.4723    | 1.8435    | 2.0778    | 1.7497    |
| 23   | .9374     | 1.1873    | 1.3123    | 1.3763    | 1.7654    | 2.0778    | 1.7341    |
| 24   | 1.8591    | .9061     | 1.1248    | 1.2342    | 1.4083    | 1.7497    | 1.9997    |
| Max  | 1.8903    | 1.2811    | 1.3748    | 1.6716    | 2.0309    | 2.2497    | 2.0934    |
| Min  | .933      | .3125     | 1.078     | .7042     | 1.3599    | 1.5935    | 1.7029    |
| Avg  | 1.4410    | .9543     | 1.1873    | 1.3036    | 1.6134    | 1.8402    | 1.9183    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

GOREGAON S/DN.[810] BU 4810

Substation No/ Name :- 314009 / 33KV TEDHA

Feeder No / Name : 202 / 11KV Chopa SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2039    | .4801     | .5609     | .5316     | .7164     | .9602     | .9945     |
| 2    | 1.1869    | .4801     | .5609     | .5316     | .6984     | .9431     | .9945     |
| 3    | 1.2003    | .4801     | .5434     | .5316     | .6984     | .7712     | 1.0117    |
| 4    | 1.1831    | .4801     | .5258     | .5316     | .6733     | .7537     | .9945     |
| 5    | 1.1831    | .463      | .5434     | .5316     | .6733     | .7537     | 1.0117    |
| 6    | 1.2174    | .4458     | .5083     | .4287     | .691      | .7362     | 1.0288    |
| 7    | 1.2003    | .3944     | .4908     | .4115     | .631      | .7888     | 1.0974    |
| 8    | 1.1831    | .3258     | .4733     |           | .7202     | .9991     | 1.166     |
| 9    | 1.1317    | .3944     | .4748     | .3944     | .7202     | .9991     | 1.286     |
| 10   | 1.1317    | .3601     | .4748     | .4458     | .7545     | 1.0166    | 1.1317    |
| 11   | 1.0802    | .3944     | .4748     | .3944     | .7888     | .9816     | 1.1191    |
| 12   | .7545     | .3258     | .4973     | .4287     | .823      | .9945     | 1.153     |
| 13   | .6687     | .3258     | .5144     | .4458     | .823      | .9431     | 1.17      |
| 14   | .5784     | .3429     | .5316     | .463      | .8745     | .9945     | 1.2039    |
| 15   | .4557     | .3601     | .463      | .4287     | .9088     | .9945     | 1.1361    |
| 16   | .4207     | .828      | .3772     | .4801     | .9088     | 1.0802    | 1.2209    |
| 17   | .4031     | .3601     | .3772     | .5144     | .9259     | .8745     | 1.0311    |
| 18   | .4458     | .4239     | .3944     | .5658     | .9259     | .9431     | 1.0682    |
| 19   | .5144     | .5765     | .5658     | .7537     | 1.0974    | 1.1145    | 1.166     |
| 20   | .5487     | .6516     | .6516     | .7442     | 1.1488    | 1.1831    | .9945     |
| 21   | .5316     | .6344     | .6173     | .788      | 1.1145    | 1.0802    | 1.0288    |
| 22   | .5144     | .583      | .583      | .7343     | 1.0802    | 1.0631    | .9945     |
| 23   | .4801     | .5784     | .5487     | .7164     | .9602     | .9945     | .9945     |
| 24   | 1.2039    | .4801     | .5609     | .5487     | .7164     | .9602     | .9774     |
| Max  | 1.2174    | .828      | .6516     | .788      | 1.1488    | 1.1831    | 1.286     |
| Min  | .4031     | .3258     | .3772     | .3944     | .631      | .7362     | .9774     |
| Avg  | .8509     | .4654     | .5131     | .5367     | .8364     | .9551     | 1.0823    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314007 / 33KV DHAPEWADA

Feeder No / Name : 201 / 11KV Dhapewada

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4403    | .763      | 1.2407    | 1.4083    | 1.0111    | 1.8107    | 1.9113    |
| 2    | 1.406     | .763      | 1.2407    | 1.4083    | .9945     | 1.8107    | 1.9113    |
| 3    | 1.3565    | .763      | 1.2407    | 1.3565    | .9779     | 1.8107    | 1.8945    |
| 4    | 1.3565    | .763      | 1.2407    | 1.3395    | .9779     | 1.8107    | 1.8945    |
| 5    | 1.3735    | .763      | 1.2239    | 1.3226    | 1.0111    | 1.8107    | 1.7772    |
| 6    | 1.3395    | .7042     | 1.1768    | 1.21      | .9503     | 1.7604    | 1.7269    |
| 7    | 1.3748    | .6882     | 1.0526    | 1.1934    | .8962     | 1.6575    | 1.5565    |
| 8    | 1.3108    | .6554     | 1.0364    | 1.1797    | .9172     | 1.5893    | 1.5893    |
| 9    |           | .6964     | 1.1043    | 1.1012    | .9922     | 1.7238    | 1.6385    |
| 10   |           | .8002     | 1.0562    | 1.1797    | 1.3443    | 1.749     | 1.6385    |
| 11   |           | .7907     | 1.1498    | 1.1498    | 1.4746    | 1.668     | 1.0526    |
| 12   | .1372     | .759      | .5218     | 1.1142    | 1.5565    | 1.7695    |           |
| 13   | .1219     | .8002     | .6722     | 1.247     | 1.5565    | 1.4737    |           |
| 14   | .3637     |           | 1.2944    | .6562     | .6478     | .8907     | 1.704     |
| 15   | .5335     |           | 1.2289    | .6642     | 1.2955    | 1.6549    | 1.7736    |
| 16   | .5898     |           | 1.1633    | .9962     | 1.3927    | .8002     | 1.7736    |
| 17   | .4902     | 1.0442    | 1.1469    | 1.1363    | 1.5074    | 1.587     | 1.8067    |
| 18   | .6325     | 1.0442    | 1.2308    | 1.2643    | 1.6876    | 1.8461    | 1.9334    |
| 19   | .8059     | 1.3375    | 1.5432    | 1.5091    | 2.0008    | 2.0348    | 2.2213    |
| 20   | .8669     | 1.3546    | 1.5604    |           | 1.9839    | 2.0856    | 2.1874    |
| 21   | .8495     | 1.286     | 1.5432    | .8718     | 1.9669    | 2.1262    | 2.1125    |
| 22   | .7888     | 1.2742    | 1.5091    | 1.0395    | 1.8778    | 1.9669    | 2.1125    |
| 23   | .763      | 1.2407    | 1.4251    | 1.0277    | 1.8107    | 1.9113    | 2.0957    |
| 24   | .4917     | .763      | 1.2574    | 1.4083    | 1.0059    | 1.7939    | 1.9161    |
| Max  | 1.4403    | 1.3546    | 1.5604    | 1.5091    | 2.0008    | 2.1262    | 2.2213    |
| Min  | .1219     | .6554     | .5218     | .6562     | .6478     | .8002     | 1.0526    |
| Avg  | .8758     | .9073     | 1.2025    | 1.1645    | 1.3266    | 1.7143    | 1.8285    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314007 / 33KV DHAPEWADA

Feeder No / Name : 202 / 11KV Navegaon

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 |
|------|-----------|-----------|
| HR   | Load (MW) | Load (MW) |
| 1    | .4915     | .4024     |
| 2    | .4807     | .4024     |
| 3    | .4807     | .4024     |
| 4    | .4807     | .4024     |
| 5    | .4807     | .4024     |
| 6    | .4752     | .3768     |
| 7    | .4161     | .3401     |
| 8    | .4012     | .3521     |
| 9    | .3749     | .3401     |
| 10   | .381      | .3361     |
| 11   | .381      | .3479     |
| 12   | .3864     | .3479     |
| 13   | .2824     |           |
| 14   | .3521     |           |
| 15   | .3374     |           |
| 16   | .3311     |           |
| 17   | .3048     |           |
| 18   | .3437     |           |
| 19   | .4287     |           |
| 20   | .4508     |           |
| 21   | .4409     |           |
| 22   | .4578     |           |
| 23   | .4239     |           |
| 24   | .5079     | .4191     |
| Max  | .5079     | .4191     |
| Min  | .2824     | .3361     |
| Avg  | .4122     | .3748     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314007 / 33KV DHAPEWADA

Feeder No / Name : 203 / 11kv MIDC jackwell water works Feeder KV- 11 / OUTGOING NON SHEDDABLE WATER SUPPLY AND UTILITY

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0537     | .0543     | .0543     | .0549     | .0537     | .0549     | .0549     |
| 2    | .0537     | .0543     | .0543     | .0549     | .0537     | .0549     | .0549     |
| 3    | .0537     | .0543     | .0543     | .0549     | .0537     | .0549     | .0543     |
| 4    | .0537     | .0543     | .0543     | .0549     | .0537     | .0549     | .0543     |
| 5    | .0537     | .0543     | .0537     | .0549     | .0543     | .0549     | .0543     |
| 6    | .0002     | .0543     | .0002     | .0002     | .0543     | .0549     | .0004     |
| 7    | .0002     | .0543     | .0549     | .0549     | .0002     | .0002     | .0549     |
| 8    | .0532     | .0543     | .0549     | .0002     | .0543     | .0554     | .0549     |
| 9    | .0002     | .0543     | .0549     | .0002     | .0549     | .0554     | .0549     |
| 10   | .0526     | .0543     | .0549     | .0002     | .0543     | .0549     | .0549     |
| 11   | .0514     | .0543     | .0549     | .0554     | .0549     | .0549     | .0549     |
| 12   | .052      | .0549     | .0549     | .0554     | .0554     | .0549     | .0549     |
| 13   | .052      | .0549     | .0549     | .0554     | .0549     | .0002     | .0549     |
| 14   | .052      | .0543     | .0554     | .0549     | .0549     | .0549     | .0554     |
| 15   | .052      | .0543     | .0554     | .0543     | .0549     | .0554     | .0554     |
| 16   | .0532     |           | .0002     | .0549     | .0549     | .0549     | .0554     |
| 17   | .0537     | .0543     | .0549     | .0549     | .0554     | .0549     | .0002     |
| 18   | .0537     | .0543     | .0549     | .0549     | .0543     | .0543     | .0543     |
| 19   | .0543     | .0543     | .0549     | .0549     | .0549     | .0549     | .0543     |
| 20   | .0543     | .0543     | .0543     | .0537     | .0549     | .0543     | .0543     |
| 21   | .0543     | .0543     | .0543     | .0543     | .0543     | .0549     | .0537     |
| 22   | .0543     | .0543     | .0543     | .0543     | .0543     | .0543     | .0537     |
| 23   | .0543     | .0543     | .0543     | .0543     | .0543     | .0543     | .0537     |
| 24   | .0532     | .0543     | .0543     | .0549     | .0549     | .0549     | .0554     |
| Max  | .0543     | .0549     | .0554     | .0554     | .0554     | .0554     | .0554     |
| Min  | .0002     | .0543     | .0002     | .0002     | .0002     | .0002     | .0002     |
| Avg  | .0467     | .0544     | .0501     | .0457     | .0523     | .0503     | .0501     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314007 / 33KV DHAPEWADA

Feeder No / Name : 204 / 11 KV AGP Dhapewada  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .5719     | .8065     | .8025     | .9442     | .0732     |
| 2    |           |           | .5719     | .7907     | .8025     | .9282     | .0732     |
| 3    |           |           | .5569     | .7499     | .7926     | .9282     | .0724     |
| 4    |           |           | .5498     | .7499     | .7926     | .9172     | .0724     |
| 5    |           |           | .5498     | .7682     | .787      | .9014     | .0724     |
| 6    |           |           | .5281     | .7907     | .8488     | .9488     | .0554     |
| 7    |           |           | .6859     | .8697     | .8905     | 1.0402    | .0739     |
| 8    |           |           | .7316     | .8697     | .9061     | 1.1012    | .056      |
| 9    |           |           | .7562     | .8855     | .9374     | 1.0402    | .056      |
| 10   |           |           | .1097     | .1294     | .1663     | .1294     | .5218     |
| 11   |           |           | .1097     | .1663     | .1829     | .2054     | .5693     |
| 12   |           |           | .0381     | .1848     | .2033     | .2402     |           |
| 13   |           |           | .0381     | .1848     | .0373     | .0381     |           |
| 14   |           |           | .1294     | .0381     | .037      | .037      | .9762     |
| 15   |           |           | .1294     | .0381     | .0366     | .037      | 1.1043    |
| 16   |           |           | .1097     | .0362     | .2218     | .1829     | 1.1984    |
| 17   | .5792     | .1303     | .1463     | .1663     | .2012     | .2012     | 1.1174    |
| 18   | .6171     | .1303     | .1646     | .1663     | .2033     | .2218     | .168      |
| 19   | .6171     | .5376     | .2218     | .2054     | .2218     | .2587     | .2772     |
| 20   | .5719     | .5792     | .2218     | .2033     | .2241     | .2561     | .2218     |
| 21   | .6009     | .0732     | .2218     | .2012     | .2054     | .2561     | .2218     |
| 22   | .1075     | .0716     | .2195     | .1867     | .2033     | .2402     | .2218     |
| 23   | .1086     | .0724     | .2012     | .1848     | .1848     | .2402     | .2218     |
| 24   |           | .5418     | .5719     | .8065     | .8223     | .9442     | .9602     |
| Max  | .6171     | .5792     | .7562     | .8855     | .9374     | 1.1012    | 1.1984    |
| Min  | .1075     | .0716     | .0381     | .0362     | .0366     | .037      | .0554     |
| Avg  | .4575     | .2671     | .3390     | .4241     | .4463     | .5099     | .3811     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314013 / 33KV TIRORA S/STN

Feeder No / Name : 201 / 11KV Tirora-U-

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4661    | 1.4118    | 1.3146    | 1.6651    | 1.5023    | 1.5775    | 1.8099    |
| 2    | 1.448     | 1.4118    | 1.2971    | 1.6289    | 1.4842    | 1.56      | 1.7737    |
| 3    | 1.448     | 1.4118    | 1.2971    | 1.6289    | 1.4842    | 1.5424    | 1.7375    |
| 4    | 1.4118    | 1.3937    | 1.2795    | 1.5746    | 1.4842    | 1.5249    | 1.7013    |
| 5    | 1.4118    | 1.3937    | 1.2795    | 1.5384    | 1.4842    | 1.5074    | 1.6651    |
| 6    | 1.3937    | 1.3756    | 1.262     | 1.4842    | 1.4842    | 1.4373    | 1.6289    |
| 7    | 1.3213    | 1.3672    | 1.1218    | 1.4118    | 1.3394    | 1.262     | 1.448     |
| 8    | 1.2851    | 1.2269    | 1.1218    | 1.2851    | 1.1393    | 1.2094    | 1.3394    |
| 9    | 1.1765    | 1.1393    | 1.1041    | 1.267     | 1.0692    | 1.267     | .1267     |
| 10   | 1.2127    | 1.1919    | 1.1403    | 1.3213    | 1.2094    | 1.267     | 1.3213    |
| 11   | 1.2308    | 1.1393    | 1.1946    | 1.3394    | 1.3321    | 1.4118    | 1.448     |
| 12   | 1.2851    | 1.1744    | 1.2851    | 1.4118    | 1.3672    | 1.448     | 1.4661    |
| 13   | 1.1765    | 1.2269    | 1.3937    | 1.5565    | 1.4022    | 1.5023    | 1.3394    |
| 14   | 1.1765    | 1.2269    | 1.3394    | 1.5384    | 1.4022    | 1.5203    | 1.5023    |
| 15   | 1.1222    | 1.2094    | 1.3213    | 1.5203    | 1.3847    | 1.5565    | 1.5203    |
| 16   | 1.1403    | 1.2269    | 1.3937    | 1.5203    | 1.3321    | 1.4299    | 1.5384    |
| 17   | 1.1403    | 1.1919    | 1.4118    | 1.448     | 1.3146    | 1.4842    | 1.3756    |
| 18   | 1.3213    | 1.262     | 1.3937    | 1.4842    | 1.3672    | 1.5023    | 1.448     |
| 19   | 1.5927    | 1.6301    | 1.7013    | 1.9004    | 1.8604    | 1.9366    | 1.8099    |
| 20   | 1.5927    | 1.6655    | 1.9004    | 1.6651    | 1.8604    | 2.0452    | 1.9185    |
| 21   | 1.5746    | 1.6832    | 1.9004    | 1.7194    | 1.825     | 2.0814    |           |
| 22   | 1.5927    | 1.6478    | 1.8642    | 1.7194    | 1.8073    | 2.0452    | 2.3348    |
| 23   | 1.4842    | 1.4198    | 1.7737    | 1.6108    | 1.7187    | 1.9728    | 2.1538    |
| 24   | 1.4661    | 1.4118    | 1.3146    | 1.6651    | 1.5203    | 1.5947    | 1.828     |
| Max  | 1.5927    | 1.6832    | 1.9004    | 1.9004    | 1.8604    | 2.0814    | 2.3348    |
| Min  | 1.1222    | 1.1393    | 1.1041    | 1.267     | 1.0692    | 1.2094    | .1267     |
| Avg  | 1.3530    | 1.3517    | 1.3919    | 1.5377    | 1.4656    | 1.5703    | 1.5754    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314013 / 33KV TIRORA S/STN

Feeder No / Name : 202 / 11KV Mangezari

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .7783     | .5784     | .8688     | .7783     | 1.5061    | 1.647     |
| 2    |           | .7602     | .5609     | .8688     | .7602     | 1.4723    | 1.647     |
| 3    |           | .7602     | .5258     | .8688     | .7602     | 1.4706    | 1.647     |
| 4    |           | .7421     | .5258     | .8326     | .7421     | 1.4706    | 1.6289    |
| 5    |           | .724      | .4382     | .8145     | .7602     | 1.4529    | 1.6289    |
| 6    |           | .724      | .298      | .8326     | .8145     | 1.3643    | 1.5565    |
| 7    |           | .6135     | .333      | .7421     | .724      | 1.2934    | 1.3937    |
| 8    |           | .6201     | .2629     | .724      | .631      | 1.2048    | 1.3394    |
| 9    |           | .6556     | .2715     | .6878     | .6485     | 1.267     | 1.2308    |
| 10   |           | .6556     | .3077     | .6878     | .6135     | 1.267     | 1.2308    |
| 11   |           | .5784     |           | .7059     | .6836     | 1.1946    | 1.1946    |
| 12   |           | .5784     | .724      | .7421     | .7186     | 1.4118    | 1.1765    |
| 13   |           | .631      | .5973     | .7421     | .7537     | 1.4118    | 1.3032    |
| 14   |           | .7087     | .5973     | .7059     | .7888     | 1.1946    | 1.3575    |
| 15   | .0362     | .6733     | .6154     | .7602     |           | 1.3575    | 1.3575    |
| 16   | .905      | .6556     | .7059     | .7602     |           | 1.3394    | 1.3575    |
| 17   | .9774     | .6733     | .724      | .724      | .7712     | 1.3213    | 1.4118    |
| 18   | 1.1403    | .8505     | .724      | .7602     | .7712     | 1.3937    | 1.3032    |
| 19   | 1.448     | .7888     | .9412     | .9955     | .9036     | 1.8642    | 1.7556    |
| 20   | 1.3032    |           | 1.0136    | .8326     | 1.0631    | 1.9909    | 1.828     |
| 21   | 1.3394    |           | 1.0317    | .8326     | 1.8267    | 1.9547    |           |
| 22   | 1.2308    |           | .9774     | .8145     | 1.7193    | 1.8642    |           |
| 23   | .7964     |           | .905      | .7421     | 1.5415    | 1.7013    |           |
| 24   |           | .7783     | .5784     | .8688     | .8145     | 1.5061    | 1.647     |
| Max  | 1.448     | .8505     | 1.0317    | .9955     | 1.8267    | 1.9909    | 1.828     |
| Min  | .0362     | .5784     | .2629     | .6878     | .6135     | 1.1946    | 1.1765    |
| Avg  | 1.0196    | .6975     | .6190     | .7881     | .8904     | 1.4698    | 1.4592    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314013 / 33KV TIRORA S/STN

Feeder No / Name : 203 / 11KV Mandvi

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1403    | .9231     | .9568     | 1.3394    | 1.0679    | 1.3643    | 1.4118    |
| 2    | 1.1222    | .9231     | .9391     | 1.3032    | 1.0498    | 1.3466    | 1.3937    |
| 3    | 1.1222    | .905      | .9391     | 1.3032    | 1.0498    | 1.3466    | 1.3756    |
| 4    | 1.1041    | .9412     | .9214     | 1.267     | 1.0317    | 1.3289    | 1.3575    |
| 5    | 1.1041    | 1.0136    | .9036     | 1.1765    | 1.0317    | 1.3289    | 1.3394    |
| 6    | 1.086     | 1.0136    | .8859     | 1.086     | 1.0498    | 1.258     | 1.3213    |
| 7    | 1.086     | .9214     | .9214     | 1.086     | .9593     | 1.258     | 1.2489    |
| 8    | 1.1041    | .7362     | .9745     | 1.086     | .8859     | 1.1694    | 1.267     |
| 9    | 1.1403    | .9745     | 1.0317    | 1.086     | .9391     | 1.267     | 1.1041    |
| 10   | 1.1403    | .8859     | 1.0498    | 1.1765    | .9745     | 1.2308    | 1.1946    |
| 11   | 1.1584    | .8939     | .9412     | 1.1765    | 1.0631    | 1.2489    | 1.086     |
| 12   | 1.1222    | .8589     | .9593     | 1.1584    | 1.0985    | 1.2489    | .9593     |
| 13   | 1.1222    | .8413     | 1.0317    | 1.2127    | 1.0985    | 1.267     | .9231     |
| 14   | 1.0317    | .9214     | 1.086     | 1.1946    | 1.1694    | 1.4118    | 1.1222    |
| 15   | .9593     |           | 1.0498    | 1.1765    |           | 1.1222    | 1.2308    |
| 16   | 1.0136    | .8859     | 1.086     | 1.1584    |           | 1.1765    | 1.2489    |
| 17   | 1.0498    | .8859     | 1.1222    | 1.1403    | 1.0808    | 1.1946    | 1.1403    |
| 18   | 1.0498    | 1.0099    | 1.2127    | 1.2308    | 1.1694    | 1.267     | 1.3032    |
| 19   | 1.1584    | 1.1694    | 1.3575    | 1.448     | 1.4685    | 1.3575    | 1.4842    |
| 20   | 1.1765    |           | 1.4299    |           | 1.5043    | 1.448     | 1.5746    |
| 21   | 1.1041    |           | 1.4661    | 1.1584    | 1.5223    | 1.5384    |           |
| 22   | 1.1765    |           | 1.4118    | .9231     | 1.4148    | 1.4661    | .7602     |
| 23   | 1.1041    | .9922     | 1.3394    | 1.086     | 1.382     | 1.4299    | .8688     |
| 24   | 1.1403    | .9231     | .9465     | 1.3394    | 1.0679    | 1.3643    | 1.4118    |
| Max  | 1.1765    | 1.1694    | 1.4661    | 1.448     | 1.5223    | 1.5384    | 1.5746    |
| Min  | .9593     | .7362     | .8859     | .9231     | .8859     | 1.1222    | .7602     |
| Avg  | 1.1049    | .9310     | 1.0818    | 1.1875    | 1.1400    | 1.3100    | 1.2229    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314013 / 33KV TIRORA S/STN

Feeder No / Name : 204 / 11KV Paldongri

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2489    | .2172     | .1578     | .1991     | .2353     | .2103     | .2172     |
| 2    | 1.2127    | .2172     | .1578     | .1991     | .2172     | .2103     | .2172     |
| 3    | 1.2127    | .1991     | .1578     | .181      | .2172     | .2103     | .1991     |
| 4    | 1.1765    | .1991     | .156      | .181      | .2172     | .1928     | .1991     |
| 5    | 1.1403    | .181      | .1387     | .1629     | .2353     | .1928     | .181      |
| 6    | 1.1041    | .181      | .104      | .1448     | .2534     | .156      | .1629     |
| 7    | 1.0136    | .1052     | .0693     | .0905     | .181      | .1214     | .1086     |
| 8    | .9412     | .052      | .052      | .0905     | .0867     | .0867     | .1086     |
| 9    | .8688     | .0867     | .0724     | .0905     | .104      | .0905     | .0905     |
| 10   | .8507     | .0514     | .0724     | .0905     | .0867     | .0905     | .0724     |
| 11   | .8507     | .0867     | .0724     | .0724     | .0693     | .1086     | .0905     |
| 12   | .0543     | .0514     | .0543     | .0724     | .052      | .0905     | .0543     |
| 13   | .0905     | .0686     | .0724     | .0724     | .0867     | .0905     | .1086     |
| 14   | .0724     | .0693     | .0905     | .0724     | .104      | .0905     | .0905     |
| 15   | .0724     | .052      | .0724     | .0724     | .104      | .0905     | .0724     |
| 16   | .0362     | .0514     | .0724     | .0543     | .0867     | .0905     | .1267     |
| 17   | .0905     | .0514     | .0724     | .0905     | .0867     | .0724     | .0905     |
| 18   | .0905     | .0857     | .1086     | .1267     | .0867     | .0905     | .0724     |
| 19   | .2353     | .1402     | .1448     | .181      | .2103     | .181      | .2715     |
| 20   | .2172     | .1402     | .2353     | .1629     | .2629     | .2715     | .1991     |
| 21   | .2172     | .1753     | .2534     | .181      | .2629     | .2715     |           |
| 22   | .2353     | .1753     | .2172     | .2715     | .2454     | .2715     | .0905     |
| 23   | .2172     | .1753     | .2172     | .2715     | .2279     | .2353     | .0905     |
| 24   | 1.2489    | .2172     | .1578     | .1991     | .2534     | .2103     | .2172     |
| Max  | 1.2489    | .2172     | .2534     | .2715     | .2629     | .2715     | .2715     |
| Min  | .0362     | .0514     | .052      | .0543     | .052      | .0724     | .0543     |
| Avg  | .6041     | .1262     | .1241     | .1388     | .1655     | .1553     | .1361     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314013 / 33KV TIRORA S/STN

Feeder No / Name : 205 / 11 kv mandvi AG

FEEDER SEPERATION/PURE AG

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0181     | .0373     |           |           | .0038     |           |
| 2    |           | .0181     | .0373     |           |           | .0057     |           |
| 3    |           | .0181     | .0373     |           |           | .0057     |           |
| 4    |           | .0181     | .0373     |           |           | .0057     |           |
| 5    |           | .0181     | .056      |           |           | .0057     |           |
| 6    |           |           | .056      |           |           | .0057     |           |
| 7    |           | .0057     | .056      | .0181     |           | .0189     | .0362     |
| 8    | .0181     | .0057     | .0189     | .0362     |           | .0747     | .0362     |
| 9    | .0362     | .056      | .0543     | .0362     | .0187     | .0724     | .0362     |
| 10   |           |           |           |           |           |           | .0362     |
| 11   |           |           |           |           |           |           | .0362     |
| 12   |           |           |           |           |           |           | .0362     |
| 13   |           |           |           |           |           |           | .0181     |
| 14   |           |           |           |           |           |           | .0181     |
| 15   |           |           |           |           |           |           | .0362     |
| 16   |           |           |           |           |           |           | .0362     |
| 17   |           |           |           |           |           |           | .0362     |
| 24   |           | .0181     | .0189     |           | .0181     | .0189     |           |
| Max  | .0362     | .056      | .056      | .0362     | .0187     | .0747     | .0362     |
| Min  | .0181     | .0057     | .0189     | .0181     | .0181     | .0038     | .0181     |
| Avg  | .0272     | .0196     | .0409     | .0302     | .0184     | .0217     | .0329     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314013 / 33KV TIRORA S/STN

Feeder No / Name : 206 / 11KV Tiroda Town II

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1991     | .1629     | .1753     | .181      | .1629     | .1928     | .181      |
| 2    | .181      | .1629     | .1753     | .181      | .1629     | .1928     | .181      |
| 3    | .181      | .1629     | .1753     | .1629     | .1629     | .1928     | .181      |
| 4    | .181      | .1629     | .156      | .1629     | .1629     | .1753     | .1629     |
| 5    | .1629     | .1629     | .156      | .1629     | .1629     | .1753     | .1629     |
| 6    | .1629     | .1448     | .1387     | .1629     | .1629     | .1578     | .1629     |
| 7    | .1267     | .104      | .1214     | .1086     | .1448     | .1402     | .1267     |
| 8    | .1086     | .0867     | .104      | .1086     | .1052     | .1052     | .1086     |
| 9    | .1086     | .1214     | .1086     | .1267     | .104      | .1086     | .1267     |
| 10   | .1448     | .104      | .1086     | .1629     | .1214     | .1086     | .1267     |
| 11   | .1448     | .1387     | .1448     | .1448     | .1402     | .1267     | .1448     |
| 12   | .1267     | .104      | .1448     | .1448     | .1578     | .1267     | .1629     |
| 13   | .1267     | .104      | .1629     | .1629     | .1402     | .1448     | .1448     |
| 14   | .1086     | .1214     | .1267     | .1629     | .1387     | .1267     | .2172     |
| 15   | .1267     | .1214     | .1448     | .181      |           | .1448     | .181      |
| 16   | .1086     | .104      | .1448     | .181      |           | .1267     | .1629     |
| 17   | .1086     | .0867     | .1267     | .1448     | .1578     | .1086     | .1086     |
| 18   | .1086     | .1214     | .1086     | .1086     | .1227     | .1086     | .1448     |
| 19   | .1448     | .1578     | .1629     | .1629     | .1753     | .181      | .181      |
| 20   | .1448     |           | .181      | .1629     | .1928     | .1991     | .2353     |
| 21   | .1629     |           | .1991     | .1991     | .2103     | .2172     |           |
| 22   | .181      |           | .1991     | .1991     | .1928     | .2172     | .0905     |
| 23   | .181      | .1753     | .1991     | .181      | .1928     | .1991     | .0724     |
| 24   | .1991     | .1629     | .1753     | .181      | .181      | .1928     | .181      |
| Max  | .1991     | .1753     | .1991     | .1991     | .2103     | .2172     | .2353     |
| Min  | .1086     | .0867     | .104      | .1086     | .104      | .1052     | .0724     |
| Avg  | .1471     | .1320     | .1517     | .1599     | .1571     | .1571     | .1542     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314020 / 33KV EKODI SUBSTATION

Feeder No / Name : 201 / 11KV DAWNIWADA

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6516     | .543      | .4801     | .7059     | .5144     | .6173     | .703      |
| 2    | .6516     | .5249     | .4458     | .6516     | .4801     | .6001     | .6859     |
| 3    | .6516     | .5249     | .4458     | .6516     | .4801     | .583      | .6859     |
| 4    | .6516     | .5068     | .4287     | .6154     | .4458     | .583      | .6687     |
| 5    | .6173     | .5068     | .4287     | .5792     | .4458     | .5487     | .6516     |
| 6    | .5487     | .4706     | .4287     | .5249     | .4801     | .5487     | .6173     |
| 7    | .463      | .4525     | .3601     | .4706     | .3772     | .4458     | .5487     |
| 8    | .4458     | .4344     | .3601     | .4887     | .3944     | .4801     | .583      |
| 9    | .4287     | .3982     | .3944     | .4801     | .4287     | .5144     | .5144     |
| 10   | .4525     | .3772     | .1715     | .4973     | .4287     | .5144     | .4801     |
| 11   | .4887     | .4115     | .4287     | .4973     | .463      | .5316     | .583      |
| 12   | .5249     |           | .4887     |           | .4973     | .6344     | .6001     |
| 13   | .4887     |           | .4525     |           | .4801     | .6344     | .5658     |
| 14   | .4525     |           | .4344     | .4115     | .5144     | .6344     | .6344     |
| 15   | .4163     |           | .4163     | .463      | .5144     | .6344     | .583      |
| 16   | .4163     |           | .4163     | .463      | .4973     | .6516     | .6001     |
| 17   | .4163     | .4287     | .5068     | .463      | .5316     | .6173     | .5658     |
| 18   | .4163     | .463      | .543      | .4801     | .5487     | .6001     | .583      |
| 19   | .543      | .5658     | .6697     | .5658     | .6516     | .703      | .703      |
| 20   | .5973     | .583      | .7421     | .5658     | .7545     | .7716     | .7373     |
| 21   | .6154     | .5144     | .724      | .6001     | .7373     | .7888     | .583      |
| 22   | .5792     | .5144     | .7059     | .583      | .703      | .7545     | .6516     |
| 23   | .543      | .5144     | .6516     | .5144     | .6687     | .7202     | .6687     |
| 24   | .6516     | .543      | .4801     | .6516     | .5144     | .6344     | .703      |
| Max  | .6516     | .583      | .7421     | .7059     | .7545     | .7888     | .7373     |
| Min  | .4163     | .3772     | .1715     | .4115     | .3772     | .4458     | .4801     |
| Avg  | .5297     | .4883     | .4835     | .5420     | .5230     | .6144     | .6209     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314020 / 33KV EKODI SUBSTATION

Feeder No / Name : 202 / 11KV DONGARGAON

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9774     | 1.0317    | 1.0288    | 1.1765    | 1.0631    | 1.1145    | 1.3032    |
| 2    | .9774     | 1.0136    | .9945     | 1.1765    | 1.0631    | 1.0974    | 1.3032    |
| 3    | .9774     | 1.0136    | .9945     | 1.1584    | 1.0974    | 1.0974    | 1.286     |
| 4    | .9774     | .9955     | .9602     | 1.1222    | 1.0288    | 1.0802    | 1.2689    |
| 5    | .9431     | .9955     | .9431     | 1.086     | .9945     | 1.0631    | 1.2346    |
| 6    | .9088     | .9774     | .9431     | 1.0317    | 1.0288    | 1.0802    | 1.166     |
| 7    | .8573     | .9412     | .9431     | .8145     | .8059     | .9945     | 1.166     |
| 8    | .8059     | .9231     | .9431     | .9412     | .8402     | 1.0631    | 1.166     |
| 9    | .7373     | .9231     | .9945     | .8573     | .8402     | 1.0631    | 1.1145    |
| 10   | .7783     | .8745     | .9259     | .8916     | .8745     | 1.1145    | 1.0631    |
| 11   | .8145     | .8916     | .9945     | .8916     | .8059     | 1.0802    | 1.2003    |
| 12   | .8688     |           | 1.0317    | .8573     | .9602     | 1.1317    | 1.0288    |
| 13   | .8688     |           | .9955     | .9431     | 1.046     | 1.1488    | 1.0974    |
| 14   | .8326     |           | .9593     | 1.0288    | .9602     | 1.1488    | 1.1488    |
| 15   | .7421     |           | 1.0317    | 1.0631    | .9602     | 1.1317    | 1.166     |
| 16   | .7783     |           | .9412     | .9602     | .9602     | 1.1317    | 1.2003    |
| 17   | .7783     | .9602     | .9955     | .9431     | .9602     | 1.1145    | 1.0802    |
| 18   | .8507     | .9945     | .9955     | .9945     | 1.0117    | 1.1145    | 1.0802    |
| 19   | 1.0498    | 1.1317    | 1.2308    | 1.2174    | 1.166     | 1.3889    | 1.3717    |
| 20   | 1.1041    | 1.1317    | 1.3213    | 1.2003    | 1.2346    | 1.4232    | 1.3717    |
| 21   | 1.1041    | 1.1145    | 1.3213    | 1.1488    | 1.2346    | 1.3889    | 1.1145    |
| 22   | 1.0679    | 1.0802    | 1.2489    | 1.1317    | 1.1831    | 1.3546    | 1.0974    |
| 23   | 1.0317    | 1.0288    | 1.1765    | 1.0974    | 1.1488    | 1.3375    | 1.1317    |
| 24   | .9774     | 1.0317    | 1.0288    | 1.1765    | 1.0631    | 1.1145    | 1.3203    |
| Max  | 1.1041    | 1.1317    | 1.3213    | 1.2174    | 1.2346    | 1.4232    | 1.3717    |
| Min  | .7373     | .8745     | .9259     | .8145     | .8059     | .9945     | 1.0288    |
| Avg  | .9087     | 1.0028    | 1.0393    | 1.0379    | 1.0138    | 1.1574    | 1.1867    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314020 / 33KV EKODI SUBSTATION

Feeder No / Name : 203 / 11KV KACHEWANI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2572     | .2172     | .2058     | .2715     | .2743     | .3086     | .3772     |
| 2    | .2572     | .1991     | .2058     | .2715     | .2743     | .2915     | .3772     |
| 3    | .2572     | .1991     | .1886     | .2715     | .2572     | .2915     | .3772     |
| 4    | .2572     | .1991     | .1886     | .2534     | .2572     | .2743     | .3601     |
| 5    | .2401     | .1991     | .1715     | .2353     | .2572     | .2743     | .3429     |
| 6    | .2229     | .181      | .1715     | .2172     | .2572     | .2743     | .3086     |
| 7    | .1886     | .1448     | .1372     | .1991     | .1886     | .2229     | .2743     |
| 8    | .1372     | .1086     | .1372     | .1629     | .1715     | .1886     | .2229     |
| 9    | .1543     | .1086     | .1029     | .1886     | .1715     | .1715     | .2401     |
| 10   | .181      | .1372     | .12       | .1886     | .1715     | .2058     | .2401     |
| 11   | .1448     | .1543     | .1029     | .2401     | .1886     | .2058     | .2572     |
| 12   | .1629     |           | .1267     | .2401     | .1886     | .2401     | .2743     |
| 13   | .1267     |           | .1629     | .2401     | .2058     | .2572     | .2058     |
| 14   | .1086     |           | .1448     | .2401     | .2058     | .2229     | .1886     |
| 15   | .1086     |           | .181      |           | .2058     | .2401     | .2058     |
| 16   | .1086     |           | .181      |           | .2058     | .2743     | .2743     |
| 17   | .1267     | .1372     | .181      | .2058     | .2058     | .2743     | .2401     |
| 18   | .1267     | .1715     | .2172     | .1372     | .1886     | .2743     | .2401     |
| 19   | .1991     | .2058     | .2715     | .2915     | .2915     | .3772     | .3258     |
| 20   | .2353     | .2229     | .3258     | .2572     | .3429     | .4115     | .3429     |
| 21   | .2534     | .2058     | .3258     | .2915     | .3429     | .4287     | .2401     |
| 22   | .2353     | .2401     | .3077     | .2915     | .3429     | .4115     | .3086     |
| 23   | .2353     | .2058     | .2896     | .2743     | .3258     | .3944     | .3258     |
| 24   | .2572     | .2172     | .2058     | .2896     | .2743     | .3086     | .3944     |
| Max  | .2572     | .2401     | .3258     | .2915     | .3429     | .4287     | .3944     |
| Min  | .1086     | .1086     | .1029     | .1372     | .1715     | .1715     | .1886     |
| Avg  | .1909     | .1818     | .1939     | .2390     | .2415     | .2843     | .2894     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314023 / 33 KV Birsi (Satona)

Feeder No / Name : 201 / 11 KV Sukadi (Dak)

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1765    | .4458     | .443      | .5959     | .5493     |           |
| 2    |           | .4458     | .4207     | .5959     | .5316     |           |
| 3    |           | .4287     | .4207     | .567      | .5316     |           |
| 4    | 1.1765    | .4287     | .443      | .567      | .4961     |           |
| 5    | 1.2489    | .4115     | .4382     | .5316     | .4908     |           |
| 6    | .9955     |           | .4207     | .4961     | .4784     |           |
| 7    | 1.2851    |           | .3898     | .4961     | .4075     |           |
| 8    | 1.1765    | .3601     | .3841     | .443      | .3544     |           |
| 9    | 1.1403    | .3544     | .3898     | .4477     | .3856     |           |
| 10   | 1.086     | .3506     | .4207     | .3721     | .3898     |           |
| 11   |           | .298      | .4119     | .3898     | .4344     |           |
| 12   | .9774     | .3898     | .394      | .5138     | .5068     |           |
| 13   | .9774     | .3721     | .3761     | .4908     | .5068     |           |
| 14   | .9259     |           | .3403     | .5083     | .4887     |           |
| 15   |           | .3721     | .4119     | .4784     | .4887     |           |
| 16   |           | .3721     | .3982     | .4961     | .5068     |           |
| 17   |           | .3856     | .362      | .3898     | .5792     |           |
| 18   |           | .4382     | .4784     | .4557     | .5792     |           |
| 19   |           | .567      | .6733     | .6733     | .6878     |           |
| 20   |           |           | .7537     | .5493     |           |           |
| 21   |           |           | .7186     | .5847     |           |           |
| 22   |           |           | .6836     | .5847     |           |           |
| 23   |           | .5138     | .6485     | .5493     |           | .6201     |
| 24   |           | .4458     | .4961     | .6135     | .5316     |           |
| Max  | 1.2851    | .567      | .7537     | .6733     | .6878     | .6201     |
| Min  | .9259     | .298      | .3403     | .3721     | .3544     | .6201     |
| Avg  | 1.106     | .4100     | .4716     | .5162     | .4963     | .6201     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314023 / 33 KV Birsi (Satona)

Feeder No / Name : 202 / 11 KV Wadegao new

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7737    | 1.4746    | 1.6301    | 1.6804    | 1.5238    | 1.647     | 1.7661    |
| 2    | 1.7013    | 1.4575    | 1.6301    | 1.6632    | 1.5238    | 1.5927    | 1.7147    |
| 3    | 1.6651    | 1.4232    | 1.5947    | 1.6632    | 1.4548    | 1.5384    | 1.6644    |
| 4    | 1.5746    | 1.406     | 1.5592    | 1.647     | 1.4883    | 1.5023    | 1.647     |
| 5    | 1.5384    | 1.3717    | 1.5238    | 1.5604    | 1.4529    | 1.448     | 1.6297    |
| 6    | 1.4842    | 1.2689    | 1.4529    | 1.5074    | 1.3998    | 1.4842    | 1.5424    |
| 7    | 1.3756    |           | 1.4175    | 1.3112    | 1.2094    | 1.267     | 1.3643    |
| 8    | 1.3756    | 1.2689    | 1.1517    | 1.3112    | 1.1694    | 1.1584    | 1.382     |
| 9    | 1.3394    | 1.258     | 1.2934    | 1.3466    | 1.134     | 1.267     | 1.382     |
| 10   | 1.2127    | 1.1919    | 1.382     | 1.2403    | 1.0099    | .7421     | 1.3643    |
| 11   | 1.166     | 1.134     | 1.3496    | 1.2934    | .9774     | 1.1999    | 1.382     |
| 12   | 1.1317    | 1.1163    | 1.3146    | 1.2094    | 1.0136    | 1.2757    | 1.382     |
| 13   | 1.0631    | 1.1871    | 1.3496    | 1.2934    | 1.2851    | 1.3466    | 1.3847    |
| 14   | 1.046     | 1.2094    | 1.2757    | 1.3466    | 1.2127    | 1.3466    | 1.4175    |
| 15   | 1.046     | 1.2048    | 1.2757    | 1.3146    |           | 1.3998    | 1.3998    |
| 16   | 1.0631    | 1.2048    | 1.3112    | 1.0454    | 1.2489    | 1.3643    | 1.3998    |
| 17   | 1.0974    | 1.2048    | 1.3112    | 1.0985    | 1.1584    | 1.382     | 1.3496    |
| 18   | 1.166     | 1.3643    | 1.3289    | 1.134     | 1.3032    | 1.3643    | 1.3466    |
| 19   | 1.4746    | 1.6301    | 1.7002    | 1.5592    | 1.7013    | 1.7511    | 1.5769    |
| 20   | 1.6118    | 1.7718    | 1.869     | 1.6124    | 1.828     | 1.9204    | 1.8959    |
| 21   | 1.6118    | 1.7364    | 1.8519    | 1.701     | 1.828     | 1.9719    |           |
| 22   | 1.5947    | 1.7558    | 1.7833    | 1.6126    | 1.7918    | 1.8861    |           |
| 23   | 1.5432    | 1.6476    | 1.7318    | 1.5249    | 1.7013    | 1.7833    | 1.3289    |
| 24   | 1.7556    | 1.4918    | 1.6832    | 1.6804    | 1.5415    | 1.6832    | 1.7661    |
| Max  | 1.7737    | 1.7718    | 1.869     | 1.701     | 1.828     | 1.9719    | 1.8959    |
| Min  | 1.046     | 1.1163    | 1.1517    | 1.0454    | .9774     | .7421     | 1.3289    |
| Avg  | 1.3922    | 1.3817    | 1.4905    | 1.4315    | 1.3894    | 1.4718    | 1.5039    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314023 / 33 KV Birsi (Satona)

Feeder No / Name : 203 / 11 KV Gangla Navezari

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5203    | 1.3203    | 1.4883    | 1.1104    | 1.4529    | 1.6108    | 1.6297    |
| 2    | 1.4661    | 1.3032    | 1.4352    | 1.1104    | 1.4706    | 1.5384    | 1.6297    |
| 3    | 1.3756    | 1.286     | 1.4529    | 1.0924    | 1.4529    | 1.4842    | 1.6124    |
| 4    | 1.3575    | 1.2689    | 1.258     | 1.0136    | 1.4706    | 1.4118    | 1.5604    |
| 5    | 1.3937    | 1.2517    | 1.3112    | .9774     | 1.3847    | 1.4299    | 1.5074    |
| 6    | 1.3213    | 1.2003    | 1.39      | .905      | 1.382     | 1.4842    | 1.4548    |
| 7    | 1.2489    | 1.0974    | 1.2934    | .8326     | 1.3112    | 1.3032    | 1.2757    |
| 8    | 1.2308    | 1.0802    | 1.2048    | .8326     | 1.3112    | 1.2489    | 1.2757    |
| 9    | 1.1946    | 1.1163    | 1.2403    | .8869     | 1.2795    | 1.1222    | 1.3466    |
| 10   | 1.1403    | 1.258     | 1.2445    | 1.2403    | 1.2757    | 1.2127    | 1.4198    |
| 11   | 1.1145    | 1.1517    | 1.3321    | 1.2757    | 1.2308    | 1.3289    | 1.4175    |
| 12   | 1.1831    | 1.2226    | 1.2757    | 1.262     | 1.1222    | 1.258     | 1.2934    |
| 13   | 1.2003    | 1.1694    | 1.3289    | 1.3112    | 1.1403    | 1.2934    | 1.1694    |
| 14   | 1.166     | 1.1694    | 1.3496    | 1.3672    | 1.1222    | 1.2934    | 1.2048    |
| 15   | 1.1145    | 1.1871    | 1.3496    | 1.3112    | .5973     | .9313     | 1.3672    |
| 16   | 1.0802    | 1.2048    | 1.3146    | 1.0631    | .5973     | .9134     | 1.3643    |
| 17   | 1.1145    | 1.2403    | 1.2757    | 1.0867    | 1.267     | .8596     | 1.3672    |
| 18   | 1.166     | 1.3112    | 1.3112    | 1.3289    | 1.3032    | 1.3289    | 1.3466    |
| 19   | 1.3032    | 1.4529    | 1.1283    | 1.701     | 1.7375    | 1.6817    | 1.5592    |
| 20   | 1.406     | 1.56      | 1.1999    | 1.701     | 1.7737    | 1.7337    | 1.7718    |
| 21   | 1.4232    | 1.6095    | 1.1999    | 1.7187    | 1.7737    | 1.749     |           |
| 22   | 1.4232    | 1.5061    | 1.1641    | 1.6478    | 1.7737    | 1.749     |           |
| 23   | 1.3717    | 1.4883    | 1.1283    | 1.5769    | 1.7013    | 1.647     | .7619     |
| 24   | 1.5384    | 1.3203    | 1.4706    | 1.0924    | 1.5424    | 1.647     | 1.6124    |
| Max  | 1.5384    | 1.6095    | 1.4883    | 1.7187    | 1.7737    | 1.749     | 1.7718    |
| Min  | 1.0802    | 1.0802    | 1.1283    | .8326     | .5973     | .8596     | .7619     |
| Avg  | 1.2856    | 1.2823    | 1.2978    | 1.2269    | 1.3531    | 1.3859    | 1.4067    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314023 / 33 KV Birsi (Satona)

Feeder No / Name : 204 / 11 Kv Tirora Urban AG

FEEDER SEPERATION/PURE AG

Feeder Feeder KV- 11 /

OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0905     | .1029     | .0732     | .0857     | .0876     | .1448     | .1543     |
| 2    | .0905     | .1029     | .0709     | .0857     | .0876     | .1448     | .1543     |
| 3    | .0905     | .1029     | .0886     | .0857     | .1052     | .1086     | .1543     |
| 4    | .0905     | .0857     | .0914     | .0857     | .1063     | .1267     | .1543     |
| 5    | .0905     | .0857     | .0732     | .0857     | .1052     | .1086     | .1543     |
| 6    | .0905     | .0857     | .1097     | .0686     | .1227     | .1086     | .1543     |
| 7    | .0905     | .1029     | .1097     | .1029     | .1097     | .1267     | .1543     |
| 8    | .1086     | .12       | .1097     | .0857     | .124      | .1086     | .1543     |
| 9    | .1086     | .128      | .1063     | .12       | .128      | .1086     | .1886     |
| 10   | .1448     | .1829     | .1097     | .1595     | .1829     | .1448     | .12       |
| 11   | .1372     | .1829     | .1029     | .1829     | .181      | .1543     | .1063     |
| 12   |           | .1829     | .1029     | .1772     | .181      | .1543     | .1097     |
| 13   |           | .1829     | .1029     | .1772     | .181      | .1715     | .1402     |
| 14   | .12       | .1646     | .1029     | .1772     | .181      | .1543     | .1433     |
| 15   | .12       | .1829     | .1029     | .1829     | .181      | .1715     | .1448     |
| 16   | .12       | .1829     | .1029     | .1829     | .181      | .1543     | .1595     |
| 17   | .1543     | .1463     | .1029     | .2012     | .1867     | .1715     | .1595     |
| 18   | .1543     | .1463     | .1029     | .1772     | .181      | .1715     | .0709     |
| 19   | .1372     | .128      | .1029     | .1646     | .181      | .1543     | .0732     |
| 20   | .1372     | .128      | .1029     | .1646     | .1629     | .1543     | .0709     |
| 21   | .1372     | .128      | .0686     |           | .1448     | .1543     |           |
| 22   | .1372     | .1267     | .0857     | .1646     | .1448     | .1543     |           |
| 23   | .1372     | .1097     | .0686     | .1646     | .1448     | .1543     | .0732     |
| 24   | .0905     | .1029     | .0709     | .0686     | .1646     | .1448     | .1543     |
| Max  | .1543     | .1829     | .1097     | .2012     | .1867     | .1715     | .1886     |
| Min  | .0905     | .0857     | .0686     | .0686     | .0876     | .1086     | .0709     |
| Avg  | .1172     | .1331     | .0944     | .1370     | .1482     | .1438     | .1340     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314026 / PARASWADA S/STN

Feeder No / Name : 201 / KARTI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .481      | .3582     | .463      | .7482     | .4908     | .5609     |
| 2    |           | .481      | .362      | .463      | .7482     | .4961     | .5609     |
| 3    |           | .481      | .362      | .463      | .7304     | .4961     | .5609     |
| 4    |           | .481      | .362      | .463      | .7311     | .4784     | .5609     |
| 5    |           | .4632     | .3258     | .463      | .7103     | .4784     | .5609     |
| 6    |           | .5344     | .3258     |           | .7304     | .4961     | .5258     |
| 7    |           | .3919     | .3077     | .2915     | .749      | .4119     | .4733     |
| 8    |           | .3741     | .2715     | .2915     | .3385     | .3544     | .3856     |
| 9    |           | .3028     | .3077     | .2915     | .285      | .3403     | .298      |
| 10   | .7133     | .3439     | .2543     | .3028     | .3155     | .3429     | .3506     |
| 11   |           | .3258     | .2543     | .3206     | .2804     | .3086     | .333      |
| 12   | .428      | .3439     | .3052     | .3385     | .298      | .4115     | .4031     |
| 13   |           | .3801     | .3086     | .3385     | .3189     | .3601     | .4031     |
| 14   | .3919     |           | .3086     | .3563     | .3155     | .3429     | .1753     |
| 15   | .3563     | .2686     | .3086     | .3741     | .3155     | .4115     | .1595     |
| 16   | .3385     | .2865     | .3086     | .3032     | .333      | .4287     | .4207     |
| 17   | .285      |           | .2915     |           | .3641     | .3944     | .3681     |
| 18   | .3741     | .3045     | .3429     | .3741     | .3155     | .4115     | .4031     |
| 19   | .4988     | .4163     | .4458     | .5878     | .5434     | .6344     | .591      |
| 20   | .5327     | .5014     | .5658     | .8372     | .5959     | .6878     | .5373     |
| 21   | .5344     | .4835     | .5658     | .4275     | .5959     | .6516     |           |
| 22   | .5166     | .4298     | .5316     | .4453     | .5609     | .631      | .5316     |
| 23   | .4988     | .4119     | .4801     | .428      | .5434     | .5784     | .5434     |
| 24   |           | .481      | .394      | .463      | .4275     | .4908     | .5609     |
| Max  | .7133     | .5344     | .5658     | .8372     | .749      | .6878     | .591      |
| Min  | .285      | .2686     | .2543     | .2915     | .2804     | .3086     | .1595     |
| Avg  | .4557     | .4076     | .3604     | .4130     | .4956     | .4637     | .4464     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314026 / PARASWADA S/STN

Feeder No / Name : 202 / ARJUNI

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .4453     | .3761     | .4696     | .4097     | .5784     | .6802     |
| 2    |           | .4453     | .3801     | .4696     | .4102     | .5784     | .6802     |
| 3    |           | .4453     | .362      | .4696     | .4097     | .5784     | .6802     |
| 4    |           | .4453     | .362      | .4696     | .4097     | .5609     | .664      |
| 5    |           | .428      | .362      | .4696     | .4097     | .567      | .664      |
| 6    |           | .3919     | .3258     |           | .3919     | .5493     | .6154     |
| 7    |           | .3919     | .3077     | .421      | .2138     | .567      | .6316     |
| 8    |           | .3206     | .3258     | .4049     | .2138     | .5609     | .5506     |
| 9    |           | .3741     | .2715     | .4534     | .2316     | .6201     | .5506     |
| 10   |           | .3403     | .2429     | .4988     | .2483     | .5668     | .6068     |
| 11   |           | .2865     | .2591     | .481      | .1772     | .583      | .5721     |
| 12   | .3385     |           | .2591     | .4097     | .2328     | .5992     | .5895     |
| 13   |           |           | .2267     | .4097     | .3721     | .5992     | .691      |
| 14   | .2318     | .3403     | .2753     | .4275     | .3988     | .5992     | .691      |
| 15   | .3028     | .3544     | .2591     | .4632     | .3988     | .6154     | .5847     |
| 16   | .285      | .2865     | .2753     | .3028     | .4557     | .5992     | .6379     |
| 17   | .2672     |           | .3239     |           | .4733     | .664      | .631      |
| 18   | .285      | .3224     | .3239     | .3919     | .4908     | .664      | .6661     |
| 19   | .4632     | .4119     | .502      | .4453     | .6661     | .7449     | .7973     |
| 20   | .4988     | .4252     | .5668     | .2494     | .6415     | .8097     | .7265     |
| 21   | .4632     | .4119     | .5506     | .2494     | .6241     | .7773     |           |
| 22   | .481      | .4119     | .5182     | .2494     | .631      | .7287     | .7537     |
| 23   | .4453     | .4439     | .4858     | .4097     | .6485     | .6964     | .7087     |
| 24   |           | .4453     | .3761     | .4696     | .4097     | .5784     | .6802     |
| Max  | .4988     | .4453     | .5668     | .4988     | .6661     | .8097     | .7973     |
| Min  | .2318     | .2865     | .2267     | .2494     | .1772     | .5493     | .5506     |
| Avg  | .3693     | .3890     | .3549     | .4129     | .4154     | .6244     | .6545     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314026 / PARASWADA S/STN

Feeder No / Name : 203 / SONEGAON

SHEDDABLE RURAL

Feeder KV- 11 / OUTGOING

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .5505     | .5316     | .7287     | .8551     | .7545     | .8745     |
| 2    |           | .5522     | .5316     | .7287     | .8551     | .7545     | .8745     |
| 3    |           | .5522     | .5316     | .7287     | .8551     | .7545     | .8745     |
| 4    |           | .5528     | .5138     | .7287     | .8551     | .7545     | .8745     |
| 5    |           | .5344     | .5138     | .6964     | .8372     | .7545     | .8745     |
| 6    |           | .5344     | .5552     |           | .8016     | .7716     | .8421     |
| 7    |           | .481      | .5316     | .6478     | .7838     | .823      | .8583     |
| 8    |           | .4972     |           | .664      | .7838     | .823      | .8583     |
| 9    |           | .57       | .605      | .7287     | .7838     | .8059     | .8907     |
| 10   |           | .5959     | .6154     | .8016     | .7716     | .7773     | .9088     |
| 11   |           | .642      | .5992     | .7846     | .7373     | .8421     | 1.0082    |
| 12   |           | .631      | .6316     | .8372     | .8059     | .7935     | .8745     |
| 13   |           | .6661     | .664      | .8907     | .7628     | .8421     | .8916     |
| 14   |           | .591      | .6964     | .8907     | .7888     | .8745     | .9259     |
| 15   | .4988     | .6024     | .7287     | .8729     | .8495     | .8259     | .8573     |
| 16   | .481      | .5493     | .6964     | .7838     | .703      | .8097     | .8916     |
| 17   | .4632     |           | .7125     |           | .7202     | .8745     | .8745     |
| 18   | .4794     | .5138     | .7449     | .9085     | .8059     | .8421     | .8916     |
| 19   | .5505     | .567      | .8097     | .9797     | .8745     | .9231     | .9882     |
| 20   | .5522     | .5847     | .8259     | .8372     | .9088     | .9717     | .9362     |
| 21   | .5522     | .5847     | .8259     | .8729     | .8745     | .8097     |           |
| 22   | .5522     | .5316     | .8097     | .8551     | .8402     | .8745     | .9114     |
| 23   | .5522     | .5138     | .7935     | .8372     | .8402     | .8583     | .9882     |
| 24   |           | .5522     | .5316     | .7935     | .8551     | .7545     | .8745     |
| Max  | .5522     | .6661     | .8259     | .9797     | .9088     | .9717     | 1.0082    |
| Min  | .4632     | .481      | .5138     | .6478     | .703      | .7545     | .8421     |
| Avg  | .5202     | .5631     | .6522     | .7999     | .8145     | .8196     | .8976     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 314026 / PARASWADA S/STN

Feeder No / Name : 204 / 11 KV AGP Paraswada  
Feeder KV- 11 / OUTGOINGSEPARATED AG FEEDERS HAVING SPECIAL  
DESIGN TRANSFORMER

| DATE | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3601     | .8223     |           | .7459     | .3547     |
| 2    |           | .3601     | .8223     |           | .7493     | .3547     |
| 3    |           | .3429     | .8223     |           | .7459     | .3547     |
| 4    |           | .3429     | .8223     |           | .7459     | .3361     |
| 5    |           | .3429     | .8065     |           | .7459     | .3361     |
| 6    |           | .3429     |           |           | .7459     | .3547     |
| 7    |           | .3601     | .6958     |           | .8259     | .3361     |
| 8    |           | .3601     | .6958     | .7482     | .9393     | .4108     |
| 9    |           | .3601     | .759      | .8194     | .9878     | .3921     |
| 10   |           | .5851     | .2494     | .2507     | .3734     | .9555     |
| 11   |           | .6325     | .8551     | .2172     | .3734     | 1.0364    |
| 12   |           | .6642     | .9085     | .2896     | .3361     | 1.1336    |
| 13   |           | .68       | .9085     | .3258     | .3921     | 1.1174    |
| 14   |           | .7274     | .9085     | .3761     | .3734     | 1.1984    |
| 15   | .6344     | .7432     | .2672     | .2507     | .4294     | 1.1012    |
| 16   |           | .7116     | .1781     | .2507     | .4481     | 1.1305    |
| 17   |           | .759      |           | .0358     | .4854     | 1.1336    |
| 18   |           | .8381     | .3028     | .3224     | .4668     | .2785     |
| 19   |           | .3361     | .2672     | .3582     | .4108     | .3045     |
| 20   |           | .3547     | .2138     | .3582     | .4294     | .2686     |
| 21   |           | .3005     | .2138     | .3582     | .3547     |           |
| 22   |           | .3547     | .2138     | .3403     | .3734     | .2534     |
| 23   |           | .3361     | .2138     | .3582     | .3547     | .2328     |
| 24   |           | .3601     | .8381     | .7482     | .7459     | .3547     |
| Max  | .6344     | .8381     | .9085     | .8194     | .9878     | 1.1984    |
| Min  | .6344     | .3005     | .1781     | .0358     | .3361     | .2328     |
| Avg  | .6344     | .4815     | .5811     | .3769     | .5658     | .5969     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 318002 / 220KV KAWALEWADA S/STN

Feeder No / Name : 402 / 33KV LIS Dhapewada

PURELY LIS FEEDERS

Feeder KV- 33 / OUTGOING

| DATE | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0229     | 1.7558    | 2.2028    | 2.2805    | 2.3891    |
| 2    |           | .0229     | 1.7558    | 2.2028    | 2.2805    | 2.3891    |
| 3    |           | .0171     | 1.7558    | 2.2565    | 2.2805    | 2.3891    |
| 4    |           | .0171     | 1.7741    | 2.2565    | 2.2805    | 2.3891    |
| 5    |           | .0114     | 1.7741    | 2.2565    | 2.3102    | 2.3891    |
| 6    |           | .0114     | 1.7741    | 2.2565    | 2.3102    | 2.3891    |
| 7    |           | .0114     | 3.8809    | 2.2565    | 2.3102    | 2.3891    |
| 8    |           | .0114     | .5658     | 2.2565    | 2.3102    | 2.3891    |
| 9    |           | .0114     | .5373     | 2.2565    | 2.3348    | 2.3891    |
| 10   |           | .0114     | .5487     | 2.2565    | 2.2805    | 2.3348    |
| 11   |           | .0114     | .5487     | 2.2565    | 2.2805    | 2.3348    |
| 12   |           | .0114     | .5487     | 2.2565    | 2.2805    | 2.3348    |
| 13   | 1.8604    | 1.6461    | .5487     | 2.1262    | 2.2805    | 2.3348    |
| 14   | 2.0199    | 1.7558    | .5487     | 2.1262    | 2.2805    | 2.3891    |
| 15   | 2.0953    | 1.8107    | .5487     | 1.5775    | 2.2805    | 2.3891    |
| 16   | 2.2565    | 1.8107    | 2.2565    | 1.5775    | 2.2805    | 2.3891    |
| 17   |           | 1.8107    | 2.2565    | 1.6289    | 2.2805    | 2.3388    |
| 18   | .0229     | 1.7918    | 2.1491    | 1.6289    | 2.2805    | 2.3388    |
| 19   | .0229     | 1.7375    | 2.1491    | 1.6289    | 2.2805    | 2.2085    |
| 20   | .0229     | 1.7558    | 2.2028    | 1.6289    | 2.2805    | 2.2085    |
| 21   | .0229     | 1.7558    | 2.2028    | 1.6289    | 2.2805    | 2.3137    |
| 22   | .0229     | 1.7558    | 2.2028    | 1.6289    | 2.2805    | 2.3137    |
| 23   | .0229     | 1.7558    | 2.2028    | 1.6289    | 2.2805    | 2.3663    |
| 24   |           | .0229     | 1.7558    | 2.2028    | 2.2805    | 2.4434    |
| Max  | 2.2565    | 1.8107    | 3.8809    | 2.2565    | 2.3348    | 2.4434    |
| Min  | .0229     | .0114     | .5373     | 1.5775    | 2.2805    | 2.2085    |
| Avg  | .8370     | .8159     | 1.5935    | 1.9993    | 2.2877    | 2.3558    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 318002 / 220KV KAWALEWADA S/STN

Feeder No / Name : 403 / 33 KV Tirora

Feeder KV- 33 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE       | 08-AUG-17     |
|------------|---------------|
| HR         | Load (MW)     |
| 1          | 7.5194        |
| 2          | 7.2217        |
| 3          | 7.2217        |
| 4          | 8.0904        |
| 5          | 8.0361        |
| 6          | 8.0361        |
| 7          | 7.9275        |
| 8          | 7.3434        |
| 9          | 7.5474        |
| 10         | 6.0814        |
| 11         | 7.3303        |
| 12         | 6.4072        |
| 13         | 6.5158        |
| 24         | 7.7646        |
| <b>Max</b> | <b>8.0904</b> |
| <b>Min</b> | <b>6.0814</b> |
| <b>Avg</b> | <b>7.3602</b> |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 08-AUG-17 and 14-AUG-17

GONDIA ZONE[065]

GONDIA CIRCLE[664]

GONDIA DIVISION[652]

TIRORA S/DN.[392]

BU 0392

Substation No/ Name :- 318002 / 220KV KAWALEWADA S/STN

Feeder No / Name : 407 / 33 KV Paraswada

NON SHEDDABLE EXPRESS HV FEEDERS

Feeder KV- 33 / INCOMING

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 08-AUG-17 | 09-AUG-17 | 10-AUG-17 | 11-AUG-17 | 12-AUG-17 | 13-AUG-17 | 14-AUG-17 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.1145    | 1.4998    | 2.3611    | 1.9685    | 2.4006    | 1.9444    |
| 2    |           | 1.1145    | 1.4529    | 2.3611    | 1.9685    | 2.4291    | 1.9444    |
| 3    |           | 1.1145    | 1.406     | 2.3903    | 1.9685    | 2.4291    | 1.9444    |
| 4    |           | 1.1288    | 1.406     | 2.3903    | 1.9685    | 2.4291    | 1.9444    |
| 5    |           | 1.1431    | 1.3757    | 2.372     | 1.989     | 2.3805    | 1.9907    |
| 6    |           | 1.0648    | 1.3923    |           | 1.989     | 2.4291    | 1.8982    |
| 7    |           | 1.0562    | 1.3443    | 1.945     | 1.8187    | 2.556     | 1.8519    |
| 8    |           | .096      | 1.3117    | 2.0388    | 1.917     | 2.5069    | 1.8501    |
| 9    |           | 1.2483    | 1.4089    | 2.0405    | 1.9662    | 2.6052    |           |
| 10   |           | 1.1523    | 1.6518    | 1.2963    | 1.2289    | 1.6221    |           |
| 11   |           | 1.078     | 1.7004    | 2.0399    | 1.1305    | 1.7204    |           |
| 12   | .6802     | .8905     | 1.8461    | 2.0399    | 1.278     | 1.7695    |           |
| 13   |           | .9374     | 1.8947    |           | 1.3763    | 1.749     |           |
| 14   | .5898     | 1.4529    | 1.9919    | 2.1376    | 1.4255    | 1.7004    |           |
| 15   | .9374     | 1.6604    | 1.9919    | 1.4232    | 1.4746    | 1.7976    |           |
| 16   | 1.0675    | .9014     | 1.9662    | .8905     | 1.5238    | 1.9204    |           |
| 17   | .9024     |           | 2.0645    | .056      | 1.5238    | 1.8724    | 3.0121    |
| 18   | .9488     | 1.0437    | 2.2611    | 1.3426    | 1.5238    | 1.8244    | 1.8947    |
| 19   | 1.1717    | 1.2809    | 1.6712    | 1.1797    | 1.9662    | 2.2085    | 2.2348    |
| 20   | 1.25      | 1.3757    | 1.8679    | 1.1934    | 2.0891    | 2.3525    | 2.0576    |
| 21   | 1.2803    | 1.3283    | 1.8679    | 1.1934    | 2.0165    | 2.1125    |           |
| 22   | 1.2803    | 1.2654    | 1.8679    | 1.1934    | 1.9204    | 2.1605    | 6.5021    |
| 23   | 1.1288    | 1.2186    | 1.7204    | 1.4089    | 1.9204    | 2.0645    | 6.4569    |
| 24   |           | 1.1288    | 1.3592    | 2.5       | 1.9685    | 2.3525    | 1.9204    |
| Max  | 1.2803    | 1.6604    | 2.2611    | 2.5       | 2.0891    | 2.6052    | 6.5021    |
| Min  | .5898     | .096      | 1.3117    | .056      | 1.1305    | 1.6221    | 1.8501    |
| Avg  | 1.0216    | 1.1215    | 1.6800    | 1.7179    | 1.7467    | 2.1414    | 2.6298    |