

MAHA

(A Govt. of Maharashtra Undertaking)

CTN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

No. CGM/T&S/EKL/121th Lower GAD Exam/926

OFFICE ORDER

DATE : 10 May 2016

As per approval accorded by the Competent Authority viz., Chief General Manager (T&S) Eklahare, the result of 121 th Lower GAD Exam conducted on 21-FEB-16 to 21-FEB-16 is declared as under. Out of 88 employees 70 have appeared for the examination, 17 employees are declared successful in the examination.

The detailed result is as under
P- Paper, E- Exemption, Ab- Absent, D-Disqualified

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper
1	1	2464683	Mr. Manoj Maruti	Lower Division	Solapur Urban	Absent		Ab
			Adatrao	Clerk(HR)	Division			I
2	2	2313537	Mr. Gajanan	Lower Division	Aurangabad	Pass		40
			Raghunath Adhav	Clerk	Waluj Urban			
				(Accounts)	Sub Division			
3	3	2469600	Mr. Janardhan	Lower Division	Jintur Rural	Fail		33
			Bhaurao Ambhure	Clerk	Sub Division			
				(Accounts)				
4	4	2532719	Mrs. Pranali	Lower Division	Wardha Rural	Pass		40
			Pankaj Gaiki	Clerk(HR)	Sub Division			
				No.II				

10/5/2016

MAHA

(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper
5	5	2542480	Shri Parag Pandharinath Badgujar	Lower Division Clerk (HR)	Bodwad S/Dn.	Pass		43
6	6	2268574	Mr. Milind Ramkrishna Bagul	Lower Division Clerk (Accounts)	Aurangabad Rural Circle	Fail		34
7	7	2535203	Mrs. Manjiri Mahesh Baikar	Lower Division Clerk (HR)	BCR & Record Section (Dharavi)	Pass		48
8	8	2521121	Madhuri Harish Bajaj	Lower Division Clerk (HR)	Nanded Rural Division	Absent		Ab
9	9	2613832	Miss Yogita Arun Banap	Lower Division Clerk (HR)	Ratnagiri Division	Pass		42
10	10	2677083	Shri Bhavesh Bhashkar Bansod	Lower Division Clerk (HR)	Wardha Circle	Fail		37
11	11	2672634	Mr. Harshal Bhalal	Lower Division Clerk (HR)	Malegaon UCR Division	Fail		29

10/15/2018

MAHA

(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper
12	12	2460254	Mrs. Suvarna Kondiba Bhawari	Lower Division Clerk(HR)	Pune Fire Brigade Sub Division	Fail		23
13	13	2667398	Mr. Jagendra Ganesh Bhoir	Lower Division Clerk(HR)	Panvel City Sub Division	Fail		31
14	14	2520460	Mr. Ganesh Balraj Birkhede	Lower Division Clerk (Accounts)	Nagpur Urban Circle	Fail		30
15	15	2675048	Miss Rupali Vasant Borade	Lower Division Clerk(HR)	Kalyan Rural Division	Pass		42
16	16	2612518	Mr. Meghraj Sundardas Chandelarwar	Lower Division Clerk(HR)	Korchi Sub Division	Fail		34
17	17	2308151	Miss Anita Maroti Chandrawanshi	Lower Division Clerk(HR)	Pusad Division	Absent		Ab
18	18	2521962	Kum Prachi Yuvrajsingh Chauhan	Lower Division Clerk (Accounts)	Akola Zone	Pass		53

10/15/2019

MAHA

(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper
19	19	2430347	Shri Shailesh Vishnu Chouthu	Lower Division Clerk (Accounts)	Shrirampur Rural Division	Fail		29
20	20	2677067	Kum Sima Damodhar Dawange	Lower Division Clerk (HR)	Wardha Circle	Absent		Ab
21	21	2264412	Mrs. Deepali Sanjay Desai	Lower Division Clerk (HR)	Satara Division	Fail		24
22	22	2666081	Miss Archana Vitthal Dhage	Lower Division Clerk (HR)	Nampur S/Dn.	Fail		37
23	23	2552299	Mr. Shankar Damodar Divate	Lower Division Clerk (HR)	Baramati Testing Division	Fail		29
24	24	2540941	Mr. Dhananjay Nandev Divekar	Lower Division Clerk (HR)	Dombivili Urban Division	Fail		28
25	25	2616939	Shri Umesh Vishnu Durunde	Lower Division Clerk (HR)	Paranda Division	Fail		19

10/15/2016

MAHA

(A Govt. of Maharashtra Undertaking)

CIN: U40109MR2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper
26	26	2510413	Shri Shivraj Subhash Gadakh	Lower DivisionDeola S/Dn. Clerk (Accounts)		Fail		18
27	27	2412853	Mr. Amol Ashok Ghag	Lower DivisionMangaon Sub Clerk(HR) Division		Absent		Ab
28	28	2666669	Mr. Paresk Keshav Ghorad	Lower DivisionKalyan Rural Clerk(HR) Division		Absent		Ab
29	29	2507889	Smt Trupti Pankaj Giri	Lower DivisionWardha Rural Clerk(HR) Sub Division No. I		Pass		42
30	30	2393026	Mr. Parag Dinkar Gogate	Lower DivisionBuldana Clerk(HR)		Fail		34
31	31	2310813	Miss Kalpana Himmatrao Gote	Lower DivisionAmravati Clerk(HR) Testing Division		Fail		31
32	32	2269708	Miss Mayadevi Vasantrao Jadhav	Lower DivisionBeed Clerk(HR)		Fail		21

Amic
20/05/2016

MAHA

(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Ekhanare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper
33	33	2382431	Mr. Ravindra Shukracharya Jamhare	Lower DivisionUjhasnagar Clerk(HR)	Division No-II	Fail		26
34	34	2434946	Mr. Nilesh Vishwanath Kadam	Lower DivisionPanvel Rural Clerk(HR)	Division	Absent		Ab
35	35	2461633	Mr. Yogesh Balasaheb Kalbhor	Lower DivisionPune Padmavati Clerk(HR)	Division	Fail		17
36	36	2673843	Mr. Lalit Gangadharrao Khade	Lower DivisionBhandara Clerk (Accounts)	Circle	Absent		Ab
37	37	2327996	Mr. Surendra Vishnu Khaitre	Lower DivisionMahagaon Sub Clerk(HR)	Division	Fail		22
38	38	2671620	Uzmanaaz Gulam Rasul Khan	Lower DivisionAurangabad Clerk (Accounts)	Urban Division No.I	Fail		37
39	39	2264439	Mrs. Archana Kiran Khandelwal	Lower DivisionSatara Clerk (Accounts)	Division	Absent		Ab

10/5/2019

MAHA

(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGCL53645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I
40	40	2101459	Mr. Satish Rajaram Kini	Lower DivisionVasai Testing Clerk(HR) Division		Fail		22
41	41	2287528	Mr. Kiran Bajba Korde	Lower DivisionAhmednagar Clerk(HR) Circle		Fail		34
42	42	2174201	Mr. Sunil Digambar Kotalwar	Lower DivisionNanded Zone Clerk(HR)		Fail		30
43	43	2515652	Mr. Gajanan Shesherao kulkarni	Lower DivisionSengaoon Sub Clerk(HR) Division		Pass		40
44	44	2540835	Miss Kirtimala Bhaskar Mahadole	Lower DivisionGadchiroli Sub Clerk(HR) Division		Fail		34
45	45	2287609	Mr. Vaibhav Ramkrishna Mali	Lower DivisionAkola Zone Clerk(HR)		Fail		28
46	46	2642531	Shri Bhaskar Suryabhan Markad	Lower DivisionBelwandi S/Dn. Clerk (Accounts)		Fail		37

Signature
16/11/2019

MAHA

(A Govt. of Maharashtra Undertaking)
CTIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper
47	47	2529548	Mr. Suhas Chintamanrao Maske	Lower Division	Beed Division	Fail		35
48	48	2259257	Mr. Kamlesh Tulsidas Meshram	Lower Division	Chandrapur Circle	Fail		36
49	49	2672405	Smt Shubha Vitendrakumar Meshram	Lower Division	Gondia Division	Fail		33
50	50	2485265	Mr. Vitthal Bhagwat Mithe	Lower Division	Nashik Clerk-cum-Typist	Pass		40
51	51	2420601	Mr. ABHINAV ANANT MUKADAM	Lower Division	Nalasopara (East) Sub Division (Accounts)	Pass		43
52	52	2230666	Mr. Raju Vinayak Munde	Lower Division	Gangakhed Sub Division (Accounts)	Fail		31
53	53	2398681	Mr. Prakash Vasanta Musale	Lower Division	Chandrapur Clerk(HR) Zone	Absent		Ab

Time 10/15/2019

MAHA

(A Govt. of Maharashtra Undertaking)

CTIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Churnamary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amtrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I
54	54	2670542	Shri Purushottam Sambhaji Nimbalkar	Lower Division Clerk(HR)	Navapur S/Dn.	Absent		Ab
55	55	2615207	Mr. Suraj Baliram Parsharam	Lower Division Clerk(HR)	Dombivili Urban Division	Fail		34
56	56	2615291	Miss Asha Bhimgonda Patil	Lower Division Clerk(HR)	Pune Market Yard Sub Division	Pass		40
57	57	2615304	Shri Lalit Anandrao Patil	Lower Division Clerk(HR)	Pune Dhankawadi Sub Division	Fail		34
58	58	2666286	Mr. Sagar Ramrao Patil	Lower Division Clerk(HR)	Satara Circle	Pass		44
59	59	2510626	Mrs. Laxmi Sanjay Pawar	Lower Division Clerk(HR)	Nashik	Pass		43
60	60	2325764	Mr. Ramesh Balaaji Pawar	Lower Division Clerk (Accounts)	Kandhar Sub Division	Fail		38

10/11/2019

MAHA

(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper
61	61	2380994	Miss Pratibha Prakash Phutane	Lower Division	Beed Division Clerk(HR)	Fail		33
62	62	2614898	Smt Bhagyashri Satish Poul	Lower Division	Solapur Urban Clerk(HR) Sub Division-B	Fail		17
63	63	2512009	Kum Savita Ramsing Rajput	Lower Division	Nashik Urban Clerk(HR) Division No.I	Fail		34
64	64	2614294	Mr. Chandrakant Ramesh Raut	Lower Division	Nagpur Urban Clerk Circle (Accounts)	Fail		33
65	65	2615029	Mr. Sunil Satwa Sable	Lower Division	Pimpalner Clerk(HR) S/Dn.	Fail		25
66	66	2512874	Shri Ravi Jagannath Sapkal	Lower Division	Buldana Circle Clerk (Accounts)	Pass		48
67	67	2642522	Shri Asif Raoul Shaikh	Lower Division	Shrigronda Clerk S/Dn. (Accounts)	Pass		55

MAHA

(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I
68	68	2619881	Shri Nitin Rama Shelar	Lower DivisionBhandup Civil Clerk(HR) Division		Fail		31
69	69	2527677	Mr. Pankaj Tulshiram Shirsath	Lower DivisionTiwasa Sub Clerk Division (Accounts)		Fail		28
70	70	2540843	Mr. Sagar Ramchandra Sonavane	Lower DivisionPune Parvati Clerk(HR) Division		Absent		Ab
71	71	2335689	Mr. Kishor Sahebrao Surywanshi	Lower DivisionAkulj Division Clerk (Accounts)		Absent		Ab
72	72	2619709	Smt Jyoti Manmath Swami	Lower DivisionNanded Rural Clerk(HR) Division		Absent		Ab
73	73	2673681	Shri Tauseef Ahmad Zafar Ahmad	Lower DivisionLakhandur Sub Clerk(HR) Division		Absent		Ab
74	74	2453657	Mrs. MANGALA RAJENDRA TAYADE	Lower DivisionRaver S/Dn. Clerk(HR)		Fail		37

Final
10/11/2019

MAHA

(A Govt. of Maharashtra Undertaking)
CTN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I
75	75	2540924	Mrs. Pranjal Prasad Telawane	Lower Division Clerk(HR)	Badlapur (E) Urban Sub Division	Fail		33
76	76	2283131	Miss Lukeshwari Rehalal Temhare	Lower Division Clerk(HR)	Gondia Zone	Fail		35
77	77	2614651	Mr. PRAVIN SUBHASHBABU URANE	Lower Division Clerk(HR)	Akluj Division	Fail		33
78	78	2477629	Miss Aruna Ashok Urkude	Lower Division Clerk(HR)	Gadchiroli Circle	Fail		27
79	79	2582724	Miss Susham Sankarrao Vaidya	Lower Division Clerk(HR)	Nandgaon Khandeshwar Sub Division	Fail		26
80	80	2273322	Mr. Jitendra Balakrushna Zore	Lower Division Clerk(HR)	Nagpur Urban Circle	Fail		34
81	81	2567717	Mrs. Shubhangi Chetan Pophale	Lower Division Clerk(HR)	Pune Bhosari Division	Absent		Ab

File
10/10/2016

MAHA

(A Govt. of Maharashtra Undertaking)

CTIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSDCIL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper
82	82	2287595	Mr. Sachin Yedu Wagh	Lower DivisionKhaltabad Sub Clerk (Accounts)	Division	Absent		Ab I
83	83	2233495	Shri Ravindra Kawadu Rathod	Lower DivisionArni Sub Clerk(HR)	Division.	Fail		27
84	84	2519216	Mr. Mangesh Manikrao Shirbhate	Lower DivisionYavatmal Clerk(HR)	Division	Fail		31
85	85	2513854	Mr. Mohan Balu Kambale	Lower DivisionVaibhav Wadi Clerk(HR)	Sub Division	Fail		27
86	86	2664518	Smt Nitlija Swapnil Mhatre	Lower DivisionVasai Road Clerk(HR)	East Sub Division	Pass		48
87	87	2621380	Miss Pallavi Sachin Sonawane	Lower DivisionPune Kasba Sub Clerk(HR)	Division	Absent		Ab
88	88	2619041	Shri VIJAY BABAN WASEKAR	Lower DivisionSaoli Sub Clerk(HR)	Division	Fail		35

Page 10/15/2016

MAHA

(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

The result is available on websites of the Company. Necessary entries may please be taken in service book and HRMS data of the concerned employees on the basis of result published on Internet.

DY. GENERAL MANAGER (HR) T&S
EKLAHARE