



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

No. CGM/T&S/EKL/88th Prof. Exam/1029

OFFICE ORDER

DATE :-26 May 2016

As per approval accorded by the Competent Authority viz., Chief General Manager (T&S) Eklahare, the result of 88 th Professional Examination which was held on 23-JAN-16 to 24-JAN-16 is declared as under. Out of 367 employees 258 have appeared for the examination, 12 employees are declared successful in the examination.

All the fresh entrants Asstt.Engineers should pass the examination within 3 years of joining. They will be eligible to appear for the examination after completion of 1 year.

All the Dy.Exe. Engineer (E&M) who have already passed paper I should pass this examination with Paper II,III,IV
For Dy.Exe. Engineer (Civil) subjects are prescribed as per Lr.No. CE/ TRD/ NSK/ PROF/ 2021 dt 07-09-2004. No examination is prescribed for Jr Engr (E&M) and Asstt.Engineer (Civil). Paper I & II are of 50 marks and III & IV are of 100 marks for Civil Engineers. Those Dy E.E & Above E&M) /Civil who have not passed the above examination have to pass the examination in the Paper II,III,IV (i.e. Paper I)

As per the provisions of the G.S.O. 55 dtd. 13th Feb 1956 readwith C.S.No. 2 dtd. 06-07-1984 the candidates who have secured marks in fraction are rounded to the next number i.e. 27.6 is rounded to 28 etc.

NOTE:

1. Jr Engr (E&M) and Asstt.Engineer (Civil) No examination hence, result shown as exempted only.
2. Asstt.Engineer (T&D) only Paper I- Result shown as Pass/Fail and other papers exempted.
3. Dy.EE & above (T&D)/(Civil) four Papers are compulsory. Result is shown as passed, if they pass in all subjects.

The detailed result is as under
P. Paper, E- Exemption, Ab- Absent, D-Disqualified

12/5/2016
10:16 AM



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Paper I	Paper II	Paper III	Paper IV
1	1	2620898	Shri Sachin Gajanan Ajabale	Assistant Engineer (Distr Section ibution)	Deulgaonraja Rural Section	Pass P-1, E - 2		60	55	05	40
2	2	2621070	Shri Hemant Vikram Ahire	Assistant Engineer (Distr Section ibution)	Malegaon Camp	Pass P-1, E - 2		62	85	-	-
3	3	2531879	Mr. Madan Eshwarrao Alone	Assistant Engineer (Distr Section ibution)	Warud-Urban	E - 2		E	69	Ab	25
4	4	2275481	Shri Harish Vasantrao Ambadkar	Assistant Engineer (Distr Circle ibution)	Amravati	Fail		E	E	30	27
5	5	2622084	Shri Kehitij Hiralal Ambadkar	Assistant Engineer (Distr Hareashwar Unit ibution)	Pimpalgaon	Pass P-1, E - 2		91	95	-	-
6	6	2492491	Mr. Sambhaji Maroti Athargan	Junior Engineer (Distr Section ibution)	Gangapur Urban	E - 1,2		84	78	Ab	Ab
7	7	2486938	Shri Yogesh Dilip Aute	Junior Engineer (Distr Section I ibution)	Pohgaon	Absent		E	E	Ab	E

gms 26/05/2012



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexams@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
8	8	2322021	Mr. Pradip Ganapati Babar	Assistant Engineer (Distr. Sub-division)	Katnappa Kumbhar Nagar Section	Absent		E	E	Ab	Ab
9	9	2534932	Mr. Yogesh Pandurang Badhiye	Assistant Engineer (Distr. Sub-division)	Akot Urban Section No. II	Pass P-1, E - 2		46	50	04	38
10	10	2399504	Mr. Deepak Jyotiram Badole	Assistant Engineer (Distr. Sub-division)	Mashim Circle	Absent		E	E	Ab	Ab
11	11	2619270	Mr. Meghraj Sumatilal Bagul	Junior Engineer (Distr. Sub-division)	Gangakhed Sub Division	Absent		E	E	Ab	Ab
12	12	2542412	Mr. Mehul Pandit Bagul	Assistant Engineer (Distr. Sub-division)	Bhiwandi Nodal Office	E - 4		E	E	Ab	49
13	13	2256983	Mrs. Shruti Sharan Balganur	Assistant Engineer (Distr. Sub-division)	Mulund Panchrasta Sub Division	E - 4		E	E	38	61
14	14	2665565	Shashank Anilrao Bandiwar	Assistant Engineer (Distr. Sub-division)	Parbhani Circle	Pass P-1, E - 2, 4		71	83	Ab	47

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
15	15	2205459	Mr. Sanjay Fundalik Barai	Deputy Executive Engineer(Distribution)	Morshi Sub Division-II	Fail		E	E	21	E
16	16	2625016	Shri Mahesh Vitthalrao Barapatre	Junior Engineer(Distribution)	Lakhandur Sub Division	E - 2		E	58	23	33
17	17	2504243	Miss Megha Sayaji Barge	Junior Engineer(Distribution)	Patan Sub Division	Absent		Ab	Ab	Ab	Ab
18	18	2627141	Shri Ganesh Rajaram Barve	Assistant Engineer(Distribution)	Washim Urban	Pass P-1, E - 2		59	81	Ab	22
19	19	2043041	Mr. Shivraj Shravan Bawane	Junior Engineer(Distribution)	Akola Circle	E - 1,2		55	64	06	24
20	20	2329816	Mr. Arvind Govind Bhagyawant	Assistant Engineer(Distribution)	Pune Kedgaon	Absent		E	E	Ab	E
21	21	2683679	Neha Kiran Bhalavi	Assistant Engineer(Distribution)	Khamgaon	Pass P-1, E - 2		54	73	Ab	Ab

Sp



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
22	22	2529785	Mr. Vipul Prakash Bhamare	Assistant Engineer (Distr ibution)	Patane Sec.	Fail, E - 2		26	47	01	31
23	23	2622203	Mr. Rahul Diliprao Bhandare	Assistant Engineer (Distr ibution)	Parli Rural-I	Fail		E	E	11	E
24	24	2492512	Mr. Mayur Baburao Bhangale	Junior Engineer (Distr ibution)	Bhadgaon Sub Dn	Absent		E	E	Ab	Ab
25	25	2619580	Shri Amol Chandrakant Bhedasgaonkar	Assistant Engineer (Distr ibution)	Ratnagiri Urban Sub Division	Pass P-1, E - 2,4		63	73	Ab	56
26	26	2486628	Mr. Abhijeet Jayvant Bhopale	Assistant Engineer (Distr ibution)	Sasoli Section Office	Absent		Ab	Ab	Ab	Ab
27	27	2523108	Mr. Dilip Vithalrao Bhosale	Assistant Engineer (Distr ibution)	Nanded Zone	Pass P-1, E - 2,4		57	79	02	51
28	28	2201445	Mr. Vishwasrao Balasaheb Bhosale	Additional Executive Engineer (Distr ibution)	Pune Wadia Sub Division	Absent		E	E	Ab	Ab

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005GCL153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Paper Paper Paper Paper I II III IV
29	29	2683741	Akanksha Girdhar Bhojar	Assistant Engineer(Distr ibution)	Loni - Takali Section	Absent		Ab Ab Ab Ab
30	30	2166933	Mr. Pravin Marotrao Bisen	Deputy Executive Engineer(Distr ibution)	Nagpur Zone	Absent		E E Ab E
31	31	2255511	Mr. Jagdish Sopandeo Bodkhe	Additional Executive Engineer(Distr ibution)	Panvel City Sub Division	Absent		E E Ab E
32	32	2332558	Mr. Dineshkumar Dilip Bondre	Assistant Engineer(Distr ibution)	Gondia Zone	Absent		E E Ab E
33	33	2240246	Shri Shyamkant Pralhad Borse	Additional Executive Engineer(Distr ibution)	Malegaon Circle	Fail		E E 21 31
34	34	2226405	Mr. Bhalchandra Vithalrao Chate	Deputy Executive Engineer(Distr ibution)	Ter Sub Division	Pass		E E E E
35	35	2488825	Mr. Hemant Shivaji Chaudhari	Junior Engineer(Distr ibution)	Nagardeola Sub Divn.	E - 1		73 Ab Ab Ab

Signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
36	36	2386011	Mr. NITIN RAVINDRA CHAUDHARI	Junior Engineer (Distribution)	Yawal R-II Section	E - 1,2,4		81	91	Ab	47
37	37	2262771	Mr. SHAILESH VASANT CHAUDHARI	Junior Engineer (Distribution)	Yawal S/Dn.	E - 1,2,4		77	67	Ab	45
38	38	2305682	Miss YOJANA PRAKASH CHAUDHARI	Junior Engineer (Distribution)	Waghoda	E - 1,2		72	68	Ab	41
39	39	2685710	Komal Lahu Chavan	Assistant Engineer (Distribution)	Dhule Circle	Pass P-1, E - 2		70	64	Ab	Ab
40	40	2620685	Mrs. Ranjana Bhavsing Chavan	Assistant Engineer (Distribution)	Virar Division	Pass P-1, E - 2,4		75	84	-	45
41	41	2498707	Mr. Satish Dhansing Chavan	Junior Engineer (Distribution)	Khanapur (Vita)	E - 1,2		70	91	00	40
42	42	2665808	Mr. Atish Bandu Chavhan	Junior Engineer (Distribution)	Udgir Urban Sub-Division	Absent		Ab	Ab	Ab	Ab

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
43	43	2252929	Mr. Vikram Sitaram Chawan	Deputy Executive Engineer (Distribution)	Lonand Sub Division	Fail, E - 4		E	E	17	45
44	44	2489023	Mrs. Kranti Yogesh Chendake	Junior Engineer (Distribution)	Khatav Sub Division	E - 1, 2		84	81	Ab	Ab
45	45	2333562	Shri Kiran Ishwar Chothe	Assistant Engineer (Distribution)	Baramati	E - 2, 4		E	65	19	45
46	46	2621835	Mr. Krushna Raghunath Choure	Assistant Engineer (Distribution)	Jawhar Rural Section	Pass P-1, E - 2		73	72	-	-
47	47	2506629	Mr. Mayur Manik Dabhole	Junior Engineer (Distribution)	Jath East Section	E - 1, 2		40	61	Ab	Ab
48	48	2212374	Mr. Sanjay Ramrao Dadpe	Deputy Executive Engineer (Distribution)	Kalyan Circle No-I	Absent		E	E	Ab	Ab
49	49	2502623	Mr. Nilesh Vasant Dahake	Junior Engineer (Distribution)	Chikhali Sub Division	E - 1, 2		56	60	-	-

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
50	50	2274329	Smt Ruta Rajesh Dahibhate	Assistant Engineer (Distribution)	Jalgaon	Fail		E	E	Ab	27
51	51	2239230	Shri Manish Pundlikrao Dakare	Deputy Executive Engineer (Distribution)	Jalgaon Testing Division	Absent		E	E	Ab	Ab
52	52	2404877	Mr. Kushmanand Haribhau Dalvi	Assistant Engineer (Distribution)	Ulhasnagar Venus Section No-IV	Absent		Ab	Ab	-	Ab
53	53	2620235	Shri Onkar Tanaji Dange	Junior Engineer (Distribution)	Kankavali Rural Section No.I	Absent		Ab	Ab	Ab	Ab
54	54	2243831	Smt kalpana Vijay Darade	Assistant Engineer (Distribution)	Baramati Testing Division	Absent		E	E	Ab	E
55	55	2530571	Mr. Deepak Ramchandra Deokate	Assistant Engineer (Distribution)	Mulund Neelam Nagar Section	Absent		Ab	Ab	Ab	Ab
56	56	2487381	Mrs. Nilofar Shakil Desai	Junior Engineer (Distribution)	Parner Sub Division	E - 1, 2		80	76	Ab	Ab

Spn



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
57	57	2332388	Mr. Yogesh Kakaji Desai	Assistant Engineer (Distr No III ibution)	Ajara Section	Absent		E	E	Ab	Ab
58	58	2512955	Shri Hemant Ramesh Rao Deshmukh	Junior Engineer (Distr 2 ibution)	SAWARGAON D C	Absent		Ab	Ab	Ab	Ab
59	59	2486024	Mr. Niraj Vilas Rao Deshmukh	Junior Engineer (Distr ibution)	Masur (Rural) Section	Absent		Ab	Ab	Ab	Ab
60	60	2618818	Shri Onkar Pralhad Deshpande		Bharane Section	Pass P-1, E - 2,4		89	85	-	46
61	61	2629607	Shri Sudhir Balasaheb Dhadge	Junior Engineer (Distr ibution)	Pune Nagar Road Sub Division	Absent		Ab	Ab	-	-
62	62	2254174	Mr. Sanjay Maruti Dhalape	Deputy Executive Engineer (Distr ibution)	Kalyan Zone	Pass		E	E	67	E
63	63	2620227	Miss Shradha Sunil Dhanal	Junior Engineer (Distr ibution)	Kankavali Sub Division	Absent		Ab	Ab	Ab	Ab

12



(A Govt. of Maharashtra Undertaking)

CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of Paper I Paper II Paper III Paper IV			
64	64	2524091	Mr. Aditya Sukhadeo Dhande	Assistant Engineer(Distr ibution)	Taloja MIDC Section No-I	Pass P-1, E - 2		91	88	E	38
65	65	2296560	Mr. Jitendra Kamalakar Dhande	Junior Engineer(Distr ibution)	Dongar Kathora Section	E - 1,2		67	79	Ab	36
66	66	2317991	Mr. Atul Tukaram Dhandore	Assistant Engineer(Distr ibution)	Pune Kedgaon Division	Absent		E	E	Ab	Ab
67	67	2491311	Kum Rageen Suresh Dhawale	Assistant Engineer(Distr ibution)	Lakhandur Sub Division	Absent		E	E	Ab	Ab
68	68	2625644	Mr. Mahesh Uttamrao Dhembare	Junior Engineer(Distr ibution)	Balsur Section	E - 1,2		61	68	Ab	Ab
69	69	2624257	Miss Rupali Madhukarrao Dhondge	Junior Engineer(Distr ibution)	Sonpeth Rural Section	Absent		Ab	Ab	Ab	Ab
70	70	2405865	Mr. Sandip Sidram Dhutenavaru	Deputy Executive Engineer(Distr ibution)	Sangli Circle	Absent		E	E	Ab	E

Handwritten signature/initials

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
71	71	2274396	Shri Milindkumar Pandurang Dudhe	Assistant Engineer (Distr Rural Section - I)	Shrirampur	Pass P-1, E - 2		83	92	Ab	Ab
72	72	2417928	Mr. Sandeep Jagnnath Gade	Junior Engineer (Distr Farata Section)	Mandavgan	E - 1		60	E	-	36
73	73	2490196	Miss Jayshri Bajunath Gadhave	Junior Engineer (Distr Urban Sub Division I)	Ahmednagar	E - 1, 2		86	91	Ab	Ab
74	74	2199424	Mr. Pramodkumar Dharmraj Gaikwad	Deputy Executive Engineer (Distr)	Satara Circle	Fail		E	E	33	25
75	75	2519836	Mr. Tushar Dharmraj Ganjre	Assistant Engineer (Distr)	Allapalli Division	Fail		E	E	Ab	27
76	76	2235579	Mr. Ganesh Gokul Gavhane	Deputy Executive Engineer (Distr)	Vashi Testing Division	Fail		E	E	28	E
77	77	2239965	Mr. Dhananjay Vishwanath Gawade	Deputy Executive Engineer (Distr)	Phaltan (Rural) Sub Division	Absent		E	E	Ab	Ab



ISO 9001:2008
Email: anhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
78	78	2335832	Mr. Siddheshwar Ambadas Gawhad	Assistant Engineer (Distribution)	Aurangabad District Maliwada Section	Pass P-1, E - 2		77	71	Ab	Ab
79	79	2664178	Vaishnavi Surendra Gayal	Assistant Engineer (Distribution)	Rahuri Rural Sub Division	Absent		Ab	Ab	Ab	Ab
80	80	2620189	Shri Charudatta Meghasham Ghatake	Junior Engineer (Distribution)	Talere Section	Absent		Ab	Ab	Ab	Ab
81	81	2535360	Shri Nikhil Suresh Ghaywat	Assistant Engineer (Distribution)	Old Power House Unit	Pass P-1, E - 2		96	78	Ab	Ab
82	82	2573865	Mr. Ashok Namdev Ghodke	Assistant Engineer (Distribution)	Ulhasnagar District Section No I (Ulhasnagar Sub Division N	Pass P-1, E - 2		71	69	-	-
83	83	2323869	Mr. Dipak Sadashiv Gholap	Assistant Engineer (Distribution)	Asu Section	Absent		E	E	Ab	E
84	84	2315483	Mr. Mahesh Shankar Gondhalekar	Assistant Engineer (Distribution)	Kudal Division	Absent		E	E	Ab	E

23



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
85	85	2511240	Mr. Ramchandra Dattatray Gudd	Junior Engineer (Distribution)	Savla Sub Division	Absent		Ab	Ab	Ab	Ab
86	86	2340186	Mr. Harish Mahadeo Gulhane	Deputy Executive Engineer (Distribution)	Nagpur Rural Circle	Fail, E - 1, 2, 4		89	91	Ab	49
87	87	2682559	Pournima Shankar Gunjmurte	Assistant Engineer (Distribution)	Harsool	Pass P-1, E - 2		92	88	Ab	Ab
88	88	2177307	Smt Pratidnya Milind Hajare	Assistant Engineer (Distribution)	Morshi	Absent		E	E	Ab	E
89	89	2335492	Mrs. Snehlata Shivshankar Hanchate	Assistant Engineer (Distribution)	Shegaon Sub Division	Fail		E	E	13	Ab
90	90	2657660	Shri Roshan Popeshwar Haste	Assistant Engineer (Distribution)	Gadchiroli	Pass P-1, E - 2, 4		79	78	Ab	50
91	91	2520508	Mr. Nitesh Umrao Hatagre	Assistant Engineer (Distribution)	Dondaicha	Pass P-1, E - 2		65	57	Ab	Ab

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
92	92	2616963	Mr. Rajesh Sominath Hekde	Assistant Engineer (Distribution)	Kannad	Absent		E	E	Ab	Ab
93	93	2665484	Shri Gitesh Mangaliram Mirankhede	Junior Engineer (Distribution)	MOHPA SUB DN	Absent		Ab	Ab	Ab	Ab
94	94	2662787	Shri Shripad Suresh Huddar	Assistant Engineer (Distribution)	Mhasala-I	Absent		Ab	Ab	Ab	Ab
95	95	2619776	Shri Sagar Shivajirao Hujare	Assistant Engineer (Distribution)	Ichalakraj	Absent		Ab	Ab	-	-
96	96	2619725	Shri Ananda Rau Hunginale	Junior Engineer (Distribution)	Walawal	E - 1,2		87	89	Ab	Ab
97	97	2483823	Mr. Rajendra Yashwant Ingale	Junior Engineer (Distribution)	Bhor Rural	Absent		E	E	Ab	Ab
98	98	2254131	Mr. Charansingh Umaraosingh Ingle	Deputy Executive Engineer (Distribution)	Nampur S/Dn.	Pass		E	E	40	E

[Handwritten signature]



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
99	99	2623153	Kum Chitra Subhash Ingulkar	Assistant Engineer (Distribution)	Chandwad	Fail		E	E	43	Ab
100	100	2664046	Mr. Vinayak Digambar Ippakayal	Assistant Engineer (Distribution)	Maldurga Rural Section	Pass P-1, E - 2		93	86	Ab	Ab
101	101	2619784	Miss Aishwarya Arun Jadhav	Assistant Engineer (Distribution)	Kudal Sub Division	Pass P-1, E - 2		84	74	-	-
102	102	2495317	Mrs. Bhagyashri Vijay Jadhav	Junior Engineer (Distribution)	Sultanpur Section (Aurangabad)	E - 1, 2		75	78	Ab	Ab
103	103	2483726	Mr. Bhalchandra Lakshman Jadhav	Junior Engineer (Distribution)	Malegaon (USD-I) S.Dn.	E - 1		68	-	-	-
104	104	2440121	Mr. Kapil Chandrakant Jadhav	Junior Engineer (Distribution)	Lingnoor Section (Miraj)	E - 1, 2		83	71	-	-
105	105	2537508	Mr. Pavan Laxman Jadhav	Junior Engineer (Distribution)	MANSAR DC	E - 1, 2		79	71	Ab	Ab

Signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
106	106	2484544	Mr. Shardul Raghunath Jadhav	Junior Engineer (Distribution)	Narasingpur	E - 1,2		73	67	Ab	41
107	107	2505134	Mr. Yuvraj Dattatrya Jadhav	Junior Engineer (Distribution)	Dapoli Sub Division No.II	E - 1,2,4		86	81	01	45
108	108	2662124	Shri Sandeep Narsing Jain	Assistant Engineer (Distribution)	Rahata Urban	Pass P-1, E - 2,4		96	88	Ab	45
109	109	2725819	Megha Gopal Jaiswal	Assistant Engineer (Distribution)	Chalisgaon	Pass P-1, E - 2		76	72	Ab	Ab
110	110	2683288	Rajesh Babarao Jarode	Assistant Engineer (Distribution)	Dharni Urban Centre	Pass P-1, E - 2		70	81	Ab	30
111	111	2683962	Pratibha Vasanta Jivtode	Assistant Engineer (Distribution)	Anravati Zone	Pass P-1, E - 2		77	69	-	-
112	112	2147025	Mr. Suresh Chanbasappa Jogi	Deputy Executive Engineer (Distribution)	Kolhapur Circle	Fail		E	E	02	32

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
113	113	2305241	Shri Santosh Bhaurao Kadam	Assistant Engineer (Distribution)	Rahata Rural Section II	Absent		E	E	Ab	E
114	114	2255006	Mr. Sunil Prakash Kalamkar	Additional Executive Engineer (Distribution)	Vashi Circle	Fail		E	E	37	E
115	115	2409461	Mr. Maroti Khandu Khalbande	Junior Engineer (Distribution)	Dharmapuri	E - 1,2		87	69	00	28
116	116	2178613	Mr. Prashant Bhagwan Kalekar	Assistant Engineer (Distribution)	Marali Section	Fail		E	E	07	17
117	117	2286521	Mr. Rajkumar Hanmantrao Kalschetti	Deputy Executive Engineer (Distribution)	Akkalkot Sub Division	Absent		E	E	Ab	Ab
118	118	2239361	Mr. Vijay Dashrath Kambe	Assistant Engineer (Distribution)	SAWARGAON SUB	Pass P-1, E - 2,4		95	78	Ab	45
119	119	2519151	Mr. AJAY BUDHAJI KAMBLE	Assistant Engineer (Distribution)	Nilegaon Section No-I	Pass P-1, E - 2		97	89	Ab	Ab

[Handwritten signature]



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
120	120	2318628	Shri Pankaj Vikas Kambale	Assistant Engineer (Distribution)	Jalgaon District Testing Division	Absent		E	E	Ab	Ab
121	121	2277361	Mr. Vishal Jalindar Kamble	Assistant Engineer (Distribution)	Dhoki Section-II	Fail, E - 2		31	91	01	24
122	122	2621291	Mr. Vishal Milind Kamble	Junior Engineer (Distribution)	Chichgad	E - 1, 2		83	82	Ab	38
123	123	2217911	Mr. Rajendra Govind Kamthe	Deputy Executive Engineer (Distribution)	Vaduj Division	Absent		E	E	Ab	Ab
124	124	2618826	Shri Amar Balaso Kanase	Assistant Engineer (Distribution)	Lote Section	Pass P-1, E - 2, 4		89	89	-	52
125	125	2664925	Shri Vikas Sampat Kanase	Assistant Engineer (Distribution)	Malyan (East) Section	Pass P-1, E - 2, 4		98	93	-	53
126	126	2468972	Mr. MOHAN NIVRUTTI KAPADNE	Assistant Engineer (Distribution)	Ulhasnagar Division No-I	Pass P-1, E - 2		96	86	-	-

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Ekiahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of Paper Paper Paper Paper I II III IV			
127	127	2255260	Mr. Deepak Nivrattirao Karad	Assistant Engineer (Distribution)	Manjarli Urban Section No-II	Fail		E	E	29	E
128	128	2244799	Mr. Manoj Nathrao Karhad	Deputy Executive Engineer (Distribution)	Kalyan Circle No-II	Pass		E	E	46	40
129	129	2273608	Shri Rahul Buddhahushan Karadkar	Assistant Engineer (Distribution)	Vaduj Division	Absent		E	E	Ab	E
130	130	2215519	Mr. Vijay Hiranand Karera	Deputy Executive Engineer (Distribution)	Pachora-I Sub Dn	Fail		E	E	-	38
131	131	2661969	Shri Hrushikesh Ravindra Karambelkar	Assistant Engineer (Distribution)	Ratnagiri Circle	Pass P-1, E - 2		87	79	-	-
132	132	2665140	Shri Umesh Dharmaraj Kasabe	Assistant Engineer (Distribution)	Beed Urban Unit-I	Pass P-1, E - 2		82	46	Ab	33
133	133	2227754	Smt Karuna Sanjay Katkar	Deputy Executive Engineer (Distribution)	Distribution Section	Pass		E	E	E	51

Handwritten signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
134	134	2499223	Mr. SACHIN VIJABRAO KATKAR	Junior Engineer (Distribution)	Wakadi Rural	E - 1, 2		95	73	Ab	Ab
135	135	2240301	Mr. Mahesh Anandrao Katkhede	Assistant Engineer (Distribution)	Akola Sub Division II	E - 3		E	E	45	29
136	136	2522951	Mr. VIKRAM RAMCHANDRA KATOLE	Deputy Executive Engineer (Distribution)	Gondia Division	Fail, E - 1, 2		88	71	Ab	Ab
137	137	2491222	Mrs. Smita Sachin Khade	Junior Engineer (Distribution)	Chandgad Sub-Division	E - 1, 2		94	82	Ab	Ab
138	138	2624281	Shri Sharad Bhojraj Khairkar	Assistant Engineer (Distribution)	Jintur Rural Sub Division	Pass P-1, E - 2		98	86	Ab	Ab
139	139	2620961	Shri Vishal Krishnat Khamkar	Assistant Engineer (Distribution)	Malgund	Pass P-1, E - 2, 4		82	70	-	49
140	140	2670089	Mr. Vipin Sharadrao Khandare	Junior Engineer (Distribution)	Shelu Bazar	E - 1, 2		77	76	Ab	42

Handwritten signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005GCL153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of Paper Paper Paper Paper I II III IV			
141	141	2539896	Mr. Satish Maroti Kharat	Junior Engineer (Distr Sub Division)	Himayatnagar	E - 1,2,4		62	69	Ab	45
142	142	2392062	Miss Alka Bapurao Khare	Junior Engineer (Distr Division-II)	Morshi Sub	Absent		E	E	Ab	Ab
143	143	2273063	Mr. Dipak Prabhudas Khobragade	Assistant Engineer (Distr Section)	Hatkamba	Absent		E	E	Ab	Ab
144	144	2203171	Mr. Ganesh Ramchandra Kinage	Deputy Executive Engineer (Distr)	Kalyan Zone	Fail		E	E	32	E
145	145	2519828	Mr. Vipin Tarachand Koche	Assistant Engineer (Distr Division)	Allapalli	Fail		E	E	Ab	23
146	146	2329832	Mr. Shyam Ramesh Rao Kohale	Assistant Engineer (Distr Division)	Shirur Sub	Absent		E	E	Ab	E
147	147	2204070	Mr. Sandip Sadashiv Kokare	Deputy Executive Engineer (Distr)	Satara Circle	Absent		E	E	Ab	Ab

Handwritten signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSKDC, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of Paper Paper Paper Paper I II III IV			
148	148	2253046	Mr. Deepak Vinayak Kolap	Assistant Engineer (Distr ibution)	Sangli Urban Section	Absent		E	E	Ab	Ab
149	149	2491117	Mr. Amar Dadaso Koli	Deputy Executive Engineer (Distr ibution)	Kodoli Sub- Division	Absent		Ab	Ab	Ab	Ab
150	150	2329492	Mr. Charan Dnyaneshwar Koli	Assistant Engineer (Distr ibution)	Panvel Rural Division	Absent		E	E	Ab	Ab
151	151	2321149	Mr. Santosh Iragonda Kore	Assistant Engineer (Distr ibution)	Jath Rural Section	Pass P-1, E - 2		70	65	Ab	Ab
152	152	2168570	Mr. Guruprasad Vinayak Kosagi	Deputy Executive Engineer (Distr ibution)	Bhandup Urban Zone	Fail		E	E	22	Ab
153	153	2212218	Mr. Vivek Bhimrao Kothare	Deputy Executive Engineer (Distr ibution)	KATOL SUB DN	Fail		E	E	27	E
154	154	2241242	Mr. Nandkishor Premji Kotha	Assistant Engineer (Distr ibution)	BHIWAPUR RURAL DC	E - 4		E	E	11	48

5/11/15



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
155	155	2624559	Mr. Satish Devidas Kotwal	Junior Engineer (Distr Section ibution)	Golegaon (Bhokar)	E - 1		70	40	Ab	Ab
156	156	2202999	Mr. Pramod Wamanrao Kshirsagar	Deputy Executive Engineer (Distr ibution)	Nanded Rural Sub Division	Absent		E	E	Ab	E
157	157	2252082	Mrs. Shubhangi Dhirendra Kshirsagar	Assistant Engineer (Distr ibution)	Pune Rastapeth Testing Division	Fail		E	E	-	25
158	158	2403722	Gauri Girishrao Kulkarni	Junior Engineer (Distr ibution)	Pune Hadapsar Sub Division	E - 4		E	E	15	45
159	159	2512718	Mr. Rajdeep Ramesh Kulkarni	Junior Engineer (Distr ibution)	Kumbhari	E - 1,2		49	51	Ab	Ab
160	160	2259800	Mr. Shirish Raghuraj Kulkarni	Assistant Engineer (Distr Urban Sub ibution)	Osmanabad	E - 2,4		E	75	Ab	48
161	161	2212960	Shri Shripad Uddhav Kulkarni	Deputy Executive Engineer (Distr ibution)	Sangli Urban Division	Fail		E	E	14	28

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
162	162	2372258	Mr. SUDHIR PREMLAL KUMARE	Junior Engineer(Distr Section ibution)	Kumbhar kheda	E - 1		55	25	Ab	26
163	163	2382857	Mr. Manoj Mohanlal Kumavat	Junior Engineer(Distr Section ibution)	Boisar (MIDC)	E - 1,2		93	71	-	-
164	164	2620731	Shri Purushottam Anant Rao Kunjir	Assistant Engineer(Distr Section ibution)	Pune Ramtekadi	Pass P-1, E - 2		76	69	-	-
165	165	2617013	Mr. Amit Eknath Kurangle	Assistant Engineer(Distr Section ibution)	Indapur	Pass P-1, E - 2		76	67	Ab	Ab
166	166	2726483	Nilesh Haridas Kursange	Assistant Engineer(Distr II Section ibution)	Amalner Urban-	Absent		Ab	Ab	Ab	Ab
167	167	2219841	Mr. Anant Vijay Lad	Deputy Executive Engineer(Distr ibution)	Satara Circle	Fail		E	E	Ab	32
168	168	2727382	Deepak Ramkrushna Lade	Junior Engineer(Distr Section ibution)	Asalgaon	E - 1,2		59	65	Ab	Ab

Handwritten signature/initials.



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
169	169	2625946	Mr. Sachin Anandrao Lanjewar	Assistant Engineer (Distribution)	Gangakhed Urban Section	Absent		E	E	Ab	Ab
170	170	2494281	Mr. Manish Pandurang Lasane	Junior Engineer (Distribution)	Shirasdevi Section	Absent		Ab	Ab	Ab	Ab
171	171	2242842	Mr. Pradeep Dnyanoba Latpate	Assistant Engineer (Distribution)	Ratnagiri Testing Division	Fail		E	E	34	26
172	172	2334313	Mr. Dattatray Pralhadrao Lokhande	Assistant Engineer (Distribution)	Ambajogai Division	Pass P-1, E - 2		79	67	01	31
173	173	2242460	Mr. Ramchandra Narayan Londhe	Deputy Executive Engineer (Distribution)	Ajara Sub-Division	Absent		E	E	Ab	-
174	174	2697793	Kanchan Raju Madvi	Assistant Engineer (Distribution)	Karanja Rural Section	Pass P-1, E - 2		59	55	Ab	Ab
175	175	2224658	Mr. Jitendra Suresh Mahajan	Assistant Engineer (Distribution)	Sindhi Colony	Absent		E	E	Ab	E

Handwritten signature and date: 1/11/2008



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
176	176	2587149	Mr. Jitendra Vithoba Mahajan	Deputy Executive Engineer(Distr ibution)	Nasik Rural Testing Division	Fail		E	E	29	E
177	177	2323346	Mr. Milind Eknath Mahajan	Assistant Engineer(Distr ibution)	Vashi Testing Division	Fail		E	E	11	Ab
178	178	2302110	Mr. Nitin Vasantrao Mahajan	Deputy Executive Engineer(Distr ibution)	Shirur Sub Division	Fail		E	E	E	38
179	179	2725827	Rohit Prabhudas Makasare	Junior Engineer(Distr ibution)	Virur Section	Absent		Ab	Ab	Ab	Ab
180	180	2256215	Mr. Amit Baburao Mane	Assistant Engineer(Distr ibution)	Phaltan	Absent		E	E	Ab	Ab
181	181	2503263	Mr. Pratik Bhimrao Mane	Junior Engineer(Distr ibution)	Kosumb Section	E - 1,2		88	69	-	Ab
182	182	2201330	Shri Somnath Keraba Mane	Deputy Executive Engineer(Distr ibution)	Baramati Testing Division	Pass		E	E	41	E

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
183	183	2665590	Kum Pratiksha Kishor Mankar	Assistant Engineer (Distribution)	Ghoti (U) Sec.	Pass P-1, E - 2, 4		97	80	Ab	47
184	184	2495333	Mrs. Madhuri Gunvant Manorkar	Junior Engineer (Distribution)	Gadana Section	E - 1, 2		78	73	Ab	Ab
185	185	2219816	Mr. Santosh Bindurao Marali	Deputy Executive Engineer (Distribution)	Phulewadi Rural Sub-II	Fail, E - 4		E	E	11	52
186	186	2235307	Mr. Sagar Balasaheb Marulkar	Additional Executive Engineer (Distribution)	Osmanabad Testing Sub Division	Pass		E	E	E	46
187	187	2684438	Pooja Arvind Masram	Assistant Engineer (Distribution)	Ner Urban Distribution Centre	Pass P-1, E - 2		64	64	Ab	Ab
188	188	2212277	Mr. Sanjay Sadashiv Matte	Deputy Executive Engineer (Distribution)	Kalmeshwar Sub Division	Fail		E	E	25	E
189	189	2683768	Savita Dulaji Mendake	Assistant Engineer (Distribution)	Pishor Section	Pass P-1, E - 2		92	78	Ab	Ab

189



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
190	190	2446111	Mrs. Kunda Purushottam Meshram	Junior Engineer (Distribution)	Pune St Mary Sub Division	E - 1, 2		90	72	Ab	Ab
191	191	2329204	Mr. Manish Narayan Meshram	Assistant Engineer (Distribution)	Virar Division	Pass P-1		77	E	03	E
192	192	2520494	Mr. Mithun Mahadeo Meshram	Assistant Engineer (Distribution)	Chandrapur Zone	E - 4		E	E	Ab	48
193	193	2236265	Mr. Rajesh Ramdas Meshram	Deputy Executive Engineer (Distribution)	Sailu Sub Division	Fail		E	E	22	E
194	194	2530724	Smt SHUBHANGI PARASHRAM MESHRAM	Assistant Engineer (Distribution)	Sangamner Sub Division I	Pass P-1		81	E	08	E
195	195	2501015	Mr. Suraj Chandan Meshram	Junior Engineer (Distribution)	Chandur Railway Sub Division	E - 1, 2		63	98	-	-
196	196	2401771	Mr. Prakash Balu Mhaskar	Junior Engineer (Distribution)	Boisar (M) Sub Division	E - 1		40	Ab	-	-

10/5



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: anhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
197	197	2422930	Shri Samadhan Kashinath Mhaske	Junior Engineer (Distribution)	Satona Section	Absent		Ab	Ab	Ab	Ab
198	198	2389339	Mr. Gous Moula Mulla	Junior Engineer (Distribution)	Erandoli Section	E - 1,2		79	62	Ab	Ab
199	199	2668653	Mirza Nawaz Baig Riyaz Baig	Assistant Engineer (Distribution)	Malegaon Rural Section	Pass P-1, E - 2		88	73	Ab	42
200	200	2244560	Mr. Mhasu Shahaji Misal	Additional Executive Engineer (Distribution)	Kolhapur Urban Market Yard Division	Absent		E	E	Ab	Ab
201	201	2664950	Mr. Suraj Ankush Mohite	Assistant Engineer (Distribution)	Omarga Urban Section	Pass P-1, E - 2		58	67	Ab	Ab
202	202	2460599	Mr. Gautam Santosh More	Junior Engineer (Distribution)	Vaduj Aundh Sub Division	E - 1,2		71	60	Ab	Ab
203	203	2624231	Miss Nileema Bansilal More	Junior Engineer (Distribution)	Pathri Sub Division	E - 1,2		84	71	Ab	Ab

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
204	204	2428849	Mr. Mahesh Bhagoji Mudhale	Junior Engineer (Distribution)	Shenoli Section	Absent		Ab	E	Ab	Ab
205	205	2274353	Mr. Mahadev Manikrao Munde	Assistant Engineer (Distribution)	Kalyan Rural Division	E - 4		E	E	09	47
206	206	2244551	Mr. Somanath Shripati Munde	Additional Executive Engineer (Distribution)	Beed Testing Sub Division	Fail, E - 4		E	E	26	53
207	207	2319471	Mr. Vinodkumar Dadaji Mungule	Assistant Engineer (Distribution)	Bramhapuri Division	Fail		E	E	13	E
208	208	2698935	Manisha Ganpat Murhe	Assistant Engineer (Distribution)	Pawas Section No.I	Pass P-1, E - 2		82	66	Ab	Ab
209	209	2244845	Mr. Thota Siddharth Vijay Naidu	Additional Executive Engineer (Distribution)	Nagpur Rural Circle	Fail, E - 4		E	E	27	45
210	210	2203014	Mr. Prashant Tarakram Nakhale	Deputy Executive Engineer (Distribution)	Pune Rastapeth Testing Division	Fail		E	E	40	25



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of Paper Paper Paper Paper I II III IV			
211	211	2620138	Shri Kiran Dattatray Narale	Assistant Engineer(DistrRural Section ibution) Mo.II	Kankavali	Absent		Ab	Ab	Ab	Ab
212	212	2725711	Venkatesh Kishtanna Naramwar	Assistant Engineer(DistrIII Unit ibution)	Pachora Urban	Pass P-1, E - 2		95	74	Ab	Ab
213	213	2485397	Miss Shital Annaso Nikam	Junior Engineer(DistrDivision ibution)	Umbraj Sub	Absent		Ab	Ab	Ab	Ab
214	214	2403731	Kum Sayali Babaso Nimbalkar	Junior Engineer(DistrSub Division ibution)	Baramati (R)	Absent		E	E	Ab	Ab
215	215	2525895	Mr. Pawankumar Hiralal Niwate	Assistant Engineer(DistrDivision ibution)	Jalgaon	Absent		E	E	Ab	Ab
216	216	2259851	Mr. Rahul Machindra Palke	Assistant Engineer(DistrKalyaninagar ibution) section	Pune	Fail		E	E	10	-
217	217	2204631	Mr. Sunil Salikram Pande	Deputy Executive Engineer(Distr ibution)	Warud Sub Division I	Fail		E	E	41	Ab

24/11/17



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
218	218	2246741	Shri Yogesh Shripadrao Pande	Assistant Engineer (Distribution)	Wardha Division	Fail		E	E	18	28
219	219	2658186	Shri Shyamkumar Suresh Pappu	Assistant Engineer (Distribution)	Deori Division (Gondia)	Pass P-1, E - 2		97	60	Ab	Ab
220	220	2620197	Miss Chhaya Pramod Parab	Assistant Engineer (Distribution)	Sub-Division Deogad	Absent		E	E	Ab	Ab
221	221	2328381	Mr. Nitin Prakash Pralkar	Assistant Engineer (Distribution)	Mangrulpir Rural-I	Pass		E	E	E	50
222	222	2321157	Mr. Govind Vijay Paranjape	Assistant Engineer (Distribution)	Sangli Urban Madhavnagar Sub Division	Pass P-1, E - 2		63	49	Ab	Ab
223	223	2665794	Mr. Ganesh Suresh Parikh	Assistant Engineer (Distribution)	Omanabad Testing Sub Division	Pass P-1, E - 2, 4		86	60	Ab	46
224	224	2211424	Mr. Prasad Madhukar Pathak	Deputy Executive Engineer (Distribution)	Jalna Circle	Fail		E	E	26	E

13/2



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Paper Paper Paper Paper I II III IV
225	225	2255693	Mr. Bhausaheb Prakash Patil	Additional Executive Engineer(Distr ibution)	Nashik	Absent		E E Ab E
226	226	2254395	Mr. Gopal Shriram Patil	Deputy Executive Engineer(Distr ibution)	Ganeshkhind Urban Circle	Absent		E E Ab E
227	227	2388146	Mr. SANDIP SHARAD PATIL	Junior Engineer(Distr ibution)	Maskwad Section	E - 1,2		94 65 Ab Ab 40
228	228	2240165	Mr. Sanjay Shankar Patil	Additional Executive Engineer(Distr ibution)	Pune Rastapeth Testing Division	Pass		E E E 49
229	229	2489350	Mr. TUSHAR VYANKAT PATIL	Junior Engineer(Distr ibution)	U-I S/Dn. Jalgaon.	Absent		Ab Ab Ab Ab
230	230	2239281	Mr. YOGESH LAXMIKANT PATIL	Assistant Engineer(Distr ibution)	Raver Urban Section	Absent		E E Ab Ab
231	231	2241331	Mr. Hemant Pralhad Pawade	Additional Executive Engineer(Distr ibution)	Yavatmal Circle	Absent		E E Ab Ab

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
232	232	2401746	Mr. ANIL ANANT PAWAR	Junior Engineer (Distribution)	Mangaoon Sub Division	E - 1, 2		98	75	Ab	Ab
233	233	2521199	Shri Kirankumar Bhaulal Pawar	Assistant Engineer (Distribution)	Phulambri Section	Pass P-1, E - 2		79	71	Ab	Ab
234	234	2272377	Mr. Shailesh Krishnarao Pawar	Assistant Engineer (Distribution)	Mulund Lok Everest Section	Fail		E	E	21	E
235	235	2401533	Miss Varsha Mahesh Pawar	Junior Engineer (Distribution)	Nesari Sub-Division	Absent		Ab	Ab	Ab	Ab
236	236	2206650	Mr. Vasant Dada Petkar	Deputy Executive Engineer (Distribution)	Distribution Section	Absent		E	E	Ab	Ab
237	237	2531887	Mr. Amol Moreshwarrao Pingale	Assistant Engineer (Distribution)	Parli Urban-II	Fail		E	E	01	E
238	238	2231387	Mr. Ganesh Vishwanath Powar	Assistant Engineer (Distribution)	Sangli Urban Ambedkar Road Section	Absent		E	E	Ab	E

3 PM



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
239	239	2499487	Mr. Aditya Pramod Prabhudesai	Junior Engineer (Distribution)	Margasani Section	Absent		Ab	Ab	Ab	Ab
240	240	2488621	Miss Anuja Dipak Punde	Junior Engineer (Distribution)	Panchgani Sub Division	E - 1, 2		98	82	-	-
241	241	2535351	Shri Manoj Krushnaji Puri	Assistant Engineer (Distribution)	Adarshnagar	Pass P-1, E - 2		97	86	Ab	Ab
242	242	2181754	Mr. Niteen Sabaji Raghatwan	Deputy Executive Engineer (Distribution)	Pen Testing Division	Pass		E	E	69	E
243	243	2506092	Miss Ashwini Ashoksing Rajput	Junior Engineer (Distribution)	Miraj Rural Sub Division No. II	E - 1, 2		98	72	Ab	Ab
244	244	2223457	Mr. Mangalsing Machindrasing Rajput	Deputy Executive Engineer (Distribution)	Rastapeth Urban Circle	Absent		E	E	Ab	E
245	245	2226367	Shri Motiram Balasaheb Rakh	Deputy Executive Engineer (Distribution)	Lanja Sub Division	Fail		E	E	18	40

Signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
246	246	2530759	Miss Ashwini Dhanraj Ramteke	Assistant Engineer (Distribution)	Nerul Division	Pass P-1, E - 2		98	73	Ab	Ab
247	247	2406845	Mr. Siddhant Murlidhar Ramteke	Junior Engineer (Distribution)	Kurkheda Urban Section	Absent		Ab	Ab	-	-
248	248	2527791	Shri Manish Wasudeo Rathod	Assistant Engineer (Distribution)	Mangrulpir Rural-II	Pass P-1, E - 2		70	64	Ab	24
249	249	2312956	Shri Yogesh Raoji Rathod	Assistant Engineer (Distribution)	Akola-Fuse Call Centre No. VIII	E - 4		E	E	07	54
250	250	2242877	Shri Balasaheb Dattarao Raut	Assistant Engineer (Distribution)	Puntamba Section (sanganer)	E - 4		E	E	Ab	73
251	251	2211050	Mr. Dilip Ramchandra Raut	Deputy Executive Engineer (Distribution)	Lakhandur Sub Division	Absent		E	E	Ab	E
252	252	2513978	Mr. Sanket Ravindra Raut	Junior Engineer (Distribution)	Chincholi Section	E - 1, 2, 4		95	86	Ab	62

Handwritten signature



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
253	253	2210193	Mr. Nitin Badrinarayan Rawade	Deputy Executive Engineer (Distribution)	Akola Rural Division	Fail, E - 4		E	E	01	47
254	254	2499240	Mrs. Varsha Tippana Rokade	Junior Engineer (Distribution)	Purandar Section	E - 1,2		98	75	-	-
255	255	2498219	Mrs. Vaishali Pravin Sakhare	Junior Engineer (Distribution)	Bhatghar Section	E - 1,2		83	73	-	-
256	256	2620065	Miss Jagruti Priyanka Jawaharlal Salunke	Assistant Engineer (Distribution)	Nandurbar Circle	Pass P-1, E - 2,4		93	79	06	74
257	257	2258854	Mr. Ganesh Shriram Samrutwar	Assistant Engineer (Distribution)	Bramhapuri Urban Section	Fail		E	E	Ab	36
258	258	2401649	Mr. Rahul Ekanath Sanap	Junior Engineer (Distribution)	Devapur Section	E - 1,2		83	53	Ab	Ab
259	259	2301130	Mr. Ravindra Shivaji Sangale	Assistant Engineer (Distribution)	Office of Director Finance	Fail		E	E	05	33

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
260	260	2492903	Mr. Umakant Prakash Sapkale	Deputy Executive Engineer (Distribution)	Pen Circle	Fail, E - 1,2		82	73	Ab	Ab
261	261	2498502	Shri DIGAMBAR GOVINDA SAVDEKAR	Junior Engineer (Distribution)	Ganeshnagar Section	E - 1,2		52	66	Ab	Ab
262	262	2623684	Mr. Abhijeet Daulat Sawant	Assistant Engineer (Distribution)	Panvel Rural Division	Pass P-1, E - 2		90	89	Ab	Ab
263	263	2242389	Mr. Vaibhav Vilas Sawant	Assistant Engineer (Distribution)	Ratnagiri Urban Section No. I	E - 4		E	E	26	45
264	264	2301890	Mr. Amar Najir Shaikh	Deputy Executive Engineer (Distribution)	Osmanabad Circle	Fail, E - 1,2,4		81	78	10	68
265	265	2254875	Mr. Imran Ahmed Shaikh	Assistant Engineer (Distribution)	Juni Dombivli Urban Section	E - 4		E	E	31	75
266	266	2399822	Miss Archana Gangadhar Sharma	Junior Engineer (Distribution)	Wardha Urban Sub Division.	E - 1,2		98	80	-	-

1-1



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
267	267	2485117	Mr. DINESH CHIMAN SHELAR	Assistant Engineer (Distribution)	Kharghar Rly Station	Pass P-1, E - 2		89	64	-	-
268	268	2640619	Shri Vinayak Anandrao Shelke	Assistant Engineer (Distribution)	Akola Fuse Call Centre No. IV	Pass P-1, E - 2		87	71	Ab	Ab
269	269	2332396	Mr. Pravin Arjun Shetage	Assistant Engineer (Distribution)	Ajara Section No I	Absent		E	E	Ab	Ab
270	270	2485427	Mr. PARSHWANATH SHIVNATH SHINDE	Assistant Engineer (Distribution)	Brandol Sub Division	Pass P-1, E - 4		65	38	00	45
271	271	2234262	Mr. Kirankumar Parshuram Shinde	Additional Executive Engineer (Distribution)	Material Management Cell	Fail		E	E	18	E
272	272	2329425	Mr. Prashant Baburao Shinde	Assistant Engineer (Distribution)	Load Management Cell	Fail		E	E	14	E
273	273	2728753	Mr. Prashant Suryakant Shinde	Assistant Engineer (Distribution)	Mangrul Section	Absent		Ab	Ab	Ab	Ab

Handwritten signature and date: 10/11/2015



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: anhrefam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
274	274	2200309	Mr. Sanjay Chandrakant Shinde	Deputy Executive Engineer(Distribution)	Satara Circle	Absent		E	E	Ab	Ab
275	275	2203073	Mr. Vilas Ramchandra Shirke	Deputy Executive Engineer(Distribution)	Pune Bhore Sub Division	Fail, E - 4		E	E	35	66
276	276	2669013	Mr. Praful Laxman Shrirame	Assistant Engineer(Distribution)	Anand Section	Pass P-1, E - 2		62	52	Ab	Ab
277	277	2330369	Mr. Vinay Sudarshan Singh	Additional Executive Engineer(Distribution)	Vasai Circle	Pass		E	E	46	E
278	278	2391180	Mr. Chetan Sudhakar Sonar	Junior Engineer(Distribution)	Nashirabad Rural Unit	Absent		E	E	Ab	Ab
279	279	2404621	Shri Mohan Namdev Sonawane	Junior Engineer(Distribution)	Kurha PN Section	E - 1, 2		75	74	Ab	Ab
280	280	2229021	Mr. Vitthal Biru Sonawane	Assistant Engineer(Distribution)	Pimpalgaon (R-Strl) Sec.	Absent		E	E	Ab	Ab

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Paper Paper Paper Paper I II III IV			
281	281	2324377	Mr. Bhimrao Gangadhar Sonkamble	Assistant Engineer(Distr Zone-V Unit ibution)	Nanded Urban	Pass P-1, E - 2, 4		75	62	Ab	67
282	282	2532999	Mr. Sagar Shankar Saraje	Assistant Engineer(Distr Division ibution)	Sawantwadi Sub	Absent		Ab	-	-	-
283	283	2488787	Mr. Amit Dilip Sulakshane	Junior Engineer (Distr ibution)	Dheku Section	E - 1		71	Ab	Ab	Ab
284	284	2216540	Mr. Vijay Murlidharrao Suradkar	Deputy Executive Engineer (Distr Division ibution)	Aurangabad Testing Division	Absent		E	E	Ab	Ab
285	285	2466716	Shri Avinash Dayaneshwar Suryawanshi	Assistant Engineer (Distr Circle ibution)	Amravati	E - 4		E	E	22	66
286	286	2531909	Shri Chandrashekhhar Shyamrao Suryawanshi	Assistant Engineer (Distr Section ibution)	Loni Urban	Absent		E	Ab	Ab	E
287	287	2524660	Mr. SUDARSHAN VISHWASRAO SURYAWANSHI	Assistant Engineer (Distr ibution)	Sonambe Sec.	Pass P-1, E - 2, 4		81	60	06	65

Handwritten signature and initials at the bottom right of the page.



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
288	288	2621843	Mr. Vikas Parasharam Suryawanshi	Junior Engineer (Distr-I II ibution)	Malkapur Rural-III Section	E - 1,2		81	59	Ab	Ab
289	289	2332370	Mr. Naeem Shahabuddin Sutar	Assistant Engineer (Distr No II ibution)	Ajara Section	Absent		E	E	Ab	Ab
290	290	2649331	Mr. Vikramaditya Bhojraj Tadas	Assistant Engineer (Distr Call Centre ibution) No.XII	Akola-Fuse	Absent		Ab	Ab	Ab	Ab
291	291	2401312	Mr. AJAY MUNAPAKHA TADAVI	Junior Engineer (Distr ibution)	Savda S/Dn.	E - 1,2,4		65	50	Ab	65
292	292	2325390	Mr. Yadurao Daji Tale	Assistant Engineer (Distr ibution)	Sangli Circle	Pass P-1, E - 2		92	75	Ab	Ab
293	293	2724090	Ajaybabu Vijay Tayade	Junior Engineer (Distr ibution)	Varha Section	E - 1,2		74	62	Ab	Ab
294	294	2400219	Shri Sushil Rambhau Tayde	Junior Engineer (Distr Division-I ibution)	Morshi Sub	Fail		E	E	00	E

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
295	295	2491346	Mr. Nikhil Moreswar Thape	Assistant Engineer(Distr ibution)	Akola-Fuse Centre No. VII	Pass P-1, E - 2, 4		98	77	30	50
296	296	2255634	Mr. Ashutosh Bhimrao Thorat	Assistant Engineer(Distr ibution)	Saswad Urban Section	E - 4		E	E	Ab	51
297	297	2212722	Mr. Deepak Damodhar Thorat	Deputy Executive Engineer (Distr ibution)	Gagan Bawada Sub-Division	Absent		E	E	Ab	E
298	298	2499614	Mr. SUSHANT RAMCHANDRA THORAT	Junior Engineer (Distr ibution)	Karjat Sub Division	E - 1, 2		75	47	Ab	Ab
299	299	2659832	Shri Vaibhav Prakash Thore	Junior Engineer (Distr ibution)	Jamkhed S/Dn.	E - 1, 2, 4		89	74	Ab	73
300	300	2538989	Mr. Chetan Sadashiv Tikale	Junior Engineer (Distr ibution)	Pune Saswad Sub Division	E - 1, 2		67	48	-	-
301	301	2627159	Shri Pawankumar Ganesh Tikar	Assistant Engineer (Distr ibution)	Washim Rural West	Pass P-1, E - 2		78	84	Ab	Ab

1/11/20



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: ambrexams@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Paper Paper Paper Paper	Paper I	Paper II	Paper III	Paper IV
302	302	2616947	Mrs. Manisha Baburao Ubale	Assistant Engineer(DistrDivision ibution)	Kannad	Pass P-1, E - 2		98	82	Ab	Ab	Ab
303	303	2244225	Shri Rajesh Jagdeo Umbarkar	Assistant Engineer(DistrCall Centre ibution)	Akola-Fuse	Fail		E	E	04	35	
304	304	2243342	Mr. Damodhar Jivan Urkude	Deputy Executive Engineer(Distr ibution)	BHIWAPUR SUB DN	Fail, E - 4		E	E	15	55	
305	305	2233428	Mrs. Smita Milindsing Vasave	Additional Executive Engineer(Distr ibution)	Internal Reform Cell	Fail		E	E	36	E	
306	306	2244497	Mr. Sushil Hari Vedi	Assistant Engineer(DistrSection ibution)	Dhakephal	Absent		Ab	Ab	Ab	Ab	
307	307	2418886	Shri Chetan Subhash Vispute	Junior Engineer(Distr ibution)	Neri Unit	E - 1,2		66	65	Ab	Ab	
308	308	2274728	Mr. Chetan Pundlik Wade	Additional Executive Engineer(DistrDivision ibution)	Nashik Panchavati Sub	Absent		E	E	Ab	E	

Handwritten signature and date: 10/10/2018



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
309	309	2616891	Shri Ranjit Tukaram Wagh	Assistant Engineer (Distribution)	Pune Gurnanak Section	Absent		E	E	Ab	Ab
310	310	2616408	Shri Sagar Prakash Wagh	Assistant Engineer (Distribution)	Nandurbar Urban Section V	Pass P-1, E - 2		65	62	Ab	Ab
311	311	2270471	Mr. Yuvraj Ramchandra Wagh	Assistant Engineer (Distribution)	Vaduj Aundh Section	Pass P-1, E - 2		40	51	Ab	Ab
312	312	2535343	Mr. Sachin Mahadeo Waghmare	Assistant Engineer (Distribution)	Gondia Division	Pass P-1, E - 2		59	64	Ab	Ab
313	313	2390345	Mr. PAWAN SUDHAKAR WAGHULDE	Junior Engineer (Distribution)	Kochur (Rozoda) Section	E - 1, 2, 4		62	71	Ab	73
314	314	2241790	Mr. Vaibhav Chandramohan Waidande	Assistant Engineer (Distribution)	Kalyan Testing Division-II	Pass P-1		84	E	35	E
315	315	2619806	Mr. Vivek Vitthal Waiphale	Assistant Engineer (Distribution)	Kudal Division	Pass P-1, E - 2		79	68	Ab	Ab

117



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
316	316	2230941	Mr. Ravindra Janrao Wandile	Additional Executive Engineer (Distribution)	Distribution Section	Absent		E	E	Ab	Ab
317	317	2208717	Mr. Ajay Ankat Wani	Deputy Executive Engineer (Distribution)	Shrirampur Rural Sub Division	Fail		E	E	23	E
318	318	2401223	Mr. Umesh Govind Wani	Junior Engineer (Distribution)	Vidgaon	E - 1,2		43	48	01	Ab
319	319	2231093	Mr. Pravin Ramdas Ware	Deputy Executive Engineer (Distribution)	Savantwadi Sub Division	Fail		E	E	14	42
320	320	2665549	Mr. Kaustubh Suresh Wasave	Assistant Engineer (Distribution)	Kudal (U)	Pass P-1, E - 2		76	92	Ab	Ab
321	321	2665425	Mr. Praful Purushottam Welekar	Assistant Engineer (Distribution)	Deori	Pass P-1, E - 2,4		72	89	Ab	48
322	322	2662779	Shri Prashant Sahadev Yadav	Assistant Engineer (Distribution)	Satara MIDC	Pass P-1, E - 2,4		66	70	Ab	65

[Handwritten signature]



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
323	323	2326078	Mr. Vishwajeet Venkatesh Yenge	Assistant Engineer (Distribution)	Pargav Section	Absent		E	E	Ab	Ab
324	324	2500299	Shri Pravin Jaideo Yesankar	Assistant Engineer (Distribution)	Nandurbar	Absent		Ab	Ab	Ab	Ab
325	325	2323281	Mr. Zafar Akbar Nazir Akbar	Assistant Engineer (Distribution)	Vitar Phulpada Section No-I	Pass P-1, E - 2		41	64	Ab	Ab
326	326	2148714	Mr. Durgesh Dayaram Salunkhe	Deputy Executive Engineer (Distribution)	Dhule UCR Division	Absent		E	E	Ab	E
327	327	2339889	Shri Pramod Madhukar Rakh	Deputy Executive Engineer (Distribution)	Beed Circle	Fail, E - 1, 2, 4		71	83	14	66
328	328	2200724	Mr. Ashok Ratnapal Narwade	Deputy Executive Engineer (Distribution)	Kalyan Circle No-I	Fail, E - 4		E	E	05	46
329	329	2408201	Mr. Mangesh Ramdas Taksande	Assistant Engineer (Distribution)	Chandrapur	Pass P-1		52	E	Ab	Ab

Handwritten signature and date: 10/11/2011



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
330	330	2406161	Miss Sushama Muralidhar Turukmane	Junior Engineer (Distr ibution)	Phulambri Sub Division	E - 2		38	64	Ab	Ab
331	331	2153084	Mr. Girish Narayan Bhagat	Additional Executive Engineer (Distr ibution)	Pune Nagar Road Sub Division	Fail		E	E	27	E
332	332	2662108	Shri Dipak Shivaji Sonawane	Junior Engineer (Distr ibution)	Rajur Rural Section II	E - 1,2		76	81	Ab	Ab
333	333	2494108	Mr. Nilesh Arunrao Gulhane	Junior Engineer (Distr ibution)	Anjangaon Bari Section	E - 1,2		70	77	Ab	Ab
334	334	2409534	Mr. Rahul Siddharth Nakhale	Junior Engineer (Distr ibution)	Jiwati Sub Division	E - 1,2		58	59	-	-
335	335	2454203	Mr. Vinod Rama Bhalme	Junior Engineer (Distr ibution)	Jiwati Section	E - 1,2		81	71	-	-
336	336	2497956	Mr. Mohanish Arun Yenpreddiwar	Junior Engineer (Distr ibution)	Korpna Section	E - 1,2		60	58	-	-

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
337	337	2217422	Shri Pramod Shrihari Ambhore	Deputy Executive Engineer (Distribution)	Lakhani Sub Division	Absent		E	E	Ab	E
338	338	2685141	Mohit Suresh Deore	Assistant Engineer (Distribution)	Takali Dhokeshwar Section	Pass P-1, E - 2, 4		81	71	Ab	79
339	339	2502615	Mr. Chandrashekhar Ambadas Shrirao	Junior Engineer (Distribution)	Purnanagar Section	E - 1, 2		72	57	-	-
340	340	2325349	Mr. Shrikant Ravindra Tayde	Assistant Engineer (Distribution)	Sangrampur Sub Division (Khamgaon)	Pass P-1, E - 2		45	55	Ab	Ab
341	341	2318105	Mr. NITIN KAMLA KAR SAWANTDESAI	Assistant Engineer (Distribution)	Ratnagiri Testing Division	Fail		E	E	15	40
342	342	2253941	Mr. Sudhir Uddhavrao Kelkar	Deputy Executive Engineer (Distribution)	Miraj Rural Sub Division	Absent		E	E	Ab	E
343	343	2489139	Mr. Dnyandeo Daji Lad	Junior Engineer (Distribution)	Lote Sub Division	Absent		Ab	Ab	Ab	Ab

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager(T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046(Exam Cell)

ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of Paper Paper Paper Paper I II III IV			
344	344	2620952	Smt Sumaiyya Rafik Jamadar	Assistant Engineer (Distr Distribution)	Rajapur Sub Division No-II	Pass P-1, E - 2		83	82	Ab	Ab
345	345	2408066	Mr. Gajendra Anandrao Kurlwar	Junior Engineer (Distr Distribution)	Maregaon Sub Division	Absent		Ab	Ab	Ab	Ab
346	346	2484692	Mr. Prashant Jagdish Malke	Junior Engineer (Distr Distribution)	Pandhar Kawada Sub Division.	Absent		Ab	Ab	Ab	Ab
347	347	2504987	Mr. Sasneh Wasudeorao Wasekar	Junior Engineer (Distr Distribution)	Umri Centre	Absent		Ab	Ab	Ab	Ab
348	348	2621801	Mr. Bhausaheb Laxman Salunke	Junior Engineer (Distr Distribution)	Maregaon (R) Centre	Absent		Ab	Ab	Ab	Ab
349	349	2621819	Miss Manisha Anil Burande	Junior Engineer (Distr Distribution)	Patanbori Centre	Absent		Ab	Ab	Ab	Ab
350	350	2210991	Mr. Vinayak Vasant Rao Shinde	Deputy Executive Engineer (Distr Distribution)	Akola Zone	Pass		E	E	47	E

Handwritten signature/initials



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008

Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of			
								Paper I	Paper II	Paper III	Paper IV
351	351	2252805	Mr. Avinash Baliram Patil	Assistant Engineer (Distribution)	Khamgaon	Absent		E	E	Ab	Ab
352	352	2620677	Miss SHUBHANGI KIRAN KOKATE	Assistant Engineer (Distribution)	Virar Division	Pass P-1, E - 2, 4		92	82	-	65
353	353	2330661	Mr. Kaustubh Ravindra Acharya	Additional Executive Engineer (Civil)	Nashik	Fail, E - 1, 2, 4		33	44	Ab	76
354	354	2589222	Mr. Bharat Madhukar Anjankar	Assistant Engineer (Civil)	Nagpur CCM Circle	E - 1, 2, 4		46	43	Ab	71
355	355	2325586	Mr. Navnath Dattatraya Atole	Deputy Executive Engineer (Civil)	Bhandup Civil Division	Fail		E	E	27	E
356	356	2565374	Mr. Suresh Sudhakar Birajdar	Assistant Engineer (Civil)	Aurangabad	E - 1, 2, 4		32	41	Ab	62
357	357	2565382	Mr. Dinkar Janardhan Dumane	Assistant Engineer (Civil)	Aurangabad Sub Division	E - 1, 2, 4		33	40	Ab	62

[Handwritten signature]



ISO 9001:2008
Email: amhrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Paper I	Marks of Paper II	Marks of Paper III	Marks of Paper IV
358	358	2470683	Mr. Santosh Uttamrao Lale	Junior Engineer (Civil Sub Division)	Jalna Civil	E - 1, 2		29	43	Ab	Ab
359	359	2622980	Shri Dhiraaj Angatrao Lawange	Junior Engineer (Civil Sub Division)	Nanded Civil	E - 1, 2, 4		34	39	Ab	52
360	360	2619636	Shri Qamruddin Yousufddin Mohammad	Assistant Engineer (Civil Division)	Nanded Civil	E - 1, 2, 4		37	42	05	56
361	361	2499801	Mr. ASIF IQBAL SHAIKH HUSSAIN MOHD	Junior Engineer (Civil Sub Division)	Nanded Civil	E - 1, 2, 4		31	33	Ab	56
362	362	2302861	Mr. Vijendra Vinayak Mule	Executive Engineer (Civil Division)	Jalgaon Civil	Fail		E	E	22	E
363	363	2327732	Mr. Pankaj Sursing Suryawanshi	Deputy Executive Engineer (Civil)	Pen Civil Sub-Division	Fail, E - 2, 4		Ab	40	Ab	67
364	364	2495848	Mr. Manmath Gurudas Swami	Assistant Engineer (Civil Sub Division)	Jalna Civil	E - 1, 2		31	40	Ab	42



(A Govt. of Maharashtra Undertaking)
CIN: U40109MH2005SGC153645

Office of Chief General Manager (T&S)
Institute of Training & Safety,
MSEDCL, Chummary No.1, NTPS Colony,
Eklahare, Nashik (M.S.) 422105
Phone No: 0253-2810046 (Exam Cell)

ISO 9001:2008
Email: ambrexam@gmail.com

Sr.no	Roll Num	Employee Number	Employee Name	Designation	Place of Working	Result	Remarks	Marks of Marks of Marks of Marks of Paper Paper Paper Paper I II III IV			
365	365	2514141	Shri Imran Mashir Syed	Deputy Executive Engineer (Civil)	Jalgaon Civil Division	E - 4		Ab	Ab	01	52
366	366	2261723	Mr. Pravinkumar Manohar Thorat	Additional Executive Engineer (Civil)	Jalgaon Civil Division	Absent		Ab	Ab	Ab	Ab
367	367	2619628	Shri Shivkumar Maharudra Vishwasrao	Assistant Engineer (Civil)	Manded Civil Division	E - 1,2,4		20	41	00	57

The result is available on websites of the Company. Necessary entries may please be taken in service book and HRMS data of the concerned employees on the basis of result published on Internet.

Dy. GENERAL MANAGER (HR) T&S
EKLAHARE

2100 K 501 241