

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113015 / LOKPRIYA

Feeder No / Name : 201 / RACHANA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6878     | .7316     | .7602     | .7316     | .7421     | .7865     | .7499     |
| 2    | .5792     | .7316     | .6516     | .7316     | .6697     | .7316     | .695      |
| 3    | .5618     | .6401     | .5792     | .6401     | .6154     | .6767     | .6219     |
| 4    | .5079     | .6401     | .5792     | .6401     | .5792     | .6401     | .5487     |
| 5    | .5079     | .5487     | .5611     | .5487     | .5792     | .6036     | .5121     |
| 6    | .4887     | .5487     | .543      | .5487     | .5249     | .5487     |           |
| 7    | .4706     | .4572     | .4706     | .5487     | .5068     | .5121     | .4755     |
| 8    | .4706     | .4572     | .4706     | .4755     | .4706     | .4755     | .4572     |
| 9    | .4572     | .4525     | .4572     | .4706     | .4755     | .4572     | .4572     |
| 10   | .4572     | .3982     | .4572     | .4525     | .4755     | .4572     | .4207     |
| 11   | .4572     | .4163     | .4207     | .4344     | .439      | .4755     | .4163     |
| 12   | .4024     | .3982     | .4024     | .4163     | .4024     | .4755     | .3982     |
| 13   | .4024     | .3982     | .4207     | 1.1946    | .439      | .4755     | .3982     |
| 14   | .4572     | .4344     | .4572     | .4344     | .439      | .4938     | .3982     |
| 15   | .4572     | .4706     | .4572     | .4525     | .5304     | .5121     | .4525     |
| 16   | .4207     | .4344     | .4572     | .4344     | .5121     | .5304     | .4163     |
| 17   | .3658     | .4163     | .4572     | .4163     | .4572     | .4755     | .3982     |
| 18   | .3658     | .3982     | .4207     | .4163     | .4024     | .4207     | .417      |
| 19   | .4572     | .4706     | .4572     | .4344     | .4572     | .4572     | .4344     |
| 20   | .5487     | .5611     | .5487     | .5611     | .5121     | .5487     | .5068     |
| 21   | .5853     | .5973     | .6401     | .6335     | .6219     | .5853     | .5249     |
| 22   | .6584     | .6878     | .7316     | .6697     | .6584     | .695      | .6335     |
| 23   | .823      | .5973     | .823      | .7783     | .7865     | .7682     | .7964     |
| 24   | .8361     | .823      | .8507     | .823      | .8145     | .8413     | .823      |
| Max  | .8361     | .823      | .8507     | 1.1946    | .8145     | .8413     | .823      |
| Min  | .3658     | .3982     | .4024     | .4163     | .4024     | .4207     | .3982     |
| Avg  | .5178     | .5296     | .5448     | .5786     | .5463     | .5685     | .5197     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113015 / LOKPRIYA

Feeder No / Name : 202 / UDAYSHREE FEEDER

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.3167    | .4572     | .7059     | 2.5606    | 2.4977    | 2.4691    | 2.3777    |
| 2    | 2.1719    | .4572     | .6335     | 2.2862    | 2.2081    | 2.268     | 2.2314    |
| 3    | 1.8823    | .3658     | .5792     | 2.1033    | 1.9728    | 2.0302    | 2.0851    |
| 4    | 1.6651    | .3658     | .5611     | 1.829     | 1.8642    | 1.8656    | 1.8839    |
| 5    | 1.5927    | .2743     | .5249     | 1.6461    | 1.7375    | 1.7375    | 1.7193    |
| 6    | 1.6       | .2743     | .5249     | 1.5546    | 1.5384    | 1.5181    | 1.5912    |
| 7    | 1.4404    | .2926     | .5249     | 1.4632    | 1.448     | 1.4449    | 1.4632    |
| 8    | 1.3937    | .2926     | .4706     | 1.3717    | 1.5384    | 1.3535    | 1.5181    |
| 9    | 1.3717    | .3077     | .4527     | 1.4661    | 1.5912    | 1.4632    | 1.4632    |
| 10   | 1.5546    | .2896     | .4755     | 1.5023    | 1.6095    | 1.5546    | 1.5912    |
| 11   | 1.6461    | .2534     | .4755     | 1.5384    | 1.701     | 1.6644    | 1.5565    |
| 12   | 1.5546    | .2715     | .4938     | 1.6108    | 1.701     | 1.7375    | 1.5746    |
| 13   | 1.5546    | .2896     | 1.6461    | 1.5927    | 1.6827    | 1.7924    | 1.5746    |
| 14   | 1.5546    | .3258     | 1.829     | 1.7194    | 1.829     | 1.8107    | 1.5746    |
| 15   | 1.7375    | .3077     | 1.9204    | 1.828     | 1.8473    | 1.8839    | 1.6651    |
| 16   | 1.5546    | .2896     | 1.9204    | 1.6832    | 1.7375    | 1.9022    | 1.6289    |
| 17   | 1.6461    | .2534     | 1.7375    | 1.5746    | 1.6461    | 1.7558    | 1.4661    |
| 18   |           | .2534     | .4207     | 1.5565    | 1.5912    | 1.6095    | 1.4998    |
| 19   | .3109     | .5249     | 1.7375    | 1.7194    | 1.7193    | 1.7375    | 1.5697    |
| 20   | .3658     | .6154     | 1.9204    | 1.9909    | 1.9936    | 1.8839    | 1.7737    |
| 21   | .4024     | .6516     | 2.0119    | 2.0271    | 1.957     | 1.8656    | 1.9185    |
| 22   | .4755     | .724      | 2.2862    | 2.1719    | 2.2131    | 2.1216    | 2.0271    |
| 23   | .5487     | .7964     | 2.652     | 2.5882    | 2.4508    | 2.4874    | 2.4977    |
| 24   | 2.8035    | .5487     | .7964     | 2.652     | 2.6968    | 2.652     | 2.5789    |
| Max  | 2.8035    | .7964     | 2.652     | 2.652     | 2.6968    | 2.652     | 2.5789    |
| Min  | .3109     | .2534     | .4207     | 1.3717    | 1.448     | 1.3535    | 1.4632    |
| Avg  | 1.4410    | .3951     | 1.1375    | 1.8348    | 1.8655    | 1.8587    | 1.7846    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113015 / LOKPRIYA

Feeder No / Name : 203 / JANTA MARKET FEEDER

Feeder KV- 11 / OUTGOING

| DATE | 21-MAY-18 |
|------|-----------|
| HR   | Load (MW) |
| 16   | .1524     |
| Max  | .1524     |
| Min  | .1524     |
| Avg  | .1524     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113015 / LOKPRIYA

Feeder No / Name : 205 / 11KV SARVAMANGAL

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8326     | .9145     | .8688     | .9145     | .8688     | .8596     | .8962     |
| 2    | .724      | .9145     | .7602     | .823      | .7602     | .823      | .8413     |
| 3    | .6516     | .823      | .724      | .823      | .6878     | .7499     | .7865     |
| 4    | .6368     | .823      | .6697     | .6401     | .6878     | .695      | .7316     |
| 5    | .5792     | .7316     | .6335     | .6401     | .6697     | .6401     | .6584     |
| 6    | .5792     | .7316     | .5792     | .5487     | .5611     | .5853     | .5853     |
| 7    | .5249     | .5487     | .5068     | .4938     | .543      | .5487     | .5121     |
| 8    | .5068     | .5487     | .5611     | .5487     | .543      | .5304     | .5487     |
| 9    | .5487     | .4887     | .5487     | .5068     | .5487     | .5304     | .5121     |
| 10   | .4938     | .5068     | .5487     | .5068     | .5487     | .5304     | .5121     |
| 11   | .5121     | .543      | .5121     | .5068     | .6036     | .5853     | .4887     |
| 12   | .4938     | .4887     | .5304     | .5249     | .5487     | .5853     | .5249     |
| 13   | .5121     | .5068     | .5121     | .5249     | .5304     | .5853     | .543      |
| 14   | .5121     | .5068     | .5487     | .543      | .5853     | .567      | .5068     |
| 15   | .5487     | .5068     | .5487     | .5792     | .5853     | .6036     | .543      |
| 16   | .5487     | .543      | .5487     | .5792     | .567      | .6219     | .5249     |
| 17   | .5487     | .5249     | .5487     | .5611     | .5487     | .5487     | .4887     |
| 18   | .5487     | .5249     | .5487     | .5068     | .5304     | .5121     | .5068     |
| 19   | .5487     | .5973     | .5487     | .5611     | .6219     | .5853     | .5068     |
| 20   | .6584     | .7421     | .6401     | .6697     | .6584     | .6401     | .5973     |
| 21   | .7316     | .7421     | .7316     | .6697     | .695      | .695      | .6899     |
| 22   | .7316     | .8326     | .823      | .7421     | .8048     | .7865     | .7783     |
| 23   | .9145     | .9593     | .9145     | .8688     | .8962     | .8779     | .9412     |
| 24   | .9643     |           | .9593     | 1.0059    | .9593     | .9511     | .9877     |
| Max  | .9643     | .9593     | .9593     | 1.0059    | .9593     | .9511     | .9877     |
| Min  | .4938     | .4887     | .5068     | .4938     | .5304     | .5121     | .4887     |
| Avg  | .6188     | .6543     | .6382     | .6370     | .6481     | .6516     | .6338     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113015 / LOKPRIYA

Feeder No / Name : 206 / RCF

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.1199    | 2.2862    | 2.2081    | 2.6139    | 2.2443    | 2.3285    | 2.4025    |
| 2    | 1.9004    | 2.1033    | 1.9547    | 2.2862    | 2.009     | 2.1068    | 2.2731    |
| 3    | 1.7375    | 1.848     | 1.828     | 2.1033    | 1.8461    | 1.9404    | 2.0328    |
| 4    | 1.6804    | 1.6804    | 1.7556    | 1.829     | 1.7556    | 1.7926    | 1.9035    |
| 5    | 1.5565    |           | 1.6289    | 1.6632    | 1.6832    | 1.6448    | 1.7741    |
| 6    | 1.5332    | 1.4784    | 1.5565    | 1.5708    | 1.5384    | 1.4415    | 1.5524    |
| 7    | 1.3756    | 1.386     | 1.4118    | 1.3717    | 1.3937    | 1.386     | 1.423     |
| 8    |           | 1.386     | 1.3937    | 1.386     | 1.2851    | 1.3491    | 1.423     |
| 9    | 1.2936    | 1.3213    | 1.386     | 1.267     | 1.3306    | 1.386     | 1.3491    |
| 10   | 1.2936    | 1.3032    | 1.386     | 1.3032    | 1.46      | 1.423     | 1.3491    |
| 11   | 1.2936    | 1.2127    | 1.2936    | 1.267     | 1.386     | 1.3676    | 1.1403    |
| 12   | 1.2136    | 1.1765    | 1.2936    | 1.2308    | 1.3121    | 1.3676    | 1.1839    |
| 13   |           | 1.2308    | 1.386     | 1.2489    | 1.3121    | 1.386     | 1.1584    |
| 14   | 1.2012    | 1.267     | 1.386     | 1.3032    | 1.4266    | 1.4415    | 1.2203    |
| 15   | 1.2936    | 1.3756    | 1.5708    | 1.3575    | 1.4969    | 1.5524    | 1.3817    |
| 16   | 1.2936    | 1.3032    | 1.4784    | 1.267     | 1.46      | 1.5154    | 1.2308    |
| 17   | 1.2012    | 1.1584    | 1.2936    | 1.2127    | 1.386     | 1.46      | 1.1765    |
| 18   | 1.2012    | 1.1584    | 1.2012    | 1.2308    | 1.2986    | 1.386     | 1.2127    |
| 19   | 1.307     | 1.3394    | 1.4784    | 1.3575    | 1.423     | 1.5154    | 1.2962    |
| 20   | 1.6632    | 1.6108    | 1.7556    | 1.5927    | 1.4632    | 1.6263    | 1.5565    |
| 21   | 1.7556    | 1.7918    | 1.9404    | 1.828     | 1.7924    | 1.848     | 1.6832    |
| 22   | 2.0328    | 2.0271    | 2.2177    | 2.0814    | 1.9936    | 2.0144    | 1.9185    |
| 23   | 2.4025    | 2.4796    | 2.5873    | 2.3167    | 2.3228    | 2.3101    | 2.3348    |
| 24   | 2.4874    | 2.4949    | 2.4796    | 2.7721    | 2.4615    | 2.4949    | 2.5688    |
| Max  | 2.4874    | 2.4949    | 2.5873    | 2.7721    | 2.4615    | 2.4949    | 2.5688    |
| Min  | 1.2012    | 1.1584    | 1.2012    | 1.2127    | 1.2851    | 1.3491    | 1.1403    |
| Avg  | 1.5835    | 1.5834    | 1.6613    | 1.6442    | 1.6284    | 1.6702    | 1.6061    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113015 / LOKPRIYA

Feeder No / Name : 207 / LOKPRIYA S/STN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0943     | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     |
| 2    | .0943     | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     |
| 3    | .0943     |           | .0943     | .0953     | .0943     | .0953     | .0953     |
| 4    | .0953     | .0953     | .0943     |           | .0943     | .0953     | .0953     |
| 5    | .0953     | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     |
| 6    | .0953     | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     |
| 7    | .0943     | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     |
| 8    | .0953     | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     |
| 9    | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0953     |
| 10   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0953     |
| 11   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0943     |
| 12   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0943     |
| 13   | .0953     |           | .0953     | .0943     | .0953     | .0953     | .0943     |
| 14   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0943     |
| 15   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0943     |
| 16   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0943     |
| 17   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0943     |
| 18   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0943     |
| 19   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0943     |
| 20   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0943     |
| 21   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0943     |
| 22   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0943     |
| 23   | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     | .0943     |
| 24   | .0943     | .0953     | .0943     | .0953     | .0943     | .0953     | .0953     |
| Max  | .0953     | .0953     | .0953     | .0953     | .0953     | .0953     | .0953     |
| Min  | .0943     | .0943     | .0943     | .0943     | .0943     | .0953     | .0943     |
| Avg  | .0951     | .0947     | .0949     | .0946     | .0949     | .0953     | .0948     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113015 / LOKPRIYA

Feeder No / Name : 208 / BHANDUP STATION

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.647     | 2.3777    | 2.8597    | 2.0119    | 1.8461    | 1.701     | 1.7558    |
| 2    | 1.5203    | 2.2862    | 2.6063    | 1.829     | 1.647     | 1.6095    | 1.6461    |
| 3    | 1.4291    | 2.1033    | 2.2805    | 1.7375    | 1.5746    | 1.4998    | 1.5546    |
| 4    | 1.2308    | 1.829     | 2.2262    | 1.5546    | 1.5023    | 1.4449    | 1.4632    |
| 5    | 1.2308    | 1.6461    | 2.0633    | 1.4632    | 1.4118    | 1.3717    | 1.39      |
| 6    | 1.1946    | 1.6461    | 1.9728    | 1.4632    | 1.3575    | 1.2803    | 1.3169    |
| 7    | 1.2021    | 1.5546    | 1.8823    | 1.2803    | 1.2851    | 1.2437    | 1.2254    |
| 8    | 1.1946    | 1.5546    | 1.8642    | 1.5546    | 1.2308    | 1.2071    | 1.262     |
| 9    | 1.0974    | 1.4661    | 1.829     | 1.1946    | 1.1888    | 1.1888    | 1.2254    |
| 10   | 1.1888    | 1.4842    | 1.829     | 1.2851    | 1.2254    | 1.1706    | 1.2803    |
| 11   | 1.1888    | 1.4299    | 1.829     | 1.267     | 1.1523    | 1.2254    | 1.1222    |
| 12   | 1.0974    | 1.5023    | 1.829     | 1.2489    | 1.1888    | 1.2254    | 1.1403    |
| 13   | 1.0974    | 1.5203    | 1.2803    |           | 1.1523    | 1.2437    | 1.1403    |
| 14   | 1.0974    | 1.5384    | 1.2803    | 1.267     | 1.2254    | 1.2986    | 1.1946    |
| 15   | 1.1888    | 1.5384    | 1.2803    | 1.3937    | 1.2986    | 1.3717    | 1.3032    |
| 16   | 1.0974    | 1.5203    | 1.2803    | 1.2851    | 1.2437    | 1.2986    | 1.2323    |
| 17   | 1.0974    | 1.4118    | 1.2803    | 1.1946    | 1.2071    | 1.262     | 1.1647    |
| 18   | .9145     | 1.4842    | 1.1888    | 1.1584    | 1.1706    | 1.2254    | 1.1222    |
| 19   | 1.0059    | 1.9004    | 1.3717    | 1.3213    | 1.3169    | 1.3352    | 1.1584    |
| 20   | 1.829     | 2.1719    | 1.5546    | 1.4661    | 1.4632    | 1.4632    | 1.3756    |
| 21   | 1.9204    | 2.4072    | 1.6461    | 1.6289    | 1.5364    | 1.4815    | 1.4784    |
| 22   | 2.1033    | 2.5882    | 1.829     | 1.7013    | 1.6461    | 1.6827    | 1.5746    |
| 23   | 2.524     | 3.0226    | 2.1033    | 1.9909    | 1.8473    | 1.8656    | 1.9206    |
| 24   | 1.7918    | 2.5606    | 3.1131    | 2.1033    | 1.9909    | 1.9204    | 1.9753    |
| Max  | 2.524     | 3.0226    | 3.1131    | 2.1033    | 1.9909    | 1.9204    | 1.9753    |
| Min  | .9145     | 1.4118    | 1.1888    | 1.1584    | 1.1523    | 1.1706    | 1.1222    |
| Avg  | 1.3704    | 1.8560    | 1.8450    | 1.4957    | 1.4045    | 1.4007    | 1.3759    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113015 / LOKPRIYA

Feeder No / Name : 209 / BHANDUPESHWAR KUND

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3395     | .5601     | .6036     | .5601     | .6413     | .5788     | .6348     |
| 2    | .3174     | .5601     | .5658     | .5487     | .5847     | .5788     | .5975     |
| 3    | .3206     | .4668     | .5658     | .4668     | .547      | .5041     | .5601     |
| 4    | .321      | .4668     | .547      | .4668     | .547      | .4668     | .5601     |
| 5    | .3018     | .3734     | .547      | .3734     | .547      | .4668     | .5228     |
| 6    | .2829     | .3734     | .5093     | .3734     | .4904     | .4294     | .5228     |
| 7    | .2452     | .4108     | .4527     | .4108     | .4715     | .4108     | .4668     |
| 8    |           | .4108     | .4527     | .4024     | .415      | .4108     | .4108     |
| 9    | .2241     | .3961     | .4294     | .4338     | .4108     | .3921     | .4108     |
| 10   | .2054     | .3772     | .3734     | .3772     | .3921     | .3921     | .3921     |
| 11   | .2241     | .3772     | .3547     | .3772     | .3734     | .4294     | .3772     |
| 12   | .2054     | .3584     | .3921     | .3584     | .3734     | .4294     | .362      |
| 13   | .2241     | .3772     | .4108     | .3772     | .4108     | .4294     | .3961     |
| 14   | .2427     | .3961     | .4108     | .3772     | .4108     | .4481     | .4338     |
| 15   | .2614     | .3982     | .4668     | .415      | .4108     | .4481     | .4527     |
| 16   | .2427     | .3772     | .4668     | .3961     | .4294     | .4481     | .415      |
| 17   | .2427     | .3961     | .3734     | .3961     | .3921     | .4108     | .415      |
| 18   | .2054     | .3584     | .3734     | .3772     | .3734     | .3734     | .415      |
| 19   | .4294     | .4715     | .4668     | .4338     | .4108     | .4854     | .415      |
| 20   | .5041     | .547      | .5601     | .547      | .5228     | .5228     | .5093     |
| 21   | .5601     | .6036     | .5601     | .5658     | .5601     | .5601     | .5658     |
| 22   | .6535     | .6413     | .6535     | .6036     | .6348     | .6161     | .6036     |
| 23   | .6535     | .679      | .5601     | .6602     | .6535     | .6535     | .679      |
| 24   | .3584     | .6535     | .679      | .6535     | .679      | .6535     | .6908     |
| Max  | .6535     | .679      | .679      | .6602     | .679      | .6535     | .6908     |
| Min  | .2054     | .3584     | .3547     | .3584     | .3734     | .3734     | .362      |
| Avg  | .3289     | .4596     | .4906     | .4563     | .4867     | .4808     | .4920     |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113016 / AMFORGE

Feeder No / Name : 201 / MAHAVIR-1

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2743     | .3258     | .3429     | .2743     | .2915     | .3086     | .3086     |
| 2    | .2743     | .2743     | .2915     | .2743     | .2401     | .3086     | .2743     |
| 3    | .2572     | .2401     | .2572     | .2401     | .2229     | .2572     | .2572     |
| 4    | .2229     | .2401     | .2058     | .2401     | .2058     | .2229     | .2229     |
| 5    | .2229     | .2058     | .2058     | .2058     | .2058     | .2058     | .2229     |
| 6    | .2229     | .1886     | .2058     | .2058     | .2229     | .2058     | .2058     |
| 7    | .2058     | .2229     | .2229     | .2401     | .2572     | .2743     | .2058     |
| 8    | .2229     | .2229     | .2229     | .2229     | .2058     | .2229     | .1886     |
| 9    | .3086     | .2401     | .2401     | .2058     | .2915     | .2229     | .2229     |
| 10   | .1886     | .2572     | .3429     | .1715     | .3086     | .2572     | .2229     |
| 11   | .1715     | .2229     | .2058     | .1715     | .2229     | .2229     | .1372     |
| 12   | .1886     | .1715     | .2229     | .1715     | .2572     | .3086     | .1372     |
| 13   | .2229     | .2229     | .1886     | .2401     | .2572     | .2572     | .1372     |
| 14   | .1715     | .1715     | .1886     | .2058     | .2401     | .2229     | .1543     |
| 15   | .1715     | .1543     | .1715     | .1886     | .2572     | .2401     | .1715     |
| 16   | .1886     | .1543     | .2058     | .1715     | .2058     | .2401     | .1715     |
| 17   | .1715     | .2229     | .1886     | .1715     | .2572     | .2229     | .1372     |
| 18   | .1886     | .2058     | .1715     | .2229     | .2058     | .2229     | .1372     |
| 19   | .2058     | .1886     | .2058     | .1715     | .2572     | .2401     | .1886     |
| 20   | .2743     | .2572     | .2915     | .2401     | .2401     | .2572     | .2229     |
| 21   | .2401     | .2743     | .2743     | .2229     | .2572     | .2401     | .2229     |
| 22   | .2572     | .2572     | .3086     | .2915     | .3086     | .2743     | .2572     |
| 23   | .3086     | .3429     | .3601     | .3429     |           | .3086     | .3086     |
| 24   | .3429     | .3086     | .3258     | .3601     | .3258     | .3429     | .3258     |
| Max  | .3429     | .3429     | .3601     | .3601     | .3258     | .3429     | .3258     |
| Min  | .1715     | .1543     | .1715     | .1715     | .2058     | .2058     | .1372     |
| Avg  | .2293     | .2322     | .2436     | .2272     | .2498     | .2536     | .2101     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113016 / AMFORGE

Feeder No / Name : 202 / ANGEL

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2058     | .1886     | .2058     | .2229     | .1886     | .2058     | .2058     |
| 2    | .1715     | .1715     | .1886     | .1886     | .1543     | .1886     | .1886     |
| 3    | .1715     | .1543     | .1715     | .1715     | .1372     | .1715     | .1715     |
| 4    | .1543     | .1543     | .1543     | .1543     | .1372     | .1715     | .1715     |
| 5    | .1543     | .1543     | .1543     | .1029     | .1372     | .1543     | .1543     |
| 6    | .1543     | .1372     | .1543     | .1543     | .1543     | .1543     | .1543     |
| 7    | .1372     | .1372     | .1372     | .1372     | .1372     | .1372     | .1372     |
| 8    | .1372     | .1372     | .1372     | .1372     | .1372     | 1.5947    | .1543     |
| 9    | .1372     | .1372     | .1372     | .1543     | .1372     | .1372     | .1372     |
| 10   | .1372     | .1372     | .1372     | .1372     | .1372     | .1372     | .1372     |
| 11   | .1372     | .1372     | .1372     | .1372     | .1715     | .1543     | .1372     |
| 12   | .1372     | .1372     | .1372     | .1543     | .1372     | .1543     | .1543     |
| 13   | .1372     | .1372     | .1372     | .1372     | .1372     | .1372     | .1372     |
| 14   | .1372     | .1372     | .1543     | .1372     | .1372     | .1372     | .1372     |
| 15   | .1372     | .1372     | .1715     | .1372     | .1543     | .1029     | .1372     |
| 16   | .1372     | .1372     | .1372     | .1372     | .1543     | .1715     | .1372     |
| 17   | .1543     | .1715     | .1543     | .1543     | .1543     | .1886     | .1543     |
| 18   | .1543     | .1372     | .1372     | .1543     | .1372     | .1543     | .1372     |
| 19   | .1372     | .1543     | .1372     | .1543     | .1715     | .1543     | .1543     |
| 20   | .1543     | .1715     | .1543     | .1543     | .1886     | .1715     | .1543     |
| 21   | .1715     | .1543     | .1715     | .1715     | .1715     | .1715     | .1715     |
| 22   | .1543     | .1886     | .1715     | .1886     | .1715     | .1886     | .1715     |
| 23   | .2401     | .2401     | .2229     | .2401     | .2229     | .2229     | .2401     |
| 24   | .2401     | .2572     | .2401     | .2401     | .2572     | .2572     | .2401     |
| Max  | .2401     | .2572     | .2401     | .2401     | .2572     | 1.5947    | .2401     |
| Min  | .1372     | .1372     | .1372     | .1029     | .1372     | .1029     | .1372     |
| Avg  | .1579     | .1586     | .1601     | .1608     | .1593     | .2258     | .1615     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113016 / AMFORGE

Feeder No / Name : 204 / J BHARAT

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.0919    | 2.0748    | 2.1948    | 2.1948    | 2.2462    | 2.2291    | 2.1262    |
| 2    | 1.869     | 1.8519    | 2.0405    | 1.989     | 2.0748    | 2.0062    | 1.9204    |
| 3    | 1.7661    | 1.8004    | 1.9204    | 1.8861    | 1.9204    | 1.9204    | 1.869     |
| 4    | 1.749     | 1.7147    | 1.8176    | 1.8347    | 1.8347    | 1.8519    | 1.8176    |
| 5    | 1.6975    | 1.6632    | 1.7318    | 1.8004    | 1.7661    | 1.7833    | 1.7833    |
| 6    | 1.6461    | 1.6289    | 1.6804    | 1.7147    | 1.7147    | 1.7318    | 1.749     |
| 7    | 1.5947    | 1.6632    | 1.6804    | 1.749     | 1.6975    | 1.6632    | 1.6804    |
| 8    | 1.6461    | 1.6118    | 1.6289    | 1.6461    | 1.7147    | 1.5947    | 1.6461    |
| 9    | 1.6289    | 1.5775    | 1.5947    | 1.6289    | 1.6975    | 1.6118    | 1.6632    |
| 10   | 1.5432    | 1.5604    | 1.6118    | 1.5604    | 1.6632    | 1.6632    | 1.5604    |
| 11   | 1.5947    | 1.5947    | 1.5947    | 1.5604    | 1.6461    | 1.7318    | 1.5604    |
| 12   | 1.5432    | 1.5775    | 1.5947    | 1.5775    | 1.6461    | 1.749     | 1.5604    |
| 13   | 1.5261    | 1.5775    | 1.6289    | 1.5947    | 1.6804    | 1.7147    | 1.5775    |
| 14   | 1.5947    | 1.5947    | 1.7661    | 1.6118    | 1.6461    | 1.749     | 1.6118    |
| 15   | 1.5947    | 1.6289    | 1.6975    | 1.6461    | 1.749     | 1.869     | 1.6289    |
| 16   | 1.5432    | 1.3546    | 1.6118    | 1.5947    | 1.6804    | 1.8004    | 1.5775    |
| 17   | 1.4575    | 1.5604    | 1.5432    | 1.5432    | 1.6118    | 1.7318    | 1.5261    |
| 18   | 1.5089    | 1.5604    | 1.5432    | 1.5261    | 1.5947    | 1.6289    | 1.4575    |
| 19   | 1.6975    | 1.6975    | 1.7318    | 1.7661    | 1.8004    | 1.8176    | 1.749     |
| 20   | 2.0576    | 2.0748    | 2.0062    | 2.0576    | 2.0576    | 1.989     | 2.0576    |
| 21   | 2.1262    | 2.1262    | 2.1434    | 2.1434    | 2.1434    | 2.0576    | 2.0919    |
| 22   | 2.1605    | 2.1434    | 2.1262    | 2.2291    | 2.1948    | 2.1262    | 2.1605    |
| 23   | 2.2634    | 2.332     | 2.4177    | 2.4006    | 2.3491    | 2.3663    | 2.3491    |
| 24   | 2.332     | 2.3663    | 2.4006    | 2.4177    | 2.452     | 2.4348    | 2.3663    |
| Max  | 2.332     | 2.3663    | 2.4177    | 2.4177    | 2.452     | 2.4348    | 2.3663    |
| Min  | 1.4575    | 1.3546    | 1.5432    | 1.5261    | 1.5947    | 1.5947    | 1.4575    |
| Avg  | 1.7597    | 1.7640    | 1.8211    | 1.8197    | 1.8576    | 1.8676    | 1.7954    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113016 / AMFORGE

Feeder No / Name : 206 / PANNALAL

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.5377    | 2.5206    | 2.6406    | 2.7435    | 2.692     | 2.7263    | 2.6578    |
| 2    | 2.3834    | 2.3663    | 2.4348    | 2.4691    | 2.4348    | 2.5206    | 2.5206    |
| 3    | 2.2805    | 2.2462    | 2.3148    | 2.332     | 2.3663    | 2.3834    | 2.4006    |
| 4    | 2.1776    | 2.2119    | 2.1948    | 2.2805    | 2.2634    | 2.3148    | 2.3148    |
| 5    | 2.1434    | 2.1776    | 2.1091    | 2.2291    | 2.1948    | 2.2462    | 2.2462    |
| 6    | 2.0919    | 2.1091    | 2.0748    | 2.2291    | 2.1434    | 2.1776    | 2.1776    |
| 7    | 2.0233    | 2.0405    | 2.0405    | 2.1091    | 2.0919    | 2.0576    | 2.0919    |
| 8    | 2.0233    | 2.1091    | 2.1948    | 2.1262    | 2.1091    | 2.0576    | 2.1434    |
| 9    | 2.2119    | 2.2805    | 2.3834    | 2.4691    | 2.332     | 2.1262    | 2.3834    |
| 10   | 2.6749    | 2.6578    | 2.692     | 2.7778    | 2.6406    | 2.2805    | 2.7435    |
| 11   | 2.7435    | 2.6063    | 2.7092    | 2.7949    | 2.7092    | 2.4863    | 2.8464    |
| 12   | 2.7435    | 2.8121    | 2.7949    | 2.7435    | 2.915     | 2.5892    | 3.0007    |
| 13   | 2.452     | 2.452     | 2.5206    | 2.4177    | 2.6749    | 2.452     | 2.572     |
| 14   | 2.5549    | 2.6063    | 2.8635    | 2.692     | 2.7092    | 2.5206    | 2.7606    |
| 15   | 2.7606    | 2.8807    | 2.9321    | 2.8464    | 2.9664    | 2.5549    | 2.8635    |
| 16   | 2.6578    | 2.6578    | 2.7435    | 2.7435    | 2.7606    | 2.4177    | 2.7606    |
| 17   | 2.6578    | 2.6235    | 2.6578    | 2.692     | 2.6749    | 2.2634    | 2.692     |
| 18   | 2.5206    | 2.5206    | 2.4691    | 2.5377    | 2.6063    | 2.0405    | 2.5892    |
| 19   | 2.6578    | 2.5377    | 2.5206    | 2.6063    | 2.6406    | 2.1434    | 2.6063    |
| 20   | 2.7606    | 2.7263    | 2.7092    | 2.8635    | 2.8292    | 2.3663    | 2.8635    |
| 21   | 2.5377    | 2.6749    | 2.5377    | 2.6749    | 2.6406    | 2.452     | 2.6235    |
| 22   | 2.5892    | 2.6578    | 2.692     | 2.6063    | 2.6578    | 2.6406    | 2.6749    |
| 23   | 2.7949    | 2.8464    | 2.915     | 2.8635    |           | 2.8464    | 2.915     |
| 24   | 2.7435    | 2.7606    | 2.7949    | 2.9321    | 2.8807    | 2.8807    | 2.7778    |
| Max  | 2.7949    | 2.8807    | 2.9321    | 2.9321    | 2.9664    | 2.8807    | 3.0007    |
| Min  | 2.0233    | 2.0405    | 2.0405    | 2.1091    | 2.0919    | 2.0405    | 2.0919    |
| Avg  | 2.4884    | 2.5034    | 2.5392    | 2.5742    | 2.5623    | 2.3977    | 2.5927    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113016 / AMFORGE

Feeder No / Name : 207 / NEHA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4403    | 1.4403    | 1.5604    | 1.5604    | 1.5432    | 1.5947    | 1.5261    |
| 2    | 1.3717    | 1.3375    | 1.4746    | 1.4232    | 1.4746    | 1.4403    | 1.3889    |
| 3    | 1.3203    | 1.2517    | 1.3889    | 1.3546    | 1.4403    | 1.4232    | 1.3375    |
| 4    | 1.2174    | 1.2174    | 1.3375    | 1.3203    | 1.4232    | 1.3717    | 1.3032    |
| 5    | 1.2174    | 1.1831    | 1.286     | 1.286     | 1.3546    | .2058     | 1.2003    |
| 6    | 1.2517    | 1.166     | 1.2517    | 1.2689    | 1.3203    | 1.3032    | 1.286     |
| 7    | 1.166     | 1.166     |           | 1.2003    | 1.2003    | 1.2003    | 1.166     |
| 8    | 1.2003    | 1.2003    | 1.2003    | 1.2346    | 1.2517    | 1.2174    | 1.2517    |
| 9    | 1.3375    | 1.3032    | 1.3717    | 1.5089    | 1.4232    | 1.2689    | 1.4918    |
| 10   | 1.5775    | 1.5432    | 1.6118    | 1.6118    | 1.6118    | 1.3717    | 1.6461    |
| 11   | 1.7318    | 1.7318    | 1.7318    | 1.8004    | 1.7318    | 1.5089    | 1.749     |
| 12   | 1.7661    | 1.6975    | 1.7661    | 1.7147    | 1.7318    | 1.5604    | 1.749     |
| 13   | 1.6461    | 1.6804    | 1.6289    | 1.6461    | 1.6975    | 1.4746    | 1.5432    |
| 14   | 1.6975    | 1.7147    | 1.7147    | 1.6804    | 1.749     | 1.4403    | 1.6975    |
| 15   | 1.6289    | 1.7661    | 1.7318    | 1.6461    | 1.8004    |           | 1.6632    |
| 16   | 1.6975    | 1.7318    | 1.7661    | 1.7147    | 1.7833    | 1.4403    | 1.6804    |
| 17   | 1.6118    | 1.6975    | 1.6289    | 1.5947    | 1.7147    | 1.3717    | 1.6804    |
| 18   | 1.5947    | 1.7318    | 1.6975    | 1.6975    | 1.6975    | 1.3375    | 1.6461    |
| 19   | 1.6632    | 1.6461    | 1.6632    | 1.7661    | 1.6632    | 1.4575    | 1.6804    |
| 20   | 1.6804    | 1.749     | 1.7318    | 1.7661    | 1.749     | 1.4403    | 1.7833    |
| 21   | 1.6289    | 1.6975    | 1.6461    | 1.6804    | 1.6975    | 1.5089    | 1.6632    |
| 22   | 1.5947    | 1.6289    | 1.6118    | 1.6804    | 1.6118    | 1.4918    | 1.6118    |
| 23   | 1.6632    | 1.6289    | 1.749     | 1.7147    |           | 1.5947    | 1.6975    |
| 24   | 1.6461    | 1.5604    | 1.6804    | 1.7147    | 1.7147    | 1.8176    | 1.6461    |
| Max  | 1.7661    | 1.7661    | 1.7661    | 1.8004    | 1.8004    | 1.8176    | 1.7833    |
| Min  | 1.166     | 1.166     | 1.2003    | 1.2003    | 1.2003    | .2058     | 1.166     |
| Avg  | 1.5146    | 1.5196    | 1.5753    | 1.5661    | 1.5820    | 1.3844    | 1.5454    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113016 / AMFORGE

Feeder No / Name : 208 / LODHA IMPERIA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4575    | 1.3889    | 2.4348    | 2.6235    | 1.5775    | 1.4918    | .583      |
| 2    | 1.3717    | 1.286     | 2.1948    | 2.2805    | 1.3717    | 1.3717    | 1.3375    |
| 3    | 1.2174    | 1.166     | 1.9719    | 2.0576    | 1.2517    | 1.2689    | 1.3032    |
| 4    | 1.1831    | 1.1317    | 1.869     | 1.989     | 1.166     | 1.1831    | 1.2689    |
| 5    | 1.1317    | 1.1317    | 1.8004    | 1.9376    | 1.1145    | 1.2003    | 1.166     |
| 6    | 1.1145    | .9945     | 1.7147    | 1.8519    | 1.0974    | 1.0631    | 1.0631    |
| 7    | 1.0631    | 1.0117    | 1.5604    | 1.7147    | 1.0631    | 1.0288    | 1.046     |
| 8    | 1.0288    | 1.0802    | 1.6461    | 1.7661    | 1.166     | 1.0288    | 1.0117    |
| 9    | 1.3203    | 1.2517    | 2.1605    | 2.2634    | 1.3717    | 1.0631    | 1.3889    |
| 10   | 1.4575    | 1.3717    | 2.5377    | 2.6406    | 1.6118    | 1.166     | 1.3717    |
| 11   | 1.4918    | 2.9492    | 2.8807    | 2.9321    | 1.6118    | 1.2174    | 1.5775    |
| 12   | 1.5432    | 2.8807    | 2.9664    | 2.9321    | 1.6461    | 1.3032    | 1.6461    |
| 13   | 1.4746    | 2.7092    | 2.692     | 2.7092    | 1.5775    | 1.3032    | 1.4575    |
| 14   | 1.6118    | 2.8121    | 3.0007    | 2.7263    | 1.749     | 1.2689    | 1.5775    |
| 15   | 1.6289    | 2.9664    | 3.1379    | 2.8635    | 1.749     | 1.2174    | 1.6461    |
| 16   | 1.5604    | 2.7092    | 2.9835    | 2.7606    | 1.6461    | 1.2517    | 1.5604    |
| 17   | 1.4575    | 2.8292    | 2.7949    | 1.5261    | 1.5604    | 1.0974    | 1.4403    |
| 18   | 1.2689    | 2.4863    | 2.6063    | 1.4403    | 1.4232    | 1.0802    | 1.4575    |
| 19   | 1.1831    | 2.332     | 2.4006    | 1.286     | 1.3717    | 1.0974    | 1.2689    |
| 20   | 1.3375    | 2.4348    | 2.4348    | 1.4403    | 1.4403    | 1.2174    | 1.3375    |
| 21   | 1.3375    | 2.2977    | 2.4177    | 1.4232    | 1.406     | 1.2174    | 1.3203    |
| 22   | 1.4232    | 2.2805    | 2.5377    | 1.4403    | 1.3717    | 1.406     | 1.3889    |
| 23   | 1.5604    | 2.7092    | 2.7949    | 1.6461    |           | 1.5775    | 1.5775    |
| 24   | 1.6632    | 1.5432    | 2.7606    | 2.8978    | 1.6461    | 1.5947    | 1.5432    |
| Max  | 1.6632    | 2.9664    | 3.1379    | 2.9321    | 1.749     | 1.5947    | 1.6461    |
| Min  | 1.0288    | .9945     | 1.5604    | 1.286     | 1.0631    | 1.0288    | .583      |
| Avg  | 1.3703    | 1.9897    | 2.4291    | 2.1312    | 1.4344    | 1.2381    | 1.3475    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113016 / AMFORGE

Feeder No / Name : 301 / Auxillary feeder for  
station t Feeder KV- 22 /  
OUTGOING

| DATE | 18-MAY-18 |
|------|-----------|
| HR   | Load (MW) |
| 7    | 1.5775    |
| 8    | 1.4403    |
| Max  | 1.5775    |
| Min  | 1.4403    |
| Avg  | 1.5089    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113022 / DREAMS

Feeder No / Name : 201 / DHEERAJ DREAMS-2

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    |           | .6478     |           |           | 1.2193    |           |
| 8    |           | .7621     | 1.2765    |           |           |           |
| 10   |           |           |           |           | 1.4861    |           |
| 11   |           |           |           |           |           | 2.3815    |
| 12   |           |           |           |           |           | 2.4196    |
| 13   |           |           |           |           |           | 2.4006    |
| 14   |           |           | 5.0298    |           |           | 2.4006    |
| 15   | .9717     |           |           |           |           | 4.9154    |
| 16   | 1.0288    |           |           |           |           | 2.4196    |
| 17   | .8764     |           |           |           |           | 2.3243    |
| 18   | .7811     | 2.0767    | 2.1719    | 2.1338    |           | 2.2291    |
| 19   | .7621     |           |           |           |           | 2.1338    |
| 20   | .7621     |           |           |           |           | 2.0195    |
| 21   | .7049     |           |           |           |           | 1.9052    |
| 22   | .9335     |           |           |           |           |           |
| 23   |           |           | 2.2862    | 1.9814    | 1.829     |           |
| 24   | 1.1431    | .9717     | 2.1148    |           | 2.0957    | 2.1529    |
| Max  | 1.1431    | 2.0767    | 5.0298    | 2.1338    | 2.0957    | 4.9154    |
| Min  | .7049     | .6478     | 1.2765    | 1.9814    | 1.2193    | 1.9052    |
| Avg  | .8849     | 1.1146    | 2.5758    | 2.0576    | 1.6575    | 2.4752    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113022 / DREAMS

Feeder No / Name : 202 / DHEERAJ DREAMS-4

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    |           | .3048     |           |           | .2667     |           |
| 8    |           | .4191     | .362      |           |           |           |
| 10   |           |           |           |           | .362      |           |
| 11   |           |           |           |           |           | .6097     |
| 12   |           |           |           |           |           | .6097     |
| 13   |           |           |           |           |           | .5525     |
| 14   |           |           | .5525     |           |           | .4763     |
| 15   | .4954     |           |           |           |           | .5144     |
| 16   | .5335     |           |           |           |           | .5716     |
| 17   | .5716     |           |           |           |           | .5525     |
| 18   | .5335     | .4763     | .5335     | .5335     |           | .5335     |
| 19   | .4954     |           |           |           |           | .5144     |
| 20   | .9145     |           |           |           |           | .4954     |
| 21   | .4191     |           |           |           |           | .4763     |
| 22   | .4572     |           |           |           |           |           |
| 23   |           |           | .5335     | .4954     | .4954     |           |
| 24   | .4572     | .5144     | .4763     |           | .4954     | .4954     |
| Max  | .9145     | .5144     | .5525     | .5335     | .4954     | .6097     |
| Min  | .4191     | .3048     | .362      | .4954     | .2667     | .4763     |
| Avg  | .5419     | .4287     | .4916     | .5145     | .4049     | .5335     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113022 / DREAMS

Feeder No / Name : 203 / DHEERAJ DREAMS 5

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    |           | .7621     |           |           | .8383     |           |
| 8    |           | .8383     | .8383     |           |           |           |
| 10   |           |           |           |           | .7621     |           |
| 11   |           |           |           |           |           | .381      |
| 12   |           |           |           |           |           | .381      |
| 13   |           |           |           |           |           | .362      |
| 14   |           |           |           |           |           | .4001     |
| 15   | .8002     |           |           |           |           | .381      |
| 16   | .8192     |           |           |           |           | .4763     |
| 17   | .743      |           |           |           |           | .5335     |
| 18   | .6668     | .6287     | .724      | .7621     |           | .5906     |
| 19   | .6287     |           |           |           |           | .6478     |
| 20   | .724      |           |           |           |           | .7049     |
| 21   | .9335     |           |           |           |           | .8002     |
| 22   | 1.2384    |           |           |           |           |           |
| 23   |           |           |           | 1.5242    | 1.467     |           |
| 24   | 1.3717    | 1.3336    | 1.7147    |           | 1.5623    | 1.5432    |
| Max  | 1.3717    | 1.3336    | 1.7147    | 1.5242    | 1.5623    | 1.5432    |
| Min  | .6287     | .6287     | .724      | .7621     | .7621     | .362      |
| Avg  | .8806     | .8907     | 1.0923    | 1.1432    | 1.1574    | .6001     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113022 / DREAMS

Feeder No / Name : 205 / JAM THEATRE

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    |           | 1.9814    |           |           | 1.9433    |           |
| 8    |           | 2.0386    | 2.0195    |           |           |           |
| 10   |           |           |           |           | 2.1719    |           |
| 11   |           |           |           |           |           | 2.0195    |
| 12   |           |           |           |           |           | 2.0005    |
| 13   |           |           | 2.1338    |           |           | 2.0767    |
| 14   |           |           | 2.0576    |           |           | 2.1148    |
| 15   | 2.0576    |           |           |           |           | 2.1148    |
| 16   | 1.9624    |           |           |           |           | 1.9814    |
| 17   | 1.9243    |           |           |           |           | 2.1338    |
| 18   | 1.9243    | 1.9624    | 1.9433    | 2.0195    |           | 2.2862    |
| 19   | 2.2862    |           |           |           |           | 2.4387    |
| 20   | 2.6482    |           |           |           |           | 2.6101    |
| 21   | 2.6863    |           | 1.9433    |           |           | 2.7816    |
| 22   | 2.553     |           |           |           |           |           |
| 23   |           |           | 2.8959    | 2.8197    | 2.6863    |           |
| 24   | 2.5149    | 2.6863    | 2.8006    |           | 2.8197    | 2.8197    |
| Max  | 2.6863    | 2.6863    | 2.8959    | 2.8197    | 2.8197    | 2.8197    |
| Min  | 1.9243    | 1.9624    | 1.9433    | 2.0195    | 1.9433    | 1.9814    |
| Avg  | 2.2841    | 2.1672    | 2.2563    | 2.4196    | 2.4053    | 2.2815    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113022 / DREAMS

Feeder No / Name : 206 / POLICE STATION

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 7    |           | .5525     |           |           | .5335     |           |
| 8    |           | .5906     | .6097     |           |           |           |
| 10   |           |           |           |           | .7621     |           |
| 11   |           |           |           |           |           | 1.6385    |
| 12   |           |           |           |           |           | 1.6385    |
| 13   |           |           |           |           |           | 1.3336    |
| 14   |           |           | 1.5813    |           |           | 1.6004    |
| 15   | 1.7147    |           |           |           |           | 1.5623    |
| 16   | 1.6956    |           |           |           |           | 1.6956    |
| 17   | 1.5623    |           |           |           |           | 1.5051    |
| 18   | 1.4289    | 1.448     | 1.448     | 1.3717    |           | 1.3146    |
| 19   | 1.2955    |           |           |           |           | 1.105     |
| 20   | .9145     |           |           |           |           | .8954     |
| 21   | .7049     |           |           |           |           | .6859     |
| 22   | .6478     |           |           |           |           |           |
| 23   |           |           | .6097     | .6478     | .5144     |           |
| 24   | .6478     | .6668     | .6478     |           | .6478     | .5144     |
| Max  | 1.7147    | 1.448     | 1.5813    | 1.3717    | .7621     | 1.6956    |
| Min  | .6478     | .5525     | .6097     | .6478     | .5144     | .5144     |
| Avg  | 1.1791    | .8145     | .9793     | 1.0098    | .6145     | 1.2908    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113023 / Haryali

Feeder No / Name : 200 / MARATHON

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4287     | .4287     | .4287     |           | .4458     | .4287     | .4287     |
| 2    | .4115     | .4115     | .4115     | .4115     | .4287     | .4115     | .4115     |
| 3    | .3944     | .3772     | .4115     | .3601     | .4115     | .3772     | .3772     |
| 4    | .3601     | .3429     | .3772     | .3429     | .3944     | .3772     | .3601     |
| 5    | .3429     | .3429     | .3429     | .3601     | .3601     | .3601     | .3429     |
| 6    | .3429     | .3258     | .3429     | .3772     | .3601     | .3429     | .3601     |
| 7    | .3429     | .3429     | .3772     | .3772     | .3944     | .3601     | .3772     |
| 8    | .4287     | .3944     | .4115     | .4287     | .4115     | .3772     | .4115     |
| 9    | .3429     | .3601     | .3601     | .3772     | .4458     | .3944     | .3601     |
| 10   | .3429     | .3086     | .3429     | .3601     | .3429     | .3601     | .3429     |
| 11   | .2915     | .2915     | .3258     | .3086     | .3086     | .3258     | .3086     |
| 12   | .2915     | .3086     | .3258     | .3086     | .3086     | .3086     | .3086     |
| 13   | .3086     | .3086     | .3086     | .3086     | .3258     | .3258     | .3258     |
| 14   | .3086     | .3086     | .3086     | .3086     | .3429     | .3429     | .3429     |
| 15   | .3086     | .3086     | .3258     | .3086     | .3086     | .3429     | .3086     |
| 16   | .3086     | .2915     | .2915     | .2915     | .3086     | .3258     | .3086     |
| 17   | .3086     | .3086     | .3086     | .3086     | .3086     | .3258     | .2743     |
| 18   | .3258     | .3086     | .3258     | .3086     | .3086     | .3429     | .3086     |
| 19   | .3429     | .3772     |           | .3601     | .3772     | .3772     | .3772     |
| 20   | .4287     | .4287     | .4287     | .4458     | .4801     | .4287     | .4115     |
| 21   | .4458     | .4458     | .463      | .4287     | .4115     | .4287     | .4458     |
| 22   | .4458     | .4801     | .4801     | .4801     | .4458     | .3944     | .4801     |
| 23   | .4801     | .5144     | .5144     | .5316     | .4801     | .4801     | .4973     |
| 24   | .463      | .4801     | .4801     | .4973     | .4973     | .4801     | .463      |
| Max  | .4801     | .5144     | .5144     | .5316     | .4973     | .4801     | .4973     |
| Min  | .2915     | .2915     | .2915     | .2915     | .3086     | .3086     | .2743     |
| Avg  | .3665     | .3665     | .3780     | .3735     | .3836     | .3758     | .3722     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113023 / Haryali

Feeder No / Name : 201 / 11KV LODHA KANJUR FEEDER

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.2977    | 2.5377    | 2.4348    | 2.4863    | 2.4691    | 2.3834    | 2.332     |
| 2    | 2.0576    | 2.2977    | 2.1948    | 2.332     | 2.3148    | 2.1605    | 2.1434    |
| 3    | 1.989     | 2.0748    | 1.9376    | 2.1262    | 2.1948    | 1.9204    | 2.0919    |
| 4    | 1.7833    | 1.9204    | 1.8347    | 1.9204    | 1.9547    | 1.8347    | 1.9547    |
| 5    | 1.6804    | 1.8176    | 1.6632    | 1.8519    | 1.7147    | 1.749     | 1.8861    |
| 6    | 1.6461    | 1.7318    | 1.6461    | 1.8004    | 1.8004    | 1.8004    | 1.8347    |
| 7    | 1.5947    | 1.6975    | 1.5432    | 1.7147    | 1.6632    | 1.6461    | 1.6804    |
| 8    | 1.6289    | 1.8347    | 1.6118    | 1.6804    | 1.6461    | 1.5775    | 1.7661    |
| 9    | 1.7318    | 1.9547    | 1.8519    | 1.8176    | 1.8519    | 1.6632    | 1.8519    |
| 10   | 1.8004    | 2.1948    | 2.0062    | 1.989     | 1.8519    | 1.8347    | 1.8176    |
| 11   | 1.9204    | 2.2291    |           | 1.9204    | 1.9547    | 1.9204    | 1.8861    |
| 12   | 1.8861    | 2.2634    | 2.0576    | 1.9204    | 1.9547    | 1.9719    | 1.869     |
| 13   | 1.8176    | 2.1948    | 1.5604    | 1.9376    | 1.9204    | 1.9547    | 1.8004    |
| 14   | 1.869     | 2.1605    | 1.5604    | 2.0576    | 2.0233    | 2.0062    | 1.8519    |
| 15   | 1.9547    | 2.332     | 1.5775    | 2.1262    | 2.2291    | 2.2119    | 2.0919    |
| 16   | 1.9376    | 2.452     | 2.0576    | 2.0405    | 2.1776    | 2.1434    | 1.9204    |
| 17   | 1.749     | 2.332     | 1.9033    | 1.8519    | 1.9547    | 1.9376    | 1.8861    |
| 18   | 1.7318    | 1.9547    | 1.8004    | 1.7833    | 1.8861    | 1.869     | 1.6461    |
| 19   | 2.1948    | 2.0919    |           | 1.989     | 2.0576    | 1.8861    | 1.8176    |
| 20   | 2.2805    | 2.2977    | 2.2119    | 2.1262    | 2.1948    | 2.1091    | 1.9204    |
| 21   | 2.3663    | 2.1948    | 2.2977    | 2.1948    | 2.2977    | 2.2291    | 2.1262    |
| 22   | 2.6063    | 2.4006    | 2.4691    | 2.4177    | 2.4177    | 2.4006    | 2.3491    |
| 23   | 2.8807    | 2.6063    | 2.7435    | 2.6406    | 2.332     | 2.5892    | 2.6749    |
| 24   | 2.6406    | 3.1379    | 2.6406    | 2.8464    | 2.7778    | 2.6749    | 2.7092    |
| Max  | 2.8807    | 3.1379    | 2.7435    | 2.8464    | 2.7778    | 2.6749    | 2.7092    |
| Min  | 1.5947    | 1.6975    | 1.5432    | 1.6804    | 1.6461    | 1.5775    | 1.6461    |
| Avg  | 2.0019    | 2.1962    | 1.9820    | 2.0655    | 2.0683    | 2.0198    | 1.9962    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113023 / Haryali

Feeder No / Name : 202 / RAILWAY

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.0233    | 2.8464    |           | 1.9547    | 1.869     | 1.749     | 1.8004    |
| 2    | 1.8176    | 2.572     | 2.332     | 1.6461    | 1.7318    | 1.5775    | 1.6118    |
| 3    | 1.7318    | 2.4348    | 2.1091    | 1.5089    | 1.6289    | 1.4403    | 1.4232    |
| 4    | 1.6289    | 2.2977    | 2.0233    | 1.4232    | 1.5432    | 1.3203    | 1.3375    |
| 5    | 1.5775    | 2.2462    | 1.9719    | 1.3717    | 1.4403    | 1.286     | 1.286     |
| 6    | 1.5432    | 2.1948    | 1.9547    | 1.3375    | 1.3375    | 1.2517    | 1.2517    |
| 7    | 1.5261    | 2.0576    | 1.8176    | 1.3032    | 1.2517    | 1.1488    | 1.1488    |
| 8    | 1.5775    | 2.0233    | 1.9204    | 1.2689    | 1.3032    | 1.1317    | 1.2689    |
| 9    | 1.7661    | 2.2805    | 2.0576    | 1.5261    | 1.5432    | 1.2689    | 1.4746    |
| 10   | 1.9547    | 2.4348    | 2.332     | 1.8004    | 1.8519    | 1.3717    | 1.6804    |
| 11   | 1.989     | 2.4863    | 2.332     | 1.8176    | 1.9204    | 1.4918    | 1.7147    |
| 12   | 2.0233    | 2.5377    | 2.2634    | 1.749     | 1.989     | 1.4403    | 1.6632    |
| 13   | 1.9547    | 2.4348    | 2.4177    | 1.7318    | 1.8347    | 1.4575    | 1.749     |
| 14   | 1.8861    | 2.5034    | 2.3491    | 1.9547    | 1.8519    | 1.4232    | 1.749     |
| 15   | 2.0748    | 2.572     | 2.5377    | 2.0919    | 1.9204    | 1.4918    | 1.8176    |
| 16   | 1.989     | 2.5377    | 1.8861    | 2.0919    | 1.869     | 1.4746    | 1.8861    |
| 17   | 1.7833    | 2.4691    | 1.7661    | 1.749     | 1.749     | 1.4918    | 1.7833    |
| 18   | 1.7147    | 2.1605    | 1.6461    | 1.5432    | 1.5089    | 1.286     | 1.5089    |
| 19   | 2.2291    | 2.0233    |           | 1.5432    | 1.5432    | 1.4403    | 1.4746    |
| 20   | 2.5892    | 2.2805    |           | 1.6975    | 1.6118    | 1.5432    | 1.5432    |
| 21   | 2.6749    | 2.4691    | 1.7833    | 1.6804    | 1.6461    | 1.6289    | 1.6461    |
| 22   | 2.8464    | 2.6063    | 1.8519    | 1.7833    | 1.7318    | 1.6975    | 1.7661    |
| 23   | 3.0521    | 2.7778    | 1.989     | 1.9547    | 1.8176    | 1.8861    | 2.0062    |
| 24   |           | 3.1379    | 2.8121    | 2.0748    | 2.0062    | 1.9547    | 1.9204    |
| Max  | 3.0521    | 3.1379    | 2.8121    | 2.0919    | 2.0062    | 1.9547    | 2.0062    |
| Min  | 1.5261    | 2.0233    | 1.6461    | 1.2689    | 1.2517    | 1.1317    | 1.1488    |
| Avg  | 1.9980    | 2.4327    | 2.1025    | 1.6918    | 1.6875    | 1.4689    | 1.6047    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113023 / Haryali

Feeder No / Name : 204 / KANJUR SIGNAL

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           |           | .0514     | .0514     |
| 2    |           |           |           |           |           | .0514     | .0514     |
| 3    |           |           |           |           |           | .0514     | .0514     |
| 4    |           |           |           |           |           | .0514     | .0514     |
| 5    |           |           |           |           | .0514     | .0514     | .0514     |
| 6    |           |           |           |           | .0514     | .0514     | .0514     |
| 19   |           |           |           | .0514     |           | .0514     | .0514     |
| 20   | .0514     |           | .0514     | .0514     | .0514     | .0514     | .0514     |
| 21   | .0514     | .0514     |           | .0514     | .0514     | .0514     | .0514     |
| 22   | .0514     | .0514     | .0514     | .0514     | .0514     | .0514     | .0514     |
| 23   |           |           |           | .0514     | .0514     | .0514     | .0514     |
| 24   | .0514     |           |           |           |           | .0514     | .0514     |
| Max  | .0514     | .0514     | .0514     | .0514     | .0514     | .0514     | .0514     |
| Min  | .0514     | .0514     | .0514     | .0514     | .0514     | .0514     | .0514     |
| Avg  | .0514     | .0514     | .0514     | .0514     | .0514     | .0514     | .0514     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113030 / 22/11kV Lodha Receiving  
Statio

Feeder No / Name : 200 / LODHA SUPREMUS

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1524     | .1524     | .1509     | .1372     | .1715     | .1715     | .1524     |
| 2    | .1524     | .1524     | .1524     | .1372     | .1524     | .1715     | .1524     |
| 3    | .1524     | .1524     | .1509     | .1372     | .1524     | .1524     | .1524     |
| 4    | .1524     | .1524     | .1509     | .1372     | .1524     | .1524     | .1524     |
| 5    | .1334     | .1524     | .1509     | .1372     | .1524     | .1334     | .1524     |
| 6    | .1524     | .1524     | .1509     | .1372     | .1524     | .1524     | .1524     |
| 7    | .1715     | .1715     | .1886     | .1543     | .1905     | .1524     | .1715     |
| 8    | .2477     | .2667     | .2263     | .2401     | .2477     | .1524     | .2667     |
| 9    | .4572     | .4338     | .3944     | .4763     | .3429     | .1334     | .4572     |
| 10   | .6287     | .5093     | .6001     | .6859     | .4954     | .1524     | .724      |
| 11   | .724      | .6979     | .6859     | .743      | .4763     | .1905     | .7621     |
| 12   | .6287     | .6602     | .6516     | .6859     | .5144     | .1905     | .7049     |
| 13   | .6478     | .679      | .6344     | .6478     | .4382     | .1715     | .6478     |
| 14   | .6097     | .6413     | .5658     | .6478     | .4382     | .1715     | .6478     |
| 15   | .5906     | .6036     | .6001     | .6287     | .4572     | .1905     | .6287     |
| 16   | .6097     | .6036     | .5658     | .6287     | .4191     | .1905     | .6097     |
| 17   | .5906     | .6036     | .6344     | .5906     | .4382     | .2286     | .6478     |
| 18   | .4954     | .5281     | .4973     | .5335     | .381      | .1905     | .5335     |
| 19   | .362      | .3772     | .3601     | .4191     | .362      | .2096     | .4382     |
| 20   | .3048     | .3018     | .2401     | .2858     | .3048     | .2096     | .3429     |
| 21   | .2286     | .2641     | .2058     | .2096     | .2667     | .1905     | .2286     |
| 22   | .2096     | .1886     | .1543     | .1905     | .2286     | .1905     | .1905     |
| 23   | .1715     | .1698     | .1543     | .1715     | .2096     | .2286     | .1905     |
| 24   | .1524     | .1524     | .1698     | .1372     | .1715     | .1905     | .1715     |
| Max  | .724      | .6979     | .6859     | .743      | .5144     | .2286     | .7621     |
| Min  | .1334     | .1524     | .1509     | .1372     | .1524     | .1334     | .1524     |
| Avg  | .3636     | .3653     | .3515     | .3708     | .3048     | .1778     | .3866     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113030 / 22/11kV Lodha Receiving  
StatioFeeder No / Name : 201 / LODHA JOLLY BOARD  
Feeder KV- 11 / OUTGOING

SHEDDABLE URBAN

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2286     | .2096     | .2075     | .1886     | .2477     | .2477     | .2286     |
| 2    | .2286     | .2096     | .2075     | .1886     | .2286     | .2286     | .2286     |
| 3    | .2096     | .2096     | .2075     | .1886     | .2286     | .2286     | .2286     |
| 4    | .2096     | .2096     | .2075     | .1886     | .2096     | .2096     | .2286     |
| 5    | .2286     | .2286     | .2263     | .1886     | .2286     | .2096     | .2286     |
| 6    | .2286     | .2096     | .2263     | .2058     | .2286     | .2286     | .2286     |
| 7    | .4763     | .6668     | .679      | .3944     | .2477     | .2286     | .743      |
| 8    | .5906     | .8954     | .7545     | .7716     | .4572     | .2286     | .6668     |
| 9    | 1.0098    | .9997     | .9259     | 1.0479    | .6478     | .2096     | 1.0669    |
| 10   | 1.105     | 1.1317    | 1.0117    | 1.1431    | .6859     | .2286     | 1.1622    |
| 11   | 1.1622    | 1.1883    | 1.0288    | 1.2193    | .6478     | .2477     | .8192     |
| 12   | 1.1241    | 1.1883    | 1.1145    | 1.2384    | .6287     | .2477     | 1.2765    |
| 13   | .9526     | .7922     | .8573     | .8192     | .5716     | .2477     | 1.2955    |
| 14   | 1.1622    | 1.1883    | 1.0974    | 1.3146    | .7049     | .2667     | 1.1812    |
| 15   | 1.2384    | 1.2071    | 1.166     | .8573     | .6668     | .2477     | 1.1812    |
| 16   | .8573     | 1.1128    | .8059     | 1.3146    | .6668     | .2477     | 1.1622    |
| 17   | 1.1431    | 1.2071    | 1.166     | 1.2955    | .6478     | .2477     | 1.1241    |
| 18   | .7811     | 1.0185    | .8059     | .8192     | .6287     | .2286     | 1.1241    |
| 19   | .6668     | .6036     | .6687     | .6859     | .5335     | .2667     | .7621     |
| 20   | .4001     | .6036     | .463      | .4191     | .3239     | .2667     | .6668     |
| 21   | .3239     | .3584     | .3258     | .3239     | .2858     | .2477     | .362      |
| 22   | .2858     | .2829     | .2572     | .3048     | .2858     | .2286     | .2858     |
| 23   | .2477     | .2641     | .2229     | .2667     | .2477     | .2477     | .2667     |
| 24   | .2286     | .2286     | .2263     | .2572     | .2477     | .2477     | .2286     |
| Max  | 1.2384    | 1.2071    | 1.166     | 1.3146    | .7049     | .2667     | 1.2955    |
| Min  | .2096     | .2096     | .2075     | .1886     | .2096     | .2096     | .2286     |
| Avg  | .6287     | .6756     | .6191     | .6517     | .4374     | .2389     | .6978     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113030 / 22/11kV Lodha Receiving  
Statio

Feeder No / Name : 204 / LODHA AURUM GRANDIES

SHEDDABLE URBAN

FEEDER Feeder KV- 11 /  
OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3239     | .3048     | .2829     | .2743     | .3429     | .3048     | .3429     |
| 2    | .3048     | .3048     | .2641     | .2401     | .3048     | .2858     | .3048     |
| 3    | .2667     | .3048     | .2452     | .2229     | .2858     | .2477     | .2667     |
| 4    | .2477     | .2667     | .2075     | .2229     | .2667     | .2286     | .2667     |
| 5    | .2477     | .2477     | .2075     | .2401     | .2477     | .2286     | .2667     |
| 6    | .2667     | .2667     | .2641     | .2401     | .2667     | .2477     | .2667     |
| 7    | .3048     | .2667     | .2641     | .2743     | .2667     | .2477     | .2477     |
| 8    | .2858     | .4001     | .3018     | .2915     | .2858     | .2667     | .3239     |
| 9    | .2667     | .2641     | .2915     | .2858     | .3048     | .2286     | .2858     |
| 10   | .2477     | .3206     | .2401     | .2858     | .3048     | .3429     | .2858     |
| 11   | .2286     | .3395     | .2401     | .2667     | .3048     | .2477     | .2096     |
| 12   | .2477     | .2452     | .2229     | .2096     | .3048     | .2286     | .2096     |
| 13   | .2477     | .3018     | .2058     | .3048     | .2286     | .2477     | .1905     |
| 14   | .2096     | .1886     | .1886     | .2286     | .2286     | .2096     | .1905     |
| 15   | .2096     | .2263     | .2058     | .2096     | .2667     | .2096     | .1905     |
| 16   | .2096     | .1698     | .1715     | .1905     | .2477     | .2286     | .1905     |
| 17   | .1905     | .1886     | .1543     | .1905     | .2286     | .2096     | .1715     |
| 18   | .1905     | .132      | .1715     | .1905     | .2286     | .1715     | .2096     |
| 19   | .1905     | .1886     | .1715     | .1905     | .2286     | .2096     | .2477     |
| 20   | .2477     | .1886     | .2401     | .2286     | .2477     | .2286     | .2477     |
| 21   | .2667     | .1886     | .2058     | .2477     | .2477     | .2477     | .2667     |
| 22   | .3048     | .2452     | .2743     | .2667     | .2858     | .2477     | .2477     |
| 23   | .362      | .3018     | .3429     | .3429     | .2858     | .3048     | .3429     |
| 24   | .3429     | .3239     | .3018     | .3772     | .3239     | .3239     | .3429     |
| Max  | .362      | .4001     | .3429     | .3772     | .3429     | .3429     | .3429     |
| Min  | .1905     | .132      | .1543     | .1905     | .2286     | .1715     | .1715     |
| Avg  | .2588     | .2573     | .2361     | .2509     | .2723     | .2477     | .2548     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113032 / 22kV Lodha Switching

Feeder No / Name : 300 / 22 KV TOYO/STEEL - II  
Feeder KV- 22 / OUTGOING

SHEDDABLE URBAN

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3048     |           |           |           |           |           |           |
| 2    | .3048     |           |           |           |           |           |           |
| 6    | .3048     |           |           |           |           |           |           |
| 7    | .3048     |           |           | .2743     |           |           |           |
| 8    | .4572     | .5335     | .6097     | .5144     | .381      |           | .5335     |
| 9    | 1.2574    | 1.2955    | 1.0288    | 1.4098    | .6097     | .3429     | 1.2955    |
| 10   | 1.1431    |           | 1.166     | 1.3336    | .9145     | .3429     | 1.2574    |
| 11   | 1.3717    |           | 1.2689    | 1.5623    | .8002     | .6097     | 1.2193    |
| 12   | 1.4098    | 1.5623    | 1.3717    | 1.448     | 1.0669    | .6478     | 1.3717    |
| 13   | 1.2193    |           | 1.2346    | 1.4098    | .8764     | .6097     | 1.0669    |
| 14   | 1.2574    | 1.5242    | 1.3717    | 1.4861    | .8383     | .4954     | 1.2955    |
| 15   | 1.1812    | 1.4335    | 1.2689    | 1.2574    | .8764     | .4954     | 1.1812    |
| 16   | 1.2955    | 1.5242    | 1.3032    | 1.3717    | .7621     | .4572     | 1.1431    |
| 17   | 1.3336    | 1.2574    | 1.2346    | 1.4861    | .6478     | .381      | 1.2955    |
| 18   | 1.1431    | 1.0288    | .9602     | 1.0669    | .4572     | .381      | 1.0288    |
| 19   | .4954     | .6097     | .5144     | .4954     | .4572     | .3048     | .6097     |
| 20   | .4191     | .4954     | .3772     | .4191     | .3048     |           | .5335     |
| 21   | .3429     | .381      | .3429     | .3048     | .3048     |           | .3048     |
| 22   | .3048     | .3048     |           | .3048     | .3048     |           |           |
| 23   | .3048     | .3048     |           |           |           |           |           |
| 24   | .3048     |           |           |           |           |           |           |
| Max  | 1.4098    | 1.5623    | 1.3717    | 1.5623    | 1.0669    | .6478     | 1.3717    |
| Min  | .3048     | .3048     | .3429     | .2743     | .3048     | .3048     | .3048     |
| Avg  | .7838     | .9427     | 1.0038    | 1.0090    | .6401     | .4607     | 1.0097    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

BHANDUP (E) S/DN.[733] BU 4733

Substation No/ Name :- 113032 / 22kV Lodha Switching

Feeder No / Name : 303 / 22KV HDFC BANK

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4572     | .4572     | .4572     | .4115     | .4572     | .4572     | .381      |
| 2    | .4191     | .4572     | .4191     | .3772     | .4191     | .4572     | .381      |
| 3    | .4191     | .4191     | .4572     | .4115     | .4191     | .4572     | .381      |
| 4    | .381      | .4191     | .4191     | .3772     | .381      | .4191     | .381      |
| 5    | .4191     | .4572     | .4572     | .4115     | .4191     | .4572     | .381      |
| 6    | .4191     | .4572     | .4191     | .4115     | .381      | .4191     | .381      |
| 7    | .4954     | .5335     | .4904     | .3772     | .4572     | .3429     | .4954     |
| 8    | 1.448     | 1.2574    | 1.448     | 1.8519    | 1.105     | .381      | .8383     |
| 9    | 1.7528    | 1.6385    | 1.5775    | 1.7528    | 1.829     | .381      | 1.6385    |
| 10   | 1.8671    |           | 1.7147    | 1.9814    | 1.9052    | .381      | 1.829     |
| 11   | 1.9433    | 1.5242    | 1.6804    | 2.0195    | 1.9052    | .3429     | 1.829     |
| 12   | 1.9052    | 2.1338    | 1.7147    | 2.0195    | 1.8671    | .381      | 1.9814    |
| 13   | 1.9052    |           | 1.7833    | 1.9814    | 1.9052    | .381      | 1.9433    |
| 14   | 1.8671    | 2.0195    | 1.7147    | 2.0195    | 1.9433    | .4191     | 1.9052    |
| 15   | 1.9052    | 1.8861    | 1.749     | 1.9814    | 1.9052    | .4191     | 1.8671    |
| 16   | 1.829     | 1.9814    | 1.4746    | 1.9052    | 1.8671    | .381      | 1.7909    |
| 17   | 1.8671    | 1.9052    | 1.7833    | 1.9052    | 1.7909    | .381      | 1.7909    |
| 18   | 1.3717    | 1.4098    | 1.3032    | 1.4098    | 1.3717    | .4191     | 1.4098    |
| 19   | .6478     | .6478     | .6859     | .5716     | .5716     | .381      | .6478     |
| 20   | .5716     | .5716     | 6.8244    | .6097     | .5335     | .4191     | .5716     |
| 21   | .5335     | .5716     | .6173     | .5716     | .4954     | .4191     | .5716     |
| 22   | .5335     | .5335     | .5144     | .6097     | .4572     | .4191     | .4954     |
| 23   | .4954     | .4954     | .3772     | .4572     | .4572     | .381      | .4572     |
| 24   | .8764     | .9145     | .9145     | .8916     | .9907     | .9526     | .381      |
| Max  | 1.9433    | 2.1338    | 6.8244    | 2.0195    | 1.9433    | .9526     | 1.9814    |
| Min  | .381      | .4191     | .3772     | .3772     | .381      | .3429     | .381      |
| Avg  | 1.0971    | 1.0314    | 1.2915    | 1.1382    | 1.0764    | .4270     | 1.0304    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

ISHWAR NAGAR S/DN.[732] BU 4732

Substation No/ Name :- 113019 / NITIE SUBSTATION

Feeder No / Name : 202 / NITIE GATE

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9335     | .8402     | 1.0082    | .8775     | .9709     | .9259     | .823      |
| 2    | .8962     | .7888     | .9522     | .8589     | .9335     | .8916     | .7545     |
| 3    | .8775     | .7373     | .9335     | .8215     | .8962     | .8573     | .6859     |
| 4    | .8402     | .6859     | .8962     | .8029     | .8589     | .6859     | .6516     |
| 5    | .8962     | .7716     | .8775     | .8402     | .8962     | .7202     | .6859     |
| 6    | .8215     | .8059     | .8029     | .8589     | .8775     | .6859     | .7202     |
| 7    | .7655     | .7202     | .8402     | .8402     | .8215     |           | .6859     |
| 8    | .8962     | .8573     | 1.0829    | 1.1016    | .8962     | .703      | .7842     |
| 9    | 1.1598    | 1.0631    | 1.1949    | 1.1763    | 1.1203    | .7202     | 1.1576    |
| 10   | 1.0802    | 1.1949    | 1.2323    | 1.2136    | 1.0974    | .7545     | 1.1576    |
| 11   | 1.0802    | 1.251     | 1.2696    | 1.0642    | .8916     | .823      | 1.2323    |
| 12   | 1.046     | 1.1576    | 1.2323    | 1.2696    | .9945     | .8916     | 1.1949    |
| 13   | 1.0974    | 1.251     | 1.307     | 1.2323    | .9088     | .8745     | 1.1576    |
| 14   | 1.1488    | 1.1016    | 1.1576    | 1.0642    | .8916     | .8402     | 1.1203    |
| 15   | 1.1831    | 1.2696    | 1.419     | 1.2883    | 1.0974    | .8573     | 1.1949    |
| 16   | 1.166     | 1.2696    | 1.4377    | 1.251     | 1.166     | .823      | 1.307     |
| 17   | 1.1488    | 1.2136    | 1.3817    | 1.1576    | .9602     | .8573     | 1.1949    |
| 18   | 1.0631    | 1.1576    | 1.1016    | .9709     | .9431     | .7888     | 1.0082    |
| 19   | 1.0288    | 1.0456    | 1.1576    | .9709     | 1.0631    | .7888     | 1.0456    |
| 20   | 1.0974    | 1.1203    | 1.1763    | 1.0642    | 1.0974    | .8573     | 1.0562    |
| 21   | 1.0117    | 1.0456    | 1.1576    | 1.0456    | 1.0288    | .9088     | 1.0185    |
| 22   | .9259     | 1.0269    | 1.0829    | 1.0269    | 1.0631    |           | 1.0185    |
| 23   | .9602     | 1.1016    | 1.0642    | 1.0269    | 1.046     |           | .9808     |
| 24   | .9709     | .9088     | 1.0642    | 1.0642    | 1.0082    | .9602     | .8745     |
| Max  | 1.1831    | 1.2696    | 1.4377    | 1.2883    | 1.166     | .9602     | 1.307     |
| Min  | .7655     | .6859     | .8029     | .8029     | .8215     | .6859     | .6516     |
| Avg  | 1.0040    | 1.0161    | 1.1179    | 1.0370    | .9804     | .8198     | .9796     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

ISHWAR NAGAR S/DN.[732] BU 4732

Substation No/ Name :- 113019 / NITIE SUBSTATION

Feeder No / Name : 204 / RESIDENCY

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.2436    | 2.0405    | 2.2771    | 2.2559    | 1.6871    | 1.6289    | 1.5261    |
| 2    | 2.0915    | 1.989     | 2.2202    | 2.2369    | 1.5924    | 1.5432    | 1.406     |
| 3    | 2.1105    | 1.8861    | 2.1632    | 2.2559    | 1.5165    | 1.4575    | 1.3375    |
| 4    | 2.0535    | 1.8176    | 2.1443    | 2.2179    | 1.5355    | 1.3889    | 1.286     |
| 5    | 2.0725    | 1.9204    | 2.1063    | 2.2748    | 1.5734    | 1.4746    | 1.2517    |
| 6    | 2.0915    | 1.989     | 2.0494    | 2.0852    | 1.6303    | 1.5261    | 1.286     |
| 7    | 2.1296    | 1.9204    | 2.2391    | 2.2369    | 1.8388    | 1.6118    | 1.4232    |
| 8    | 2.2627    | 2.0233    | 2.334     | 2.2179    | 2.0284    | 1.9204    | 1.7177    |
| 9    | 2.3577    | 2.1948    | 2.5048    | 2.4644    | 2.1232    | 1.989     | 1.6804    |
| 10   | 2.2119    | 2.6023    | 2.372     | 2.635     | 1.9719    | 1.9376    | 1.7177    |
| 11   | 2.332     | 2.5263    | 2.6187    | 2.8056    | 2.0919    | 1.989     | 1.8298    |
| 12   | 2.2634    | 2.8112    | 2.6566    | 2.635     | 2.0405    | 1.9376    | 1.8671    |
| 13   | 2.2977    | 3.0772    |           | 2.5592    | 1.9033    | 1.9719    | 1.8298    |
| 14   | 2.332     | 2.9442    | 2.6946    | 2.6539    | 2.0233    | 1.9547    | 1.8671    |
| 15   | 2.3663    | 2.9252    | 2.7705    | 2.7108    | 2.0405    | 1.9547    | 1.7551    |
| 16   | 2.3491    | 2.5643    | 2.8274    | 2.4833    | 2.0576    | 1.8861    | 1.7551    |
| 17   | 2.2977    | 2.3934    | 2.616     | 2.1232    | 1.749     | 1.7147    | 1.7177    |
| 18   | 2.2977    | 2.6783    | 2.6376    | 1.8198    | 2.0233    | 1.5089    | 1.7551    |
| 19   | 2.3834    | 2.6783    | 2.5971    | 1.8578    | 1.9204    | 1.5947    | 1.9044    |
| 20   | 2.4177    | 2.6946    | 2.6729    | 1.9336    | 2.0233    |           | 1.9418    |
| 21   | 2.2977    | 2.6376    | 2.5023    | 2.0284    | 1.8004    | 1.6118    | 1.9616    |
| 22   | 2.2119    | 2.5617    | 2.4265    | 1.9336    | 1.7833    |           | 1.9616    |
| 23   | 2.2462    | 2.4858    | 2.3506    | 1.8957    | 1.7147    |           | 1.9993    |
| 24   | 2.4718    | 2.2119    | 2.4479    | 2.3885    | 1.8198    | 1.6804    | 1.5947    |
| Max  | 2.4718    | 3.0772    | 2.8274    | 2.8056    | 2.1232    | 1.989     | 1.9993    |
| Min  | 2.0535    | 1.8176    | 2.0494    | 1.8198    | 1.5165    | 1.3889    | 1.2517    |
| Avg  | 2.2579    | 2.3989    | 2.4447    | 2.2796    | 1.8537    | 1.7277    | 1.6822    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

ISHWAR NAGAR S/DN.[732] BU 4732

Substation No/ Name :- 113024 / M&amp;B

Feeder No / Name : 201 / MMRDA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2696    | 1.3717    | .8962     | 1.5242    | 1.307     | 1.3717    | 1.2696    |
| 2    | 1.1949    | 1.1431    | 1.1949    | 1.4098    | 1.2696    | 1.2955    | 1.2323    |
| 3    | 1.1203    | 1.105     | 1.1203    | 1.3717    | 1.2323    | 1.2574    | 1.1576    |
| 4    | 1.1203    | 1.1431    | 1.1203    | 1.1431    | 1.1576    | 1.0669    | 1.1203    |
| 5    | 1.0456    | 1.0288    | 1.1203    | 1.1431    | 1.1576    | 1.0479    | 1.1203    |
| 6    | 1.0456    | 1.105     | 1.1203    | 1.1812    | 1.1576    | 1.0669    | 1.1203    |
| 7    | 1.0456    | 1.1431    | 1.1576    | 1.1812    | 1.1576    | 1.1431    | 1.1203    |
| 8    | 1.1763    | 1.2955    | 1.1949    | 1.2574    | 1.1949    | 1.2193    | 1.2323    |
| 9    | 1.4377    | 1.448     | 1.3443    | 1.3717    | 1.2696    | 1.2193    | 1.3443    |
| 10   | 1.6385    | 1.4937    | 1.7147    | 1.4937    | 1.448     | 1.2136    | 1.643     |
| 11   | 1.6385    | 1.4563    | 1.6766    | 1.531     | 1.3717    | 1.2323    | 1.5684    |
| 12   | 1.5242    | 1.4003    | 1.7147    | 1.531     | 1.448     | 1.2696    | 1.5684    |
| 13   | 1.448     | 1.419     | 1.7528    | 1.5497    | 1.448     | 1.2696    | 1.4563    |
| 14   | 1.4861    | 1.3817    | 1.6004    | 1.4563    | 1.4098    | 1.307     | 1.3375    |
| 15   | 1.5242    | 1.4563    | 1.7528    | 1.643     | 1.448     | 1.3443    | 1.5684    |
| 16   | 1.5242    | 1.4563    | 1.6385    | 1.531     | 1.4098    | 1.3817    | 1.6057    |
| 17   | 1.448     | 1.1949    | 1.6385    | 1.4937    | 1.448     | 1.3443    | 1.4937    |
| 18   | 1.3717    | 1.3817    | 1.4098    | 1.419     | 1.3336    | 1.307     | 1.363     |
| 19   | 1.4861    | 1.4937    | 1.5623    | 1.4937    | 1.5242    | 1.3817    | 1.419     |
| 20   | 1.5623    | 1.5684    | 1.7147    | 1.587     | 1.6385    | 1.5684    | 1.5684    |
| 21   | 1.6385    | 1.6057    | 1.7909    | 1.6804    | 1.6766    | 1.6804    | 1.6057    |
| 22   | 1.5623    | 1.643     | 1.7528    | 1.6057    | 1.6766    | 1.6804    | 1.643     |
| 23   | 1.5623    | 1.587     | 1.7528    | 1.587     | 1.5623    | 1.5684    | 1.5684    |
| 24   | 1.419     | 1.5242    | 1.4937    | 1.5432    | 1.531     | 1.4861    | 1.5684    |
| Max  | 1.6385    | 1.643     | 1.7909    | 1.6804    | 1.6766    | 1.6804    | 1.643     |
| Min  | 1.0456    | 1.0288    | .8962     | 1.1431    | 1.1576    | 1.0479    | 1.1203    |
| Avg  | 1.3871    | 1.3686    | 1.4681    | 1.4470    | 1.3866    | 1.3218    | 1.4039    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

ISHWAR NAGAR S/DN.[732] BU 4732

Substation No/ Name :- 113024 / M&amp;B

Feeder No / Name : 202 / Neptune

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3174     | .2858     | .3174     | .3048     | .2987     | .3048     | .2987     |
| 2    | .2801     | .2667     | .2614     | .2286     | .2614     | .2667     | .2614     |
| 3    | .2241     | .1905     | .2054     | .2286     | .1867     | .1905     | .2241     |
| 4    | .1867     | .1905     | .1867     | .1905     | .1867     | .2286     | .2241     |
| 5    | .1867     | .1715     | .1867     | .1905     | .1867     | .1143     | .1867     |
| 6    | .1867     | .1524     | .1494     | .1715     | .1867     | .1143     | .1867     |
| 7    | .1867     | .1334     | .112      | .1334     | .1867     | .1715     | .1867     |
| 8    | .2054     | .1905     | .1867     | .1524     | .1867     | .1905     | .1867     |
| 9    | .2427     | .2286     | .1867     | .2477     | .2241     | .1524     | .1867     |
| 10   | .2477     | .1494     | .1905     | .2241     | .3048     | .1867     | .2241     |
| 11   | .2096     | .1494     | .0762     | .1494     | .2096     | .2241     | .1867     |
| 12   | .2096     | .1867     | .1334     | .1867     | .1905     | .2241     | .1494     |
| 13   | .1905     | .1867     | .1715     | .1867     | .1905     | .2241     | .2241     |
| 14   | .2286     | .1867     | .1715     | .1867     | .1905     | .2241     | .1867     |
| 15   | .1524     | .1494     | .1715     | .1494     | .1905     | .1867     | .2241     |
| 16   | .1905     | .1867     | .2096     | .1867     | .2286     | .1867     | .1867     |
| 17   | .1905     | .2241     | .1905     | .1867     | .1905     | .1867     | .1867     |
| 18   | .2096     | .112      | .2096     | .1867     | .1905     | .1867     | .2054     |
| 19   | .1524     | .112      | .1905     | .1867     | .1715     | .1867     | .1867     |
| 20   | .1715     | .112      | .2286     | .1867     | .2096     | .1867     | .2241     |
| 21   | .1905     | .1494     | .2096     | .1867     | .2286     | .1867     | .2241     |
| 22   | .2477     | .1494     | .2286     | .2987     | .2286     | .1867     | .2241     |
| 23   | .2286     | .1867     | .3048     | .2987     | .3048     | .2987     | .3361     |
| 24   | .2987     | .3239     | .2987     | .3239     | .3361     | .3239     | .2987     |
| Max  | .3174     | .3239     | .3174     | .3239     | .3361     | .3239     | .3361     |
| Min  | .1524     | .112      | .0762     | .1334     | .1715     | .1143     | .1494     |
| Avg  | .2140     | .1823     | .1991     | .2072     | .2196     | .2055     | .2171     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

ISHWAR NAGAR S/DN.[732] BU 4732

Substation No/ Name :- 113024 / M&amp;B

Feeder No / Name : 209 / Hanuman silk mills

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4481     | .4572     | .4668     | .5716     | .4481     | .4572     | .3921     |
| 2    | .4108     | .4191     | .4668     | .4954     | .4108     | .4572     | .3921     |
| 3    | .4108     | .4191     | .4668     | .4191     | .4108     | .4191     | .3921     |
| 4    | .4108     | .381      | .4481     | .381      | .4108     | .381      | .3734     |
| 5    | .4108     | .381      | .4294     | .4191     | .4108     | .381      | .3734     |
| 6    | .4108     | .4191     | .4108     | .4572     | .4108     | .381      | .3734     |
| 7    | .4108     | .4572     | .4108     | .4191     | .3734     | .4191     | .3361     |
| 8    | .4108     | .4572     | .4854     | .4572     | .4108     | .3429     | .3734     |
| 9    | .5228     | .7621     | .5975     | .6859     | .5228     | .4191     | .5228     |
| 10   | .9526     | .8962     | .9907     | .9335     | .9526     | .4481     | .8962     |
| 11   | 1.0288    | 1.0456    | 1.0669    | 1.0082    | 1.0288    | .5228     | .9709     |
| 12   | 1.0669    | 1.1203    | 1.0669    | 1.0456    | 1.0669    | .5601     | .9896     |
| 13   | .9907     | .9335     | 1.0288    | 1.0456    | .9907     | .5601     | 1.0082    |
| 14   | 1.105     | 1.1203    | 1.105     | 1.0456    | 1.0669    | .5601     | 1.0456    |
| 15   | 1.1431    | 1.1203    | 1.1431    | 1.0829    | 1.1431    | .5601     | 1.0269    |
| 16   | 1.105     | 1.0456    | 1.105     | 1.0456    | 1.0288    | .5601     | 1.0456    |
| 17   | 1.0669    | 1.0456    | 1.1431    | 1.0082    | .9526     | .4854     | 1.0082    |
| 18   | .9145     | 1.0082    | .9907     | .9335     | .8573     | .3921     | .9335     |
| 19   | .8764     | .8589     | .8764     | .8215     | .6859     | .4108     | .8215     |
| 20   | .6478     | .7468     | .724      | .6722     | .5335     | .4108     | .5788     |
| 21   | .5716     | .5601     | .5716     | .5601     | .5335     | .4108     | .5415     |
| 22   | .5335     | .5601     | .5716     | .5228     |           | .4481     | .4854     |
| 23   | .5335     | .5228     | .5716     | .5228     | .5335     | .4481     | .4668     |
| 24   | .4854     | .4954     | .5228     | .5906     | .4481     | .4763     | .4108     |
| Max  | 1.1431    | 1.1203    | 1.1431    | 1.0829    | 1.1431    | .5601     | 1.0456    |
| Min  | .4108     | .381      | .4108     | .381      | .3734     | .3429     | .3361     |
| Avg  | .7028     | .7180     | .7359     | .7143     | .6796     | .4546     | .6566     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

ISHWAR NAGAR S/DN.[732] BU 4732

Substation No/ Name :- 113024 / M&amp;B

Feeder No / Name : 212 / Prestine

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.9978    | 1.7528    | 2.0911    | 2.21      | 1.8671    | 1.9052    | 1.6804    |
| 2    | 1.8671    | 1.7147    | 1.8671    | 1.9433    | 1.7551    | 1.9052    | 1.6057    |
| 3    | 1.7924    | 1.7147    | 1.7924    | 1.7528    | 1.6804    | 1.7147    | 1.4937    |
| 4    | 1.6804    | 1.7528    | 1.7551    | 1.7147    | 1.643     | 1.6194    | 1.4563    |
| 5    | 1.531     | 1.5623    | 1.7177    | 1.7147    | 1.6057    | 1.4098    | 1.4003    |
| 6    | 1.5684    | 1.6766    | 1.6804    | 1.7147    | 1.5684    | 1.448     | 1.4003    |
| 7    | 1.6057    | 1.7147    | 1.6804    | 1.6766    | 1.531     | 1.4098    | 1.3817    |
| 8    | 1.7177    | 1.9433    | 1.8298    | 1.9052    | 1.4937    | 1.4098    | 1.531     |
| 9    | 2.4272    | 2.6292    | 2.3525    | 2.3624    | 1.9418    | 1.4098    | 2.2032    |
| 10   | 2.7054    | 2.6139    | 2.8578    | 2.6886    | 2.2481    | 1.5684    | 2.5019    |
| 11   | 2.7054    | 2.8006    | 2.7816    | 2.7633    | 2.4387    | 1.6617    | 2.726     |
| 12   | 2.7816    | 2.838     | 2.8959    | 2.8006    | 2.2862    | 1.6804    | 2.5579    |
| 13   | 2.5149    | 2.2779    | 2.2291    | 2.5019    | 2.1719    | 1.5684    | 2.4272    |
| 14   | 2.8387    | 2.5766    | 2.8959    | 2.726     | 2.3243    | 1.6804    | ***       |
| 15   | 2.934     | 2.8006    | 2.9721    | 2.9127    | 2.4006    | 1.6804    | 2.5579    |
| 16   | 2.8578    | ***       | 2.4387    | 2.8006    | 2.3624    | 1.7177    | 2.5393    |
| 17   | 2.6673    | 2.6513    | 2.7625    | 2.6886    | 2.2481    | 1.6804    | 2.4272    |
| 18   | 2.572     | 2.3899    | 2.572     | 2.5019    | 2.0195    | 1.5684    | 2.3525    |
| 19   | 2.3624    | 2.3899    | 2.3815    | 2.3899    | 2.0386    | 1.5684    | 2.1658    |
| 20   | 2.3624    | 2.3899    | 2.4387    | 2.3152    | 2.0957    | 1.6804    | 2.1845    |
| 21   | 2.3624    | 2.3525    | 2.3243    | 2.0538    | 2.0195    | 1.643     | 2.1098    |
| 22   | 2.1338    | 2.2405    | 2.3243    | 1.9791    | 1.9052    | 1.6804    | 1.9418    |
| 23   | 2.2672    | 2.2965    | 2.3434    | 2.0165    | 2.0005    | 1.7924    | 1.9978    |
| 24   | 2.1658    | 2.21      | 2.2779    | 2.3053    | 1.9791    | 1.9052    | 1.9044    |
| Max  | 2.934     | 13.9285   | 2.9721    | 2.9127    | 2.4387    | 1.9052    | 13.7418   |
| Min  | 1.531     | 1.5623    | 1.6804    | 1.6766    | 1.4937    | 1.4098    | 1.3817    |
| Avg  | 2.2675    | 2.7174    | 2.3026    | 2.2683    | 1.9844    | 1.6378    | 2.5120    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113012 / NBRS

Feeder No / Name : 202 / NEELA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6722     | .7095     | .7468     | .7282     | .8029     | .6838     | .811      |
| 2    | .6535     | .6722     | .7095     | .6908     | .7655     | .6468     | .7733     |
| 3    | .6161     | .6535     | .679      | .6535     | .7282     | .6161     | .7545     |
| 4    | .5601     | .6535     | .6348     | .6348     | .6722     | .5975     | .7167     |
| 5    | .5281     | .6161     | .5847     | .6535     | .7282     | .5847     | .6535     |
| 6    | .5415     | .5975     | .6036     | .5975     | .6722     | .6602     | .6722     |
| 7    | .5601     | .5601     | .5093     | .5175     | .5975     | .5847     | .6161     |
| 8    | .4904     | .5788     | .5175     | .5847     | .5975     | .5601     | .5658     |
| 9    | .5914     | .6653     | .6838     | .6722     | .7468     | .5658     | .679      |
| 10   | .9055     | .9055     | .8413     | .9522     | 1.0082    |           | .8488     |
| 11   | 1.1763    | 1.1576    | 1.134     | .9896     | 1.134     | .8501     | 1.094     |
| 12   | 1.1576    | 1.1763    | 1.2127    | 1.0642    | 1.1643    | .8871     | 1.2071    |
| 13   | 1.1576    | 1.0534    | 1.1523    | 1.0456    | 1.1389    | .8686     | 1.094     |
| 14   | 1.0903    | 1.1949    | 1.1088    | .9149     | 1.0829    | .7655     | 1.094     |
| 15   | 1.3256    | 1.3203    | 1.3394    | 1.1763    | 1.307     | .8775     | 1.2323    |
| 16   | 1.2382    | 1.2883    | 1.2437    | 1.2323    | 1.2752    | .8686     | 1.1317    |
| 17   | 1.1576    | 1.1888    | 1.1888    | 1.1949    | 1.2382    | .7468     | 1.1203    |
| 18   | 1.1576    | 1.0791    | 1.1888    | 1.1643    | 1.1458    | .8402     | 1.1203    |
| 19   | 1.0082    | 1.0456    | 1.0974    | 1.0456    | 1.0374    | .8215     | 1.0751    |
| 20   | 1.0642    | .9896     | 1.0425    | 1.0642    | 1.0719    | .8402     | 1.0082    |
| 21   | .9149     | .9709     | .8871     | .9149     | .9335     | .8402     | .9054     |
| 22   | .8029     | .7655     | .7842     | .8402     | .8871     | .8402     | .7842     |
| 23   | .7655     | .7655     | .8962     | .8402     | .8215     | .8676     | .8215     |
| 24   | .6161     | .7842     | .7842     | .7842     |           | .5975     | .8775     |
| Max  | 1.3256    | 1.3203    | 1.3394    | 1.2323    | 1.307     | .8871     | 1.2323    |
| Min  | .4904     | .5601     | .5093     | .5175     | .5975     | .5601     | .5658     |
| Avg  | .8646     | .8913     | .8988     | .8732     | .9373     | .7396     | .9024     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113012 / NBRS

Feeder No / Name : 203 / SOHEL

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3772     | .3961     | .3772     | .3921     | .4715     | .4904     | .4481     |
| 2    | .3584     | .3772     | .3921     | .3734     | .4338     | .4715     | .415      |
| 3    | .3395     | .3395     | .3511     | .3475     | .3961     | .415      | .3921     |
| 4    | .3206     | .3018     | .2987     | .3077     | .3584     | .3961     | .3696     |
| 5    | .3206     | .3018     | .2987     | .2896     | .3395     | .3961     | .3475     |
| 6    | .3018     | .3772     | .3395     | .3881     | .3961     | .4338     | .4108     |
| 7    | .3018     | .3018     | .3961     | .3361     | .415      | .3395     | .3961     |
| 8    | .5041     | .415      | .4527     | .5093     | .4715     | .415      | .4338     |
| 9    | .6413     | .5093     | .6036     | .5847     | .6413     | .5093     | .679      |
| 10   | .9431     | .7167     | .9997     | .8865     | .9896     | .5093     | 1.0269    |
| 11   | .9997     | .811      | 1.0456    | 1.0562    | 1.1389    | .7842     | 1.1576    |
| 12   | 1.1506    | .811      | 1.1576    | 1.1128    | 1.1317    | .7468     | 1.2197    |
| 13   | .9808     | .679      | 1.1203    | .9808     | 1.0642    | .679      | 1.0374    |
| 14   | .9997     | 1.0642    | 1.1949    | 1.0751    | 1.0642    | .8299     | 1.0562    |
| 15   | .9808     | 1.1506    | 1.1643    | 1.1883    | 1.1128    | .7922     | 1.2071    |
| 16   | 1.0562    | 1.0751    | 1.2136    | 1.1317    | 2.5766    | .7167     | 1.1317    |
| 17   | .9997     | 1.0374    | 1.1389    | 1.094     | .9808     | .6224     | 1.0374    |
| 18   | .7922     | .9242     | 1.0456    | .9242     | .9431     | .5658     | .9054     |
| 19   | .7545     | .9242     | .9335     | .7733     | .9431     | .547      | .8299     |
| 20   | .7167     | .7733     | .7842     | .8676     | .8299     | .6036     | .8299     |
| 21   | .6036     | .6535     | .7095     | .7356     | .7356     | .5658     | .6036     |
| 22   | .5281     | .6036     | .5847     | .6979     | .6224     | .5658     | .6036     |
| 23   | .547      |           | .5847     | .679      | .6224     | .5847     | .5281     |
| 24   | .4715     | .4904     | .5281     | .6036     | .6602     | .6036     | .5658     |
| Max  | 1.1506    | 1.1506    | 1.2136    | 1.1883    | 2.5766    | .8299     | 1.2197    |
| Min  | .3018     | .3018     | .2987     | .2896     | .3395     | .3395     | .3475     |
| Avg  | .6662     | .6536     | .7381     | .7223     | .8058     | .5660     | .7347     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113012 / NBRS

Feeder No / Name : 204 / ASIAN PAINTS

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4715     | .5281     | .5847     | .567      | .5847     | .8488     | .7842     |
| 2    | .4527     | .4904     | .547      | .5304     | .5847     | .811      | .7655     |
| 3    | .4527     | .4904     | .4904     | .4887     | .5658     | .7545     | .7468     |
| 4    | .4904     |           | .4527     | .4706     | .547      | .7356     | .6838     |
| 5    | .4527     | .5093     | .415      | .443      | .4904     | .679      | .6401     |
| 6    | .415      | .3961     | .3961     | .3814     | .3772     | .6979     | .6099     |
| 7    | .3772     | .3961     | .415      | .3772     | .5281     | .6602     | .5487     |
| 8    | .4715     | .4904     | .4527     | .4382     | .679      | .6979     | .7023     |
| 9    | .679      | .6413     | .7167     | .7167     | 1.0562    | .7733     | 1.0269    |
| 10   | 1.0374    | 1.0751    | .9619     | 1.0374    | 1.5123    |           | 1.4377    |
| 11   | 1.1883    | 1.2071    | 1.1317    | 1.1883    | 1.7353    |           | 1.6817    |
| 12   | 1.2449    | 1.1506    | 1.1128    | 1.2071    | 1.8861    |           | 1.7741    |
| 13   | .9808     | .9242     | 1.0751    | .9431     | 1.4901    |           | 1.4563    |
| 14   | 1.226     | 1.094     | 1.094     | 1.094     | 1.8296    | 1.0374    | 1.643     |
| 15   | 1.1883    | 1.1694    | 1.2071    | 1.1694    | 1.8484    | 1.0374    | 1.7737    |
| 16   | 1.2071    | 1.1694    | 1.1317    | 1.1506    | 1.6975    | .9997     | 1.7177    |
| 17   | 1.1317    | 1.1506    | 1.1694    | 1.2071    | 1.6975    | .8676     | 1.6804    |
| 18   | .9431     | .9619     | 1.0185    | 1.0185    | 1.6787    | .6979     | 1.6057    |
| 19   | .8299     | .811      | .8299     | .8676     | 1.4146    | .7167     | 1.2696    |
| 20   | .6413     | .6602     | .6908     | .7922     | 1.1694    | .7167     | 1.0185    |
| 21   | .5847     | .5847     | .6224     | .6224     | .9054     | .7095     | .8589     |
| 22   | .5658     | .547      | .5729     | .6036     | .8865     | .7655     | .8131     |
| 23   | .6036     | .6036     | .6099     | .6036     | .9054     | .811      | .8775     |
| 24   | .5281     | .5658     | .6036     | .5914     | .6413     | .9242     | .7842     |
| Max  | 1.2449    | 1.2071    | 1.2071    | 1.2071    | 1.8861    | 1.0374    | 1.7741    |
| Min  | .3772     | .3961     | .3961     | .3772     | .3772     | .6602     | .5487     |
| Avg  | .7568     | .7659     | .7626     | .7712     | 1.1130    | .7971     | 1.1208    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113012 / NBRS

Feeder No / Name : 205 / SHIV COLD

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6722     | .7207     | .6838     | .7356     | .7577     | .6908     | .679      |
| 2    | .6535     | .6838     | .6584     | .7167     | .7392     | .7282     | .6602     |
| 3    | .6161     | .6468     | .6348     | .679      | .7392     | .6348     | .6224     |
| 4    | .5658     | .6468     | .6224     | .6979     | .7207     | .6036     | .6413     |
| 5    | .5658     | .7207     | .6036     | .7545     | .7577     | .6224     | .6224     |
| 6    | .5975     | .6283     | .6602     | .6979     | .7023     |           | .6036     |
| 7    | .6348     | .6468     | .6413     | .679      | .6653     | .6979     | .679      |
| 8    | .8215     | .9425     | .7842     | .8865     | .8501     | .6161     | .8676     |
| 9    | 1.3676    | 1.3443    | 1.3491    | 1.3717    | 1.3817    | .9242     | 1.5154    |
| 10   | 2.3101    | 2.4459    | 2.3045    | 2.384     | 2.1285    |           | 2.524     |
| 11   | 2.7536    | 2.8858    | 2.7984    | 2.809     | 2.6972    | 1.1827    | 2.9502    |
| 12   | 2.846     | 2.894     | 2.7873    | 2.9938    | 2.8006    | 1.1643    | 2.9569    |
| 13   | 2.4025    | 2.4086    | 2.4508    | 2.347     | 2.5688    | .9997     | 2.5057    |
| 14   | 2.6427    | 2.6797    | 2.7618    | 2.6981    | 2.5579    | 1.1128    | 2.7149    |
| 15   | 2.7905    | 2.726     | 2.6425    | 2.9569    | 2.7536    | 1.2136    | 2.8898    |
| 16   | 2.6981    | 2.8193    | 2.7984    | 2.9199    | 2.6029    | 1.2071    | 2.7873    |
| 17   | 2.6427    | 2.6513    | 2.6968    | 2.7905    | 2.3339    | .9808     | 2.6155    |
| 18   | 2.2731    | 2.1472    | 2.4072    | 2.2546    | 2.0748    | .8865     | 2.3285    |
| 19   | 1.7187    | 1.6032    | 1.6644    | 1.7556    | 1.587     | .8488     | 1.8111    |
| 20   | 1.3306    | 1.2071    | 1.3676    | 1.2567    | 1.251     | .7733     | 1.307     |
| 21   | .924      | .9431     | .9522     | .9979     | .8962     | .7167     | .8775     |
| 22   | .8501     | .7392     | .7922     | .8686     | .7207     | .6602     | .7468     |
| 23   | .7207     | .7468     | .7545     | .8316     | .7655     | .7356     | .7468     |
| 24   | .7095     | .7762     | .6838     | .7733     | .8131     | .7842     | .679      |
| Max  | 2.846     | 2.894     | 2.7984    | 2.9938    | 2.8006    | 1.2136    | 2.9569    |
| Min  | .5658     | .6283     | .6036     | .679      | .6653     | .6036     | .6036     |
| Avg  | 1.5045    | 1.5273    | 1.5208    | 1.5773    | 1.4944    | .8538     | 1.5555    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113012 / NBRS

Feeder No / Name : 206 / Advani

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1886     | .1905     | .1886     | .8488     | .8383     | .0189     |           |
| 2    | .1886     | .1905     | .1886     | .7545     | .7621     | .0189     |           |
| 3    | .1886     | .1905     | .1886     | .6908     | .724      | .0189     |           |
| 4    | .1886     | .1905     | .1886     | .6535     | .7049     | .0189     |           |
| 5    | .1886     | .1905     | .1886     | .6161     | .724      | .0189     |           |
| 6    | .1886     | .1905     | .1886     | .5729     | .5906     | .0189     |           |
| 7    | .1886     | .1905     | .1886     | .567      | .6097     | .0189     |           |
| 8    | .1886     | .1905     | .1886     | .6161     | .6478     | .0189     |           |
| 9    | .1905     | .1886     | .1715     | .7811     | .7356     |           | .0189     |
| 10   | .1905     | .1886     | .1509     | 1.2193    | 1.0642    |           | .0189     |
| 11   | .1905     | .1886     | .1509     | 1.3336    | 1.2071    |           | .0189     |
| 12   | .1905     | .1886     | .156      | 1.5242    | 1.2071    |           | .0189     |
| 13   | .1715     | .1698     | .1543     | 1.5432    |           |           | .0189     |
| 14   | .1715     | .1886     | .1509     |           | .0747     |           | .0189     |
| 15   | .1905     | .1886     | .1296     | 1.5813    | .1509     |           | .0189     |
| 16   | .1905     | .1886     | .1457     | 1.5432    | .1509     |           | .0189     |
| 17   | .1905     | .1886     | .1543     | 1.467     | .1509     |           | .0189     |
| 18   | .1905     | .1886     | 1.2752    | 1.3908    | .0189     |           | .0189     |
| 19   | .1905     | .1886     | 1.2936    | 1.3527    | .0189     |           | .0189     |
| 20   | .1905     | .1886     | 1.3352    | 1.3146    | .0189     |           | .0189     |
| 21   | .1905     | .1886     | 1.2323    | 1.2574    | .0187     |           | .0189     |
| 22   | .1905     | .2263     | 1.0082    | 1.0098    | .0181     |           | .0189     |
| 23   | .1905     | .1886     | .9709     | .9526     | .0189     |           | .0189     |
| 24   | .1886     | .1905     | .1886     | .9431     | .9145     | .0189     |           |
| Max  | .1905     | .2263     | 1.3352    | 1.5813    | 1.2071    | .0189     | .0189     |
| Min  | .1715     | .1698     | .1296     | .567      | .0181     | .0189     | .0189     |
| Avg  | .1882     | .1901     | .4240     | 1.0667    | .4943     | .0189     | .0189     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113012 / NBRS

Feeder No / Name : 207 / Inamdar

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6817    | 1.7551    | 1.7551    | 1.8107    | 1.7926    | 1.7737    | 1.7353    |
| 2    | 1.5893    | 1.643     | 1.7177    | 1.6787    | 1.6632    | 1.7177    | 1.6787    |
| 3    | 1.4003    | 1.5123    | 1.643     | 1.6032    | 1.5893    | 1.6244    | 1.6032    |
| 4    | 1.307     | 1.3443    | 1.5466    | 1.5089    | 1.4969    | 1.5278    | 1.5089    |
| 5    | 1.251     | 1.2696    | 1.4335    | 1.3957    | 1.46      | 1.4523    |           |
| 6    | 1.2197    | 1.2323    | 1.3014    | 1.2637    | 1.3306    | 1.2826    | 1.3203    |
| 7    | 1.1827    | 1.2323    | 1.2637    | 1.2449    | 1.2752    | 1.2071    | 1.226     |
| 8    | 1.1949    | 1.251     | 1.2883    | 1.2449    | 1.3256    | 1.1389    | 1.2826    |
| 9    | 1.5524    | 1.5844    | 1.5524    | 1.5497    | 1.7551    | 1.2071    | 1.5339    |
| 10   | 2.0725    | 2.0668    | 2.2177    | 2.2779    | 2.1992    | 1.2071    | 2.2731    |
| 11   | 2.4209    | 2.2405    | 2.1765    | 2.4272    | 2.396     |           | 2.1807    |
| 12   | 2.3339    | 2.3712    | 2.3411    | 2.3525    | 2.4832    |           | 2.3045    |
| 13   | 2.0698    | 2.1472    | 2.0851    | 2.1845    | 2.347     |           | 1.9978    |
| 14   | 2.1622    | 2.3712    | 2.3285    | 2.1992    | 2.3655    | 1.6032    | 2.1216    |
| 15   | 2.2546    | 2.4646    | 2.4691    | 2.5873    | 2.5503    | 1.773     | 2.347     |
| 16   | 2.2916    | 2.3285    | 2.4326    | 2.384     | 2.4272    | 1.6787    | 2.2916    |
| 17   | 2.2779    | 2.1472    | 2.3285    | 2.3954    | 2.2916    | 1.5844    | 2.2916    |
| 18   | 2.0538    | 1.8671    | 2.1216    | 2.0883    | 2.0328    | 1.2449    | 2.0538    |
| 19   | 1.8111    | 1.905     | 1.922     | 1.9589    | 1.8665    | 1.2449    | 1.848     |
| 20   | 1.7551    | 1.9239    | 1.7926    | 1.9404    | 1.9589    | 1.3769    | 1.6632    |
| 21   | 1.5684    | 1.6804    | 1.6617    | 1.7364    | 1.6448    | 1.4712    | 1.4969    |
| 22   | 1.643     | 1.8111    | 1.8296    | 1.7924    | 1.7187    | 1.5278    | 1.6263    |
| 23   | 1.8484    | 1.9418    | 1.9805    | 1.848     | .9795     | 1.7918    | 1.7558    |
| 24   | 1.7193    | 1.8298    | 1.9239    | 2.0182    | 1.9404    | 2.037     | 1.9427    |
| Max  | 2.4209    | 2.4646    | 2.4691    | 2.5873    | 2.5503    | 2.037     | 2.347     |
| Min  | 1.1827    | 1.2323    | 1.2637    | 1.2449    | .9795     | 1.1389    | 1.226     |
| Avg  | 1.7776    | 1.8300    | 1.8797    | 1.8955    | 1.8704    | 1.4987    | 1.8297    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113012 / NBR5

Feeder No / Name : 208 / NAHAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4003    | 1.5655    | 1.5655    | 1.5339    | 1.6032    | 1.7737    | 1.4998    |
| 2    | 1.307     | 1.4712    | 1.5089    | 1.46      | 1.5278    | 1.5655    | 1.4449    |
| 3    | 1.2883    | 1.4146    | 1.4523    | 1.4045    | 1.4523    | 1.4712    | 1.39      |
| 4    | 1.2323    | 1.3769    | 1.3957    | 1.3535    | 1.4146    | 1.3769    | 1.3394    |
| 5    | 1.3817    | 1.2826    | 1.3203    | 1.3169    | 1.3392    | 1.3203    | 1.3213    |
| 6    | 1.3352    | 1.4523    | 1.358     | 1.3352    | 1.3769    | 1.3014    | 1.267     |
| 7    | 1.3306    | 1.3203    | 1.3392    | 1.1946    | 1.3957    | 1.4523    | 1.4266    |
| 8    | 1.5154    | 1.4523    | 1.7177    | 1.5708    | 1.7353    | 1.4901    | 1.5364    |
| 9    | 1.9239    | 1.7164    | 1.9231    | 1.7541    | 1.7924    | 1.7002    | 1.8473    |
| 10   | 2.4709    | 2.452     | 2.4143    | 2.2634    | 2.3765    |           | 2.3045    |
| 11   | 2.5274    | 2.4709    | 2.5463    | 2.4331    | 2.5274    |           | 2.5789    |
| 12   | 2.6783    | 2.6595    | 2.5463    | 2.32      | 2.5206    |           | 2.5339    |
| 13   | 2.2634    | 2.32      | 2.4897    | 2.2068    | 2.2257    |           | 2.2731    |
| 14   | 2.1125    | 2.3011    | 2.4143    | 2.1879    | 2.1691    | 1.9387    |           |
| 15   | 2.6029    | 2.6972    | 2.5579    | 2.4709    | 2.6406    | 2.0748    | 2.4874    |
| 16   | 2.6029    | 2.5652    | 2.5463    | 2.6029    | 2.7349    | 2.0748    | 2.5606    |
| 17   | 2.3765    | 2.6783    | 2.6972    | 2.5274    | 2.6217    | 2.1125    | 2.5972    |
| 18   | 2.2634    | 2.6406    | 2.5086    | 2.5086    | 2.6217    | 1.7164    | 2.524     |
| 19   | 2.4331    | 2.5086    | 2.3388    | 2.3765    | 2.3388    | 1.8296    | 2.1399    |
| 20   | 2.3388    | 2.4143    | 2.4331    | 2.32      | 2.2068    | 1.8107    | 2.268     |
| 21   | 1.8861    | 1.9616    | 1.9239    | 1.905     | 1.905     | 1.643     | 1.9753    |
| 22   | 1.5466    | 1.7918    | 1.46      | 1.7353    | 1.7164    | 1.5154    | 1.6827    |
| 23   | 1.4146    | 1.5123    | 1.5339    | 1.773     | 1.4712    | 1.4842    | 1.6991    |
| 24   | 1.4415    | 1.4523    | 1.6221    | 1.6617    | 1.8107    | 1.6409    | 1.5181    |
| Max  | 2.6783    | 2.6972    | 2.6972    | 2.6029    | 2.7349    | 2.1125    | 2.5972    |
| Min  | 1.2323    | 1.2826    | 1.3203    | 1.1946    | 1.3392    | 1.3014    | 1.267     |
| Avg  | 1.9031    | 1.9782    | 1.9839    | 1.9257    | 1.9802    | 1.6646    | 1.9224    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113012 / NBRS

Feeder No / Name : 209 / TITAN

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6632    | 1.6617    | 1.7177    | 1.7541    | 1.8111    | 1.7551    | 1.6598    |
| 2    | 1.5708    | 1.5684    | 1.6617    | 1.6598    | 1.6804    | 1.7164    | 1.5466    |
| 3    | 1.4003    | 1.4377    | 1.5844    | 1.5466    | 1.587     | 1.6221    | 1.4712    |
| 4    | 1.307     | 1.363     | 1.4523    | 1.4335    | 1.531     | 1.5655    | 1.4146    |
| 5    | 1.2323    | 1.251     | 1.358     | 1.3203    | 1.4937    | 1.4523    | 1.3203    |
| 6    | 1.1949    | 1.2136    | 1.3014    | 1.3014    | 1.307     | 1.3203    | 1.2637    |
| 7    | 1.2136    | 1.2323    | 1.2323    | 1.3957    | 1.4563    | 1.358     | 1.226     |
| 8    | 1.2696    | 1.307     | 1.531     | 1.4901    | 1.4937    | 1.4146    | 1.4523    |
| 9    | 1.7924    | 1.8484    | 1.8665    | 1.7924    | 2.037     | 1.4335    | 1.587     |
| 10   | 2.0725    | 2.0748    | 2.0883    | 2.0911    | 1.9774    | 1.6991    | 2.1622    |
| 11   | 2.0911    | 2.1845    | 2.1765    | 2.1658    | 2.0485    | 1.7002    | 2.1437    |
| 12   | 2.1845    | 2.1437    | 2.2314    | 2.2032    | 2.1253    | 1.7741    | 2.1472    |
| 13   | 1.8484    | 1.9791    | 1.9404    | 1.9231    | 1.9978    | 1.6804    | 1.8671    |
| 14   | 1.8858    | 1.922     | 2.2546    | 1.9044    | 1.643     | 1.7353    | 1.8671    |
| 15   | 2.0911    | 2.1807    | 2.1765    | 2.1658    | 2.0698    | 1.8298    | 1.9589    |
| 16   | 2.1658    | 2.2068    | 2.268     | 2.1472    | 2.1691    | 1.8673    | 2.0725    |
| 17   | 2.1658    | 2.2068    | 2.2131    | 2.1658    | 2.1285    | 1.6057    | 2.0538    |
| 18   | 1.9605    | 2.1285    | 1.9589    | 1.587     | 2.1098    | 1.475     | 1.7924    |
| 19   | 1.9418    | 2.1658    | 2.0513    | 2.0911    | 2.0725    | 1.5655    | 1.9044    |
| 20   | 1.9418    | 2.0165    | 1.885     | 2.0911    | 2.0725    | 1.6032    | 1.922     |
| 21   | 1.8111    | 1.6598    | 1.6244    | 1.7364    | 1.6221    | 1.4335    | 1.7924    |
| 22   | 1.6804    | 1.7353    | 1.8673    | 1.8298    | 1.8111    | 1.6221    | 1.7551    |
| 23   | 1.7364    | 1.8673    | 1.9616    | 1.8671    | 1.7551    | 1.6975    | 1.848     |
| 24   | 1.7741    | 1.7924    | 1.9427    |           | 2.0725    | 1.8296    | 1.8107    |
| Max  | 2.1845    | 2.2068    | 2.268     | 2.2032    | 2.1691    | 1.8673    | 2.1622    |
| Min  | 1.1949    | 1.2136    | 1.2323    | 1.3014    | 1.307     | 1.3203    | 1.226     |
| Avg  | 1.7498    | 1.7978    | 1.8477    | 1.8114    | 1.8363    | 1.6148    | 1.7516    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113012 / NBRS

Feeder No / Name : 212 / Samarth Feeder

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0189     | .0181     |           | .0189     | .0183     |           |
| 2    |           | .0189     | .0181     |           | .0189     | .0183     |           |
| 3    |           | .0189     | .0183     |           | .0189     | .0181     |           |
| 4    |           | .0189     | .0183     |           | .0189     | .0183     |           |
| 5    |           | .0189     | .0183     |           | .0189     | .0181     |           |
| 6    |           | .0189     | .0183     |           | .0189     | .0183     |           |
| 7    |           | .0189     | .0183     |           | .0189     | .0189     |           |
| 8    | .0189     | .0189     | .0183     |           | .0189     | .0183     |           |
| 9    | .0189     | .0183     |           | .0189     | .0183     |           | .0189     |
| 10   | .0189     | .0181     |           | .0189     | .0183     |           | .0189     |
| 11   | .0189     | .0181     |           | .0189     | .0183     |           | .0189     |
| 12   | .0189     | .0183     |           | .0189     | .0183     |           | .0189     |
| 13   | .0189     | .0179     |           | .0189     | .0181     |           | .0189     |
| 14   | .0189     | .0183     |           | .0189     | .0183     |           | .0189     |
| 15   | .0189     | .0189     |           | .0189     | .0183     |           | .0189     |
| 16   | .0189     | .0181     |           | .0189     | .0183     |           | .0189     |
| 17   | .0189     | .0183     |           | .0189     | .0183     |           | .0189     |
| 18   | .0189     | .0187     |           | .0189     | .0181     |           | .0189     |
| 19   | .0189     | .0183     |           | .0189     | .0183     |           | .0189     |
| 20   | .0189     | .0183     |           | .0189     | .0183     |           | .0189     |
| 21   | .0189     | .0187     |           | .0189     | .0181     |           | .0189     |
| 22   | .0189     | .0183     |           | .0189     | .0181     |           | .0189     |
| 23   | .0189     | .0187     |           | .0189     | .0183     |           | .0189     |
| 24   | .0189     | .0189     | .0183     |           | .0189     | .0183     |           |
| Max  | .0189     | .0189     | .0183     | .0189     | .0189     | .0189     | .0189     |
| Min  | .0189     | .0179     | .0181     | .0189     | .0181     | .0181     | .0189     |
| Avg  | .0189     | .0186     | .0183     | .0189     | .0185     | .0183     | .0189     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113012 / NBRS

Feeder No / Name : 213 / FILIX

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2075     | .2075     | .2263     | .1486     | .2075     | .2641     | .1486     |
| 2    | .1886     | .2075     | .2263     | .1555     | .2075     | .2641     | .1783     |
| 3    | .1886     | .1886     | .2075     | .1509     | .2075     | .2075     | .16       |
| 4    | .1886     | .1886     | .2075     | .1299     | .2075     | .1886     | .1257     |
| 5    | .1886     | .1886     | .2075     | .1362     | .1886     | .1886     | .1238     |
| 6    | .1698     | .1886     | .2075     | .1299     | .1886     | .1886     | .1362     |
| 7    | .1698     | .1886     | .2075     | .1362     | .2075     | .1886     | .1238     |
| 8    | .1886     | .1886     | .2075     | .192      | .2641     | .2641     | .1739     |
| 9    | .5281     | .5658     | .5228     | .5093     | .6036     | .2713     | .6161     |
| 10   | 1.0185    | .679      | 1.0185    | .9054     | .8865     |           | .9997     |
| 11   | 1.3203    | 1.094     | 1.1128    | 1.1128    | 1.3817    |           | 1.1389    |
| 12   | 1.3203    | 1.1128    | 1.1883    | 1.3769    | 1.358     |           | 1.3443    |
| 13   | 1.226     | 1.0374    | 1.0751    | 1.2449    | .9619     |           | 1.2696    |
| 14   | .9619     | .7167     | 1.0562    | 1.4335    | 1.3014    | .4805     | 1.2323    |
| 15   | .9997     | .7167     | 1.0562    | 1.4335    | 1.2449    | .4755     | 1.0751    |
| 16   | 1.0374    | .679      | 1.1128    | 1.2826    | 1.2071    | .4024     | 1.094     |
| 17   | 1.1317    | .5788     | .9619     | 1.4523    | .6979     | .3801     | 1.0185    |
| 18   | .8865     | .4527     | .7733     | 1.1506    | .5281     | .3841     | .7545     |
| 19   | .7545     | .4338     | .5281     | .6413     | .4715     | .3439     | .5658     |
| 20   | .7356     | .3584     | .4435     | .7733     | .3961     | .3045     | .4904     |
| 21   | .3018     | .3395     | .2881     | .7167     | .3772     | .2743     | .3772     |
| 22   | .3018     | .3018     | .2058     | .3018     | .2829     | .2515     | .3018     |
| 23   | .2829     | .3018     | .1684     | .2641     | .2641     | .1898     | .2452     |
| 24   | .2263     | .2641     | .2263     | .161      | .2263     | .2641     | .1635     |
| Max  | 1.3203    | 1.1128    | 1.1883    | 1.4523    | 1.3817    | .4805     | 1.3443    |
| Min  | .1698     | .1886     | .1684     | .1299     | .1886     | .1886     | .1238     |
| Avg  | .6051     | .4658     | .5598     | .6641     | .5778     | .2888     | .5774     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113031 / RUNWAL

Feeder No / Name : 202 / Runwal Green-II

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4527     | .5093     | .4338     | .547      | .6036     | .6036     | .6036     |
| 2    | .3961     | .4904     | .3772     | .4904     | .5658     | .6224     | .5658     |
| 3    | .415      | .4527     | .3961     | .415      |           | .5658     | .5658     |
| 4    | .3584     | .3772     | .3018     | .3961     | .4338     | .5847     | .5847     |
| 5    | .3772     | .4715     | .2829     | .3395     | .3772     | .5281     | .3018     |
| 6    | .3395     | .4527     | .2641     | .3584     | .3584     | .4715     | .3584     |
| 7    | .3018     | .4338     | .2641     | .3018     | .2829     | .4527     | .2452     |
| 8    | .2641     | .415      | .2829     | .3206     | .3018     | .5093     | .3584     |
| 9    | .3395     | .3395     | .3395     | .3584     | .3395     | .547      | .3961     |
| 10   | .3772     |           | .4527     | .4715     | .3772     | .6036     | .4338     |
| 11   | .3395     | .415      | .5658     | .547      | .4904     | .6036     | .4527     |
| 12   | .4904     | .4338     | .5281     | .5093     | .6413     | .6413     | .4715     |
| 13   | .5093     | .5658     | .5658     | .5847     | .6224     | .4527     | .4715     |
| 14   | .4904     | .4715     | .6036     | .547      | .6036     | .3018     | .4904     |
| 15   | .5281     | .547      | .6224     | .5658     | .5658     | .2641     | .4527     |
| 16   | .415      | .5847     | .6602     | .5281     | .5281     | .2452     | .4338     |
| 17   | .4338     | .547      | .5093     | .5093     | .5093     | .2452     | .4527     |
| 18   | .4527     | .3584     | .547      | .4715     | .4904     | .2263     | .5658     |
| 19   | .5281     | .415      | .6413     | .4904     | .5093     | .1886     | .4715     |
| 20   | .5093     | .4527     | .5281     | .547      | .5658     | .1886     | .5093     |
| 21   | .4904     | .6036     | .6224     | .5847     | .6036     |           | .5281     |
| 22   | .7167     | .5658     | .7167     | .6036     | .6602     | .4715     | .547      |
| 23   | .6224     | .5658     | .6036     | .6979     | .6602     | .5093     | .6224     |
| 24   | .5658     | .5281     | .547      | .5847     | .6413     | .6036     | .5658     |
| Max  | .7167     | .6036     | .7167     | .6979     | .6602     | .6413     | .6224     |
| Min  | .2641     | .3395     | .2641     | .3018     | .2829     | .1886     | .2452     |
| Avg  | .4464     | .4781     | .4857     | .4904     | .5101     | .4535     | .4770     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113031 / RUNWAL

Feeder No / Name : 203 / Runwal Green III

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3584     | .3395     | .3584     | .415      | .3206     | .3206     | .3206     |
| 2    | .3206     | .3206     | .3584     | .4527     | .3395     | .3395     | .3018     |
| 3    | .2641     | .3018     | .3395     | .3961     |           | .3018     | .2829     |
| 4    | .2452     | .3018     | .3206     | .3584     | .2641     | .2075     | .3018     |
| 5    | .2263     | .2263     | .3395     | .3772     | .2641     | .2829     | .2572     |
| 6    | .3395     | .2641     | .3206     | .3018     | .2263     | .2263     | .2641     |
| 7    | .3206     | .2829     | .3206     | .3395     | .2452     | .3395     | .2452     |
| 8    | .3772     | .3018     | .3206     | .3395     | .3206     | .3772     | .3395     |
| 9    | .4338     | .415      | .3584     | .4715     | .3395     | .415      | .3772     |
| 10   | .3772     |           | .4338     | .5281     | .3584     | .4338     | .415      |
| 11   | .3961     | .4904     | .4527     | .5658     | .4338     | .3961     | .4527     |
| 12   | .415      | .3584     | .3772     | .3772     | .4338     | .415      | .4527     |
| 13   | .3961     | .3395     | .3961     | .2641     | .3961     | .1886     | .415      |
| 14   | .415      | .3584     | .3961     | .2452     | .3772     | .1698     | .4338     |
| 15   | .3772     | .3961     | .415      | .415      | .3584     | .1509     | .3961     |
| 16   | .3584     | .415      | .4527     | .3772     | .3395     | .132      | .3772     |
| 17   | .3772     | .3395     | .3584     | .3395     | .3206     | .1132     | .3772     |
| 18   | .3961     | .3772     | .3772     | .3772     | .3584     | .0943     | .3395     |
| 19   | .3772     | .3961     | .4715     | .3961     | .3772     | .0943     | .3018     |
| 20   | .3584     | .4338     | .4338     | .415      | .3961     | .0754     | .3584     |
| 21   | .3584     | .4527     | .5658     | .5281     | .4338     | .0943     | .415      |
| 22   | .3961     |           | .4527     | .4904     | .4338     | .1132     | .3206     |
| 23   | .3395     | .4338     | .415      | .4338     | .3584     | .3018     | .3772     |
| 24   | .3772     | .3018     | .415      | .3772     | .3395     | .3018     | .3395     |
| Max  | .4338     | .4904     | .5658     | .5658     | .4338     | .4338     | .4527     |
| Min  | .2263     | .2263     | .3206     | .2452     | .2263     | .0754     | .2452     |
| Avg  | .3584     | .3567     | .3937     | .3992     | .3493     | .2452     | .3526     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113031 / RUNWAL

Feeder No / Name : 206 / Runwal Green I

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1629     | .181      | .1698     | .181      | .1991     | .181      | .1132     |
| 2    | .1267     | .1629     | .1448     | .1629     | .2172     | .1629     | .0905     |
| 3    | .1267     | .1629     | .1267     | .1448     |           | .1267     | .0905     |
| 4    | .1086     | .1267     | .1267     | .1086     | .1629     | .1086     | .0724     |
| 5    | .0905     | .1448     | .1086     | .1267     | .1448     | .0905     | .0724     |
| 6    | .1267     | .1448     | .0905     | .1448     | .1086     | .1086     | .0905     |
| 7    | .1086     | .1448     | .0905     | .1086     | .0905     | .1086     | .1267     |
| 8    | .1086     | .1448     | .0905     | .1086     | .1086     | .0905     | .1267     |
| 9    | .1267     | .1086     | .1086     | .0905     | .1086     | .0905     | .1448     |
| 10   | .1267     |           | .1448     | .1448     | .1629     | .0905     | .1629     |
| 11   | .1629     | .1086     | .1267     | .181      | .1086     | .1267     | .181      |
| 12   | .181      | .0905     | .1086     | .1267     | .1267     | .2353     | .181      |
| 13   | .1629     | .0905     | .1448     | .181      | .1086     | .181      | .1448     |
| 14   | .1448     | .1629     | .1267     | .1448     | .0905     | .1629     | .1086     |
| 15   | .1086     | .1448     | .1448     | .181      | .1086     | .1448     | .1448     |
| 16   | .0905     | .1267     | .1448     | .1629     | .1267     | .1267     | .1629     |
| 17   | .1267     | .1448     | .1991     | .181      | .1448     | .1086     | .1509     |
| 18   | .1086     | .1086     | .1267     | .1086     | .1629     | .1086     | .0905     |
| 19   | .1448     | .1267     | .1086     | .181      | .1448     | .1267     | .1267     |
| 20   | .1629     | .1267     | .1991     | .1629     | .1267     | .1086     | .1267     |
| 21   | .1629     | .1629     | .1629     | .181      | .1267     | .1448     | .1629     |
| 22   | .181      | .181      | .1448     | .1991     | .2353     | .1629     | .2534     |
| 23   | .181      | .2534     | .2353     | .2353     | .2353     | .181      | .2353     |
| 24   | .1991     | .181      | .181      | .2172     | .2172     | .181      | .2534     |
| Max  | .1991     | .2534     | .2353     | .2353     | .2353     | .2353     | .2534     |
| Min  | .0905     | .0905     | .0905     | .0905     | .0905     | .0905     | .0724     |
| Avg  | .1388     | .1448     | .1398     | .1569     | .1464     | .1358     | .1422     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113036 / HDIL

Feeder No / Name : 201 / Khalasa Compound

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4527     | .4294     | .4572     | .4668     | .4527     | .4527     | .3361     |
| 2    | .4527     | .4481     | .415      | .4481     | .415      | .4382     | .3174     |
| 3    | .381      | .3921     | .381      | .4108     | .3772     | .4191     | .2829     |
| 4    | .362      | .3734     | .3584     | .3921     | .3961     | .4001     | .2801     |
| 5    | .3584     | .3547     | .3584     | .3734     | .3395     | .381      | .2801     |
| 6    | .3395     | .3361     | .3395     | .3734     | .3734     | .381      | .2743     |
| 7    | .3395     | .3734     | .3361     | .3696     | .3174     | .415      | .2614     |
| 8    | .4108     | .4108     | .4251     | .3881     | .3547     | .3658     | .3174     |
| 9    | .6161     | .6447     | .6154     | .6268     | .5228     | .439      | .543      |
| 10   | .8589     | .8507     | .7796     | .7973     | .7468     | .4755     | .788      |
| 11   | .9709     | .8507     | .8596     | .9134     | .8962     | .4784     | .8869     |
| 12   | 1.0269    | .8869     | .905      | .9036     | .9709     | .4525     | .9412     |
| 13   | .823      | .924      | .8688     | .9214     | .8501     | .439      | .9145     |
| 14   | .8688     | .8688     | .8688     | .9313     | .8413     | .439      | .8688     |
| 15   | .9335     | .9328     | .9774     | .9313     | .8688     | .4024     | .8775     |
| 16   | .9709     | .9231     | .9412     | .9036     | .9412     | .4572     | .9231     |
| 17   | .9328     | .9145     | .985      | .8954     | .7964     | .4298     | .9145     |
| 18   | .8413     | .7964     | .8238     | .8238     | .724      | .3547     | .8145     |
| 19   | .724      | .7602     | .788      | .7421     | .695      | .2926     | .6584     |
| 20   | .5544     | .6268     | .6516     | .6268     | .5853     | .3109     | .5729     |
| 21   | .4481     | .4805     | .5175     | .4668     | .4435     | .3292     | .5228     |
| 22   | .4163     | .4481     | .4904     | .4481     | .4435     | .3292     | .4668     |
| 23   | .4668     | .4904     | .4904     | .4904     | .4854     | .3475     | .4904     |
| 24   | .4527     | .4481     | .4715     | .4904     | .4527     | .4904     | .3658     |
| Max  | 1.0269    | .9328     | .985      | .9313     | .9709     | .4904     | .9412     |
| Min  | .3395     | .3361     | .3361     | .3696     | .3174     | .2926     | .2614     |
| Avg  | .6251     | .6235     | .6294     | .6306     | .5954     | .4050     | .5791     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

BHANDUP URBAN DIVISION[555]

PANNALAL S/DN.[734] BU 4734

Substation No/ Name :- 113036 / HDIL

Feeder No / Name : 202 / Killburn

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.086     | 1.531     | 1.358     | 2.0957    | 1.0669    | .4572     | .7545     |
| 2    | 1.2384    | 1.307     | 1.6194    | 1.9239    | 1.6032    | .9145     | 1.226     |
| 3    | 1.1317    | 1.307     | 1.2765    | 1.8861    |           | .8764     | 1.307     |
| 4    | 1.5655    | 1.5089    | 1.5466    | 1.7353    | 1.2384    | .8383     | 1.307     |
| 5    | 1.7528    | 1.5466    | 1.0669    | 1.6975    |           | .8383     | .7468     |
| 6    | 1.2765    | 1.3203    | .9145     | 1.1812    | .0754     | .724      | .4108     |
| 7    | 1.2826    | 1.9978    | 1.4335    | 1.448     | .9808     | .4527     | .3772     |
| 8    | 1.5089    | 1.643     | 1.226     | 1.4523    | 1.094     | .5228     | .4435     |
| 9    | 1.829     | 2.3339    | 1.8861    | 2.4143    | .8215     | .5068     | .5658     |
| 10   |           | 2.6513    | 2.6406    | 2.3525    | 1.5684    | .439      | .7842     |
| 11   | 2.5019    | 3.1121    | 2.9874    | 3.1741    | .9709     | .5014     | 1.4563    |
| 12   | 3.1181    |           | 3.1121    | 2.7633    | .7468     | .5014     | 1.5655    |
| 13   | 2.5972    | 2.0182    | 2.9424    | 2.6406    | 1.7177    | .439      | .8865     |
| 14   | 2.3529    | 2.6139    | 2.9801    | 1.4901    | 1.0456    | .439      | .8676     |
| 15   | 2.3899    | 2.6029    | 3.2065    | 1.5466    | 1.1203    | .439      | .8029     |
| 16   | 2.3152    | 2.4272    | 2.9801    | 1.4937    | 1.4784    | .439      | 1.3014    |
| 17   | 2.6155    | 1.9231    | 2.6139    | 1.475     | .7392     | .439      | .6908     |
| 18   | 2.1719    | 1.7551    | 2.5019    | 1.5655    | .7023     | .3258     | 1.0562    |
| 19   | 2.2624    | 1.5466    | 2.0748    | 1.226     | .7095     | .4024     | .5281     |
| 20   | 1.7556    | 2.0748    | 1.8484    | 1.2071    | .5975     | .7964     | .5788     |
| 21   | 2.0911    | 1.8107    | 1.6221    | .9997     | .5975     | .6348     | 1.1949    |
| 22   | 1.448     | 1.1694    | 1.7147    | 1.0374    | .5228     | .6722     | .6602     |
| 23   | 1.5684    | 1.5844    | 2.0957    | 1.6221    | .5281     | .5228     | .5847     |
| 24   | 1.1431    | 1.4937    | 1.2003    | 1.6766    | 1.0374    | .5716     | .7468     |
| Max  | 3.1181    | 3.1121    | 3.2065    | 3.1741    | 1.7177    | .9145     | 1.5655    |
| Min  | 1.086     | 1.1694    | .9145     | .9997     | .0754     | .3258     | .3772     |
| Avg  | 1.8697    | 1.8817    | 2.0354    | 1.7544    | .9528     | .5706     | .8685     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113020 / Hariomnagar receiving

Feeder No / Name : 201 / 11kV SAMPADA FEEDER

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.5475    |           | 3.3303    | 3.5288    | 2.8054    | 3.0226    | 2.8054    |
| 2    | 3.3981    |           | 3.1674    | 3.2301    | 2.5701    | 2.8054    | 2.5882    |
| 3    | 2.9874    |           | 2.7149    | 3.0807    | 2.3529    | 2.6063    | 2.3891    |
| 4    | 2.6139    |           | 2.3167    | 2.6886    | 2.1357    | 2.3891    | 2.1719    |
| 5    | 2.4272    |           | 2.1719    | 2.4272    | 1.9366    | 2.0814    | 1.9728    |
| 6    | 2.2405    |           | 2.1357    | 2.2592    | 1.9004    | 1.8461    | 1.9004    |
| 7    | 2.0165    | 2.0538    | 2.0633    | 2.1285    | 1.8461    | 1.7556    | 1.8461    |
| 8    | 2.0911    | 2.0911    | 2.1176    | 2.1285    | 1.828     | 1.7013    | 1.828     |
| 9    | 2.1658    | 2.0351    | 2.0995    | 2.1472    | 1.828     | 1.828     | 1.828     |
| 10   | 2.1098    | 2.1658    | 2.0452    | 2.1285    | 1.9004    | 1.8099    | 1.8461    |
| 11   | 2.2405    | 2.1472    | 2.3525    | .2614     | 2.1357    | 1.8823    | 1.8461    |
| 12   |           | 2.2032    | 2.19      | .2427     | 2.0814    | 1.9547    | 1.8823    |
| 13   | 2.1658    | 2.1472    | 2.371     | .2614     | 2.009     | 1.8823    | 1.8642    |
| 14   | 2.2405    | 2.3339    | 2.4615    | .2534     |           | 2.1176    | 1.8099    |
| 15   |           | 2.4459    | 2.6244    | .2534     | 2.2443    | 2.1357    | 1.9728    |
| 16   | 2.1658    | 2.3712    | 2.4796    | .2534     | 1.9909    | 1.9909    |           |
| 17   |           | 2.2779    | 2.3529    | 1.7556    | 2.0271    | 1.8461    | .1086     |
| 18   |           | 2.0725    | 2.3529    | 1.828     | 1.7737    | 1.7375    | .0905     |
| 19   | 2.1098    | 2.3152    | 2.3348    | 1.9547    | 1.9004    | 2.0271    | .0905     |
| 20   |           | 2.6886    | 2.6968    | 2.2805    | 2.1719    | 2.19      | .0905     |
| 21   | 2.6886    | 2.838     | 2.7692    | .4525     | 2.2986    | 2.3529    | .1086     |
| 22   | 2.9874    | 3.1741    | 3.4389    | 2.7873    | 2.552     | 2.3529    | .1267     |
| 23   | 3.5848    | 3.7342    | 3.819     | 3.1131    | 2.9321    | 3.095     | .2172     |
| 24   | 3.6969    |           | 3.5294    | 3.8552    | 3.2217    |           | 3.0769    |
| Max  | 3.6969    | 3.7342    | 3.819     | 3.8552    | 3.2217    | 3.095     | 3.0769    |
| Min  | 2.0165    | 2.0351    | 2.0452    | .2427     | 1.7737    | 1.7013    | .0905     |
| Avg  | 2.6041    | 2.4173    | 2.5806    | 1.8875    | 2.1931    | 2.1483    | 1.4983    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113020 / Hariomnagar receiving

Feeder No / Name : 202 / HARIOM NAGAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4508     |           | .4854     | .5895     | .4508     | .5028     | .4508     |
| 2    | .4161     |           | .4334     | .4681     | .3988     | .4334     | .4161     |
| 3    | .3814     |           | .3988     | .4334     | .3988     | .3814     | .3814     |
| 4    | .3467     |           | .3641     | .3814     | .3814     | .3467     | .3467     |
| 5    | .3294     |           | .3467     | .3467     | .3467     | .2947     | .3121     |
| 6    | .3294     |           | .3294     |           | .3121     | .2947     | .2947     |
| 7    | .2774     | .2774     | .3121     | .3121     | .3467     | .2774     | .2774     |
| 8    | .2774     | .2774     | .2774     |           | .3294     | .3121     | .2947     |
| 9    | .3467     | .3467     | .3467     | .3294     | .3641     | .3294     | .2947     |
| 10   | .3641     | .3641     | .4508     | .3467     | .3467     | .3988     | .3814     |
| 11   | .3467     | .4161     | .3641     | .3641     | .4508     | .3467     | .3121     |
| 12   |           | .4161     |           | .3294     | .4334     | .3814     | .3467     |
| 13   |           | .3988     | .3814     | .3121     | .3988     |           | .3467     |
| 14   | .3121     | .3988     | .4508     | .3814     |           | .3814     | .3294     |
| 15   |           | .4161     | .4334     | .4334     | .4508     | .4161     | .3641     |
| 16   | .3814     | .4161     | .3814     | .4334     | .4161     | .4161     |           |
| 17   |           | .3641     | .3988     | .3814     | .4161     | .4334     | .3121     |
| 18   |           | .2947     | .3814     | .3641     | .3641     | .3641     | .3294     |
| 19   | .3467     | .3294     | .3641     | .3467     | .2947     | .3988     | .3121     |
| 20   |           | .3641     | .3988     | .3467     | .3641     | .3814     | .3641     |
| 21   | .4161     | .4161     | .4508     | .4334     | .3988     | .4161     | .3988     |
| 22   | .4334     | .5028     | .5201     | .4854     | .3814     | .4508     | .4508     |
| 23   | .4854     | .5201     | .5201     | .5028     | .4334     | .5028     | .4854     |
| 24   | .4854     |           | .5375     |           | .5375     |           | .5201     |
| Max  | .4854     | .5201     | .5375     | .5895     | .5375     | .5028     | .5201     |
| Min  | .2774     | .2774     | .2774     | .3121     | .2947     | .2774     | .2774     |
| Avg  | .3737     | .3835     | .4055     | .3963     | .3920     | .3846     | .3618     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113020 / Hariomnagar receiving

Feeder No / Name : 203 / KALPTARU

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4175    |           | 1.4175    | 1.4883    | 1.4175    | 1.4883    | 1.5061    |
| 2    | 1.3466    |           | 1.3466    |           | 1.2934    | 1.4175    | 1.4352    |
| 3    | 1.2403    |           | 1.3112    | 1.1163    | 1.1517    | 1.3466    | 1.3643    |
| 4    | 1.0631    |           | 1.0631    |           | 1.0099    | 1.0985    | 1.1163    |
| 5    | .8859     |           | .9745     | .9391     | .9214     | .9745     | .9568     |
| 6    | .8328     |           | .8505     | .8859     | .8682     | .8859     | .8859     |
| 7    | .8859     |           | .7619     |           | .815      | .7796     | .8505     |
| 8    | .7796     | .815      | .8682     | .7442     | .7619     | .7619     | .8505     |
| 9    | .7973     | .7796     | .815      | .7973     | .815      | .7796     | .7442     |
| 10   | .7796     | .7265     | .7087     | .7619     | .7442     | .7442     | .7619     |
| 11   | .7087     | .7087     | .7619     | .6556     | .7973     | .8859     | .7796     |
| 12   |           | .691      | .7619     | .7973     | .8328     | .8505     | .691      |
| 13   |           | .7442     | .7973     | .7796     |           | .8328     | .691      |
| 14   | .7619     | .8682     | .8859     | .815      |           | .9036     | .7442     |
| 15   |           | .8682     | .9568     | .8328     | .9745     | .9745     | .7796     |
| 16   | .8505     | .7796     | .8682     | .7796     | .9214     | .9568     |           |
| 17   |           | .7087     | .7796     | .7087     | .815      | .8682     | .691      |
| 18   |           | .7265     | .7442     | .6379     | .7619     | .7442     | .6733     |
| 19   | .7442     | .7619     | .7442     | .7619     | .7619     | .8505     | .7087     |
| 20   |           | .9036     | .9214     | .8682     | .9214     | .9214     | .815      |
| 21   | .9391     | 1.0631    | 1.0808    | 1.0099    | 1.0631    | 1.0277    | .9745     |
| 22   | 1.2226    | 1.2048    | 1.3289    | 1.2403    | 1.134     | 1.1694    | 1.1517    |
| 23   | 1.5061    | 1.5592    | 1.5947    | 1.5415    | 1.3998    | 1.4529    | 1.5238    |
| 24   | 1.5061    |           | 1.5238    | 1.6124    | 1.5769    |           | 1.5415    |
| Max  | 1.5061    | 1.5592    | 1.5947    | 1.6124    | 1.5769    | 1.4883    | 1.5415    |
| Min  | .7087     | .691      | .7087     | .6379     | .7442     | .7442     | .6733     |
| Avg  | 1.0149    | .8693     | .9945     | .9416     | .9890     | .9876     | .9668     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113020 / Hariomnagar receiving

Feeder No / Name : 204 / SAINATH

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 21-MAY-18 |
|------|-----------|
| HR   | Load (MW) |
| 17   | .7783     |
| 18   | .6447     |
| 19   | .724      |
| 20   | .8507     |
| 21   | .9774     |
| 22   | 1.2894    |
| 23   | 1.6651    |
| Max  | 1.6651    |
| Min  | .6447     |
| Avg  | .9899     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113020 / Hariomnagar receiving

Feeder No / Name : 205 / 11kv RICHA FEEDER

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7392     |           | .7207     | .7392     | .7023     | .7762     | .7392     |
| 2    | .6653     |           | .6468     | .6838     | .6468     | .7023     | .6653     |
| 3    | .5914     |           | .5914     | .5914     | .6099     | .6468     | .6283     |
| 4    | .5544     |           | .5544     |           | .5914     | .499      | .5914     |
| 5    | .5175     |           | .5175     | .499      | .499      | .4066     | .5544     |
| 6    | .5175     |           | .499      |           | .462      | .4066     | .499      |
| 7    | .4435     |           | .499      | .3881     | .4066     | .3696     | .4435     |
| 8    | .4066     | .4066     | .462      | .4251     | .4066     | .3696     | .4251     |
| 9    | .4251     | .4435     | .462      | .3881     | .4251     | .462      | .462      |
| 10   | .3881     | .4435     | .462      | .4435     | .3511     | .4251     | .462      |
| 11   | .4251     | .4805     | .5544     | .4805     | .462      | .4435     | .462      |
| 12   |           | .4805     | .4805     | .4435     | .462      | .5544     | .462      |
| 13   |           | .499      | .462      | .462      |           | .4435     | .4435     |
| 14   | .4066     | .4435     | .4805     | .462      |           | .4435     | .4805     |
| 15   |           | .462      | .499      | .462      | .4435     | .462      | .462      |
| 16   | .4435     | .462      | .5175     | .4251     | .4435     | .4435     |           |
| 17   |           | .4435     | .5175     | .4066     | .4251     | .4435     | .4435     |
| 18   |           | .4066     | .5175     | .4066     | .4251     | .462      | .4066     |
| 19   | .462      | .4805     | .5175     | .5544     | .4435     | .5175     | .4435     |
| 20   |           | .5914     | .6468     | .6099     | .5914     | .5914     | .5487     |
| 21   | .5914     | .6283     | .5914     | .5544     | .6099     | .6099     | .6468     |
| 22   |           | .7023     | .7207     | .6099     | .6653     | .6283     | .6653     |
| 23   | .7392     | .7762     | .8131     | .7023     | .7392     | .7392     | .7392     |
| 24   | .7577     |           | .7762     | .8501     | .7762     |           | .7947     |
| Max  | .7577     | .7762     | .8131     | .8501     | .7762     | .7762     | .7947     |
| Min  | .3881     | .4066     | .462      | .3881     | .3511     | .3696     | .4066     |
| Avg  | .5338     | .5094     | .5629     | .5267     | .5267     | .5150     | .5421     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113020 / Hariomnagar receiving

Feeder No / Name : 301 / ETERNITY-I Incomer to NON SHEDDABLE EXPRESS HV FEEDERS  
 Eternity Feeder KV- 22 / (CONTINUOUS PROCESS)(NO STAGGERING)  
 INCOMING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.6961    |           | 3.1786    | 4.2505    | 5.5072    | 5.4702    | 5.6181    |
| 2    | 3.3265    |           | 3.0308    | 4.0657    | 5.3224    | 5.2115    | 5.3593    |
| 3    | 2.9569    |           | 2.8829    |           | 5.0636    | 5.0636    | 5.1006    |
| 4    | 2.5873    |           | 2.6612    | 3.4374    | 4.5092    | 4.731     | 4.8049    |
| 5    | 2.4394    |           | 2.5133    |           | 3.9179    | 4.5092    | 3.8809    |
| 6    | 2.4025    |           | 2.3655    | 2.9938    | 3.5852    | 4.3244    | 3.6591    |
| 7    | 2.5503    |           | 2.1437    |           | 3.4004    | 3.9179    | 3.5113    |
| 8    | 2.2546    | 2.0698    | 2.3655    | 2.7721    | 3.5482    | 3.4374    | 3.733     |
| 9    | 2.2916    | 2.1807    | 2.1807    | 3.0678    | 3.8809    | 3.6222    | 3.6591    |
| 10   | 2.2177    | 2.5873    | 2.5873    | 5.9877    | 4.2875    | 3.9179    | 4.4353    |
| 11   | 2.6612    | 2.6981    | 2.6242    | 6.5421    | 4.8788    | 3.9918    | 4.9158    |
| 12   |           | 2.6242    | 2.7351    | 6.579     | 4.9158    | 4.3614    | 5.0267    |
| 13   |           | 2.4764    | 2.4394    | 6.5051    |           | 4.3244    | 5.1376    |
| 14   | 2.809     | 2.5503    | 2.8829    | 7.0226    |           | 4.731     | 4.9158    |
| 15   |           | 2.9199    | 3.1786    | 6.8378    | 5.5811    | 4.768     | 4.9897    |
| 16   | 2.9199    | 2.6242    | 4.4723    | 7.1334    | 5.3593    | 4.2135    |           |
| 17   |           | 2.4394    | 4.1396    |           | 4.8419    | 4.2135    | 4.8788    |
| 18   |           | 2.4394    | 4.1396    |           | 4.3614    | 3.807     | 4.1027    |
| 19   | 2.8829    | 2.5873    | 4.1027    | 3.3634    | 5.0267    | 4.2505    | 4.5092    |
| 20   |           | 3.2526    | 4.3983    | 5.1745    | 5.3224    | 4.8419    | 4.9528    |
| 21   | 3.1786    | 3.3265    | 4.5831    | 5.3593    | 5.3963    | 4.9897    | 5.1006    |
| 22   |           | 3.4743    | 5.2115    | 5.6181    | 5.7289    | 5.4332    | 5.5441    |
| 23   | 3.8439    | 3.807     | 5.3224    | 6.0985    | 5.9507    | 6.3203    | 6.3942    |
| 24   | 3.8439    |           | 3.6961    | 4.8049    | 6.2094    |           | 6.3203    |
| Max  | 3.8439    | 3.807     | 5.3224    | 7.1334    | 6.2094    | 6.3203    | 6.3942    |
| Min  | 2.2177    | 2.0698    | 2.1437    | 2.7721    | 3.4004    | 3.4374    | 3.5113    |
| Avg  | 2.8743    | 2.7536    | 3.3265    | 5.1376    | 4.8452    | 4.5414    | 4.8065    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113020 / Hariomnagar receiving

Feeder No / Name : 302 / ETERNITY-II Incomer to NON SHEDDABLE EXPRESS HV FEEDERS  
 Eternit Feeder KV- 22 / INCOMING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.9616    |           | .9054     | .9808     | .8299     | .8299     | .9431     |
| 2    | 1.8861    |           | .7922     |           | .8299     | .7545     | .8299     |
| 3    | 1.5089    |           | .679      | .8299     | .7545     | .679      | .7545     |
| 4    | 1.4335    |           | .679      |           | .6413     | .679      | .679      |
| 5    | 1.358     |           | .6413     | .679      | .6036     | .6036     | .7167     |
| 6    | 1.2826    |           | .6036     |           | .5658     | .6036     | .6413     |
| 7    | 1.1694    |           | .6413     | .6413     | .5281     | .4904     | .6036     |
| 8    | 1.2826    | .679      | .7167     | .7167     | .5281     | .4904     | .6413     |
| 9    | 1.5844    | .7922     | .9054     | .7167     | .8299     | .6036     | 1.0185    |
| 10   | 2.037     | 1.4712    | 1.3957    |           | 1.4335    | .7922     | 1.4335    |
| 11   | 2.3765    | 1.6221    | 1.6804    |           | 1.5844    | 1.0185    | 1.6975    |
| 12   |           | 1.6598    | 1.6598    |           | 1.6975    | 1.0562    | 3.7346    |
| 13   |           | 1.5844    | 1.6598    |           |           | 1.1317    | 1.6598    |
| 14   | 1.6598    | 1.6975    | 1.773     |           |           | 1.1317    | 1.6598    |
| 15   |           | 1.6975    | 1.7353    |           | 1.6598    | 1.1317    | 1.6598    |
| 16   | 1.6975    | 1.6975    | 1.8107    |           | 1.6221    | 1.1317    |           |
| 17   |           | 1.6221    | 1.6598    | 5.3944    | 1.4712    | 1.094     | 1.6221    |
| 18   |           | 1.4712    | 1.5466    | 5.9225    | 1.2826    | 1.0185    | 1.358     |
| 19   | 1.3203    | 1.358     | 1.3957    | 5.6584    | 1.2071    | 1.094     | 1.2826    |
| 20   |           | 1.2071    | 1.1694    | 1.1317    | 1.1317    | 1.0562    | 1.2071    |
| 21   | 1.1317    | 1.094     | 1.1706    | 1.094     | 1.0562    | 1.094     | 1.1317    |
| 22   |           | 1.094     | 1.2071    | 1.0562    | 1.0185    | 1.094     | .9431     |
| 23   | .9808     | .9808     | 1.1317    | 1.0185    | .9808     | 1.1694    | 1.0562    |
| 24   | 2.0748    |           | 1.1317    | 1.1317    | .9808     |           | 1.0562    |
| Max  | 2.3765    | 1.6975    | 1.8107    | 5.9225    | 1.6975    | 1.1694    | 3.7346    |
| Min  | .9808     | .679      | .6036     | .6413     | .5281     | .4904     | .6036     |
| Avg  | 1.5733    | 1.3580    | 1.1955    | 1.9266    | 1.0562    | .9021     | 1.2317    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113040 / Pioneer S/stn.

Feeder No / Name : 204 / 11 Kv Chintamani

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.758     |           | 2.9729    |           | 2.9371    | 2.9371    |           |
| 2    | 1.8267    |           | 2.4714    |           | 2.4714    | 2.4714    |           |
| 3    | 1.8267    |           | 2.4714    |           | 1.8983    | 1.8267    |           |
| 4    | 1.8267    |           | 1.7909    |           | 1.8983    | 1.8267    |           |
| 5    | 1.6834    |           | 1.7909    |           | 1.8983    | 1.8267    |           |
| 6    | 1.6834    |           | 1.7551    |           | 1.8267    | 1.7193    |           |
| 7    | 1.5402    |           | 1.6118    |           | 1.6118    |           |           |
| 8    | 1.6476    | 1.6289    | 1.6834    |           | 1.6118    |           | 1.6289    |
| 9    |           |           |           | 1.5927    | 1.7193    |           | 1.6651    |
| 10   |           | 1.8625    |           | 1.9342    | 1.8983    |           | 1.7909    |
| 11   |           | 1.97      |           | 2.0058    | 2.0774    |           | 1.9342    |
| 12   |           | 1.9342    |           | 1.8983    | 2.0058    |           | 1.8625    |
| 13   |           | 1.8983    |           | 1.97      | 2.0058    |           | 1.8983    |
| 14   |           | 1.9342    |           | 1.97      | 2.1132    |           | 1.8983    |
| 15   |           | 2.0058    |           |           | 2.1491    |           | 1.97      |
| 16   |           | 1.97      |           | 2.0058    | 2.0416    |           | 1.9342    |
| 17   |           | 1.8625    |           | 1.8983    | 1.9342    |           | 1.8267    |
| 18   |           | 1.8267    |           | 1.8625    | 1.8267    |           | 1.7909    |
| 19   |           | 2.0058    |           | 2.0058    | 2.0058    |           | 1.9342    |
| 20   |           | 2.1849    |           | 2.2565    | 2.1491    |           | 2.1491    |
| 21   |           | 2.1849    |           | 2.2923    | 2.1849    |           | 2.2565    |
| 22   |           | 2.6863    |           | 2.5789    | 2.4714    |           | 2.4714    |
| 23   | 2.5339    | 2.9729    | 3.0407    | 2.9371    | 2.1132    | 2.8959    | 2.8654    |
| 24   | 3.0087    |           | 3.0803    |           | 2.9729    | 2.9729    |           |
| Max  | 3.0087    | 2.9729    | 3.0803    | 2.9371    | 2.9729    | 2.9729    | 2.8654    |
| Min  | 1.5402    | 1.6289    | 1.6118    | 1.5927    | 1.6118    | 1.7193    | 1.6289    |
| Avg  | 2.0335    | 2.0619    | 2.2669    | 2.0863    | 2.0759    | 2.3096    | 1.9923    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113040 / Pioneer S/stn.

Feeder No / Name : 205 / 11 Kv Ganadhiraj

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.2565    |           | 2.4356    |           | 2.4714    | 2.4714    |           |
| 2    | 1.576     |           | 2.167     |           | 2.1491    | 2.1491    |           |
| 3    | 1.576     |           | 2.1491    |           | 1.6834    | 1.6834    |           |
| 4    | 1.576     |           | 2.1491    |           | 1.6834    | 1.6834    |           |
| 5    | 1.3969    |           | 1.6118    |           | 1.6834    | 1.6118    |           |
| 6    | 1.3969    |           | 1.5402    |           | 1.5043    | 1.4327    |           |
| 7    | 1.3969    |           | 1.3611    |           | 1.4327    | 1.3611    |           |
| 8    | 1.3611    | 1.448     | 1.3611    |           | 1.3611    |           | 1.3756    |
| 9    |           |           |           | 1.3756    | 1.3253    |           | 1.3394    |
| 10   |           | 1.4685    |           | 1.3969    | 1.4685    |           | 1.4685    |
| 11   |           | 1.4685    |           | 1.5043    | 1.5043    |           | 1.3969    |
| 12   |           | 1.3969    |           | 1.4327    | 1.5402    |           | 1.3253    |
| 13   |           | 1.3611    |           | 1.3969    | 1.4327    |           | 1.3611    |
| 14   |           | 1.4685    |           | 1.4327    | 1.6118    |           | 1.3611    |
| 15   |           | 1.4685    |           | 1.8267    | 1.576     |           | 1.3969    |
| 16   |           | 1.4685    |           | 1.4685    | 1.5043    |           | 1.2894    |
| 17   |           | 1.2894    |           | 1.2536    | 1.3969    |           | 1.182     |
| 18   |           | 1.2178    |           | 1.2536    | 1.3969    |           | 1.1104    |
| 19   |           | 1.3611    |           | 1.3611    | 1.4685    |           | 1.3611    |
| 20   |           | 1.6118    |           | 1.576     | 1.6118    |           | 1.5402    |
| 21   |           | 1.7193    |           | 1.7551    | 1.7551    |           | 1.6834    |
| 22   |           | 2.0416    |           | 2.0416    | 1.9342    |           |           |
| 23   | 2.3529    | 2.4356    | 2.5339    | 2.4356    | 2.2565    | 2.3167    | 2.3998    |
| 24   | 2.5072    |           | 2.5789    |           | 2.5072    | 2.5072    |           |
| Max  | 2.5072    | 2.4356    | 2.5789    | 2.4356    | 2.5072    | 2.5072    | 2.3998    |
| Min  | 1.3611    | 1.2178    | 1.3611    | 1.2536    | 1.3253    | 1.3611    | 1.1104    |
| Avg  | 1.7396    | 1.5483    | 1.9888    | 1.5674    | 1.6775    | 1.9130    | 1.4394    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113521 / P.M.G.P. RECEIVING

Feeder No / Name : 201 / ANKITA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6584     | .695      | .6767     | .695      | .695      | .6767     | .6584     |
| 2    | .5853     | .6036     | .5853     | .6036     | .6219     | .6219     | .6401     |
| 3    | .5304     | .5487     | .5487     | .5487     | .567      | .567      | .5487     |
| 4    | .4755     | .439      | .4755     | .4938     | .4938     | .4938     | .5121     |
| 5    | .439      | .4024     | .439      | .4572     | .4572     | .4572     | .439      |
| 6    | .4024     | .3475     | .4207     | .4024     | .439      | .4024     | .3658     |
| 7    | .3475     | .3475     | .3475     | .3841     | .3658     | .3109     | .3109     |
| 8    | .3841     | .3475     | .3658     | .3475     | .3109     | .3475     | .3292     |
| 9    | .3109     | .3658     | .3658     | .3841     | .3475     | .3658     | .3475     |
| 10   | .3292     | .3841     | .3658     | .3841     | .4024     | .3292     | .3109     |
| 11   | .3475     | .4024     | .3841     | .4024     | .3658     | .3841     | .3658     |
| 12   | .3658     | .3841     | .3658     | .3475     | .3841     | .3841     | .3841     |
| 13   | .3841     | .4024     | .4207     | .4024     | .439      | .4024     | .4024     |
| 14   | .3841     | .4024     | .4572     | .3841     | .4572     | .4207     | .4207     |
| 15   | .4024     | .4024     | .439      | .439      | .4572     | .4572     | .439      |
| 16   | .4024     | .3841     | .439      | .3841     | .439      | .4572     | .4207     |
| 17   | .3292     | .3841     | .4207     | .3841     | .439      | .439      | .3292     |
| 18   | .3292     | .3109     | .3841     | .2926     | .3109     | .3292     | .3292     |
| 19   | .3658     | .3658     | .3658     | .4024     | .3658     | .4024     | .3292     |
| 20   | .4024     | .439      | .4572     | .4024     | .4755     | .439      | .439      |
| 21   | .5304     | .4938     | .5304     | .5304     | .4938     | .439      | .439      |
| 22   | .567      | .6401     | .6767     | .5853     | .5487     | .567      | .5853     |
| 23   | .7316     | .7316     | .7865     | .7316     | .7499     | .7316     | .7499     |
| 24   | .7316     | .7682     | .7316     | .8779     | .7865     | .7499     | .7499     |
| Max  | .7316     | .7682     | .7865     | .8779     | .7865     | .7499     | .7499     |
| Min  | .3109     | .3109     | .3475     | .2926     | .3109     | .3109     | .3109     |
| Avg  | .4473     | .4580     | .4771     | .4694     | .4755     | .4656     | .4519     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113521 / P.M.G.P. RECEIVING

Feeder No / Name : 204 / 11kV UNITISED FEEDER

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2534     | .2353     | .2715     | .2715     | .2353     | .2715     | .2534     |
| 2    | .2353     | .1991     | .2353     | .2353     | .2353     | .2172     | .2353     |
| 3    | .1991     | .1991     | .2534     | .2172     | .2172     | .181      | .2172     |
| 4    | .181      | .181      | .2172     | .181      | .2353     | .1629     | .1991     |
| 5    | .1629     | .1629     | .181      | .181      | .2172     | .1629     | .181      |
| 6    | .1629     | .1629     | .1448     | .1448     | .1629     | .1448     | .1448     |
| 7    | .1448     | .1267     | .1448     | .1267     | .1448     | .1448     | .1267     |
| 8    | .1448     | .1448     | .1448     | .181      | .1448     | .1448     | .1629     |
| 9    | .181      | .1448     | .1448     |           | .1448     | .1448     | .1448     |
| 10   | .1267     | .1448     | .1448     | .1448     | .1448     | .1629     | .1267     |
| 11   | .1267     | .1448     | .1267     | .1267     | .1448     | .1448     | .1267     |
| 12   | .1267     | .1448     | .1267     | .1448     | .1448     | .1267     | .1267     |
| 13   | .1267     | .1448     | .1448     | .1448     | .1448     | .1448     | .1267     |
| 14   | .1267     | .1448     | .1448     | .1448     | .1629     | .1448     | .1267     |
| 15   | .1267     | .1448     | .1448     | .1448     | .1448     | .181      | .1267     |
| 16   | .1267     | .1448     | .1267     | .1267     | .1448     | .1448     | .1448     |
| 17   | .1267     | .1267     | .1267     | .1448     | .1448     | .1267     | .1267     |
| 18   | .1267     | .1267     | .1267     | .1629     | .1267     | .1267     | .1267     |
| 19   | .1267     | .1448     | .1448     | .1448     | .1448     | .1448     | .1267     |
| 20   | .181      | .181      | .181      | .1991     | .181      | .1629     | .181      |
| 21   | .1991     | .2172     | .2353     | .1991     | .2172     | .1991     | .2172     |
| 22   | .2353     | .2534     | .2534     | .2534     | .2534     | .2353     | .2534     |
| 23   | .2896     | .3077     | .2896     | .2896     | .2715     | .2896     | .3077     |
| 24   | .2534     | .2715     | .2896     | .2896     | .2896     | .2715     | .2715     |
| Max  | .2896     | .3077     | .2896     | .2896     | .2896     | .2896     | .3077     |
| Min  | .1267     | .1267     | .1267     | .1267     | .1267     | .1267     | .1267     |
| Avg  | .1704     | .1750     | .181      | .1826     | .1833     | .1742     | .1742     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113521 / P.M.G.P. RECEIVING

Feeder No / Name : 205 / LALITA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5853     | .5853     | .5853     | .6036     | .5487     | .5853     | .5853     |
| 2    | .5304     | .5121     | .4938     | .5121     | .5121     | .5853     | .567      |
| 3    | .4938     | .4755     | .4572     | .4938     | .4938     | .5304     | .5121     |
| 4    | .4207     | .439      | .4207     | .4755     | .4572     | .4572     | .439      |
| 5    | .4024     | .4024     | .4024     | .4207     | .439      | .4207     | .4024     |
| 6    | .3841     | .3841     | .3658     | .4024     | .4024     | .4207     | .3841     |
| 7    | .4024     | .3475     | .3475     | .3658     | .3658     | .4024     | .3658     |
| 8    | .3841     | .3841     | .3658     | .4024     | .3841     | .3841     | .3841     |
| 9    | .3658     | .3475     | .3658     | .3292     | .3292     | .4024     | .3292     |
| 10   | .4024     | .3841     | .4024     | .3841     | .439      | .3841     | .3475     |
| 11   | .4024     | .4207     | .4024     | .4024     | .4024     | .3841     | .4024     |
| 12   | .439      | .439      | .4024     | .3841     | .439      | .4207     | .4024     |
| 13   | .4024     | .3841     | .4024     | .3841     | .4207     | .4024     | .4207     |
| 14   | .4024     | .4024     | .4024     | .4024     | .4207     | .4024     | .3658     |
| 15   | .4207     | .439      | .439      | .4024     | .4572     | .4207     | .3841     |
| 16   | .3841     | .4207     | .4572     | .4024     | .439      | .439      | .3658     |
| 17   | .3841     | .4207     | .4207     | .3841     | .439      | .4024     | .3841     |
| 18   | .4024     | .4207     | .4024     | .3658     | .3841     | .3658     | .3841     |
| 19   | .4572     | .439      | .439      | .3841     | .4207     | .3475     | .439      |
| 20   | .4755     | .5121     | .4755     | .439      | .5121     | .439      | .4572     |
| 21   | .4755     | .5487     | .4938     | .439      | .567      | .4755     | .4938     |
| 22   | .5304     | .567      | .567      | .5304     | .5304     | .5121     | .5487     |
| 23   | .6401     | .6219     | .6584     | .6584     | .6036     | .6036     | .6036     |
| 24   | .6401     | .6584     | .6219     | .6584     | .6401     | .6767     | .6036     |
| Max  | .6401     | .6584     | .6584     | .6584     | .6401     | .6767     | .6036     |
| Min  | .3658     | .3475     | .3475     | .3292     | .3292     | .3475     | .3292     |
| Avg  | .4512     | .4565     | .4496     | .4428     | .4603     | .4527     | .4405     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113521 / P.M.G.P. RECEIVING

Feeder No / Name : 206 / NEELAM NAGAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7737    | 1.7737    | 1.885     | 1.9959    | 2.4025    | 2.4025    | 2.4209    |
| 2    | 1.5746    | 1.5746    | 1.7002    | 1.7372    | 2.1807    | 2.1253    | 2.1068    |
| 3    | 1.4661    | 1.4842    | 1.5893    | 1.5893    | 1.8111    | 1.885     | 1.885     |
| 4    | 1.3394    | 1.3394    | 1.386     | 1.4415    | 1.7002    | 1.7187    | 1.7187    |
| 5    | 1.2489    | 1.2308    | 1.2012    | 1.3491    | 1.6263    | 1.6263    | 1.5893    |
| 6    | 1.0679    | 1.0136    | 1.1088    | 1.0903    | 1.4784    | 1.4969    | 1.4784    |
| 7    | .9593     | 1.0317    | 1.1088    | .9979     | 1.2197    | 1.2012    | 1.2752    |
| 8    | .9593     | .9593     | .9425     | .9979     | 1.2567    | 1.1458    | 1.1827    |
| 9    | .9774     | .9593     | .9979     | .9979     | 1.2752    | 1.2936    | 1.2197    |
| 10   | 1.0498    | .9412     | .961      | .9425     | 1.3306    | 1.2936    | 1.1827    |
| 11   | .9593     | .9231     | .924      | 1.1827    | 1.3121    | 1.3306    | 1.1827    |
| 12   | .905      | .8688     | .8501     | 1.2382    | 1.4083    | 1.3306    | 1.1088    |
| 13   | .9231     | .905      | .961      | 1.2197    | 1.4045    | 1.386     | 1.1827    |
| 14   | .9774     | 1.0608    | 1.1827    | 1.386     | 1.46      | 1.5154    | 1.0719    |
| 15   | 1.086     | 1.0136    | 1.3121    | 1.423     | 1.5339    | 1.5339    | 1.1458    |
| 16   | .9774     | .9593     | 1.1643    | 1.3676    | 1.4784    | 1.5154    | .3696     |
| 17   | .8869     | .8688     | .9979     | 1.1273    | 1.3306    | 1.2936    | .3326     |
| 18   | .8688     | .7783     | .8501     | 1.0349    | 1.1827    | 1.2012    | .3326     |
| 19   | .9593     | .9231     | .9979     | 1.2752    | 1.3491    | 1.1827    | .3696     |
| 20   | 1.0136    | 1.0679    | 1.1458    | 1.4415    | 1.46      | 1.3306    | .4435     |
| 21   | 1.1946    | 1.1765    | 1.386     | 1.6263    | 1.6632    | 1.4784    | .499      |
| 22   | 1.5023    | 1.448     | 1.7741    | 2.0698    | 2.0883    | 1.7741    | .5914     |
| 23   | 2.009     | 2.009     | 2.3101    | 2.5873    | 2.3285    | 2.4764    | .7577     |
| 24   | 2.0119    | 2.0271    | 2.009     | 2.347     | 2.6981    | 2.5688    | 2.6242    |
| Max  | 2.0119    | 2.0271    | 2.3101    | 2.5873    | 2.6981    | 2.5688    | 2.6242    |
| Min  | .8688     | .7783     | .8501     | .9425     | 1.1827    | 1.1458    | .3326     |
| Avg  | 1.1955    | 1.1807    | 1.2811    | 1.4361    | 1.6241    | 1.5878    | 1.1696    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113521 / P.M.G.P. RECEIVING

Feeder No / Name : 207 / 11kV YASHODHAN FEEDER

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3717    | 1.39      | 1.4266    | 1.4632    | 1.3535    | 1.4449    | 1.4083    |
| 2    | 1.262     | 1.1706    | 1.2803    | 1.2803    | 1.2803    | 1.2803    | 1.2437    |
| 3    | 1.134     | 1.0974    | 1.1888    | 1.1706    | 1.2437    | 1.1157    | 1.2071    |
| 4    | 1.0242    | 1.0242    | 1.0974    | 1.0425    | 1.1523    | 1.0608    | 1.1706    |
| 5    | .9145     | .8962     | .9877     | 1.0425    | 1.0242    | 1.0242    | 1.0242    |
| 6    | .9145     | .8596     | .8962     | .9328     | .8779     | .8962     | .9145     |
| 7    | .8413     | .7682     | .8413     | .8596     | .8779     | .8413     | .8962     |
| 8    | .8413     | .823      | .8779     | .9145     | .9145     | .8413     | .8596     |
| 9    | .8413     | .8962     | .8962     | .8596     | .9877     | .9145     | .8413     |
| 10   | .823      | .8779     | .8962     | .8413     | 1.0059    | .9694     | .8962     |
| 11   | .9511     | .8413     | .8596     | .8413     | .9877     | .8596     | .8596     |
| 12   | .8962     | .8962     | .8779     | .823      | .9694     | .8596     | .8779     |
| 13   | .8413     | .8413     | .9511     | .8779     | .9694     | .8962     | .8048     |
| 14   | .8413     | .8962     | .9877     | .9145     | .9877     | 1.0059    | .8779     |
| 15   | .8962     | .9328     | 1.0608    | .9145     | 1.0425    | 1.0242    | .9145     |
| 16   | .8779     | .8779     | .9694     | .8413     | 1.0059    | 1.0242    | .8962     |
| 17   | .8413     | .823      | .8779     | .8779     | .9877     | .8962     | .7865     |
| 18   | .7682     | .8596     | .8962     | .8413     | .8596     | .8596     | .7499     |
| 19   | .8779     | .9328     | .8962     | .9145     | .9694     | .8596     | .8779     |
| 20   | .9877     | 1.0425    | 1.0242    | 1.0242    | 1.0608    | .9877     | 1.0242    |
| 21   | 1.0974    | 1.1157    | 1.1706    | 1.1157    | 1.1523    | 1.0974    | 1.0974    |
| 22   | 1.2254    | 1.262     | 1.3352    | 1.3169    | 1.262     | 1.262     | 1.2803    |
| 23   | 1.4632    | 1.5364    | 1.6095    | 1.6095    | 1.4449    | 1.5729    | 1.4998    |
| 24   | 1.5912    | 1.5181    | 1.5546    | 1.701     | 1.6278    | 1.5181    | 1.6095    |
| Max  | 1.5912    | 1.5364    | 1.6095    | 1.701     | 1.6278    | 1.5729    | 1.6095    |
| Min  | .7682     | .7682     | .8413     | .823      | .8596     | .8413     | .7499     |
| Avg  | 1.0052    | 1.0075    | 1.0608    | 1.0425    | 1.0852    | 1.0463    | 1.0258    |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113521 / P.M.G.P. RECEIVING

Feeder No / Name : 208 / 11kV RAVIDARSHAN FEEDER SHEDDABLE URBAN  
Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5339    | 1.6448    | 1.6448    | 1.848     | 1.7187    | 1.6448    | 1.7372    |
| 2    | 1.4415    | 1.4784    | 1.5708    | 1.6263    | 1.5893    | 1.5339    | 1.5524    |
| 3    | 1.3306    | 1.3676    | 1.4266    | 1.4415    | 1.46      | 1.4045    | 1.4415    |
| 4    | 1.2197    | 1.2567    | 1.2803    | 1.3491    | 1.2936    | 1.2936    | 1.3676    |
| 5    | 1.1088    | 1.1088    | 1.134     | 1.2012    | 1.2197    | 1.2012    | 1.1827    |
| 6    | 1.0349    | 1.0534    | 1.0608    | 1.1088    | 1.0719    | 1.0903    | 1.0719    |
| 7    | .924      | .9425     | 1.0242    | .9979     | .9795     | .9425     | .961      |
| 8    | 1.0903    | 1.0534    | 1.0349    | 1.0349    | .9795     | .9425     | 1.0349    |
| 9    | 1.1088    | 1.1458    | 1.1643    | 1.0719    | 1.1273    | 1.0534    | 1.1827    |
| 10   | 1.3306    | 1.2936    | 1.3491    | 1.4415    | 1.386     | 1.3306    | 1.3121    |
| 11   | 1.5339    | 1.5524    | 1.5708    | 2.2916    | 1.386     | 1.3491    | 1.46      |
| 12   | 1.5154    | 1.6448    | 1.6263    | 2.4394    | 1.7741    | 1.4784    | 1.4969    |
| 13   | 1.6263    | 1.5339    | 1.6263    | 2.3655    | 1.6263    | 1.2752    | 1.4045    |
| 14   | 1.6263    | 1.6263    | 1.7002    | 2.3655    | 1.6817    | 1.2752    | 1.4415    |
| 15   | 1.6263    | 1.6078    | 1.7372    | 2.4025    | 1.701     | 1.3676    | 1.46      |
| 16   | 1.4784    | 1.5339    | 1.6263    | 2.2177    | 1.5364    | 1.3676    | 1.3491    |
| 17   | 1.423     | 1.423     | 1.6078    | 2.9938    | 1.5339    | 1.3306    | 1.2936    |
| 18   | 1.3676    | 1.2382    | 1.4784    | 1.4784    | 1.4784    | 1.3306    | 1.2382    |
| 19   | 1.5708    | 1.5893    | 1.6078    | 1.5893    | 1.6263    | 1.4784    | 1.3306    |
| 20   | 1.6263    | 1.6448    | 1.7002    | 1.7372    | 1.6632    | 1.6448    | 1.4969    |
| 21   | 1.6078    | 1.6632    | 1.7372    | 1.7372    | 1.7741    | 1.7187    | 1.5708    |
| 22   | 1.6263    | 1.6263    | 1.7372    | 1.6632    | 1.6448    | 1.6632    | 1.6078    |
| 23   | 1.848     | 1.9035    | 2.0698    | 1.885     | 1.7926    | 1.9589    | 1.848     |
| 24   | 1.7741    | 1.885     | 1.885     | 2.1253    | 1.885     | 1.922     | 1.922     |
| Max  | 1.848     | 1.9035    | 2.0698    | 2.9938    | 1.885     | 1.9589    | 1.922     |
| Min  | .924      | .9425     | 1.0242    | .9979     | .9795     | .9425     | .961      |
| Avg  | 1.4322    | 1.4507    | 1.5167    | 1.7672    | 1.4971    | 1.3999    | 1.4068    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113521 / P.M.G.P. RECEIVING

Feeder No / Name : 209 / Shripad

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1041    | 1.1643    | 1.1088    | 1.1827    | 1.1273    | 1.1523    | 1.1643    |
| 2    | 1.0317    | .9979     | 1.0349    | 1.0719    | 1.0719    | 1.0349    | 1.0534    |
| 3    | .9412     | .924      | .9425     | .924      | .9795     |           | .961      |
| 4    | .8507     | .8501     | .8871     | .8871     | .8871     | .8686     | .8131     |
| 5    | .7964     | .7947     | .8131     | .8316     | .8316     | .8131     | .8131     |
| 6    | .6878     | .7207     | .7682     | .7392     | .7762     | .7762     | .7762     |
| 7    | .6154     | .6653     | .7392     | .7392     | .7023     | .7207     | .7023     |
| 8    | .6283     | .5914     | .6468     | .6653     | .6653     | .6838     | .7207     |
| 9    | .6653     | .7023     | .7023     | .6838     | .7023     | .7392     | .7023     |
| 10   | .6838     | .6838     | .7577     | .7023     | .7762     | .7762     | .7392     |
| 11   | .7207     | .7207     | .7023     | .7392     | .7392     | .6283     | .7392     |
| 12   | .6653     | .6219     | .6838     | .7023     | .7499     | .7023     | .6468     |
| 13   | .6468     | .695      | .7392     | .7023     | .7577     | .7023     | .7023     |
| 14   | .7023     | .7207     | .8131     | .7207     | .7762     | .7207     | .7392     |
| 15   | .7392     | .7499     | .8501     | .7947     | .8413     | .7207     | .7392     |
| 16   | .7023     | .7133     | .7762     | .7762     | .8413     | .4207     | .7207     |
| 17   | .6468     | .6468     | .7577     | .7023     | .8131     | .6653     | .6653     |
| 18   | .6468     | .6468     | .6283     | .6468     | .6099     | .6653     | .6468     |
| 19   | .7207     | .7392     | .8871     | .7762     | .7207     | .7023     | .6838     |
| 20   | .7762     | .8316     | .8871     | .8316     | .8779     | .8501     | .8686     |
| 21   | .8686     | .9055     | .924      | .8871     | .8871     | .8501     | .8871     |
| 22   | 1.0164    | 1.0164    | 1.2567    | .9795     | .9694     | .961      | .9979     |
| 23   | 1.2382    | 1.2382    | 1.2567    | 1.2567    | 1.1706    | 1.2382    | 1.2382    |
| 24   | 1.2567    | 1.2567    | 1.2752    | 1.4045    | 1.2936    | 1.262     | 1.2567    |
| Max  | 1.2567    | 1.2567    | 1.2752    | 1.4045    | 1.2936    | 1.262     | 1.2567    |
| Min  | .6154     | .5914     | .6283     | .6468     | .6099     | .4207     | .6468     |
| Avg  | .8063     | .8166     | .8683     | .8478     | .8570     | .8111     | .8324     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113521 / P.M.G.P. RECEIVING

Feeder No / Name : 210 / Gurupushyamrut

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.8461    | 1.9547    | 2.0698    | 2.2177    | 1.9728    | 2.0698    | 2.0144    |
| 2    | 1.7013    | 1.7375    | 1.7926    | 1.8111    | 1.7558    | .7023     | 1.7741    |
| 3    | 1.5023    | 1.5384    | 1.6817    | 1.7002    | 1.6827    | 1.6263    | 1.5893    |
| 4    | 1.3394    | 1.4045    | 1.5708    | 1.6448    | 1.5729    | 1.4969    | 1.4784    |
| 5    | 1.2489    | 1.2489    | 1.4415    | 1.4784    | 1.4632    | 1.4415    | 1.3491    |
| 6    | 1.2127    | 1.2127    | 1.2197    | 1.3121    | 1.262     | 1.2752    | 1.1273    |
| 7    | 1.1041    | 1.1765    | 1.1643    | 1.2012    | 1.1157    | 1.1458    | 1.0719    |
| 8    | 1.0136    | 1.0679    | 1.1643    | 1.2012    | 1.2071    | 1.1643    | 1.1458    |
| 9    | 1.0679    | 1.1222    | 1.2567    | 1.1458    | 1.1706    | 1.1827    | 1.1088    |
| 10   | 1.1403    | 1.1584    | 1.2012    | 1.1827    | 1.2986    | 1.2197    | 1.2012    |
| 11   | 1.0498    | 1.1584    | 1.1458    | 1.1827    | 1.2986    | 1.1088    | 1.1827    |
| 12   | 1.1403    | 1.134     | 1.1088    | 1.1827    | 1.2437    | 1.2567    | 1.0534    |
| 13   | 1.1403    | 1.1888    | 1.2197    | 1.2752    | 1.1888    | 1.1643    | 1.1273    |
| 14   | 1.2127    | 1.1706    | 1.46      | 1.2752    | 1.3169    | 1.3121    | 1.1273    |
| 15   | 1.2127    | 1.2803    | 1.3491    | 1.3676    | 1.3169    | 1.3306    | 1.1827    |
| 16   | 1.1222    | 1.1888    | 1.3491    | 1.2936    | 1.3032    | 1.2567    | 1.1458    |
| 17   | 1.0136    | 1.1157    | 1.1827    | 1.1827    | 1.1706    | 1.2382    | 1.0903    |
| 18   | 1.0498    | .9955     | 1.0534    | 1.1088    | 1.134     | 1.1088    | 1.0719    |
| 19   | 1.1584    | 1.1584    | 1.1827    | 1.2936    | 1.2437    | 1.1458    | 1.1827    |
| 20   | 1.3032    | 1.3394    | 1.2752    | 1.423     | 1.4266    | 1.2752    | 1.3306    |
| 21   | 1.4842    | 1.448     | 1.6078    | 1.5708    | 1.4632    | 1.4045    | 1.4415    |
| 22   | 1.6651    | 1.7194    | 1.922     | 1.848     | 1.7924    | 1.6632    | 1.7002    |
| 23   | 2.1176    | 2.1357    | 2.384     | 2.0513    | 2.0119    | 2.1253    | 2.0883    |
| 24   | 2.1992    | 2.19      | 2.2081    | 2.4579    | 2.1068    | 2.1765    | 2.1992    |
| Max  | 2.1992    | 2.19      | 2.384     | 2.4579    | 2.1068    | 2.1765    | 2.1992    |
| Min  | 1.0136    | .9955     | 1.0534    | 1.1088    | 1.1157    | .7023     | 1.0534    |
| Avg  | 1.3352    | 1.3685    | 1.4588    | 1.4753    | 1.4383    | 1.3705    | 1.3660    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

NEELAM NAGAR S/DN.[705] BU 4705

Substation No/ Name :- 113521 / P.M.G.P. RECEIVING

Feeder No / Name : 211 / Navghar HTP

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3169    | 1.3169    | 1.4449    | 1.4815    | 1.39      | 1.4632    | 1.4632    |
| 2    | 1.2437    | 1.2437    | 1.3352    | 1.3535    | 1.3169    | 1.2986    | 1.3169    |
| 3    | 1.1523    | 1.1706    | 1.134     | 1.1523    | 1.2437    | 1.1523    | 1.1706    |
| 4    | 1.0242    | 1.0242    | 1.0425    | 1.0608    | 1.134     | 1.0974    | 1.134     |
| 5    | .8962     | .8779     | .9511     | 1.0059    | 1.0242    | 1.0425    | 1.0242    |
| 6    | .8048     | .8413     | .9145     | .8962     | .8779     | .9694     | .9694     |
| 7    | .7316     | .7682     | .7865     | .8413     | .823      | .823      | .823      |
| 8    | .823      | .8048     | .7865     | .7865     | .8413     | .7316     | .8779     |
| 9    | .7499     | .823      | .823      | .7865     | .8413     | .7499     | .823      |
| 10   | .823      | .8779     | .823      | .8413     | .8779     | .8413     | .8413     |
| 11   | .8048     | .8413     | .8413     | .8596     | .9145     | .9328     | .9328     |
| 12   | .7865     | .8596     | .8413     | .8413     | .9511     | .9877     | .8779     |
| 13   | .7865     | .8413     | .8962     | .8596     | .9328     | .9877     | .8779     |
| 14   | .8779     | .8869     | .9694     | .9145     | 1.0242    | .9877     | .8596     |
| 15   | .7316     | .9511     | 1.0425    | .9694     | 1.134     | 1.134     | .9511     |
| 16   | .8962     | .8962     | .9877     | .9328     | .9877     | 1.1157    | .8596     |
| 17   | .7865     | .8413     | .8962     | .8779     | .9694     | .9694     | .8413     |
| 18   | .7499     | .823      | .8596     | .8779     | .9328     | .8413     | .8962     |
| 19   | .8962     | .9145     | .9328     | .9694     | 1.0242    | .9877     | .8962     |
| 20   | .9694     | 1.0242    | 1.0608    | 1.0242    | 1.0608    | 1.0059    | 1.0242    |
| 21   | 1.0974    | 1.0608    | 1.3352    | 1.0791    | 1.0974    | 1.0425    | 1.0425    |
| 22   | 1.1523    | 1.1706    | 1.3352    | 1.262     | 1.3306    | 1.1706    | 1.2071    |
| 23   | 1.5546    | 1.4815    | 1.6095    | 1.5181    | 1.4632    | 1.5546    | 1.5729    |
| 24   | 1.5729    | 1.5181    | 1.5364    | 1.6461    | 1.5546    | 1.5546    | 1.6461    |
| Max  | 1.5729    | 1.5181    | 1.6095    | 1.6461    | 1.5546    | 1.5546    | 1.6461    |
| Min  | .7316     | .7682     | .7865     | .7865     | .823      | .7316     | .823      |
| Avg  | .9678     | .9941     | 1.0494    | 1.0349    | 1.0728    | 1.0601    | 1.0387    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 113021 / LOK EVEREST

Feeder No / Name : 201 / ACC

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5123    | 1.643     | 1.6817    | 1.8671    | 1.6804    |           | 1.7002    |
| 2    | 1.4377    | 1.4937    | 1.4415    |           | 1.4937    |           | 1.4415    |
| 3    | 1.2696    | 1.4003    | 1.3306    | 1.531     | 1.386     | 1.2883    | 1.3491    |
| 4    | 1.1203    | 1.2696    | 1.1458    |           | 1.307     | 1.1203    | 1.2567    |
| 5    | 1.0642    | 1.1389    | 1.1458    |           | 1.2136    | 1.0829    | 1.1643    |
| 6    | .9896     | 1.0456    | .9795     | .9335     | 1.1203    | 1.0269    | .9945     |
| 7    | .8871     | .9149     | .924      |           | 1.0269    | .961      | 1.0534    |
| 8    | 1.0269    | 1.0829    | 1.0349    | 1.0642    | 1.0269    | .8962     | 1.0719    |
| 9    | 1.3443    | 1.4003    | 1.2197    | 1.2136    | 1.1949    | .9149     | 1.3121    |
| 10   | 2.0351    | 1.9959    | 1.9044    | 1.9978    | 1.9035    | 1.0349    | 1.9791    |
| 11   | 2.3339    | 2.2546    | 2.3339    | 2.2779    | 2.2361    | 1.2567    | 2.4272    |
| 12   | 2.3712    | 2.2731    | 2.3899    | 2.4646    | 2.2965    | 1.386     | 2.4459    |
| 13   | 2.3525    | 2.2546    | 2.3899    | 2.3899    | 2.2779    |           | 2.2965    |
| 14   | 2.2405    | 2.2916    | 2.4459    | 2.3339    | 2.2731    | 1.4045    |           |
| 15   | 2.3712    | 2.4764    | 2.6699    | 2.5953    | 2.4209    | 1.4784    |           |
| 16   | 2.2965    | 2.2546    | 2.5579    |           | 2.2177    | 1.4045    | 2.3712    |
| 17   | 2.1658    | 2.1068    | 2.2965    | 2.2592    | 2.0725    | 1.1827    | 2.2779    |
| 18   | 1.9231    | 1.922     | 1.9791    | 2.0165    | 1.6632    | 1.0719    | 1.9605    |
| 19   | 1.7177    | 1.7337    | 1.7924    |           | 1.531     | 1.1458    |           |
| 20   | 1.5497    | 1.5524    | 1.6804    | 1.587     | 1.5497    | 1.3121    | 1.7177    |
| 21   |           | 1.5893    | 1.6804    |           | 1.5497    | 1.3676    | 1.5684    |
| 22   |           | 1.7002    | 1.7924    | 1.643     | 1.6448    | 1.4784    | 1.6991    |
| 23   | 1.8671    | 1.8111    | 1.9625    | 1.8671    |           | 1.7002    | 1.8671    |
| 24   | 1.8484    | 1.7372    | 1.848     | 1.9978    | 1.8671    | 1.423     | 1.922     |
| Max  | 2.3712    | 2.4764    | 2.6699    | 2.5953    | 2.4209    | 1.7002    | 2.4459    |
| Min  | .8871     | .9149     | .924      | .9335     | 1.0269    | .8962     | .9945     |
| Avg  | 1.7148    | 1.7226    | 1.7761    | 1.8847    | 1.6936    | 1.2351    | 1.7084    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 113021 / LOK EVEREST

Feeder No / Name : 202 / LOK KAILASH

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7392     | .2587     | .2286     | .5359     | .5228     |           | .4954     |
| 2    | .7023     | .2402     | .1905     |           | .4854     |           | .4191     |
| 3    | .5914     | .2033     | .1524     | .4066     | .4481     | .3142     | .3696     |
| 4    | .5729     | .1848     | .1715     |           | .4108     | .2772     | .3696     |
| 5    | .5544     | .1494     | .1715     |           | .3881     | .2957     | .381      |
| 6    | .499      |           | .1334     | .2587     | .3696     | .2957     | .4191     |
| 7    | .4805     |           | .1143     |           | .3658     |           | .4191     |
| 8    | .7023     |           | .0762     | .3326     | .3361     | .2957     | .4954     |
| 9    | .8316     | .0934     |           | .462      | .4251     | .3511     | .6478     |
| 10   | 1.251     |           |           | .7282     | .7762     | .5359     | .8029     |
| 11   | 1.7364    |           |           | 1.0903    | 1.1576    | .8383     | 1.2323    |
| 12   |           |           | 1.1431    | 1.2012    | 1.2012    | .9145     | 1.2382    |
| 13   | 1.8858    | .1715     | 1.8296    | 1.2567    | 1.2197    |           | 1.2136    |
| 14   | 1.7926    | .1524     | 1.8111    | 1.1949    | 1.1643    | .8573     |           |
| 15   | 1.8484    |           | 1.1088    | 1.1389    | 1.1827    | .8501     |           |
| 16   | 1.7002    | .2286     | 1.0608    | 1.0719    | 1.1273    | .8501     | 1.1273    |
| 17   | 1.7551    | .1848     | 1.0349    | 1.0608    |           | .8002     | 1.1949    |
| 18   | .2033     | .1905     | .9979     | 1.1458    | 1.1643    | .8764     | 1.1643    |
| 19   | .2033     | .1905     | .9795     |           | 1.0349    | .8573     |           |
| 20   | .2402     | .2667     | .924      | .961      | .9979     | .8131     | .9979     |
| 21   |           | .2667     | .8029     |           | .8501     | .8002     | .9149     |
| 22   |           | .2587     | .7023     | .6036     | .6283     | .6283     | .6653     |
| 23   | .2772     | .2957     | .5544     | .5544     |           | .6099     | .5788     |
| 24   | .7577     | .2772     | .2957     | .5729     | .5601     | .3326     | .5525     |
| Max  | 1.8858    | .2957     | 1.8296    | 1.2567    | 1.2197    | .9145     | 1.2382    |
| Min  | .2033     | .0934     | .0762     | .2587     | .3361     | .2772     | .3696     |
| Avg  | .9202     | .2125     | .6897     | .8098     | .7644     | .6197     | .7476     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 113021 / LOK EVEREST

Feeder No / Name : 204 / CITY OF JOY

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.9199    | 2.9014    | 2.7721    | 2.9229    | 2.9199    |           | 2.6863    |
| 2    | 2.6242    | 2.6981    | 2.553     |           | 2.6797    |           | 2.3815    |
| 3    | 2.5503    | 2.5503    | 2.3053    | 2.4209    | 2.4394    | 2.1437    | 2.1253    |
| 4    | 2.2546    | 2.3101    | 2.0767    |           | 2.2177    | 1.8111    | 1.9589    |
| 5    | 1.7926    | 2.0698    | 1.8665    |           | 1.9774    | 1.8298    | 1.8111    |
| 6    | 1.6632    | 1.8111    | 1.7002    | 1.386     | 1.7556    | 1.7372    | 1.6263    |
| 7    | 1.5708    | 1.5154    | 1.5708    |           | 1.5154    | 1.5154    | 1.5708    |
| 8    | 1.4784    | 1.643     | 1.6057    | 1.4969    | 1.5154    | 1.5339    | 1.5154    |
| 9    | 1.5339    | 1.5524    | 1.4784    | 1.5524    | 1.5497    | 1.5524    | 1.4415    |
| 10   | 1.5684    | 1.4415    | 1.46      | 1.3676    | 1.5893    | 1.4784    | 1.4784    |
| 11   | 1.5123    | 1.4415    | 1.4415    | 1.5123    | 1.4969    | 1.4415    | 1.4563    |
| 12   | 1.4415    | 1.4415    | 1.46      | 1.475     | 1.5708    | 1.6632    | 1.4415    |
| 13   | 1.475     | 1.3491    | 1.5708    | 1.4937    | 1.5154    |           | 1.4969    |
| 14   | 1.531     | 1.5154    | 1.848     | 1.6263    | 1.6817    | 1.7002    |           |
| 15   | 1.6787    | 1.6263    | 1.922     | 1.6632    | 1.6263    | 1.8665    |           |
| 16   | 1.4784    | 1.5524    | 1.7741    | 1.587     | 1.7187    | 1.7741    | 1.5339    |
| 17   | 1.419     | 1.386     | 1.5708    | 1.4563    | 1.6448    | 1.6004    | 1.4377    |
| 18   | 1.2567    | 1.2936    | 1.2936    | 1.3121    | 1.4045    | 1.4861    | 1.2936    |
| 19   | 1.4784    | 1.6004    | 1.4784    |           | 1.5708    | 1.5154    |           |
| 20   | 1.8665    | 1.848     | 1.8111    | 1.8671    | 1.7372    | 1.6632    | 1.7002    |
| 21   |           | 2.0698    | 2.0144    |           | 1.922     | 1.848     | 1.9589    |
| 22   |           | 2.2546    | 2.4394    | 2.4272    | 2.2546    | 2.2177    | 2.3101    |
| 23   | 2.7721    | 2.9569    | 3.0123    | 2.9754    |           | 2.7054    | 2.8567    |
| 24   | 2.9938    | 3.0434    | 3.0123    | 3.1232    | 3.0493    |           | 3.1626    |
| Max  | 2.9938    | 3.0434    | 3.0123    | 3.1232    | 3.0493    | 2.7054    | 3.1626    |
| Min  | 1.2567    | 1.2936    | 1.2936    | 1.3121    | 1.4045    | 1.4415    | 1.2936    |
| Avg  | 1.8573    | 1.9113    | 1.9182    | 1.8703    | 1.8849    | 1.7542    | 1.8688    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 113021 / LOK EVEREST

Feeder No / Name : 205 / NEW SHANTI

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4563    | 1.4784    | 1.4415    | 1.5123    | 1.0829    |           | .9979     |
| 2    | 1.423     | 1.4003    | 1.3306    |           | .9979     |           | .9055     |
| 3    | 1.2696    | 1.307     | 1.2567    | 1.1389    | .924      | .9149     | .8686     |
| 4    | 1.2012    | 1.2136    | 1.1827    |           | .8316     | .8962     | .8316     |
| 5    | 1.0164    | 1.1203    | 1.2567    |           | .7468     | .8775     | .7762     |
| 6    | .9425     | 1.0269    | 1.0349    | .7468     | .7095     | .7392     | .6283     |
| 7    | 1.0082    | .9709     | 1.1088    |           | .6535     | .7392     | .6283     |
| 8    | 1.0456    | 1.1016    | 1.1273    | 1.0082    | .6468     | .6468     | .6838     |
| 9    | 1.2382    | 1.3817    | 1.3121    | 1.2323    | .9522     | .7095     | .9795     |
| 10   | 1.9044    | 1.8665    | 1.9791    | 1.9044    | 1.7187    | .8316     | 1.587     |
| 11   | 2.3712    | 2.2916    | 2.2592    | 2.2916    |           | 1.0719    | 1.8484    |
| 12   | 2.2779    | 2.1807    | 2.3525    | 2.2177    | 1.8858    | 1.0719    | 1.8665    |
| 13   | 2.1098    | 1.9959    | 2.2177    | 2.0513    | 1.7187    |           | 1.643     |
| 14   | 2.1285    | 2.1437    | 2.3152    | 2.1437    | 1.8111    | 1.0349    |           |
| 15   | 2.3339    | 2.384     | 2.4459    | 2.0725    | 1.8665    | 1.1088    |           |
| 16   | 2.2965    | 2.2177    | 2.3899    |           | 1.848     | 1.0719    | 1.9418    |
| 17   | 2.1992    | 2.1068    | 2.2592    | 1.7924    | 1.7556    | 1.0164    | 1.7737    |
| 18   | 1.9605    | 1.848     | 2.1098    | 1.6632    | 1.5154    | .9055     | 1.6244    |
| 19   | 1.9044    | 1.7741    | 1.9418    |           | 1.2883    | .924      |           |
| 20   | 1.7551    | 1.7002    |           | 1.2136    | 1.2136    | .8871     | 1.2323    |
| 21   |           | 1.4415    | 1.6263    |           | .9896     | .8501     | 1.0829    |
| 22   |           | 1.386     | 1.531     | .924      | .9425     | .8871     | .9522     |
| 23   | 1.5154    | 1.5524    | 1.6804    | 1.1016    |           | .924      | 1.1088    |
| 24   | 1.4937    | 1.5524    | 1.5524    | 1.587     | 1.1576    | .9709     | .9979     |
| Max  | 2.3712    | 2.384     | 2.4459    | 2.2916    | 1.8858    | 1.1088    | 1.9418    |
| Min  | .9425     | .9709     | 1.0349    | .7468     | .6468     | .6468     | .6283     |
| Avg  | 1.6751    | 1.6434    | 1.7266    | 1.5648    | 1.2389    | .9085     | 1.1885    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 113021 / LOK EVEREST

Feeder No / Name : 206 / GALA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9431     | .7049     | .9907     | 1.0479    |
| 2    | .9054     | .6668     | .8764     |           |
| 3    | .7922     | .6287     | .8002     | .8573     |
| 4    | .679      | .5716     | .724      |           |
| 5    | .7167     | .5144     | .724      |           |
| 6    | .679      | .5525     | .7621     | .4763     |
| 7    | .6224     | .5906     | .6283     |           |
| 8    | .6838     | .6668     | .6478     | .6097     |
| 9    | .924      | .9145     | .8871     | .8573     |
| 10   | 1.0751    | 1.0534    | 1.105     | 1.094     |
| 11   | 1.094     | 1.3336    | 1.1431    | 1.0562    |
| 12   | 1.1431    | 1.1458    | 1.1241    | 1.0751    |
| 13   | .9145     | .9526     | .9717     | .9808     |
| 14   | 1.1128    | 1.1431    | 1.1812    | 1.1128    |
| 15   | 1.1128    | 1.2384    | 1.2384    | 1.1431    |
| 16   | 1.1317    | 1.1812    | 1.2384    |           |
| 17   | 1.0479    | 1.1241    | 1.105     |           |
| 18   | .9808     | 1.0098    | 1.105     |           |
| 19   | .8299     | .8764     | .9907     |           |
| 20   | .9145     | .8764     | .9335     |           |
| 21   |           | .8383     | .8954     |           |
| 22   |           | .8573     | .8764     |           |
| 23   | 1.0479    | .9907     | 1.0669    |           |
| 24   | 1.0185    | 1.0288    | 1.0164    | 1.1431    |
| Max  | 1.1431    | 1.3336    | 1.2384    | 1.1431    |
| Min  | .6224     | .5144     | .6283     | .4763     |
| Avg  | .9259     | .8942     | .9597     | .9545     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 113021 / LOK EVEREST

Feeder No / Name : 207 / SANT DYNESHWAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2567    | 1.1458    | 1.1458    | 1.2012    | 1.2437    |           | 1.1458    |
| 2    | 1.1088    | 1.0608    | .9979     |           | 1.134     |           | 1.0669    |
| 3    | 1.0164    | .9877     | .924      | 1.0269    | 1.0642    | .924      | .961      |
| 4    | .961      | .9145     | .9055     |           | .9896     | .8316     | .9055     |
| 5    | .8316     | .8779     | .8501     |           | .9335     | .8131     | .8686     |
| 6    |           | .823      | .8131     | .6468     | .8589     | .8131     | .8131     |
| 7    | .7762     | .7865     | .8131     |           | .8029     | .7947     | .7947     |
| 8    | .7947     | .7499     | .8501     | .7842     | .7947     | .7392     | .8131     |
| 9    | .8871     | .8962     | .9055     | .9149     | .9149     | .7577     | .9795     |
| 10   | 1.0242    | 1.2567    | 1.1458    | 1.2071    | 1.1643    | .924      | 1.1389    |
| 11   | 1.3121    | 1.2936    | 1.2437    | 1.4003    | 1.4415    | .961      | 1.307     |
| 12   | 1.2936    | 1.2567    | 1.3256    | 1.423     | 1.386     | 1.0534    | 1.3306    |
| 13   | 1.3352    | 1.2936    | 1.3491    | 1.4003    | 1.3491    |           | 1.3535    |
| 14   | 1.2382    | 1.3306    | 1.386     | 1.4045    | 1.3306    | .9979     |           |
| 15   | 1.46      | 1.4415    | 1.4784    | 1.4632    | 1.386     | 1.1458    |           |
| 16   | 1.2696    | 1.3306    | 1.3676    |           | 1.3121    | 1.0349    | 1.363     |
| 17   | 1.2437    | 1.2936    | 1.307     | 1.3535    | 1.3676    | .961      | 1.1827    |
| 18   | 1.1706    |           | 1.1827    | 1.3676    | 1.2752    | .8501     | 1.2197    |
| 19   | 1.1523    | 1.2012    | 1.1273    |           | 1.2382    | .961      |           |
| 20   | 1.0791    | 1.1458    | 1.1273    | 1.1949    | 1.3121    | 1.0349    | 1.1458    |
| 21   |           | 1.1827    | 1.1088    |           | 1.2752    | 1.0719    | 1.1088    |
| 22   |           | 1.1088    | 1.134     | 1.0608    | 1.1273    | 1.0719    | 1.0642    |
| 23   | 1.2197    | 1.2197    | 1.3443    | 1.307     |           | 1.1827    | 1.1888    |
| 24   | 1.2382    | 1.2254    | 1.2197    | 1.2752    | 1.2986    | .9795     | 1.3121    |
| Max  | 1.46      | 1.4415    | 1.4784    | 1.4632    | 1.4415    | 1.1827    | 1.363     |
| Min  | .7762     | .7499     | .8131     | .6468     | .7947     | .7392     | .7947     |
| Avg  | 1.1271    | 1.1227    | 1.1272    | 1.2018    | 1.1739    | .9478     | 1.0983    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 113021 / LOK EVEREST

Feeder No / Name : 301 / 22 KV RUNWAL ANTHURIAM  
Feeder KV- 22 / INCOMINGNON SHEDDABLE EXPRESS HV FEEDERS  
(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           |           |           | 2.7435    |
| 3    |           | 2.4795    |           |           |           | 1.9993    |           |
| 5    |           |           |           |           |           | 1.6975    |           |
| 6    |           | 2.1509    |           |           |           | 1.5844    |           |
| 7    |           | 1.3443    |           |           | 1.4563    | 1.5089    |           |
| 8    |           |           |           | 2.4006    | 1.5684    |           |           |
| 9    |           | 4.7425    |           | 2.8578    | 1.643     | 1.6221    | 1.7147    |
| 10   | 1.9418    |           | 3.4294    | 3.3608    | 1.9239    |           | 1.7924    |
| 11   |           |           | 3.5056    |           | 2.0748    |           | 2.0165    |
| 12   | 4.6304    | 6.8998    | 3.4294    | 3.3608    | 1.9589    | 1.9052    | 1.9418    |
| 13   |           |           | 3.6199    | 3.3608    |           |           | 2.0165    |
| 14   |           |           | 3.8485    | 3.5475    | 2.2257    |           |           |
| 15   | 2.2779    | 3.4056    | 4.3058    | 2.3899    | 2.452     |           |           |
| 16   | 1.9791    |           | 3.8866    |           |           |           |           |
| 17   |           |           | 3.5056    | 1.8671    |           |           | 1.8298    |
| 18   |           | 2.7782    | 3.0102    | 1.7924    |           |           | 1.7551    |
| 19   |           |           | 2.934     |           | 1.9791    |           |           |
| 20   |           |           | 3.3913    | 1.9791    | 2.0748    |           | 1.9791    |
| 21   |           |           | 3.6199    |           | 2.0328    |           |           |
| 22   |           |           | 3.8866    | 2.2405    | 2.1807    | 1.4045    |           |
| 23   |           |           | 3.5101    | 2.7633    |           | 2.5911    | 2.726     |
| 24   | 2.5652    | 4.8544    | 4.2676    | 4.8011    | 2.726     | 2.1437    | 3.0483    |
| Max  | 4.6304    | 6.8998    | 4.3058    | 4.8011    | 2.726     | 2.5911    | 3.0483    |
| Min  | 1.9418    | 1.3443    | 2.934     | 1.7924    | 1.4563    | 1.4045    | 1.7147    |
| Avg  | 2.6789    | 3.5819    | 3.6100    | 2.8247    | 2.0228    | 1.8285    | 2.1422    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 113039 / RUNWAL ANTHURIAM

Feeder No / Name : 201 / RAMONA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 |
|------|-----------|-----------|
| HR   | Load (MW) | Load (MW) |
| 3    |           | .1232     |
| 6    |           | .0971     |
| 9    |           | .1008     |
| 12   | .0934     | .0915     |
| 15   |           | .0747     |
| 18   |           | .0635     |
| 24   |           | .1606     |
| Max  | .0934     | .1606     |
| Min  | .0934     | .0635     |
| Avg  | .0934     | .1016     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 113039 / RUNWAL ANTHURIAM

Feeder No / Name : 202 / GEMINI

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 |
|------|-----------|-----------|
| HR   | Load (MW) | Load (MW) |
| 3    |           | 2.1584    |
| 6    |           | 1.9455    |
| 9    |           | 1.8746    |
| 12   | 1.9605    | 2.7372    |
| 15   |           | 2.8118    |
| 18   |           | 2.655     |
| 24   |           | 2.2835    |
| Max  | 1.9605    | 2.8118    |
| Min  | 1.9605    | 1.8746    |
| Avg  | 1.9605    | 2.3523    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 113039 / RUNWAL ANTHURIAM

Feeder No / Name : 203 / R SQUARE

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 |
|------|-----------|-----------|
| HR   | Load (MW) | Load (MW) |
| 3    |           | .0485     |
| 6    |           | .0597     |
| 9    |           | .1494     |
| 12   | .2241     | .2054     |
| 15   |           | .239      |
| 18   |           | .1979     |
| 24   |           | .0392     |
| Max  | .2241     | .239      |
| Min  | .2241     | .0392     |
| Avg  | .2241     | .1342     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 283071 / PANCHPAKHADI REC STN

Feeder No / Name : 202 / HUGALI-I

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6154     | .6878     | .6154     | .8145     | 1.0679    | 1.0498    | 1.0136    |
| 2    | .5249     | .6154     | .5792     | .7602     | .9412     | 1.0136    | .905      |
| 3    | .4887     | .5068     | .5249     | .6878     | .8326     | .9593     | .7964     |
| 4    | .4887     | .4525     | .4887     | .5973     | .7602     | .8688     | .724      |
| 5    | .4525     | .3982     | .4525     | .543      | .724      | .8145     | .6878     |
| 6    | .4344     | .4344     | .4344     | .5068     | .7421     | .7602     | .724      |
| 7    | .4706     | .4706     | .4706     | .8326     | .7783     | .724      | .7602     |
| 8    | .4887     | .4887     | .5068     | .543      | .7964     | .7421     | .7059     |
| 9    | .6878     | .5792     |           | .7059     | .9593     | .7602     | .9593     |
| 10   | .8507     | .7783     | .9231     | .905      | 1.1041    | .8688     | 1.1584    |
| 11   | .9955     | 1.0498    | .9774     | 1.1222    | 1.3756    | .9955     | 1.3394    |
| 12   | 1.0136    | 1.0498    | .9774     | 1.0317    | 1.3394    | 1.0498    | 1.3937    |
| 13   | .9412     | .9774     | .9774     | .9593     | 1.3032    | .9955     | 1.3575    |
| 14   | .9955     | .9774     | 1.0679    | 1.0498    | 1.3756    | .9955     | 1.3937    |
| 15   | .9955     | 1.1403    | 1.3394    | 1.3213    | 1.3756    | 1.086     | 1.4299    |
| 16   | .905      | .9593     | 1.2127    | 1.3032    | 1.267     | .8688     | 1.3213    |
| 17   | .8507     | .9412     | .9774     | 1.2308    | 1.1584    | .7964     | 1.2308    |
| 18   | .8507     | .8326     | .8688     | 1.2127    | 1.0317    | .8507     | 1.1041    |
| 19   | .7602     | .6697     | .7602     | 1.1403    | 1.086     | .9412     | 1.0498    |
| 20   | .6335     | .6878     | .5973     | 1.1222    | 1.0679    | .9774     | 1.086     |
| 21   | .5792     | .6516     | .724      | 1.1222    | 1.0679    | 1.0317    | .9955     |
| 22   | .6697     | .7059     | .7602     | 1.1765    | 1.1041    | 1.086     | 1.1403    |
| 23   | .6697     | .7059     | .8145     | 1.1222    | 1.1946    |           | 1.1946    |
| 24   | .6878     | .7421     | .6878     | .8326     | 1.1584    | 1.1222    | 1.1041    |
| Max  | 1.0136    | 1.1403    | 1.3394    | 1.3213    | 1.3756    | 1.1222    | 1.4299    |
| Min  | .4344     | .3982     | .4344     | .5068     | .724      | .724      | .6878     |
| Avg  | .7104     | .7293     | .7712     | .9435     | 1.0671    | .9286     | 1.0656    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 283071 / PANCHPAKHADI REC STN

Feeder No / Name : 203 / HUGALI-II

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1267     | .181      | .1086     | .1086     | 1.0317    | .9593     | .9774     |
| 2    | .1086     | .1629     | .0905     | .1086     | .905      | .8869     | .8326     |
| 3    | .0905     | .1629     | .0724     | .0905     | .7421     | .8326     | .7602     |
| 4    | .0724     | .1448     | .0724     | .0724     | .6516     | .7602     | .6516     |
| 5    | .0905     | .1448     | .0724     | .0724     | .5792     | .7059     | .5792     |
| 6    | .0905     | .1267     | .0543     | .0905     | .6154     | .6516     | .543      |
| 7    | .0905     | .1267     | .0724     | .0905     | .6516     | .6516     | .5973     |
| 8    | .0905     | .1448     | .0905     | .0905     | .6154     | .6154     | .6154     |
| 9    | .1086     | .1629     |           | .0905     | .8869     | .724      | .9231     |
| 10   | .1448     | .181      | .1086     | .0905     | 1.0679    | .7964     | 1.086     |
| 11   | .1448     | .1267     | .1086     | .1086     | 1.1946    | .7602     | 1.1584    |
| 12   | .1629     | .0543     | .0543     | .1267     | 1.1946    | .7783     | 1.1946    |
| 13   | .1629     | .0905     | .0905     | 1.1403    | .9774     | .7421     | .9955     |
| 14   | .181      | .0905     | .0905     | .1629     | 1.1946    | .8326     | 1.1765    |
| 15   | .1991     | .0905     | .0543     | .1629     | 1.267     | .8869     | 1.2489    |
| 16   | .181      | .0905     | .0905     | 1.1946    | 1.2308    | .8145     | 1.2851    |
| 17   | .1629     | .0543     | .0905     | 1.1403    | 1.1222    | .6335     | 1.1041    |
| 18   | .181      | .0905     | .0905     | .9955     | 1.0136    | .5973     | 1.0317    |
| 19   | .1629     | .0905     | .0905     | .9412     | .905      | .6335     | .9412     |
| 20   | .1629     | .0905     | .0905     | .9231     | .905      | .6697     | .8869     |
| 21   | .181      | .0724     | .0905     | .8869     | .8145     | .6878     | .8326     |
| 22   | .1629     | .0724     | .1086     | .905      | .8688     | .8145     | .8688     |
| 23   | .181      | .0905     | .1086     | 1.0317    | .9774     |           | 1.0317    |
| 24   | .1267     | .181      | .1086     | .1267     | 1.1041    | 1.0136    | 1.0317    |
| Max  | .1991     | .181      | .1086     | 1.1946    | 1.267     | 1.0136    | 1.2851    |
| Min  | .0724     | .0543     | .0543     | .0724     | .5792     | .5973     | .543      |
| Avg  | .1403     | .1177     | .0874     | .4480     | .9382     | .7586     | .9314     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 283071 / PANCHPAKHADI REC STN

Feeder No / Name : 204 / DENTAL PRODUCT

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1812    | 1.105     | 1.105     | 1.2384    | 1.1431    | 1.1431    | 1.1431    |
| 2    | 1.105     | .9717     | 1.0479    | 1.1431    | .9907     | 1.105     | .9907     |
| 3    | 1.0098    | .8573     | .9526     | 1.086     | .8764     | 1.0479    | .8764     |
| 4    | .9526     | .743      | .9145     | .9907     | .7811     | .9717     | .7621     |
| 5    | .8954     | .6478     | .8383     | .8954     | .724      | .9335     | .6668     |
| 6    | .7621     | .6097     | .7621     | .7621     | .7049     | .8764     | .6859     |
| 7    | .7049     | .6668     | .6478     | .6859     | .7621     | .8002     | .724      |
| 8    | .6478     | .6478     | .6859     | .6478     | .8002     | .7049     | .6859     |
| 9    | .8573     | .7621     |           | .9526     | .8764     | .8764     | .8002     |
| 10   | 1.0288    | .9145     | .9907     | .9717     | 1.086     | .8764     | .9145     |
| 11   | 1.0098    | 1.0479    | 1.105     | 1.105     | 1.1431    | .9907     | .9717     |
| 12   | .9335     | 1.0479    | 1.0479    | 1.0098    | 1.105     | .9907     | 1.0288    |
| 13   | .9145     | .9526     | 1.0098    | .9717     | 1.105     | .9526     | .9907     |
| 14   | .9907     | .9907     | 1.086     | 1.0098    | 1.0288    | .9526     | .9717     |
| 15   | 1.0098    | 1.0098    | 1.1812    | 1.0288    | 1.0288    | .9145     | .9907     |
| 16   | .8764     | .8954     | 1.1431    | 1.0098    | .9526     | .9907     | .9907     |
| 17   | .8954     | .9145     | 1.0098    | .8954     | .8954     | .8573     | .9717     |
| 18   | .8383     | .8764     | .9717     | .8573     | .9907     | .8764     | .8954     |
| 19   | .8764     | .8954     | .8573     | .9717     | .9907     | .8383     | .8954     |
| 20   | .9145     | .9145     | .9526     | .9526     | 1.0288    | .8573     | .9335     |
| 21   | .9145     | .9717     | 1.0098    | .9526     | 1.0288    | .8383     | .8954     |
| 22   | .9717     | .9907     | 1.1431    | 1.086     | 1.086     | .9526     | .9717     |
| 23   | 1.1431    | 1.2003    | 1.3146    | 1.1622    | 1.1812    |           | 1.1431    |
| 24   | 1.2193    | 1.2003    | 1.1812    | 1.3146    | 1.2384    | 1.2193    | 1.2193    |
| Max  | 1.2193    | 1.2003    | 1.3146    | 1.3146    | 1.2384    | 1.2193    | 1.2193    |
| Min  | .6478     | .6097     | .6478     | .6478     | .7049     | .7049     | .6668     |
| Avg  | .9439     | .9097     | .9982     | .9875     | .9812     | .9377     | .9216     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 283071 / PANCHPAKHADI REC STN

Feeder No / Name : 205 / DEEVECHA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3403     | .3582     | .3761     | .3582     | .3582     | .0617     | .3582     |
| 2    | .3224     | .3224     | .3582     | .3224     | .3224     | .2865     | .3224     |
| 3    | .2865     | .3045     | .3224     | .2865     | .2507     | .2865     | .3045     |
| 4    | .2865     | .2686     | .3224     | .2328     | .2149     | .2507     | .2686     |
| 5    | .2507     | .2328     | .2865     | .2149     | .2149     | .2149     | .2149     |
| 6    | .2328     | .2149     | .2865     | .197      | .2149     | .1791     | .197      |
| 7    | .2149     | .2507     | .2328     | .3761     | .2328     | .1433     | .2328     |
| 8    | .2507     | .2686     | .2507     | .2328     | .2507     | .197      | .2507     |
| 9    | .2686     | .2865     |           | .2686     | .2865     | .2149     | .2507     |
| 10   | .2865     | .2686     | .3045     | .2686     | .3403     | .2507     | .2686     |
| 11   | .2865     | .2686     | .3045     | .3045     | .3224     | .2686     | .3045     |
| 12   | .2686     | .2507     | .2686     | .2686     | .3045     | .2328     | .2865     |
| 13   | .2865     | .2686     | .2507     | .2328     | .2865     | .2328     | .2686     |
| 14   | .3224     | .2507     | .3045     | .2865     | .3045     | .2328     | .2865     |
| 15   | .2865     | .2328     | .3403     | .3045     | .2865     | .2507     | .2686     |
| 16   | .2686     | .2328     | .3045     | .2686     | .2865     | .2507     | .2686     |
| 17   | .2149     | .2328     | .2328     | .2686     | .2507     | .2149     | .2686     |
| 18   | .2328     | .2507     | .2149     | .2507     | .2507     | .2328     | .2507     |
| 19   | .2686     | .2507     | .2149     | .2507     | .2507     | .2328     | .2507     |
| 20   | .2865     | .2686     | .2865     | .2686     | .2686     | .2328     | .2865     |
| 21   | .3045     | .2865     | .2865     | .2865     | .3224     | .2507     | .3045     |
| 22   | .3403     | .3582     | .3582     | .3224     | .3224     | .3224     | .3224     |
| 23   | .3761     | .4119     | .4119     | .4119     | .394      |           | .3761     |
| 24   | .3403     | .3761     | .3761     | .3761     | .4119     | .3582     | .4119     |
| Max  | .3761     | .4119     | .4119     | .4119     | .4119     | .3582     | .4119     |
| Min  | .2149     | .2149     | .2149     | .197      | .2149     | .0617     | .197      |
| Avg  | .2843     | .2798     | .2998     | .2858     | .2895     | .2347     | .2843     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 283071 / PANCHPAKHADI REC STN

Feeder No / Name : 206 / S H KELKAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4632    | 1.4998    | .0732     | .0732     | 1.5364    | 1.4632    | 1.5729    |
| 2    | 1.3169    | 1.3535    | .0549     | .0732     | 1.3169    | 1.3352    | 1.4449    |
| 3    | 1.2437    | 1.1888    | .0549     | .0549     | 1.1888    | 1.262     | 1.3169    |
| 4    | 1.1706    | .9877     | .0549     | .0549     | 1.0242    | 1.1888    | 1.1888    |
| 5    | 1.1157    | .8596     | .0366     | .0366     | .9145     | 1.1157    | 1.0791    |
| 6    | 1.0608    | .8048     | .0549     | .0549     | .8596     | 1.0242    | .9511     |
| 7    | .9877     | .8779     | .0549     | .0732     | .9328     | .9511     | .9145     |
| 8    | .9145     | .9877     | .0549     | .0732     | .9694     | .8779     | 1.0425    |
| 9    | 1.2803    | 1.2437    |           | .0732     | 1.134     | .8779     | 1.2986    |
| 10   | 1.3169    | 1.2803    | .0732     | .0914     | 1.1157    | .9877     | 1.3717    |
| 11   | 1.3535    | 1.4632    | .0732     | .0914     | 1.0791    | 1.0059    | 1.4815    |
| 12   | 1.262     | .0914     | .0914     | .0914     | 1.1706    | .9511     | 1.4266    |
| 13   | 1.2986    | .0914     | .0914     | .0732     | 1.2071    | .9694     | 1.5181    |
| 14   | 1.4449    | .0914     | .0914     | .0914     | 1.2803    | 1.134     | 1.5364    |
| 15   | 1.4815    | .0914     | .0914     | 1.5546    | 1.3717    | 1.1157    | 1.6644    |
| 16   | 1.3535    | .0914     | .0914     | 1.5181    | 1.2437    | 1.0608    | 1.5546    |
| 17   | 1.2071    | .0914     | .1097     | 1.3169    | .9511     | .8413     | 1.2986    |
| 18   | 1.0059    | .0914     | .0914     | 1.1157    | .9511     | .8413     | 1.2254    |
| 19   | .9694     | .0732     | .0732     | 1.0608    | .9877     | .8779     | 1.1157    |
| 20   | 1.0791    | .0732     | .0732     | 1.1157    | 1.0974    | .9328     | 1.1523    |
| 21   | 1.134     | .0732     | .0732     | 1.134     | 1.1157    | 1.0059    | 1.1523    |
| 22   | 1.262     | .0732     | .0732     | 1.2803    | 1.262     | 1.1157    | 1.2986    |
| 23   | 1.4998    | .0732     | .0732     | 1.5912    | 1.4998    |           | 1.6095    |
| 24   | 1.5729    | 1.6095    | .0732     | .0732     | 1.6644    | 1.5729    | 1.6461    |
| Max  | 1.5729    | 1.6095    | .1097     | 1.5912    | 1.6644    | 1.5729    | 1.6644    |
| Min  | .9145     | .0732     | .0366     | .0366     | .8596     | .8413     | .9145     |
| Avg  | 1.2414    | .6318     | .0732     | .5319     | 1.1614    | 1.0656    | 1.3275    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 283071 / PANCHPAKHADI REC STN

Feeder No / Name : 207 / TRIDEV

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.8267    | 1.7193    | .6089     | .6447     | 1.8267    | 1.8088    | 1.9521    |
| 2    | 1.7372    | 1.6118    | .5373     | .6089     | 1.6118    | 1.7372    | 1.7013    |
| 3    | 1.576     | 1.4998    | .5014     | .5373     | 1.4506    | 1.5939    | 1.5043    |
| 4    | 1.4506    | 1.3253    | .4298     | .4477     | 1.2894    | 1.3969    | 1.2894    |
| 5    | 1.3432    | 1.1104    | .394      | .394      | 1.182     | 1.2894    | 1.1641    |
| 6    | 1.2536    | .9492     | .3582     | .3582     | 1.1104    | 1.182     | 1.0566    |
| 7    | 1.0745    | 1.0029    | .2865     | .3582     | 1.1641    | 1.1283    | 1.1104    |
| 8    | 1.1462    | 1.0208    | .3582     | .3582     | 1.1283    | 1.0924    | 1.0924    |
| 9    | 1.1641    | 1.0924    |           | .2686     | 1.1462    | 1.1104    | 1.0387    |
| 10   | 1.3611    | 1.2894    | .4119     | .3761     | 1.3432    | 1.2178    | 1.2715    |
| 11   | 1.4148    | 1.3432    | .3403     | .3582     | 1.2894    | 1.2357    | 1.3253    |
| 12   | 1.4327    | .394      | .3582     | .3761     | 1.3432    | 1.2357    | 1.379     |
| 13   | 1.4864    | .3761     | .3582     | .3761     | 1.3611    | 1.1999    | 1.2715    |
| 14   | 1.576     | .3403     | .4298     | .4298     | 1.4864    | 1.3432    | 1.379     |
| 15   | 1.5223    | .3403     | .5373     | 1.3611    | 1.5402    | 1.3969    | 1.4327    |
| 16   | 1.3611    | .3761     | .4835     | 1.3969    | 1.4327    | 1.3969    | 1.379     |
| 17   | 1.1462    | .3045     | .4477     | 1.3611    | 1.3073    | 1.1641    | 1.2715    |
| 18   | 1.182     | .3224     | .3582     | 1.2357    | 1.2357    | 1.1283    | 1.1283    |
| 19   | 1.3073    |           | .3582     | 1.3432    | 1.2894    | 1.2178    | 1.1999    |
| 20   | 1.4148    | .394      | .394      | 1.3969    | 1.3432    | 1.3611    | 1.379     |
| 21   | 1.5043    | .4477     | .4656     | 1.4864    | 1.4327    | 1.4148    | 1.4685    |
| 22   | 1.6297    | .5194     | .5552     | 1.6476    | 1.6476    | 1.5581    | 1.6476    |
| 23   | 1.8983    | .6268     | .6089     | 1.8983    | 1.8983    |           | 1.8983    |
| 24   | 1.97      | 1.9879    | .6447     | .7343     | 2.0058    | 1.9521    | 2.0953    |
| Max  | 1.97      | 1.9879    | .6447     | 1.8983    | 2.0058    | 1.9521    | 2.0953    |
| Min  | 1.0745    | .3045     | .2865     | .2686     | 1.1104    | 1.0924    | 1.0387    |
| Avg  | 1.4491    | .8867     | .4446     | .8231     | 1.4111    | 1.3549    | 1.3932    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 283071 / PANCHPAKHADI REC STN

Feeder No / Name : 208 / TATA FISION

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1462    | 1.182     | 1.182     | 1.2536    | 1.4506    | 1.4148    | 1.4685    |
| 2    | 1.0387    | 1.0924    | 1.1104    | 1.182     | 1.2894    | 1.2715    | 1.3432    |
| 3    | .9671     | .9313     | 1.0745    | 1.0745    | 1.1641    | 1.2178    | 1.1104    |
| 4    | .8954     | .7701     | 1.0029    | .985      | 1.0029    | 1.1104    | .9671     |
| 5    | .8596     | .6805     | .9671     | .8954     | .9313     | 1.0208    | .8954     |
| 6    | .8059     | .7164     | .8954     | .8417     | .9671     | .985      | .9313     |
| 7    | .7522     | .7701     | .8596     | .788      | 1.0029    | .9671     | .9492     |
| 8    | .788      | .788      | .788      | .8596     | .985      | .9313     | .9492     |
| 9    | .788      | .8238     |           | .8954     | .985      | 1.0029    | .9671     |
| 10   | .8954     | .8417     | 1.0029    | 1.1462    | 1.1462    | 1.0387    | 1.1104    |
| 11   | .9134     | .9492     | 1.0566    | 1.1462    | 1.1462    | 1.0745    | 1.1104    |
| 12   | .8596     | .985      | .9134     | 1.1104    | 1.1104    | 1.0745    | 1.182     |
| 13   | .9134     | .9492     | .9313     | 1.1104    | 1.0745    | 1.0745    | 1.182     |
| 14   | .985      | .9313     | .9671     | 1.0745    | 1.0387    | 1.1104    | 1.0566    |
| 15   | .8596     | .9671     | 1.1104    | 1.1641    | 1.2178    | 1.0566    | 1.1104    |
| 16   | .8775     | .9313     | 1.0208    | 1.0745    | 1.1104    | 1.0387    | 1.0566    |
| 17   | .9313     | .8238     | .9134     | 1.0387    | 1.0745    | 1.0387    | 1.0029    |
| 18   | .788      | .8417     | .8954     | 1.0387    | 1.0387    | 1.0029    | 1.0208    |
| 19   | .8059     | .8238     | .9313     | 1.1104    | 1.0387    | 1.0208    | 1.0566    |
| 20   | .9492     | .985      | .9134     | 1.1462    | 1.1104    | 1.0924    | 1.0566    |
| 21   | 1.0208    | 1.0387    | 1.0029    | 1.182     | 1.182     | 1.0566    | 1.1283    |
| 22   | 1.0745    | 1.1104    | 1.1462    | 1.3073    | 1.2894    | 1.1999    | 1.2357    |
| 23   | 1.1999    | 1.2894    | 1.3253    | 1.5223    | 1.3969    |           | 1.4327    |
| 24   | 1.2178    | 1.2536    | 1.2357    | 1.3253    | 1.5402    | 1.4685    | 1.5402    |
| Max  | 1.2178    | 1.2894    | 1.3253    | 1.5223    | 1.5402    | 1.4685    | 1.5402    |
| Min  | .7522     | .6805     | .788      | .788      | .9313     | .9313     | .8954     |
| Avg  | .9305     | .9365     | 1.0107    | 1.0947    | 1.1372    | 1.0987    | 1.1193    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 283071 / PANCHPAKHADI REC STN

Feeder No / Name : 209 / YOGI HILL

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.4143    | 2.396     | 2.3777    | 2.5606    | 2.4874    | 2.3777    | 2.4326    |
| 2    | 2.1582    | 2.1948    | 2.1033    | 2.3411    | 2.3777    | 2.1582    | 2.1033    |
| 3    | 1.9022    | 1.9022    | 1.8656    | 2.1033    | 2.1033    | 1.9936    | 1.7924    |
| 4    | 1.7193    | 1.6644    | 1.7375    | 1.8839    | 1.7741    | 1.7924    | 1.5546    |
| 5    | 1.5181    | 1.4266    | 1.6095    | 1.701     | 1.4632    | 1.6278    | 1.3535    |
| 6    | 1.4449    | 1.1888    | 1.4632    | 1.5912    | 1.3352    | 1.4449    | 1.2071    |
| 7    | 1.3717    | 1.2437    | 1.3535    | 1.4632    | 1.3717    | 1.2803    | 1.39      |
| 8    | 1.3169    | 1.2437    | 1.2803    | 1.3169    | 1.2803    | 1.2071    | 1.2437    |
| 9    | 1.3535    | 1.3535    |           | 1.4266    | 1.4266    | 1.2071    | 1.2986    |
| 10   | 1.5729    | 1.6461    | 1.6461    | 1.6095    | 1.5729    | 1.3535    | 1.4998    |
| 11   | 1.4998    | 1.4815    | 1.5364    | 1.5364    | 1.5364    | 1.4632    | 1.5729    |
| 12   | 1.4815    | 1.39      | 1.6644    | 1.5546    | 1.5364    | 1.4083    | 1.5729    |
| 13   | 1.4998    | 1.5181    | 1.4632    | 1.5912    | 1.5729    | 1.4632    | 1.6095    |
| 14   | 1.6095    | 1.6827    | 1.8107    | 1.7741    | 1.6095    | 1.5546    | 1.6644    |
| 15   | 1.7741    | 1.7558    | 2.1033    | 1.8473    | 1.829     | 1.6827    | 1.8107    |
| 16   | 1.6278    | 1.5546    | 1.7741    | 1.7558    | 1.6827    | 1.6644    | 1.6827    |
| 17   | 1.4083    | 1.5546    | 1.5912    | 1.6827    | 1.5364    | 1.4449    | 1.6461    |
| 18   | 1.2986    | 1.3717    | 1.4083    | 1.4083    | 1.4632    | 1.3169    | 1.4266    |
| 19   | 1.3717    | 1.4266    | 1.5181    | 1.5912    | 1.4632    | 1.3169    | 1.3535    |
| 20   | 1.5546    | 1.6095    | 1.701     | 1.5364    | 1.5729    | 1.4449    | 1.5181    |
| 21   | 1.6095    | 1.7375    |           | 1.6644    | 1.6827    | 1.4998    | 1.6644    |
| 22   | 1.957     | 2.0485    | 2.1948    | 2.0851    | 2.0119    | 2.0302    | 2.0119    |
| 23   | 2.5057    | 2.4508    | 2.7435    | 2.4508    | 2.4508    |           | 2.4691    |
| 24   | 2.5606    | 2.5972    | 2.5606    | 2.9264    | 2.6886    | 2.5606    | 2.5789    |
| Max  | 2.5606    | 2.5972    | 2.7435    | 2.9264    | 2.6886    | 2.5606    | 2.5789    |
| Min  | 1.2986    | 1.1888    | 1.2803    | 1.3169    | 1.2803    | 1.2071    | 1.2071    |
| Avg  | 1.6888    | 1.6850    | 1.7957    | 1.8084    | 1.7429    | 1.6214    | 1.6857    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

PACH RASTA S/DN.[704] BU 4704

Substation No/ Name :- 283071 / PANCHPAKHADI REC STN

Feeder No / Name : 210 / SAPTERSHI

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3908    | 1.4289    | 1.448     | 1.6194    | 1.4289    | 1.5051    | 1.448     |
| 2    | 1.3336    | 1.3336    | 1.3717    | 1.5242    | 1.3336    | 1.4289    | 1.3717    |
| 3    | 1.2955    | 1.1812    | 1.2765    | 1.3717    | 1.1812    | 1.2955    | 1.2384    |
| 4    | 1.2193    | 1.0479    | 1.2003    | 1.2955    | 1.0479    | 1.2193    | 1.1431    |
| 5    | 1.1241    | .8954     | 1.105     | 1.1812    | .9526     | 1.1431    | .9907     |
| 6    | 1.0288    | .7811     | .9907     | 1.0288    | .8764     | 1.0288    | .7621     |
| 7    | .9145     | .8192     | .8383     | .9526     | .8954     | .9526     | .8192     |
| 8    | .9335     | .8573     | .8764     | .9526     | .8573     | .8383     | .8764     |
| 9    | .9145     | .8764     |           | 1.0288    | .8954     | .8002     | .8764     |
| 10   | .9907     | .9526     | .9335     | .9907     | .9717     | .9526     | .9717     |
| 11   | 1.0669    | 1.086     | 1.1431    | 1.086     | 1.3717    | 1.0098    | 1.0288    |
| 12   | .9526     | 1.0669    | 1.1431    | 1.105     | 1.086     | 1.0669    | .9526     |
| 13   | 1.0288    | 1.086     | 1.1431    | 1.0288    | 1.0288    | 1.086     | .9907     |
| 14   | .9526     | 1.0669    | 1.2193    | 1.105     | 1.0669    | 1.105     | 1.0669    |
| 15   | 1.086     | 1.1812    | 1.4861    | 1.2003    | 1.2765    | 1.1241    | 1.0479    |
| 16   | .9717     | 1.0288    | 1.3146    | 1.0288    | 1.1431    | 1.0479    | .9717     |
| 17   | .8954     | .9717     | 1.1812    | 1.0288    | 1.105     | .9717     | .9907     |
| 18   | .8383     | .8954     | .9526     | .8573     | .9335     | .9335     | .8192     |
| 19   | .9526     | .8954     | 1.0288    | .9907     | .9717     | .9145     | .8383     |
| 20   | 1.0669    | 1.0479    | 1.0479    | 1.0479    | 1.086     | 1.0288    | .9526     |
| 21   | 1.1241    | 1.105     | 1.2765    | 1.1622    | 1.1622    | 1.105     | 1.105     |
| 22   | 1.2765    | 1.2765    | 1.4861    | 1.3908    | 1.2955    | 1.2765    | 1.2384    |
| 23   | 1.4289    | 1.5242    | 1.7147    | 1.5242    | 1.3717    |           | 1.5051    |
| 24   | 1.4861    | 1.5432    | 1.5432    | 1.7147    | 1.5432    | 1.5623    | 1.5623    |
| Max  | 1.4861    | 1.5432    | 1.7147    | 1.7147    | 1.5432    | 1.5623    | 1.5623    |
| Min  | .8383     | .7811     | .8383     | .8573     | .8573     | .8002     | .7621     |
| Avg  | 1.0947    | 1.0812    | 1.2052    | 1.1757    | 1.1201    | 1.1042    | 1.0653    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113013 / 22/11 KV SARVODAYA

Feeder No / Name : 201 / MHADA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 17-MAY-18 |
|------|-----------|
| HR   | Load (MW) |
| 21   | .5304     |
| Max  | .5304     |
| Min  | .5304     |
| Avg  | .5304     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113013 / 22/11 KV SARVODAYA

Feeder No / Name : 202 / MAASHPURAM SHEDDABLE URBAN  
Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5203    |           | 1.647     |           | 1.6289    |           | 1.5203    |
| 2    | 1.448     |           | 1.3937    |           | 1.448     |           | 1.4299    |
| 3    | 1.267     |           | 1.3575    |           | 1.3575    |           | 1.3032    |
| 4    | 1.1765    |           | 1.1765    |           | 1.3032    |           | 1.267     |
| 5    | 1.1041    |           | 1.086     |           | 1.2308    |           | 1.1765    |
| 6    | 1.0498    |           | 1.0136    |           | 1.1765    | 1.0498    | 1.0498    |
| 7    | .9593     | .9231     | .9231     |           | .9593     |           | .9412     |
| 8    | .9231     |           | .9774     |           | .9412     |           | .9412     |
| 9    | 1.0608    | .9774     | 1.0679    | .9955     | 1.0498    | .9412     | .9774     |
| 10   | 1.1016    | 1.1222    | 1.2308    | 1.1222    | 1.1946    | 1.0317    | 1.1765    |
| 11   | 1.251     | 1.1222    | 1.3213    | 1.3032    | 1.2489    | 1.0498    | 1.2489    |
| 12   | 1.363     | 1.2489    | 1.3394    | 1.3213    | 1.3213    | 1.1041    | 1.1946    |
| 13   | 1.1203    | 1.3032    | 1.3575    | 1.3394    | 1.3937    | 1.1041    | 1.2127    |
| 14   | 1.419     | 1.3575    | 1.5203    | 1.4661    | 1.3575    | 1.1403    | 1.3032    |
| 15   | 1.4377    | 1.4118    | 1.5384    | 1.448     | 1.4299    | 1.2489    | 1.2308    |
| 16   | 1.251     | 1.2851    | 1.4842    | 1.2851    | 1.4118    | 1.1946    | 1.1946    |
| 17   | 1.1016    | 1.1946    | 1.3756    | 1.2308    | 1.1946    | 1.1041    | 1.1765    |
| 18   | 1.2136    | 1.1584    | 1.1765    | 1.1584    | 1.2127    | 1.0136    | 1.1403    |
| 19   | 1.2136    | 1.2127    | 1.2308    | 1.3575    | 1.267     | 1.086     | 1.2308    |
| 20   | 1.3256    | 1.3032    | 1.3169    | 1.3756    | 1.3575    | 1.1222    | 1.1765    |
| 21   | 1.2851    | 1.267     | 1.3575    | 1.2851    | 1.3394    | 1.1765    | 1.2851    |
| 22   | 1.4842    | 1.2851    | 1.6108    | 1.5203    | 1.3756    | 1.3394    | 1.5203    |
| 23   |           | 1.7556    |           | 1.6651    |           | .7059     |           |
| 24   | 1.7013    | 1.6651    | 1.7013    | 1.8839    | 1.7558    | 1.5927    | 1.7194    |
| Max  | 1.7013    | 1.7556    | 1.7013    | 1.8839    | 1.7558    | 1.5927    | 1.7194    |
| Min  | .9231     | .9231     | .9231     | .9955     | .9412     | .7059     | .9412     |
| Avg  | 1.2512    | 1.2702    | 1.3132    | 1.3598    | 1.3024    | 1.1179    | 1.2355    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703]

BU 4703

Substation No/ Name :- 113013 / 22/11 KV SARVODAYA

Feeder No / Name : 203 / UDYOGKSHETRA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4572     |           | .4755     |           | .4755     |           | .4755     |
| 2    | .4024     |           | .439      |           | .439      |           | .3982     |
| 3    | .4024     |           | .3841     |           | .3841     |           | .3841     |
| 4    | .3658     |           | .3658     |           | .3841     |           | .3658     |
| 5    | .3475     |           | .3658     |           | .3658     |           | .3658     |
| 6    | .3292     |           | .3292     |           | .3658     | .3077     | .3475     |
| 7    | .3292     | .3292     | .3109     |           | .3475     |           | .3109     |
| 8    | .3475     |           | .2926     |           | .3475     |           | .3841     |
| 9    | .5304     | .5792     | .4938     | .5249     | .5487     | .2534     | .5487     |
| 10   | .8413     | .8779     | .8962     | .6401     | .823      | .3109     | .8869     |
| 11   | .9328     | .9145     | .9328     | 1.0608    | .9145     | .3658     | 1.0425    |
| 12   | .9328     | .8962     | .9145     | .9694     | .8048     | .3292     | .9877     |
| 13   | .9328     | .823      | .9877     | .9694     | .8413     | .2926     | .9694     |
| 14   | .8962     | .823      | .9877     | .8962     | .7682     | .3292     | .9145     |
| 15   | .9511     | 1.0425    | 1.0791    | 1.0425    | .9328     | .3841     | .9328     |
| 16   | .9511     | .8779     | 1.0242    | 1.0059    | .9145     | .3475     | .9511     |
| 17   | .9145     | .9145     | .9694     | .9145     | .823      | .3658     | .905      |
| 18   | .7682     | .7499     | .695      | .7865     | .695      | .3475     | .8688     |
| 19   | .695      | .5853     | .6401     | .6219     | .6219     | .4024     | .6878     |
| 20   | .5853     | .5487     | .5853     | .567      | .5853     |           | .5792     |
| 21   | .567      | .5304     | .5304     | .4938     | .5121     | .4572     | .5249     |
| 22   | .5304     | .5121     | .5853     | .5304     | .5304     | .4755     | .5249     |
| 23   |           | .6036     |           | .5487     |           | .5121     |           |
| 24   | .5487     | .543      | .5487     | .5792     | .5487     | .5068     | .4938     |
| Max  | .9511     | 1.0425    | 1.0791    | 1.0608    | .9328     | .5121     | 1.0425    |
| Min  | .3292     | .3292     | .2926     | .4938     | .3475     | .2534     | .3109     |
| Avg  | .6330     | .7148     | .6449     | .7595     | .6075     | .3742     | .6456     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113013 / 22/11 KV SARVODAYA

Feeder No / Name : 204 / SAIDHAM

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.9404    |           | 1.9404    |           | 1.9035    |           | 1.7556    |
| 2    | 1.848     |           | 1.8296    |           | 1.8111    |           | 1.7556    |
| 3    | 1.7556    |           | 1.5893    |           | 1.7002    |           | 1.6078    |
| 4    | 1.5708    |           | 1.5524    |           | 1.5708    |           | 1.4784    |
| 5    | 1.3676    |           | 1.4784    |           | 1.4784    |           | 1.386     |
| 6    | 1.2936    |           | 1.3676    |           | 1.386     | 1.3121    | 1.2936    |
| 7    | 1.2382    |           | 1.3676    |           | 1.3121    |           | 1.2197    |
| 8    | 1.2012    |           | 1.3121    |           | 1.3121    |           | 1.2382    |
| 9    | 1.3306    | 1.3491    | 1.386     | 1.4045    | 1.46      | 1.3121    | 1.3306    |
| 10   | 1.4415    | 1.4784    | 1.5339    | 1.4784    | 1.5154    | 1.3676    | 1.423     |
| 11   | 1.6078    | 1.5708    | 1.5708    | 1.6078    | 1.5893    | 1.386     | 1.4969    |
| 12   | 1.5708    | 1.5339    | 1.6632    | 1.6263    | 1.5154    | 1.4045    | 1.4969    |
| 13   | 1.5339    | 1.5154    | 1.6632    | 1.5893    | 1.3306    | 1.386     | 1.4784    |
| 14   | 1.5154    | 1.5524    | 1.7002    | 1.6448    | 1.6263    | 1.4784    | 1.5708    |
| 15   | 1.5893    | 1.6078    | 1.7372    | 1.7002    | 1.7002    | 1.5154    | 1.5154    |
| 16   | 1.4969    | 1.5154    | 1.7187    | 1.5524    |           | 1.423     | 1.4784    |
| 17   | 1.5339    | 1.46      | 1.6448    | 1.4784    | 1.5154    | 1.386     | 1.423     |
| 18   | 1.46      | 1.4415    | 1.5524    | 1.4969    | 1.423     | 1.2197    | 1.386     |
| 19   | 1.4784    | 1.5524    | 1.5708    | 1.5524    | 1.5339    | 1.3306    |           |
| 20   | 1.6632    | 1.6817    | 1.6263    | 1.6263    | 1.6078    | 1.46      | 1.5524    |
| 21   | 1.7372    | 1.5524    | 1.7556    | 1.8111    | 1.7372    | 1.5708    | 1.6632    |
| 22   | 1.8665    | 1.4784    | 2.0144    | 1.8296    | 1.7556    | 1.7002    | 1.7556    |
| 23   |           | 2.1437    |           | 2.1253    |           | 2.0513    |           |
| 24   | 2.1437    | 2.0883    | 2.1807    | 2.3101    | 2.2177    | 2.0668    | 1.9959    |
| Max  | 2.1437    | 2.1437    | 2.1807    | 2.3101    | 2.2177    | 2.0668    | 1.9959    |
| Min  | 1.2012    | 1.3491    | 1.3121    | 1.4045    | 1.3121    | 1.2197    | 1.2197    |
| Avg  | 1.5732    | 1.5951    | 1.6415    | 1.6771    | 1.591     | 1.4924    | 1.5137    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113013 / 22/11 KV SARVODAYA

Feeder No / Name : 205 / SARVODAYA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3969    |           | 1.4685    |           | 1.4506    |           | 1.5043    |
| 2    | 1.2536    |           | 1.3253    |           | 1.3432    |           | 1.2894    |
| 3    | 1.182     |           | 1.1104    |           | 1.1641    |           | 1.2357    |
| 4    | 1.0387    |           | 1.0745    |           | 1.1104    |           | 1.0566    |
| 5    | .9313     |           | .985      |           | 1.0387    |           | .8954     |
| 6    | .8059     |           | .8596     |           | .985      | .8859     | .788      |
| 7    | .7164     |           | .7343     |           | .8238     |           | .7164     |
| 8    | .6626     |           | .6447     |           | .7164     |           | .7164     |
| 9    | .788      | .7442     | .6984     | .691      | .7164     | .7265     | .8059     |
| 10   | .7343     | .8417     | .7164     | .7522     | .8059     | .8238     | .8596     |
| 11   | .8954     | .8417     | .788      | .8417     | .8417     | .8954     | .8954     |
| 12   | .8059     | .8059     | .8775     | .8238     | .8417     | .9492     | .9134     |
| 13   | .8059     | .8954     | .9134     | .8596     | .9313     | .8238     | .8954     |
| 14   | .8954     | .9134     | 1.0566    | .9492     | 1.0387    | .9492     | .9492     |
| 15   | .9492     | 1.0745    | 1.1462    | 1.1283    | 1.1641    | 1.0208    | .9313     |
| 16   | .8417     | .9313     | 1.0208    | .9492     | .9492     | 1.182     | .8954     |
| 17   | .788      | .7343     | .8871     | .8238     | .8954     | .9671     | .8775     |
| 18   | .7164     | .6626     | .7343     | .7164     | .7701     | .8417     | .8954     |
| 19   | .8059     | .8238     | .8417     | .8954     | .9134     | .8775     | .8954     |
| 20   | .9492     | .9492     | .985      | .9313     | .985      | .9492     | 1.0208    |
| 21   | 1.1104    | .9671     | 1.1462    | 1.0924    | 1.1104    | 1.0566    | 1.0745    |
| 22   | 1.2715    | 1.0029    | 1.4506    | 1.3253    | 1.2715    | 1.1999    | 1.3969    |
| 23   |           | 1.6118    |           | 1.4685    |           | 1.5402    |           |
| 24   | 1.576     | 1.5592    | 1.7013    | 1.701     | 1.6118    | 1.6124    | 1.6834    |
| Max  | 1.576     | 1.6118    | 1.7013    | 1.701     | 1.6118    | 1.6124    | 1.6834    |
| Min  | .6626     | .6626     | .6447     | .691      | .7164     | .7265     | .7164     |
| Avg  | .9531     | .9599     | 1.0072    | .9968     | 1.0208    | 1.0177    | 1.0083    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113013 / 22/11 KV SARVODAYA

Feeder No / Name : 206 / SHREERAM

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.1948    |           | 2.3411    |           | 2.2314    |           | 2.3411    |
| 2    | 2.1033    |           | 2.1033    |           | 2.1582    |           | 2.0119    |
| 3    | 1.829     |           | 1.8656    |           | 1.8656    |           | 1.9753    |
| 4    | 1.7375    |           | 1.7375    |           | 1.8473    |           | 1.9022    |
| 5    | 1.6461    |           | 1.6461    |           | 1.7924    |           | 1.7924    |
| 6    | 1.6095    |           | 1.5546    |           | 1.701     | 1.4998    | 1.5729    |
| 7    | 1.4998    |           | 1.4632    |           | 1.5364    |           | 1.4815    |
| 8    | 1.4815    |           | 1.5364    |           | 1.5729    |           | 1.5546    |
| 9    | 1.5546    | 1.4815    | 1.5181    | 1.5181    | 1.6278    | 1.3717    | 1.4998    |
| 10   | 1.5546    | 1.6461    | 1.5364    | 1.6461    | 1.7558    | 1.4632    | 1.5546    |
| 11   | 1.6827    | 1.7193    | 1.8107    | 1.7924    | 1.7375    | 1.5729    | 1.6461    |
| 12   | 1.7193    | 1.7558    | 1.7741    | 1.7924    | 1.7375    | 1.6461    | 1.701     |
| 13   | 1.6095    | 1.7924    | 1.7924    | 1.8656    | 1.7558    | 1.6278    | 1.701     |
| 14   | 1.7741    | 1.7924    | 1.9204    | 1.8473    | 1.9022    | 1.7375    | 1.7741    |
| 15   | 1.7741    | 1.7924    | 2.0302    | 1.8473    | 1.957     | 1.6644    | 1.6461    |
| 16   | 1.7193    | 1.7375    | 1.8473    | 1.7375    | 1.8473    | 1.6644    | 1.6278    |
| 17   | 1.6644    | 1.5912    | 1.7558    | 1.6827    | 1.829     | 1.6827    | 1.5181    |
| 18   | 1.6461    | 1.5546    | 1.6644    | 1.6461    | 1.7375    | 1.6095    | 1.6461    |
| 19   | 1.7558    | 1.7193    | 1.8656    | 1.8473    | 1.9022    | 1.701     | 1.7741    |
| 20   | 1.8656    | 1.957     | 1.8839    | 1.9022    | 2.0119    | 1.8656    | 1.7741    |
| 21   | 1.9387    | 1.957     | 1.9204    | 2.1033    | 2.0119    | 1.8839    | 1.9022    |
| 22   | 2.0485    | 1.957     | 2.1765    | 2.1399    | 2.1765    | 2.1216    | 2.1033    |
| 23   |           | 2.3045    |           | 2.4326    |           | 2.3411    |           |
| 24   | 2.396     | 2.396     | 2.4508    |           | 2.5873    | 2.396     | 2.4691    |
| Max  | 2.396     | 2.396     | 2.4508    | 2.4326    | 2.5873    | 2.396     | 2.4691    |
| Min  | 1.4815    | 1.4815    | 1.4632    | 1.5181    | 1.5364    | 1.3717    | 1.4815    |
| Avg  | 1.7741    | 1.8221    | 1.8346    | 1.8534    | 1.8818    | 1.7558    | 1.7813    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703]

BU 4703

Substation No/ Name :- 113013 / 22/11 KV SARVODAYA

Feeder No / Name : 207 / RAJA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.094     |           | 1.1128    |           | 1.1694    |           | .8676     |
| 2    | 1.0185    |           | .9808     |           | 1.094     |           | .8299     |
| 3    | .9431     |           | 1.0185    |           | .9808     |           | .7167     |
| 4    | .9054     |           | 1.0185    |           | .9808     |           | .7545     |
| 5    | .8676     |           | .9431     |           | .9431     |           | .7922     |
| 6    | .9054     |           | .9054     |           | .9431     | .7733     | .7922     |
| 7    | .9619     |           | 1.0185    |           | 1.0751    |           | .8299     |
| 8    | 1.1317    |           | 1.2449    |           | 1.0374    |           | 1.0185    |
| 9    | 1.8107    | 1.8296    | 1.8673    | 1.7924    | 1.6975    | 1.0562    | 1.6598    |
| 10   | 2.7538    | 2.8292    | 2.8292    | 2.1125    | 2.6406    | 1.1694    | 2.5463    |
| 11   | 2.9613    | 3.1499    | 3.3385    | 3.2065    | 2.9047    | 1.2637    | 3.131     |
| 12   | 3.1121    | 3.1876    | 3.131     | 3.3008    | 3.0178    | 1.1883    | .9054     |
| 13   | 2.8104    | 2.8858    | 2.8669    | 2.7538    | 2.7349    | 1.1694    | 2.7726    |
| 14   | 2.8292    | 2.9424    | 3.263     | 2.8858    | 2.8292    | 1.1883    | 2.9047    |
| 15   | 3.0556    | 3.1121    | 3.263     | 2.999     | 2.9235    | 1.1694    | 2.8481    |
| 16   | 2.9801    | 3.1121    | 3.2253    | 1.094     | 2.7349    | 1.1128    | 2.8858    |
| 17   | 2.9047    | 2.8481    | 2.9801    | 2.6783    | 2.6406    | .9242     | 2.7726    |
| 18   | 2.5652    | 2.4897    | 2.7349    | 2.4709    | 2.3954    | .811      | 2.2634    |
| 19   | 2.1691    | 2.0936    | 2.1691    | 1.9239    | 1.9993    | .8676     | 2.0748    |
| 20   | 1.6221    | 1.7556    | 1.9239    | 1.5655    | 1.6975    | .7733     | 1.5844    |
| 21   | 1.226     | 1.6787    | 1.5844    | 1.5655    | 1.4523    | .8488     | 1.3203    |
| 22   | 1.226     | 1.6787    | 1.358     | 1.3203    | 1.358     | .9054     | 1.2826    |
| 23   |           | 1.2637    |           | 1.2637    |           | .9242     |           |
| 24   | 1.2449    | 1.1506    | 1.226     | 1.3203    |           | 1.2696    | .9431     |
| Max  | 3.1121    | 3.1876    | 3.3385    | 3.3008    | 3.0178    | 1.2696    | 3.131     |
| Min  | .8676     | 1.1506    | .9054     | 1.094     | .9431     | .7733     | .7167     |
| Avg  | 1.8739    | 2.3755    | 2.0001    | 2.1408    | 1.8750    | 1.0244    | 1.6738    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113013 / 22/11 KV SARVODAYA

Feeder No / Name : 208 / KARIA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.4209    |           | 2.5423    |           | 2.4579    |           | 2.5133    |
| 2    | 2.3655    |           | 2.2862    |           | 2.2916    |           | 2.4025    |
| 3    | 2.1437    |           | 2.0485    |           | 2.1992    |           | 2.1253    |
| 4    | 1.9774    |           | 1.9204    |           | 1.9959    |           | 2.1253    |
| 5    | 1.7926    |           | 1.7375    |           | 1.848     |           | 1.7556    |
| 6    | 1.6632    |           | 1.6461    |           | 1.7741    | 1.8111    | 1.6632    |
| 7    | 1.5524    |           | 1.5729    |           | 1.6078    |           | 1.6078    |
| 8    |           |           | 1.5364    |           | 1.6817    |           | 1.5893    |
| 9    | 1.5708    | 1.587     | 1.6278    | 1.5497    | 1.5524    | 1.5497    | 1.5524    |
| 10   | 1.6078    | 1.6263    | 1.5546    | 1.6278    | 1.6817    | 1.6078    | 1.6448    |
| 11   | 1.6078    | 1.6817    | 1.5912    | 1.6461    | 1.7372    | 1.7556    | 1.6817    |
| 12   | 1.5154    | 1.5893    | 1.6827    | 1.6461    | 1.6632    | 1.7556    | 1.7187    |
| 13   | 1.4784    | 1.6263    | 1.6278    | 1.5912    | 1.7002    | 1.7002    | 1.5893    |
| 14   | 1.5708    | 1.6448    | 1.7924    |           | 1.7556    | 1.7372    | 1.6263    |
| 15   | 1.6817    | 1.7187    | 1.8656    | 1.7193    | 1.9589    | 1.9404    | 1.6078    |
| 16   | 1.5524    | 1.6078    | 1.6644    | 1.6278    | 1.7556    | 1.8111    | 1.5893    |
| 17   | 1.4045    | 1.4784    | 1.5729    | 1.4815    | 1.7002    | 1.6448    | 1.4415    |
| 18   | 1.3306    | 1.4415    | 1.4632    | 1.4083    | 1.5339    | 1.5339    | 1.5154    |
| 19   | 1.4784    | 1.4969    | 1.5708    | 1.6278    | 1.5708    |           | 1.5708    |
| 20   | 1.6632    | 1.7556    | 1.6827    | 1.829     | 1.9035    | 1.7556    | 1.7741    |
| 21   | 1.9035    | 1.7002    | 1.8839    | 2.0119    | 2.0883    | 1.9589    | 1.9959    |
| 22   | 2.1437    | 1.6632    | 2.3228    | 2.2314    | 2.2546    | 2.2731    | 2.3285    |
| 23   |           | 2.6242    |           | 2.4874    |           | 2.5873    |           |
| 24   | 2.6242    | 2.6513    | 2.5972    | 2.9127    | 2.6612    | 2.7721    | 2.7536    |
| Max  | 2.6242    | 2.6513    | 2.5972    | 2.9127    | 2.6612    | 2.7721    | 2.7536    |
| Min  | 1.3306    | 1.4415    | 1.4632    | 1.4083    | 1.5339    | 1.5339    | 1.4415    |
| Avg  | 1.7750    | 1.7433    | 1.8170    | 1.8265    | 1.8858    | 1.8872    | 1.8336    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113013 / 22/11 KV SARVODAYA

Feeder No / Name : 209 / nahurgaon

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.3105    |           | 3.3288    |           | 3.2922    |           | 3.2556    |
| 2    | 3.091     |           | 3.0544    |           | 2.9264    |           | 2.9995    |
| 3    | 2.8898    |           | 2.7618    |           | 2.7801    |           | 2.7801    |
| 4    | 2.3777    |           | 2.652     |           | 2.524     |           | 2.652     |
| 5    | 2.3228    |           | 2.3777    |           | 2.2314    |           | 2.3594    |
| 6    | 2.1948    |           | 2.2131    |           | 2.1582    | 2.1399    | 2.1948    |
| 7    | 2.0119    |           | 2.0302    |           | 2.0668    |           | 2.0485    |
| 8    | 2.1948    |           | 2.1765    |           | 2.3045    |           | 2.1948    |
| 9    | 2.0302    | 2.0119    | 2.1948    | 2.1948    | 2.2497    | 2.2314    | 2.0485    |
| 10   | 1.9753    | 2.268     | 2.3411    | 2.3777    | 2.3777    | 2.2497    | 2.1948    |
| 11   | 2.268     | 2.2862    | 2.3045    | 2.524     | 2.3045    | 2.3411    | 2.2131    |
| 12   | 2.2862    | 2.3045    | 2.5057    | 2.3045    | 2.1948    | 2.3777    | 2.2131    |
| 13   | 2.2497    | 2.3594    | 2.4326    | 2.2862    | 2.3228    | 2.4874    | 2.2862    |
| 14   | 2.3777    | 2.4143    | 2.6244    | 2.4691    | 2.4326    | 2.5057    | 2.268     |
| 15   | 2.524     | 2.5606    | 2.8959    | 2.5972    | 2.5789    | 2.6703    | 2.3045    |
| 16   | 2.4874    | 2.5606    | 2.7435    | 2.4326    | 2.5606    | 2.6703    | 2.3411    |
| 17   | 2.3594    | 2.4326    | 2.5606    | 2.3411    | 2.4508    | 2.5423    | 2.2862    |
| 18   | 2.3045    | 2.3411    | 2.3777    | 2.268     | 2.3777    | 2.3777    | 2.3411    |
| 19   | 2.3045    | 2.5972    | 2.4691    | 2.6155    | 2.524     | 2.4508    | 2.652     |
| 20   | 2.7069    | 2.8715    | 2.8898    | 2.7801    | 2.7435    | 2.5057    | 2.652     |
| 21   | 2.9813    | 2.8349    | 3.0361    | 3.0361    | 2.9081    | 2.7252    | 2.8166    |
| 22   | 3.2007    | 2.7801    | 3.5482    | 3.2373    | 3.1824    | 3.0727    | 3.1093    |
| 23   |           | 3.658     |           | 3.6946    |           | 3.6031    |           |
| 24   | 3.7494    | 3.6397    | 3.6031    | 3.2739    | 3.7129    | 3.6031    | 3.5117    |
| Max  | 3.7494    | 3.658     | 3.6031    | 3.6946    | 3.7129    | 3.6031    | 3.5117    |
| Min  | 1.9753    | 2.0119    | 2.0302    | 2.1948    | 2.0668    | 2.1399    | 2.0485    |
| Avg  | 2.5304    | 2.6200    | 2.6575    | 2.6520    | 2.5741    | 2.6208    | 2.5097    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113018 / 22/11 KV BEST

Feeder No / Name : 201 / MARATHON

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.1317    | 1.1523    | 1.0562    |           | 1.1523    | 1.1317    | 1.0974    |
| 2    | .9431     | .9877     | .9431     |           | 1.0608    | 1.0185    | .9877     |
| 3    | .8676     | .8596     | .8676     |           | .9694     | .9054     | .9145     |
| 4    | .7545     | .8962     | .8299     |           | .8596     | .8299     | .8413     |
| 5    | .679      | .8413     | .7545     |           | .7316     | .7545     | .7682     |
| 6    | .6602     | .7682     | .7356     |           | .6401     | .6979     | .7316     |
| 7    | .5847     | .7133     | .7167     |           | .6584     | .6413     | .5853     |
| 8    | .6036     | .6219     | .679      | .5847     | .6602     | .6036     | .6036     |
| 9    |           | .6401     | .7167     | .7133     | .679      | .7167     | .6036     |
| 10   |           | .7922     |           | .8413     | .9054     | .6413     | .8962     |
| 11   |           | .9431     | .9242     | .9145     | .9054     | .7167     | .8962     |
| 12   | .9145     | .8299     | .9431     | .9145     | .9054     | .7167     | .8779     |
| 13   | .8413     | .8676     |           | .9511     | .8676     | .7356     | .9145     |
| 14   | .9328     | .9054     | 1.0185    | .9877     | .9431     | .7545     | .8596     |
| 15   | 1.0059    | 1.0185    |           | 1.0608    | 1.0562    | .7545     | .9877     |
| 16   | .8779     | .9054     |           | 1.0059    | 1.0562    | .7167     | .9328     |
| 17   | .8413     | .8299     |           | .8779     |           | .6979     | .8413     |
| 18   | .8048     | .7922     | .8676     | .9145     | .8299     | .6602     | .7682     |
| 19   | .7865     | .7356     |           | .8596     | .7922     | .7167     | .7316     |
| 20   | .823      | .8299     |           | .8048     | .8676     | .7922     | .7682     |
| 21   | .8779     | .9431     | .9808     | .9694     | .9431     | .8676     | .8779     |
| 22   | 1.0791    | 1.094     |           | 1.1157    | 1.0562    | .9328     | .9877     |
| 23   | 1.2254    | 1.2071    |           | 1.2986    | 1.0562    | 1.1694    | 1.1523    |
| 24   | 1.226     | 1.2254    | 1.2071    | 1.4146    | 1.2986    | 1.226     | 1.0974    |
| Max  | 1.226     | 1.2254    | 1.2071    | 1.4146    | 1.2986    | 1.226     | 1.1523    |
| Min  | .5847     | .6219     | .679      | .5847     | .6401     | .6036     | .5853     |
| Avg  | .8791     | .8917     | .8827     | .9546     | .9085     | .8083     | .8634     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113018 / 22/11 KV BEST

Feeder No / Name : 202 / RITA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2071    | 1.1222    | 1.2826    |           | 1.1765    | 1.2449    | 1.2071    |
| 2    | 1.1317    | 1.0136    | 1.0185    |           | 1.086     | 1.094     | 1.1317    |
| 3    | 1.0185    | .9412     | .9431     |           | 1.0679    | .9431     | 1.0185    |
| 4    | .9054     | .8589     | .9054     |           | .9955     | .8299     | .9431     |
| 5    | .7545     | .8507     | .8299     |           | .8507     | .7922     | .8299     |
| 6    | .7356     | .7964     | .7922     |           | .7602     | .7733     | .7545     |
| 7    | .679      | .724      | .7545     |           | .7059     | .7545     | .6979     |
| 8    | .7167     | .6878     | .7167     | .5847     | .7545     | .6979     | .7545     |
| 9    |           | .7783     | .8299     | .8688     | .7922     | .6979     | .8676     |
| 10   |           | .9054     |           | 1.0317    | .9431     | .7545     | .9412     |
| 11   |           | 1.2826    | 1.1317    | 1.2489    | 1.2826    | .9431     | 1.2851    |
| 12   | 1.2851    | 1.3203    | 1.2637    | 1.3213    | 1.2826    | .9997     | 1.267     |
| 13   | 1.086     | 1.3203    |           | 1.3394    | 1.3203    | 1.0562    | 1.3032    |
| 14   | 1.2851    | 1.358     | 1.3203    | 1.3575    | 1.358     | 1.0562    | 1.2851    |
| 15   | 1.3937    | 1.5089    |           | 1.4118    | 3.0556    | 1.0562    | 1.3937    |
| 16   | 1.2851    | 1.4335    |           | 1.3032    | 1.358     | 1.0562    | 1.3394    |
| 17   | 1.2127    | 1.3203    |           | 1.2127    | 1.2071    | 1.0562    | 1.1946    |
| 18   | 1.0136    | 1.1317    | 1.094     | 1.267     | 1.2071    | .9431     | 1.1584    |
| 19   | 1.0679    | 1.226     |           | 1.2489    | 1.226     | .9808     | 1.1403    |
| 20   | 1.086     | 1.2449    |           | 1.2127    | 1.2449    | 1.1317    | 1.086     |
| 21   | 1.1222    | 1.226     | 1.1883    | 1.1946    | 1.2449    | 1.1317    |           |
| 22   | 1.1403    | 1.1694    |           | 1.2489    | 1.226     | 1.1317    | 1.0136    |
| 23   | 1.1946    | 1.3392    |           | 1.3213    | 1.2826    | 1.2826    | .5068     |
| 24   | 1.3203    | 1.3213    | 1.3203    | 1.3957    | 1.3937    | 1.358     | 1.2826    |
| Max  | 1.3937    | 1.5089    | 1.3203    | 1.4118    | 3.0556    | 1.358     | 1.3937    |
| Min  | .679      | .6878     | .7167     | .5847     | .7059     | .6979     | .5068     |
| Avg  | 1.0781    | 1.1200    | 1.0261    | 1.2099    | 1.2009    | .9902     | 1.0609    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113018 / 22/11 KV BEST

Feeder No / Name : 203 / BHAWANI

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4712    | 1.8858    | 1.9805    |           | 1.7177    | 1.5089    | 1.7353    |
| 2    | 1.3203    | 1.643     | 1.8107    |           | 1.6244    | 1.3203    | 1.5089    |
| 3    | 1.2449    | 1.5497    | 1.6975    |           | 1.531     | 1.2071    | 1.4335    |
| 4    | 1.1317    | 1.6244    | 1.5466    |           | 1.419     | 1.1317    | 1.3203    |
| 5    | 1.0185    | 1.5684    | 1.4335    |           | 1.1576    | 1.094     | 1.2449    |
| 6    | .9431     | 1.4937    | 1.3957    |           | 1.0829    | 1.0562    | 1.1694    |
| 7    | .9054     | 1.531     | 1.5089    |           | 1.1576    | 1.0562    | 1.2449    |
| 8    | .9808     | 1.531     | 1.5655    | 1.1883    | 1.2071    | 1.094     | 1.3203    |
| 9    |           | 1.8671    | 1.8296    | 1.7177    | 1.5089    | 1.094     | 1.5466    |
| 10   |           | 3.0178    |           | 2.2032    | 1.9805    | 1.358     | 2.2965    |
| 11   |           | 3.8666    | 1.7918    | 3.006     | 2.8669    | 1.9805    | 3.1554    |
| 12   | 2.3339    | 4.0741    | 4.1872    | 3.2301    | 3.131     | 2.2822    | 3.2861    |
| 13   | 2.2218    | 4.1495    |           | 3.1181    | 2.9995    | 2.1125    | 3.1181    |
| 14   | 2.2405    | 3.8666    | 2.0936    | 3.062     | 3.131     | 2.0485    | 3.006     |
| 15   | 2.0725    | 3.9232    |           | 3.0247    |           | 2.1125    | 3.0247    |
| 16   | 2.1098    | 3.8477    |           | 3.0434    | 2.9424    | 2.1125    | 2.8753    |
| 17   | 2.0538    | 3.81      |           | 2.9127    | 2.8292    | 2.1125    | 2.782     |
| 18   | 2.0725    | 3.7723    | 2.4709    | 2.838     | 2.6783    | 2.1879    | 2.7073    |
| 19   | 3.9582    | 3.8666    |           | 2.7446    | 3.131     | 2.4897    | 2.7446    |
| 20   | 3.3234    | 3.546     |           | 2.6886    | 2.8292    | 2.4143    | 2.5393    |
| 21   | 3.1181    | 3.0178    | 1.9805    | 2.3712    | 2.2822    | 2.3388    | 2.3339    |
| 22   | 2.5019    | 2.2634    |           |           | 1.773     | 1.7353    | 1.7737    |
| 23   | 2.1845    | 2.2445    |           | 1.8671    | 1.8107    | 1.8107    | 2.4086    |
| 24   | 1.5844    | 2.1285    | 2.1691    | 2.037     | 1.9418    | 1.9239    | 1.8861    |
| Max  | 3.9582    | 4.1495    | 4.1872    | 3.2301    | 3.131     | 2.4897    | 3.2861    |
| Min  | .9054     | 1.4937    | 1.3957    | 1.1883    | 1.0829    | 1.0562    | 1.1694    |
| Avg  | 1.9424    | 2.7537    | 1.9641    | 2.5658    | 2.1188    | 1.7326    | 2.1859    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703]

BU 4703

Substation No/ Name :- 113018 / 22/11 KV BEST

Feeder No / Name : 204 / ASHOK CORPORATION

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2449    | 1.2826    | 1.3203    |           | 1.3203    | 1.3203    | 1.3203    |
| 2    | 1.1317    | 1.0185    | 1.1317    |           | 1.3014    | 1.1317    | 1.0974    |
| 3    | 1.0185    | .9242     | .9431     |           | 1.1694    | 1.0185    | 1.0562    |
| 4    | .8676     | .8865     | .8299     |           | 1.1128    | .9054     | .9054     |
| 5    | .7545     | .811      | .7922     |           | .9619     | .8488     | .8676     |
| 6    | .7167     | .7545     | .7733     |           | .7545     | .811      | .8676     |
| 7    | .6979     | .7356     | .7922     |           | .6979     | .7922     | .8299     |
| 8    | .679      | .7167     | .7922     | .7545     | .9619     | .7733     | .8488     |
| 9    |           | .8299     | .8676     | 1.0751    | .9431     | .8488     | .9808     |
| 10   |           | 1.226     |           | 1.1506    | 1.1694    | .9054     | 1.1506    |
| 11   |           | 1.3203    | 1.3769    | 1.3769    | 1.3957    | 1.1317    | 1.4901    |
| 12   | 1.5089    | 1.5278    | 1.4901    | 1.5278    | 1.5089    | 1.2071    | 1.6409    |
| 13   | 1.5089    | 1.6221    |           | 1.5466    | 2.2257    | 1.226     | 1.6032    |
| 14   | 1.4712    | 1.5089    | 1.6032    | 1.7353    | 1.773     | 1.2449    | 1.5844    |
| 15   | 1.4901    | 1.5844    |           | 1.8296    | 1.6975    | 1.2071    | 1.6787    |
| 16   | 1.4523    | 1.5844    |           | 1.8107    | 1.6598    | 1.1317    | 1.5844    |
| 17   | 1.4146    | 1.5844    |           | 1.4712    | 1.5466    | 1.0562    | 1.6409    |
| 18   | 1.358     | 1.5844    | 1.3203    | 1.4335    | 1.4335    | 1.2449    | 1.6032    |
| 19   | 1.4146    | 1.358     |           | 1.3957    | 1.6221    | 1.2071    | 1.5466    |
| 20   | 1.3203    | 1.4146    |           | 1.3769    | 1.5089    | 1.2826    | 1.358     |
| 21   | 1.2826    | 1.2826    | 1.094     | 1.2826    | 1.5466    | 1.3203    | 1.3014    |
| 22   |           | 1.2071    |           | 1.3203    | 1.3203    | 1.2826    | 1.3392    |
| 23   | 1.4146    | 1.4712    |           | 1.4146    | 1.358     | 1.4523    | 1.4712    |
| 24   | 1.358     | 1.3957    | 1.4146    | 1.4335    | 1.4712    | 1.5089    | 1.5466    |
| Max  | 1.5089    | 1.6221    | 1.6032    | 1.8296    | 2.2257    | 1.5089    | 1.6787    |
| Min  | .679      | .7167     | .7733     | .7545     | .6979     | .7733     | .8299     |
| Avg  | 1.2052    | 1.2346    | 1.1028    | 1.4080    | 1.3525    | 1.1191    | 1.3047    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113018 / 22/11 KV BEST

Feeder No / Name : 205 / SONAR BUNGLOW

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.1879    | 2.0058    | 2.2257    |           | 2.1849    | 2.3388    | 2.2634    |
| 2    | 1.8861    | 1.773     | 1.9993    |           | 2.1312    | 1.9805    | 1.9993    |
| 3    | 1.6975    | 1.6655    | 1.8107    |           | 2.0774    | 1.8861    | 1.6975    |
| 4    | 1.6221    | 1.6834    | 1.6598    |           | 1.9521    | 1.8107    | 1.5089    |
| 5    | 1.5089    | 1.6297    | 1.5466    |           | 1.773     | 1.773     | 1.4335    |
| 6    | 1.4335    | 1.576     | 1.5089    |           | 1.5581    | 1.6975    | 1.4146    |
| 7    | 1.5089    | 1.5223    | 1.5089    |           | 1.4506    | 1.5729    | 1.4335    |
| 8    | 1.5089    | 1.4685    | 1.5466    | 1.4901    | 1.5844    | 1.5089    | 1.5278    |
| 9    |           | 1.4327    | 1.8107    | 1.4327    | 1.6598    | 1.9616    | 1.8484    |
| 10   |           | 1.6221    |           | 1.4685    | 1.8484    | 1.8861    | 1.7193    |
| 11   |           | 1.6221    | 1.8296    | 1.5402    | 1.8484    | 1.8484    | 1.5939    |
| 12   | 1.4506    | 1.358     | 1.3957    | 1.4327    | 1.8107    | 1.773     | 1.4685    |
| 13   | 1.4685    | 1.4523    |           | 1.3969    | 1.5844    | 1.8484    | 1.2357    |
| 14   | 1.5402    | 1.3203    | 1.6221    | 1.4685    | 1.9427    | 1.6598    | 1.2536    |
| 15   | 1.576     | 1.4146    |           | 1.576     | 2.037     | 1.6975    | 1.3432    |
| 16   | 1.5581    | 1.5089    |           | 1.5402    | 1.4922    | 1.773     | 1.2894    |
| 17   | 1.6118    | 1.6221    |           | 1.5043    | 1.6975    | 1.8861    | 1.3432    |
| 18   | 1.6655    | 1.6975    | 1.4901    | 1.5939    | 1.8484    | 1.7353    | 1.379     |
| 19   | 1.8088    | 1.8861    |           | 1.6476    | 2.1125    | 1.8861    | 1.4327    |
| 20   | 1.7909    | 1.8107    |           | 1.7372    | 1.8861    | 1.8861    | 1.5939    |
| 21   | 1.7372    | 1.8861    | 2.0182    | 2.0953    | 2.1125    | 2.1125    | 1.8267    |
| 22   | 2.0237    | 1.9616    |           | 2.1312    | 2.3011    | 2.2257    | 2.0237    |
| 23   | 2.1312    | 2.4143    |           | 2.2028    | 2.4897    | 2.8292    | 2.3282    |
| 24   | 2.3388    | 2.2028    | 2.4143    | 2.4709    | 2.3819    | 2.5274    | 2.4143    |
| Max  | 2.3388    | 2.4143    | 2.4143    | 2.4709    | 2.4897    | 2.8292    | 2.4143    |
| Min  | 1.4335    | 1.3203    | 1.3957    | 1.3969    | 1.4506    | 1.5089    | 1.2357    |
| Avg  | 1.7169    | 1.6890    | 1.7591    | 1.6899    | 1.9069    | 1.9210    | 1.6405    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113018 / 22/11 KV BEST

Feeder No / Name : 207 / AMBEDKAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0739     | .0754     |           | .0739     | .0754     | .0754     |
| 2    |           | .0739     | .0754     |           | .0739     | .0754     | .0754     |
| 3    |           | .0739     | .0754     |           | .0554     | .0754     | .0566     |
| 4    |           | .0739     | .0754     |           | .0554     | .0566     | .0566     |
| 5    |           | .0554     | .0754     |           | .0554     | .0566     | .0566     |
| 6    |           | .0739     | .0566     |           | .0554     | .0566     | .0566     |
| 7    |           | .0554     | .0566     |           | .0554     | .0754     |           |
| 8    |           | .0554     | .0566     | .0566     | .0566     | .0566     | .0566     |
| 9    |           | .0554     | .0566     | .0554     | .0566     | .0566     | .0566     |
| 10   |           | .0566     |           | .0554     | .0754     | .0566     | .0554     |
| 11   |           | .0566     | .0566     | .0554     | .0754     | .0566     | .0739     |
| 12   | .0739     | .0754     | .0754     | .0739     | .0754     | .0566     | .0739     |
| 13   | .0739     | .0566     |           | .0739     | .0754     | .0566     | .0739     |
| 14   | .0739     | .0754     | .0754     | .0739     | .0754     | .0566     | .0554     |
| 15   | .0739     | .0754     |           | .0739     | .0754     | .0566     | .0554     |
| 16   | .0739     | .0754     |           | .0739     | .0754     | .0566     | .0554     |
| 17   | .0739     | .0754     |           | .0554     | .0566     | .0754     | .0554     |
| 18   | .0554     | .0754     | .0566     | .0554     | .0566     | .0566     | .0554     |
| 19   | .0554     | .0566     |           | .0739     | .0566     | .0566     | .0554     |
| 20   | .0554     | .0754     |           | .0739     | .0754     | .0754     | .0554     |
| 21   | .0739     | .0566     | .0566     | .0739     | .0566     | .0754     | .0554     |
| 22   | .0739     | .0754     |           | .0739     | .0754     | .0754     | .0739     |
| 23   | .0739     | .0943     |           | .0739     | .0754     | .0754     | .0739     |
| 24   | .0943     | .0739     | .0754     | .0754     | .0739     | .0754     | .0754     |
| Max  | .0943     | .0943     | .0754     | .0754     | .0754     | .0754     | .0754     |
| Min  | .0554     | .0554     | .0566     | .0554     | .0554     | .0566     | .0554     |
| Avg  | .0712     | .0686     | .0666     | .0675     | .0663     | .0644     | .0623     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113018 / 22/11 KV BEST

Feeder No / Name : 208 / CAMP III

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 2.4394    | 1.094     |           | 1.1458    | 2.5652    | 2.5133    |
| 2    |           |           | .9808     |           | 1.1088    | 2.3011    | 2.2916    |
| 3    |           |           | .9054     |           | 1.0534    | 2.1125    | 2.0698    |
| 4    |           | .5914     | .8299     |           | .961      | 1.9239    | 1.9959    |
| 5    |           | .5729     | .7922     |           | .8316     | 1.8484    | 1.8111    |
| 6    |           | .5544     | .7545     |           | .7023     | 1.7918    | 1.7556    |
| 7    |           | .5544     | .679      |           | .6653     | 1.6975    | 1.5893    |
| 8    |           | .6283     | .6602     | .679      | .679      | 1.6598    | 1.6263    |
| 9    |           | .6099     | .6602     | .6838     | .7167     | 1.6598    | 1.5893    |
| 10   |           | .7167     |           | .7207     | .7545     | 1.6975    | 1.7926    |
| 11   |           | .6602     | .6979     | .7023     | .7922     | 1.7918    | 1.8111    |
| 12   | 1.8296    | .7167     | .7167     | .7762     | .7922     | 1.7918    | 1.8296    |
| 13   | 1.7926    | .6036     |           | .7577     | .7922     | 1.8861    | 1.8665    |
| 14   | 1.8665    | .7545     | .8488     | .7947     | .7922     | 1.9239    | 1.848     |
| 15   | 1.7187    | .7922     |           | .8686     | .7922     | 1.7924    | 1.9035    |
| 16   | 1.6448    | .7167     |           | .8501     | 1.8484    | 1.773     |           |
| 17   | 1.4969    | .679      |           | .7577     | 1.773     | 1.6975    | 1.6448    |
| 18   | 1.3676    | .6413     | .679      | .7392     | 1.7353    | 1.6975    | 1.6632    |
| 19   | 1.7372    | .7356     |           | .7392     | 1.8673    | 1.9805    | 1.7187    |
| 20   | 1.885     | .7545     |           | .7762     | 2.1125    | 2.0559    | 1.848     |
| 21   | 2.0513    | .811      | .8676     | .8316     | 2.2634    | 2.1313    | 2.0144    |
| 22   | 2.2546    | .9054     |           | .8871     | 2.3577    | 2.3011    | 2.2361    |
| 23   | 2.4764    | 1.0185    |           | 1.0534    | 2.6029    | 2.5463    | 2.4025    |
| 24   | 2.5652    | 2.6057    | 1.094     | 1.0751    | 1.1458    | 2.6783    | 2.6612    |
| Max  | 2.5652    | 2.6057    | 1.094     | 1.0751    | 2.6029    | 2.6783    | 2.6612    |
| Min  | 1.3676    | .5544     | .6602     | .679      | .6653     | 1.6598    | 1.5893    |
| Avg  | 1.8990    | .8665     | .8173     | .8054     | 1.2619    | 1.9710    | 1.9340    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113018 / 22/11 KV BEST

Feeder No / Name : 212 / P KHERAJ

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5658     | .6099     | 1.9616    |           | .6468     | .5658     | .1886     |
| 2    | .5281     | .5729     | 1.6975    |           | .6653     | .5281     | .1886     |
| 3    | .4904     | .462      | 1.5089    |           | .6099     | .4904     | .1886     |
| 4    | .4715     | .5175     | 1.4335    |           | .5914     | .4715     | .1886     |
| 5    | .4527     | .5544     | 1.3203    |           | .5544     | .4715     | .1886     |
| 6    | .4715     | .5729     | 1.0852    |           | .5359     | .4715     | .1886     |
| 7    | .3961     | .5914     | 1.2826    |           | .5729     | .3772     | .2452     |
| 8    | .5281     | .6283     | 1.3203    | 1.2637    | .6036     | .3395     | .3772     |
| 9    |           | .7577     | 1.6598    | 1.8111    | .7545     | .3772     | .679      |
| 10   |           | .9431     |           | 1.9774    | .9808     | .4527     | .961      |
| 11   |           | 1.1317    | 2.1125    | 2.0883    | 1.1317    |           | 1.0903    |
| 12   | 1.1643    | 2.2634    | 2.32      | 2.2731    | 1.094     | .4527     | 1.1088    |
| 13   | 1.0164    | 2.037     |           | 2.1068    | 1.0562    | .415      | .924      |
| 14   | .9425     | 2.2634    | 2.3388    | 1.7556    | 1.1317    | .4338     | 1.0719    |
| 15   | 1.0903    | 2.4143    |           | 1.0534    | 1.0974    | .415      | 1.0719    |
| 16   | 1.1088    | 2.2634    |           | 1.0534    | 1.0562    | .3772     | .9979     |
| 17   | 1.0534    | 2.1502    |           | 1.0349    | .9431     | .3395     | .9979     |
| 18   | .9795     | 1.9616    | 1.9239    | .924      | .8676     | .2829     | .924      |
| 19   | .8871     | 1.8861    |           | .8501     | .9054     | .3206     | .8131     |
| 20   | .6838     | 1.8484    |           | .7392     | .6036     | .3018     | .6653     |
| 21   | .5729     | 1.7353    |           | .5914     | .6036     | .2641     | .5359     |
| 22   | .5914     | 1.8107    | 1.7164    | .5729     | .5281     | .1886     | .4805     |
| 23   | .6283     | 1.9616    |           | .5544     | .4904     | .1886     | .499      |
| 24   | .6036     | .5729     | 2.0748    | 2.1502    | .6099     | .5658     | .1886     |
| Max  | 1.1643    | 2.4143    | 2.3388    | 2.2731    | 1.1317    | .5658     | 1.1088    |
| Min  | .3961     | .462      | 1.0852    | .5544     | .4904     | .1886     | .1886     |
| Avg  | .7251     | 1.3546    | 1.7171    | 1.3412    | .7764     | .3953     | .6151     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703]

BU 4703

Substation No/ Name :- 113025 / 22/11 KV NIRMAL LIFE S/STN

Feeder No / Name : 200 / Corporate

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .2987     | .2987     | .4108     | .4108     |           | .2829     |
| 2    |           | .2614     | .2801     | .3361     | .3734     |           | .2241     |
| 3    |           | .2614     | .2614     | .2801     | .2987     |           | .1886     |
| 4    |           | .2801     | .1867     | .2614     | .2241     |           | .1886     |
| 5    |           | .2801     | .2241     | .2614     | .1867     |           | .2263     |
| 6    |           | .2801     | .2241     | .2614     | .1867     |           | .2641     |
| 7    |           | .2614     | .2801     | .2427     | .2614     |           | .2829     |
| 8    | .2263     | .2801     | .2801     | .2614     | .2987     | .3018     | .2801     |
| 9    | .7842     |           |           | .4854     |           |           | .3361     |
| 10   | 1.1016    | .9709     | 1.1949    | .8029     | 1.0185    |           | 1.094     |
| 11   | 1.1949    | 1.0456    | 1.1576    | 1.1016    |           | .6036     |           |
| 12   | 1.1949    | 1.1389    |           | 1.1389    | 1.1128    | .6535     |           |
| 13   | 1.1576    | 1.0456    |           | 1.1763    |           | .5975     |           |
| 14   | 1.1203    | 1.1949    |           | 1.1389    |           | .5601     |           |
| 15   | 1.1203    |           | 1.1763    | 1.3443    | 1.0185    | .5601     |           |
| 16   | 1.1203    | 1.251     | 1.2323    | 1.251     |           | .6161     |           |
| 17   | 1.0082    | .9522     | 1.1016    | 1.1576    |           | .5601     |           |
| 18   | .9335     | 1.1016    | 1.1203    | 1.1016    | .811      | .5228     |           |
| 19   | .7655     | .8029     | .9335     | .7095     |           | .5041     |           |
| 20   | .5975     | .5975     | .5975     | .5975     |           | .4854     |           |
| 21   | .4668     | .5228     | .5041     | .4854     | .4527     | .5041     |           |
| 22   | .4108     | .4854     | .5041     | .3921     |           | .4668     |           |
| 23   | .3921     | .4108     | .4668     | .4481     | .4527     |           |           |
| 24   | .3961     | .3734     | .3174     | .4668     | .4668     | .4715     | .4108     |
| Max  | 1.1949    | 1.251     | 1.2323    | 1.3443    | 1.1128    | .6535     | 1.094     |
| Min  | .2263     | .2614     | .1867     | .2427     | .1867     | .3018     | .1886     |
| Avg  | .8230     | .6408     | .6171     | .6714     | .5049     | .5291     | .3435     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703]

BU 4703

Substation No/ Name :- 113025 / 22/11 KV NIRMAL LIFE S/STN

Feeder No / Name : 201 / OPEL

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3898     |           | .4252     | .3189     |           | .4075     |
| 2    |           | .4252     |           | .3898     | .2835     |           | .3544     |
| 3    |           | .3721     |           | .3544     | .2835     |           | .3012     |
| 4    |           | .3189     |           | .3189     | .2658     |           | .2481     |
| 5    |           | .2658     |           | .2658     | .2658     |           | .2126     |
| 6    |           | .1772     |           | .2658     | .2658     |           | .2126     |
| 7    |           | .1772     |           |           | .2658     |           | .2126     |
| 8    | .1698     | .1772     |           | .2303     | .2303     | .1509     | .1772     |
| 9    | .1772     |           |           | .2303     |           |           | .1772     |
| 10   | .1772     | .1772     | .2481     | .2658     | .2263     |           | .1772     |
| 11   | .1417     | .1772     | .2126     | .2481     |           | .2263     |           |
| 12   | .1417     | .1949     |           | .1949     | .2263     | .1949     |           |
| 13   | .1417     | .1949     |           | .2481     |           | .1949     |           |
| 14   | .1417     | .1772     |           | .2658     |           | .1772     |           |
| 15   | .1595     |           | .2481     | .2481     | .2263     | .1595     |           |
| 16   | .1772     | .1949     | .2481     | .2658     |           | .1772     |           |
| 17   | .1949     | .1772     | .2303     | .2658     |           | .2126     |           |
| 18   | .1772     | .1772     | .2481     | .2126     | .2263     | .2126     |           |
| 19   | .1867     | .2481     | .2658     | .2481     |           | .1772     |           |
| 20   | .168      | .2481     | .2835     | .2481     |           | .2126     |           |
| 21   | .2427     | .2481     | .3189     | .2481     | .2263     | .2481     |           |
| 22   | .2658     | .3012     | .3366     | .2835     |           | .2658     |           |
| 23   | .3189     | .3721     | .3721     | .3544     | .3584     | .2126     |           |
| 24   | .3395     | .3544     | .3544     | .4075     | .3544     | .3395     | .4075     |
| Max  | .3395     | .4252     | .3721     | .4252     | .3584     | .3395     | .4075     |
| Min  | .1417     | .1772     | .2126     | .1949     | .2263     | .1509     | .1772     |
| Avg  | .1954     | .2521     | .2806     | .2820     | .2682     | .2108     | .2626     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113025 / 22/11 KV NIRMAL LIFE S/STN

Feeder No / Name : 202 / Amruta

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.2851    |           | 1.448     | 1.3032    |           | 1.2489    |
| 2    |           | 1.0679    |           | 1.3032    | 1.2308    |           | 1.1222    |
| 3    |           | .905      |           | .9955     | 1.1584    |           | .9955     |
| 4    |           | .8145     |           | .8869     | 1.086     |           | .8688     |
| 5    |           | .7964     |           | .8145     | 1.0136    |           | .7602     |
| 6    |           | .8507     |           | .8507     | .905      |           | .7059     |
| 7    |           | .8869     |           | .905      | .8145     |           | .8326     |
| 8    | .6979     | .9412     |           | .8145     | .8326     | .8488     | .8688     |
| 9    | .905      |           |           | .9412     |           |           |           |
| 10   | .9955     | .9412     | .8507     | .9955     | 1.1128    |           | .9412     |
| 11   | 1.1041    | 1.0136    | .9593     | 1.0679    |           | .811      | 1.0136    |
| 12   | .9231     | .9412     |           | .9231     | 1.0185    | .8145     |           |
| 13   | .9955     | 1.0498    |           | .9774     |           | .9774     |           |
| 14   | 1.0498    | 1.0317    |           | 1.1041    |           | .9955     |           |
| 15   | 1.1041    |           | 1.0679    | 1.1584    | 1.226     | .9412     |           |
| 16   | 1.1222    | 1.1222    | 1.1041    | 1.1403    |           | .9231     |           |
| 17   | .9231     | 1.0317    | 1.0679    | .9955     |           | .9412     |           |
| 18   | .9593     | .9231     | 1.086     | 1.0136    | 1.1883    | .9955     |           |
| 19   | .9955     | 1.0498    | 1.1403    | 1.1584    |           | .9955     |           |
| 20   | 1.0498    | 1.1403    | 1.1403    | 1.1403    |           | 1.0498    |           |
| 21   | 1.0136    | 1.1765    | 1.2127    | 1.1584    | 1.1506    | 1.086     |           |
| 22   | .9955     | 1.2851    | 1.4299    | 1.3213    |           | 1.1222    |           |
| 23   | 1.1765    | 1.3937    | 1.448     | 1.4118    | 1.358     | 1.267     |           |
| 24   | 1.3769    | 1.3756    | 1.3756    | 1.4842    | 1.3575    | 1.226     | 1.3032    |
| Max  | 1.3769    | 1.3937    | 1.448     | 1.4842    | 1.358     | 1.267     | 1.3032    |
| Min  | .6979     | .7964     | .8507     | .8145     | .8145     | .811      | .7059     |
| Avg  | 1.0228    | 1.0465    | 1.1569    | 1.0837    | 1.1171    | .9996     | .9692     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113025 / 22/11 KV NIRMAL LIFE S/STN

Feeder No / Name : 203 / Runwal

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3395     |           | 2.3577    | .2641     |           | .2452     |
| 2    |           | .3018     |           | 2.0748    | .2641     |           | .2263     |
| 3    |           | .2641     |           | 1.8861    | .2641     |           | .2263     |
| 4    |           | .2263     |           | 1.7353    | .2263     |           | .2075     |
| 5    |           | .1886     |           | 1.6787    | .2641     |           | .1886     |
| 6    |           | .1509     |           | 1.6975    | .2829     |           | .1886     |
| 7    |           |           |           | 1.5655    | .2641     |           | .1509     |
| 8    | .1509     | .1509     |           | 1.7353    | .2641     | .1886     | .1509     |
| 9    | .1509     |           |           | 1.8296    |           |           |           |
| 10   | .1509     | .1509     | 1.3769    | 1.6409    | .2263     |           |           |
| 11   | .1698     | .1509     | 1.8673    | 1.7541    |           | .1886     |           |
| 12   | .1886     | .1509     |           | 1.8107    | .2263     | .1886     |           |
| 13   | .1886     | .1698     |           | 2.3577    |           | .1886     |           |
| 14   | .1698     | .2263     |           | 3.1121    |           | .2075     |           |
| 15   | .1886     |           | 2.1125    | 3.131     | .2058     | .2075     |           |
| 16   | .2075     | .2641     | 1.6975    | .2829     |           | .2263     |           |
| 17   | .2075     | .2263     | 1.8484    | .2829     |           | .2263     |           |
| 18   | .2075     | 2.6029    | 1.8861    | .2641     | .2263     | .2263     |           |
| 19   | .1698     | 2.3954    | 2.0748    | .2641     |           | .1886     |           |
| 20   | .1698     | 2.2445    | 2.2068    | .2641     |           | .2263     |           |
| 21   | .2263     | 2.1313    | 2.3011    | .2481     | .2263     | .2263     |           |
| 22   | .2452     | 2.3954    | 2.3577    | .2658     |           | .2641     |           |
| 23   | .2829     | 2.3954    | 2.452     | .2829     | .2263     | .2829     |           |
| 24   | .1509     | .3206     | 2.2634    | 2.5274    | .2829     | .2263     | .3018     |
| Max  | .2829     | 2.6029    | 2.452     | 3.131     | .2829     | .2829     | .3018     |
| Min  | .1509     | .1509     | 1.3769    | .2481     | .2058     | .1886     | .1509     |
| Avg  | .1897     | .8308     | 2.0370    | 1.4604    | .2476     | .2175     | .2096     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703]

BU 4703

Substation No/ Name :- 113025 / 22/11 KV NIRMAL LIFE S/STN

Feeder No / Name : 204 / sonapur htp

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .9997     |           | 3.2819    | .9054     |           | .9242     |
| 2    |           | .9431     |           | 3.3573    | .8299     |           | .8488     |
| 3    |           | .8299     |           | 3.0556    | .7545     |           | .7545     |
| 4    |           | .7545     |           | 2.8292    | .7167     |           | .6602     |
| 5    |           | .7356     |           | 2.7915    | .6979     |           | .5847     |
| 6    |           | .7922     |           | 2.8481    | .679      |           | .6036     |
| 7    |           | .7545     |           | 2.9235    | .6979     |           | .6602     |
| 8    | .8676     | .8299     |           | 3.0556    | .9242     | .8676     | .8299     |
| 9    | 1.1128    |           |           | 3.4894    |           |           |           |
| 10   | 1.1883    | 1.2449    | 3.0367    | 3.7534    | 1.2637    |           |           |
| 11   | 1.3014    | 1.2826    | 3.4517    | 3.4894    |           | 1.2071    |           |
| 12   | 1.2071    | 1.3203    |           | 3.3951    | 1.3203    | 1.226     |           |
| 13   | 1.226     | 1.4523    |           | 3.2442    |           | 1.1128    |           |
| 14   | 1.2826    | 2.9235    |           | 3.131     |           | .9431     |           |
| 15   | 1.2826    |           | 3.5837    | 2.4709    | 1.3957    | .9808     |           |
| 16   | 1.3203    | 3.3385    | 3.4894    | 1.1883    |           | .8488     |           |
| 17   | 1.1883    | 3.2819    | 3.5271    | 1.1506    |           | .7545     |           |
| 18   | 1.1317    | 2.999     | 3.3008    | .9997     | 1.226     | .7167     |           |
| 19   | 1.0374    | 2.7349    | 3.3008    | 1.0185    |           | .6979     |           |
| 20   | .9997     | 2.6029    | 3.3573    | .8865     |           | .6602     |           |
| 21   | .9054     | 2.6217    | 3.263     | .8676     | 1.0751    | .6413     |           |
| 22   | .9431     | 2.7915    | 3.2253    | .9242     |           | .7545     |           |
| 23   | .9619     | 3.1499    | 3.3951    | .8865     | .9808     | .8488     |           |
| 24   | 1.0185    | .9808     | 3.3385    | 3.546     | .9808     | 1.094     | .9619     |
| Max  | 1.3203    | 3.3385    | 3.5837    | 3.7534    | 1.3957    | 1.226     | .9619     |
| Min  | .8676     | .7356     | 3.0367    | .8676     | .679      | .6413     | .5847     |
| Avg  | 1.1162    | 1.7893    | 3.3558    | 2.441     | .9632     | .8903     | .7587     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113025 / 22/11 KV NIRMAL LIFE S/STN

Feeder No / Name : 205 / vasant oscar 2

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.7002    |           | 3.1417    | 2.9569    |           | 1.7002    |
| 2    |           | 1.6632    |           | 2.7721    | 2.809     |           | 1.386     |
| 3    |           | 1.7002    |           | 2.5873    | 2.5133    |           | 1.2012    |
| 4    |           | 1.7556    |           | 2.2177    | 2.2177    |           | 1.0719    |
| 5    |           | 1.848     |           | 2.1068    | 2.1437    |           | 1.0349    |
| 6    |           | 2.1253    |           | 2.1622    | 2.0698    |           | 1.0534    |
| 7    |           | 2.0144    |           | 2.1253    | 1.9589    |           | 1.0164    |
| 8    | 1.0751    | 2.1274    |           | 2.1807    | 2.0328    | 1.0185    | 1.1088    |
| 9    | 1.2197    |           |           | 2.2177    |           |           |           |
| 10   | 1.386     | 2.2361    | 2.5318    | 2.4209    | 2.6783    |           |           |
| 11   | 1.3121    | 2.2916    | 2.6057    | 2.2177    |           | 1.358     |           |
| 12   | 1.3121    | 2.347     |           | 2.3101    | 2.4709    | 1.386     |           |
| 13   | 1.2936    | 2.384     |           | 2.347     |           | 1.2936    |           |
| 14   | 1.3491    | 2.3655    |           | 2.3285    |           | 1.2197    |           |
| 15   | 1.3306    |           | 2.6981    | 2.4949    | 2.6406    | 1.1458    |           |
| 16   | 1.2936    | 2.2546    | 2.6242    | 2.2546    |           | 1.1827    |           |
| 17   | 1.2197    | 2.1253    | 2.4025    | 2.0883    |           | 1.1643    |           |
| 18   | 1.2567    | 2.1992    | 2.4949    | 2.0144    | 1.358     | 1.2012    |           |
| 19   | 1.2936    | 2.2731    | 2.6797    | 2.3101    |           | 1.2382    |           |
| 20   | 1.2936    | 2.5688    | 2.809     | 2.4394    |           | 1.2752    |           |
| 21   | 1.3392    | 2.4764    | 2.7721    | 2.4949    | 1.3957    | 1.2936    |           |
| 22   | 1.3491    | 2.7905    | 3.0123    | 2.7905    |           | 1.386     |           |
| 23   | 1.386     | 2.9754    | 3.2341    | 3.1602    | 1.8296    | 1.6632    |           |
| 24   | 1.8673    | 1.423     | 3.1232    | 3.4743    | 3.1232    | 1.9616    | 1.7556    |
| Max  | 1.8673    | 2.9754    | 3.2341    | 3.4743    | 3.1232    | 1.9616    | 1.7556    |
| Min  | 1.0751    | 1.423     | 2.4025    | 2.0144    | 1.358     | 1.0185    | 1.0164    |
| Avg  | 1.3281    | 2.1657    | 2.7490    | 2.4441    | 2.2799    | 1.3192    | 1.2587    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

MULUND DIVISION[554]

SARVODAY S/DN.[703] BU 4703

Substation No/ Name :- 113025 / 22/11 KV NIRMAL LIFE S/STN

Feeder No / Name : 208 / lok rachana-karya  
Feeder KV- 11 / OUTGOING

SHEDDABLE URBAN

| DATE | 18-MAY-18 |
|------|-----------|
| HR   | Load (MW) |
| 14   | 1.0494    |
| 15   | 1.1271    |
| Max  | 1.1271    |
| Min  | 1.0494    |
| Avg  | 1.0883    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - III[551]

MUMBRA[152]

BU 4391

Substation No/ Name :- 283087 / BHARAT GEAR SWITCHING

STATION

Feeder No / Name : 301 / SAGAR

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 16-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 23   | 7.4932    | 7.6379    | 7.4208    | 7.2398    | 6.6606    |
| Max  | 7.4932    | 7.6379    | 7.4208    | 7.2398    | 6.6606    |
| Min  | 7.4932    | 7.6379    | 7.4208    | 7.2398    | 6.6606    |
| Avg  | 7.4932    | 7.6379    | 7.4208    | 7.2398    | 6.6606    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - III[551]

MUMBRA[152] BU 4391

Substation No/ Name :- 283087 / BHARAT GEAR SWITCHING  
STATIONFeeder No / Name : 302 / JEEVAN BAUG SHEDDABLE URBAN  
Feeder KV- 22 / OUTGOING

| DATE | 16-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 23   | 5.466     | 5.9877    | 5.6832    | 5.6832    | 5.6333    |
| Max  | 5.466     | 5.9877    | 5.6832    | 5.6832    | 5.6333    |
| Min  | 5.466     | 5.9877    | 5.6832    | 5.6832    | 5.6333    |
| Avg  | 5.466     | 5.9877    | 5.6832    | 5.6832    | 5.6333    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - III[551]

MUMBRA[152] BU 4391

Substation No/ Name :- 283087 / BHARAT GEAR SWITCHING

STATION

Feeder No / Name : 304 / KAUSA

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 16-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 23   | 10.7872   | 11.8275   | 11.8275   | 10.932    | 11.0883   |
| Max  | 10.7872   | 11.8275   | 11.8275   | 10.932    | 11.0883   |
| Min  | 10.7872   | 11.8275   | 11.8275   | 10.932    | 11.0883   |
| Avg  | 10.7872   | 11.8275   | 11.8275   | 10.932    | 11.0883   |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - III[551]

MUMBRA[152] BU 4391

Substation No/ Name :- 283087 / BHARAT GEAR SWITCHING  
STATIONFeeder No / Name : 305 / SHARIFA ROAD SHEDDABLE URBAN  
Feeder KV- 22 / OUTGOING

| DATE | 16-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 23   | 6.653     | 7.0226    | 6.9502    | 6.5844    | 6.5844    |
| Max  | 6.653     | 7.0226    | 6.9502    | 6.5844    | 6.5844    |
| Min  | 6.653     | 7.0226    | 6.9502    | 6.5844    | 6.5844    |
| Avg  | 6.653     | 7.0226    | 6.9502    | 6.5844    | 6.5844    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - III[551]

MUMBRA[152]

BU 4391

Substation No/ Name :- 283087 / BHARAT GEAR SWITCHING  
STATION

Feeder No / Name : 306 / SABE GAON FEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 16-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 23   | 9.0185    | 9.0185    | 9.1293    | 8.8706    | 8.8523    |
| Max  | 9.0185    | 9.0185    | 9.1293    | 8.8706    | 8.8523    |
| Min  | 9.0185    | 9.0185    | 9.1293    | 8.8706    | 8.8523    |
| Avg  | 9.0185    | 9.0185    | 9.1293    | 8.8706    | 8.8523    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - III[551]

MUMBRA[152] BU 4391

Substation No/ Name :- 283087 / BHARAT GEAR SWITCHING

STATION

Feeder No / Name : 308 / Devari Pada

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 16-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 23   | 3.9457    | 3.8009    | 3.9819    | 3.8009    | 3.6199    |
| Max  | 3.9457    | 3.8009    | 3.9819    | 3.8009    | 3.6199    |
| Min  | 3.9457    | 3.8009    | 3.9819    | 3.8009    | 3.6199    |
| Avg  | 3.9457    | 3.8009    | 3.9819    | 3.8009    | 3.6199    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - III[551]

SHIL SUB DIVISION[643] BU 4643

Substation No/ Name :- 283090 / khidkali s/s

Feeder No / Name : 301 / DIVA

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 10.8025   | 11.8313   | 11.1454   |           | 12.3457   | 12.0713   |           |
| 2    | 10.4595   | 11.5912   | 10.631    |           | 11.797    | 11.6598   |           |
| 3    | 10.1166   | 11.4884   | 10.2881   |           | 11.3169   | 10.974    |           |
| 4    | 10.0137   | 10.974    | 10.1166   |           | 10.631    | 10.4595   |           |
| 5    | 9.9451    | 10.8025   | 10.0137   |           | 10.2881   | 11.1454   |           |
| 6    | 9.7394    | 10.631    | 10.2881   |           | 9.7737    | 10.8711   |           |
| 7    | 9.4307    | 10.1166   | 10.1166   |           |           |           |           |
| 8    | 9.2593    | 9.4307    | 9.465     | 9.6708    | 5.727     | 10.4595   | 10.4595   |
| 9    | 8.5048    | 8.8477    | 8.7792    |           | 5.0755    |           |           |
| 10   | 8.4019    | 8.5391    |           |           |           | 9.7394    |           |
| 11   | 8.4705    | 8.4362    |           |           |           |           |           |
| 12   | 8.2648    | 8.3333    |           |           |           | 9.6708    | 8.3676    |
| 13   | 8.3333    | 8.2991    |           |           |           |           |           |
| 14   | 8.3676    | 8.4019    |           |           | 11.4541   |           |           |
| 15   | 8.3676    | 8.6077    |           |           | 11.0082   |           |           |
| 16   | 8.0247    | 8.4019    | 8.8135    | 8.3333    | 10.1852   | 9.7737    | 8.3676    |
| 17   | 7.9218    | 8.1619    |           |           | 9.6365    |           |           |
| 18   | 7.8875    | 7.7161    |           |           | 9.1564    |           |           |
| 19   | 8.059     | 9.1907    |           |           | 9.4307    |           |           |
| 20   | 11.5226   | 11.3855   |           |           |           |           |           |
| 21   | 12.8601   | 12.1742   |           |           | 12.5172   |           |           |
| 22   | 12.9287   | 12.5172   |           |           | 11.0082   |           |           |
| 23   | 12.6886   | 12.0028   | 13.0316   | 12.8258   | 13.6146   | 10.974    | 13.0316   |
| 24   | 11.2483   | 12.0028   | 10.8368   | 12.62     | 11.8999   | 12.6886   | 13.0316   |
| Max  | 12.9287   | 12.5172   | 13.0316   | 12.8258   | 13.6146   | 12.6886   | 13.0316   |
| Min  | 7.8875    | 7.7161    | 8.7792    | 8.3333    | 5.0755    | 9.6708    | 8.3676    |
| Avg  | 9.6508    | 9.9952    | 10.2938   | 10.8625   | 10.3814   | 10.8739   | 10.6516   |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

KALWA S/DN.[128]

BU 4261

Substation No/ Name :- 283086 / SHIVAJI HOSPITAL 22/11 KV

Feeder No / Name : 301 / CHINCHPADA

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.9387    | 2.1216    | 2.1216    | 2.524     | 2.1948    | 2.1582    | 2.1948    |
| 2    | 1.829     | 1.9753    | 1.9753    | 2.268     | 2.0485    | 1.9753    | 2.0119    |
| 3    | 1.7558    | 1.9753    | 1.829     | 2.0119    | 1.9022    | 1.7924    | 1.829     |
| 4    | 1.6827    | 1.6095    | 1.6827    | 1.9022    | 1.7631    | 1.6461    | 1.7558    |
| 5    | 1.5364    | 1.5364    | 1.5364    | 1.829     | 1.6095    | 1.5729    | 1.6095    |
| 6    | 1.4632    | 1.4632    | 1.4632    | 1.7193    | 1.5364    | 1.5364    | 1.5364    |
| 7    | 1.39      | 1.39      | 1.3535    | 1.5364    | 1.4266    | 1.4632    | 1.4632    |
| 8    | 1.39      | 1.3535    | 1.39      | 1.5364    | 1.4632    | 1.4632    | 1.4632    |
| 9    | 1.3535    | 1.4266    |           | 1.4632    | 1.4632    | 1.4266    | 1.4632    |
| 10   | 1.3535    | 1.3535    | 1.39      | 1.4998    | 1.4632    | 1.39      | 1.39      |
| 11   | 1.39      | 1.3169    | 1.4266    | 1.4563    | 1.4266    | 1.4632    | 1.3169    |
| 12   | 1.3169    | 1.3169    | 1.39      | 1.4266    | 1.4632    | 1.5364    | 1.3169    |
| 13   | 1.39      | 1.3535    | 1.4266    | 1.4266    | 1.4632    | 1.5364    | 1.3169    |
| 14   | 1.3535    | 1.39      | 1.5729    | 1.4998    | 1.4998    | 1.5364    | 1.3169    |
| 15   | 1.39      | 1.39      | 1.6827    | 1.5729    | 1.5729    | 1.5729    | 1.3535    |
| 16   | 1.39      | 1.3535    | 1.6827    | 1.4998    | 1.4632    | 1.5729    | 1.3535    |
| 17   | 1.3169    | 1.2803    | 1.5364    | 1.39      | 1.4632    | 1.4266    | 1.3169    |
| 18   | 1.2803    | 1.2803    | 1.3169    | 1.2803    | 1.3169    | 1.3535    | 1.39      |
| 19   | 1.39      | 1.39      | 1.5364    | 1.4632    | 1.5729    | 1.5729    | 1.4632    |
| 20   | 1.6095    | 1.5364    | 1.8656    | 1.4632    | 1.6827    | 1.7558    | 1.6095    |
| 21   | 1.6827    | 1.7193    |           | 1.7558    | 1.7558    | 1.7924    | 1.7558    |
| 22   | 1.7193    | 1.9022    |           | 1.829     | 1.9022    | 2.1582    | 1.9022    |
| 23   | 2.1216    | 2.1216    | 2.2314    | 2.2314    | 2.1216    | 2.1582    |           |
| 24   | 2.1216    | 2.3045    | 2.268     | 2.8166    | 2.4143    | 2.3411    | 2.3777    |
| Max  | 2.1216    | 2.3045    | 2.268     | 2.8166    | 2.4143    | 2.3411    | 2.3777    |
| Min  | 1.2803    | 1.2803    | 1.3169    | 1.2803    | 1.3169    | 1.3535    | 1.3169    |
| Avg  | 1.5485    | 1.5775    | 1.6513    | 1.7251    | 1.6662    | 1.6751    | 1.5873    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

KALWA S/DN.[128]

BU 4261

Substation No/ Name :- 283086 / SHIVAJI HOSPITAL 22/11 KV

Feeder No / Name : 302 / KALWA NAKA

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 4.3164    | 4.481     | 4.2798    | 4.6201    | 4.523     | 4.3244    | 4.4063    |
| 2    | 4.0238    | 4.1823    | 4.0969    | 4.2505    | 4.1823    | 3.9918    | 4.1076    |
| 3    | 3.8043    | 3.8836    | 3.8775    | 3.8809    | 3.8836    | 3.77      | 3.8836    |
| 4    | 3.5848    | 3.7342    | 3.658     | 3.6961    | 3.5848    | 3.5482    | 3.5848    |
| 5    | 3.3653    | 3.5848    | 3.5482    | 3.5113    | 3.3608    | 3.3634    | 3.4355    |
| 6    | .8779     | 3.2861    | 3.219     | 3.3265    | 3.2861    | 3.1786    | 3.2114    |
| 7    | 2.7801    | 3.0247    | 2.8532    | 3.0308    | 3.0994    | 2.8829    | 3.062     |
| 8    | 2.7069    | 2.8753    | 2.7801    | 2.9569    | 2.9127    | 2.846     | 2.9874    |
| 9    | 2.6703    |           |           | 2.9569    | 2.9127    | 2.809     | 2.838     |
| 10   | 2.6886    | 2.7801    | 2.809     | 2.8753    | 2.8829    | 2.9127    | 2.7801    |
| 11   | 2.8006    | 2.7069    | 2.8829    | 2.9127    | 2.9199    | 2.8753    | 2.7801    |
| 12   | 2.838     | 2.7801    | 2.846     | 2.9127    | 2.809     | 2.9874    | 2.7069    |
| 13   | 2.95      | 2.8166    | 2.9569    | 2.838     | 2.9569    | 3.0247    | 2.7069    |
| 14   | 2.8753    | 2.8532    | 3.1047    | 2.9874    | 3.1093    | 2.9874    | 2.7069    |
| 15   | 2.9874    | 2.8532    | 3.3634    | 3.1367    | 3.2156    | 3.062     | 2.6337    |
| 16   | 2.9874    | 2.7435    | 3.1786    | 3.0247    | 3.1047    | 3.062     | 2.5606    |
| 17   | 2.7633    | 2.6703    | 2.9569    | 2.838     | 2.846     | 2.838     | 2.5606    |
| 18   | 2.6513    | 2.7801    | 2.809     | 2.6886    | 2.7721    | 2.838     | 2.6337    |
| 19   | 3.0247    | 2.963     | 3.1417    | 2.95      | 3.1047    | 3.1367    | 2.7801    |
| 20   | 3.5848    | 3.1824    | 3.6591    | 3.4728    | 3.5113    | 3.5475    | 3.0727    |
| 21   | 3.8836    | 3.658     | 3.8809    | 3.7715    | 3.77      | 3.6595    | 3.3653    |
| 22   | 4.0703    | 4.0238    | 4.3244    | 4.1076    | 3.9179    | 3.8836    | 3.7311    |
| 23   | 4.6677    | 4.3896    | 4.8419    | 4.8918    | 4.5092    | 4.4437    |           |
| 24   | 4.4262    | 4.8544    | 4.5359    | 4.9897    | 4.8918    | 4.6571    | 4.7424    |
| Max  | 4.6677    | 4.8544    | 4.8419    | 4.9897    | 4.8918    | 4.6571    | 4.7424    |
| Min  | .8779     | 2.6703    | 2.7801    | 2.6886    | 2.7721    | 2.809     | 2.5606    |
| Avg  | 3.2220    | 3.3525    | 3.4610    | 3.4428    | 3.4194    | 3.3596    | 3.1860    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

POWER HOUSE S/DN.[727] BU 4727

Substation No/ Name :- 283070 / THANE (W)REIVING STATION

Feeder No / Name : 201 / CLOCK TOWER

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 21-MAY-18 |
|------|-----------|
| HR   | Load (MW) |
| 24   | .462      |
| Max  | .462      |
| Min  | .462      |
| Avg  | .462      |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

POWER HOUSE S/DN.[727] BU 4727

Substation No/ Name :- 283070 / THANE (W)RECVING STATION

Feeder No / Name : 202 / BALAWANT

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 2.6139    |           | 2.6139    |           | 2.3339    |           |
| 2    | 2.7073    |           | 2.8006    |           | 2.3339    |           | 2.2405    |
| 3    |           | 2.6139    |           | 2.1472    |           | 1.8671    |           |
| 4    | 2.3339    |           | 2.4272    |           | 1.8671    |           | 1.8671    |
| 5    |           | 2.3339    |           | 1.7737    |           | 1.4937    |           |
| 6    | 1.7737    |           | 1.8671    |           | 1.4937    |           | 1.587     |
| 7    |           | 2.0538    |           | 1.587     | 1.4937    | 1.4937    |           |
| 8    | 1.587     |           | 1.6804    |           | 1.587     |           |           |
| 9    |           | 2.4272    | 2.1472    |           | 1.7737    | 1.587     | 1.8671    |
| 10   | 2.1472    |           | 2.894     | 2.5206    | 2.4272    |           | 2.5206    |
| 11   |           |           | 3.4541    |           | 2.8006    |           | 2.8006    |
| 12   | 2.7073    | 3.2674    | 3.3608    | 2.8006    |           | 2.1472    | 3.0807    |
| 13   |           | 3.3608    | 3.4541    |           |           |           |           |
| 14   | 3.1741    | 3.3608    | 3.9209    | 3.2674    | 2.894     | 2.3339    |           |
| 15   |           |           | 2.894     |           | 3.1741    |           |           |
| 16   | 2.9874    | 3.6037    |           | 3.4541    |           | 2.1472    |           |
| 17   |           | 3.3608    |           |           |           |           |           |
| 18   | 2.5206    | 2.9874    | 2.9874    | 2.6139    | 2.5206    | 1.8671    | 2.4272    |
| 20   | 2.6139    | 2.9874    | 2.6139    | 2.5206    | 2.5206    | 2.1472    | 2.4272    |
| 22   | 2.8006    | 2.894     | 2.5206    | 2.4272    | 2.5206    |           |           |
| 23   |           |           |           |           |           |           | 2.6139    |
| 24   | 3.0807    | 3.1741    | 3.0807    | 2.4272    | 2.6139    | 2.6139    | 2.6139    |
| Max  | 3.1741    | 3.6037    | 3.9209    | 3.4541    | 3.1741    | 2.6139    | 3.0807    |
| Min  | 1.587     | 2.0538    | 1.6804    | 1.587     | 1.4937    | 1.4937    | 1.587     |
| Avg  | 2.5361    | 2.9314    | 2.8069    | 2.5128    | 2.2872    | 2.0029    | 2.3678    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

POWER HOUSE S/DN.[727] BU 4727

Substation No/ Name :- 283070 / THANE (W)RECIIVING STATION

Feeder No / Name : 203 / RAVI UDAY

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .4572     |           | .5487     |           | .4572     |           |
| 2    | .3696     |           | .3696     |           | .3696     |           | .3696     |
| 3    |           | .4572     |           | .3658     |           | .3658     |           |
| 4    | .2772     |           | .2772     |           | .2772     |           | .2772     |
| 5    |           | .4572     |           | .3658     |           | .3658     |           |
| 6    | .3696     |           | .3696     |           | .3696     |           | .3696     |
| 7    |           | .3658     |           | .3658     | .3696     | .3658     | .3696     |
| 8    | 1.2936    |           | .3696     |           | .3696     |           | .3696     |
| 9    |           | .4572     |           |           | .3696     | .3658     | .462      |
| 10   | 2.4272    |           |           | .5487     | .6468     |           | .5544     |
| 11   |           |           |           |           | .7468     |           | .6468     |
| 12   | 3.2674    | .6468     | .7392     | .7392     | .8316     | .5487     | .7392     |
| 13   |           | .6468     | .8316     |           | .7392     |           |           |
| 14   | 3.0807    |           |           | .8316     | .8316     | .6468     |           |
| 15   |           |           | .924      |           | .8316     |           |           |
| 16   | .7392     | .8316     | .8316     | .8316     |           | .5544     |           |
| 17   |           | .6468     |           |           |           |           |           |
| 18   | .6401     | .6468     | .6401     | .6468     | .6401     | .5544     |           |
| 20   | .6401     | .6468     | .6401     | .6468     | .6401     | .5544     | .6401     |
| 22   | .5487     | .5544     | .5487     | .5544     | .5487     |           |           |
| 23   |           |           |           |           |           |           | .6401     |
| 24   | .5544     | .5487     | .5544     | .5487     | .5544     | .5487     | .5544     |
| Max  | 3.2674    | .8316     | .924      | .8316     | .8316     | .6468     | .7392     |
| Min  | .2772     | .3658     | .2772     | .3658     | .2772     | .3658     | .2772     |
| Avg  | 1.1840    | .5664     | .5913     | .5828     | .5710     | .4843     | .4994     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

POWER HOUSE S/DN.[727] BU 4727

Substation No/ Name :- 283070 / THANE (W)RECVING STATION

Feeder No / Name : 204 / NIRAJ

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.8671    |           | .9335     |           | .8402     |           |
| 2    | 1.8671    |           | 1.8671    |           | .7468     |           | .7468     |
| 3    |           | 1.4937    |           | .7468     |           | .5601     |           |
| 4    | 1.4937    |           | 1.4937    |           | .5601     |           | .5601     |
| 5    |           | 1.307     |           | .5601     |           | .5601     |           |
| 6    | 1.1203    |           | 1.1203    |           | .5601     |           | .5601     |
| 7    |           | 1.1203    |           | .6535     | .5601     | .5601     | .4668     |
| 8    |           |           | 1.2136    |           | .5601     |           | .5601     |
| 9    |           | 1.6804    |           |           | .8402     | .6535     | .8402     |
| 10   |           |           | 2.2405    | 1.1203    | 1.2136    |           |           |
| 11   |           |           | 3.1741    |           | 1.6804    |           |           |
| 12   |           | 2.9874    | 3.1741    | 1.7737    | 1.7737    | 1.1203    |           |
| 13   |           | 3.0807    | 3.1741    |           | 1.6804    |           |           |
| 14   |           |           |           |           | 1.587     |           |           |
| 15   |           |           | 3.1741    |           |           |           |           |
| 16   | 3.0807    | 3.1741    | 1.6804    | 1.6804    | 1.6804    | 1.0269    |           |
| 17   |           | 2.7073    |           | 1.587     |           |           |           |
| 18   |           | 2.7073    | 1.4937    | 1.307     | 1.307     | 1.0269    | 1.2136    |
| 20   | 2.6139    | 2.5206    | 1.307     | 1.307     | 1.307     | 1.1203    | 1.2136    |
| 22   | 2.2405    | 1.9605    | 1.0269    | .9335     | .8402     |           |           |
| 23   |           |           |           |           |           |           | .9335     |
| 24   | 2.1472    | 2.1472    | 2.1472    | .9335     | .9335     | .9335     | .9335     |
| Max  | 3.0807    | 3.1741    | 3.1741    | 1.7737    | 1.7737    | 1.1203    | 1.2136    |
| Min  | 1.1203    | 1.1203    | 1.0269    | .5601     | .5601     | .5601     | .4668     |
| Avg  | 2.0805    | 2.2118    | 2.0205    | 1.1280    | 1.1144    | .8402     | .8028     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

POWER HOUSE S/DN.[727] BU 4727

Substation No/ Name :- 283070 / THANE (W)RECVING STATION

Feeder No / Name : 205 / THANE AUDITORIUM

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .8402     |           | .8402     |           | .8402     |           |
| 2    | .6535     |           | .7468     |           | .7468     |           | .8402     |
| 3    |           | .7468     |           | .5601     |           | .7468     |           |
| 4    | .5601     |           | .5601     |           | .5601     |           | .6535     |
| 5    |           | .5601     |           | .5601     |           | .5601     |           |
| 6    | .5601     |           |           |           | .5601     |           | .5601     |
| 7    |           | .5601     |           | .5601     | .5601     | .5601     |           |
| 8    | .6535     |           | .5601     |           | .5601     |           | .6535     |
| 9    |           | .7468     |           |           | .7468     | .7468     | .6535     |
| 10   | 1.307     |           | .9335     | .8402     |           |           |           |
| 11   |           |           | 1.7737    |           | 1.6804    |           |           |
| 12   | 1.7737    | 1.7737    | 1.6804    | 1.6804    | 1.9605    | 1.307     |           |
| 13   |           | 1.7737    | 1.587     |           |           |           | .5601     |
| 14   | 1.6804    |           | 1.6804    | 1.587     |           | 1.307     |           |
| 15   |           |           | 1.7737    |           |           |           |           |
| 16   | 1.8671    | 1.4937    | 1.7737    | 1.6804    | 1.8671    | 1.4003    |           |
| 17   |           | 1.6804    |           |           |           |           |           |
| 18   | 1.6804    | 1.6804    | 1.587     |           | 1.6804    | 1.4003    | 1.4003    |
| 20   | 1.4937    | 1.4937    | 1.4937    | 1.4937    | 1.6804    | 1.4937    | 1.307     |
| 22   | 1.1203    | .9335     | 1.0269    | 1.0269    | 1.0269    |           |           |
| 23   |           |           |           | 1.587     |           |           | .8402     |
| 24   | .8402     | 1.0269    | .9335     | 1.0269    | .9335     | .9335     | 1.0269    |
| Max  | 1.8671    | 1.7737    | 1.7737    | 1.6804    | 1.9605    | 1.4937    | 1.4003    |
| Min  | .5601     | .5601     | .5601     | .5601     | .5601     | .5601     | .5601     |
| Avg  | 1.1825    | 1.1777    | 1.2936    | 1.1203    | 1.1202    | 1.0269    | .8495     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

POWER HOUSE S/DN.[727] BU 4727

Substation No/ Name :- 283070 / THANE (W)RECVING STATION

Feeder No / Name : 206 / PURNIMA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .6535     |           | .7468     |           | .6535     |           |
| 2    | .5601     |           | .6535     |           | .5601     |           | .5601     |
| 3    |           | .5601     |           | .5601     |           | .6535     |           |
| 4    |           |           | .4668     |           | .3734     |           | .4668     |
| 5    |           | .5601     |           | .5601     |           | .6535     |           |
| 6    | .5601     |           | .5601     |           | .5601     |           | .5601     |
| 7    |           | .7468     |           | .7468     |           | .6535     |           |
| 8    |           |           | 1.587     |           |           |           |           |
| 9    |           | 1.4003    |           |           |           | 1.2136    |           |
| 10   | 1.8671    |           |           | 1.6804    |           |           |           |
| 11   |           |           | 2.8006    |           |           |           |           |
| 12   | 2.894     | 2.7073    | 2.9874    | 2.6139    |           | 2.1472    |           |
| 13   |           | 2.9874    |           |           |           |           |           |
| 14   | 2.7073    | 2.9874    | 3.0807    | 2.7073    |           | 1.8671    |           |
| 15   |           |           | 2.894     |           |           |           |           |
| 16   | 2.6139    | 2.9874    | 2.8006    | 2.7073    |           | 1.8671    |           |
| 17   |           | 2.894     |           |           |           |           |           |
| 18   | 2.4272    | 2.5206    | 2.4272    | 2.4272    | 2.4272    | 1.6804    | 2.4272    |
| 20   | 2.0538    | 2.0538    | 1.9605    | 2.0538    | 2.0538    | 1.7737    | 2.0538    |
| 22   | 1.307     | 1.0269    | 1.1203    | 1.1203    | 1.2136    |           |           |
| 23   |           |           |           |           |           |           | .9335     |
| 24   | .7468     | .8402     | .8402     | .8402     | .7468     | .8402     | .7468     |
| Max  | 2.894     | 2.9874    | 3.0807    | 2.7073    | 2.4272    | 2.1472    | 2.4272    |
| Min  | .5601     | .5601     | .4668     | .5601     | .3734     | .6535     | .4668     |
| Avg  | 1.7737    | 1.7804    | 1.8599    | 1.5637    | 1.1336    | 1.2730    | 1.1069    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

POWER HOUSE S/DN.[727] BU 4727

Substation No/ Name :- 283070 / THANE (W)RECVING STATION

Feeder No / Name : 208 / LAKE VIEW

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.2012    |           | 1.2936    |           | 1.2012    |           |
| 2    | 1.2012    |           |           |           | 1.2936    |           | 1.1088    |
| 3    |           | .924      |           | .924      |           | .924      |           |
| 4    | .924      |           | .924      |           | 1.1088    |           | .924      |
| 5    |           | .7392     |           | .8316     |           | .7392     |           |
| 6    | .7392     |           | .7392     |           | .8316     |           | .7392     |
| 7    |           | .7392     |           | .7392     | .7392     | .7392     |           |
| 8    | .7392     |           | .8316     |           | .8316     |           |           |
| 9    |           |           |           |           | 1.0164    | .924      |           |
| 10   | 1.5708    | 1.0164    | 1.4784    | 1.386     | 1.5708    |           |           |
| 11   |           |           | 2.2177    |           | 2.0538    |           |           |
| 12   | 2.2177    | 2.1253    | 2.2177    | 2.2177    | 2.1253    | 1.5708    |           |
| 13   |           | 2.0328    |           |           | 2.1253    |           |           |
| 14   | 2.0328    |           | 2.8645    | 2.2177    | 2.1253    | 1.5708    |           |
| 15   |           |           | 2.2177    |           | 2.2177    |           |           |
| 16   | 2.7721    | 2.1253    | 2.2862    | 2.2177    |           | 1.5708    |           |
| 17   |           | 2.0328    |           |           |           |           |           |
| 18   | 1.848     | 1.9404    | 2.0328    | 1.848     | 1.9404    | 1.4784    | 1.6632    |
| 20   | 1.6632    | 1.7556    | 1.848     | 1.7556    | 1.7737    | 1.4784    | 1.5708    |
| 22   | 1.307     | 1.2936    | 1.4784    | 1.2936    | 1.386     |           |           |
| 24   |           | 1.2936    | 1.4003    | 1.4784    | 1.4784    | 1.386     | 1.2936    |
| Max  | 2.7721    | 2.1253    | 2.8645    | 2.2177    | 2.2177    | 1.5708    | 1.6632    |
| Min  | .7392     | .7392     | .7392     | .7392     | .7392     | .7392     | .7392     |
| Avg  | 1.5468    | 1.4784    | 1.7336    | 1.5169    | 1.5386    | 1.2348    | 1.2166    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

POWER HOUSE S/DN.[727] BU 4727

Substation No/ Name :- 283070 / THANE (W)REIVING STATION

Feeder No / Name : 209 / Shreerang

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 18-MAY-18 |
|------|-----------|
| HR   | Load (MW) |
| 14   | .3696     |
| 16   | .3696     |
| Max  | .3696     |
| Min  | .3696     |
| Avg  | .3696     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

POWER HOUSE S/DN.[727] BU 4727

Substation No/ Name :- 283070 / THANE (W)RECVING STATION

Feeder No / Name : 210 / CHIRANJIVI

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .3696     |           | .3696     |           | .3696     |           |
| 2    | .2772     |           | .2772     |           | .2772     |           | 1.386     |
| 3    |           | .2772     |           | .2772     |           | .1848     |           |
| 4    | .2772     |           | .2772     |           | .2772     |           | .2772     |
| 5    |           | .2772     |           | .2772     |           | .1848     |           |
| 6    | .2772     |           | .2772     |           | .2772     |           | .2772     |
| 7    |           | .1848     |           | .2772     |           | .1848     |           |
| 8    |           |           | .2772     |           | .2772     |           |           |
| 9    |           | .2772     |           |           | .2772     | .1848     | .2772     |
| 10   | .2772     |           | .3696     | .2772     | .2772     |           | .2772     |
| 11   |           |           | .3696     |           | .2772     |           |           |
| 12   | .3696     | .3696     | .3696     |           | .3696     | .2772     | .3696     |
| 13   |           | .3696     | .3696     | .3696     | .3696     |           |           |
| 14   | .3696     |           | .462      | .3696     | .3696     | .3696     |           |
| 15   |           |           |           |           | .2772     |           |           |
| 16   | .3696     | .462      | .462      | .3696     |           | .3696     |           |
| 17   |           | .3734     |           |           |           |           |           |
| 18   | .2772     | .3696     | .3734     | .2772     | .3696     | .2772     | .2772     |
| 20   | .3696     | .3696     | .3696     | .3696     | .3696     | .3696     | .3696     |
| 22   |           | .3696     | .462      | .3696     | .3696     |           |           |
| 23   |           |           |           |           |           |           | .462      |
| 24   | .462      | .462      | .462      | .462      | .462      | .462      | .462      |
| Max  | .462      | .462      | .462      | .462      | .462      | .462      | 1.386     |
| Min  | .2772     | .1848     | .2772     | .2772     | .2772     | .1848     | .2772     |
| Avg  | .3326     | .3486     | .3699     | .3388     | .3265     | .294      | .4435     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

POWER HOUSE S/DN.[727] BU 4727

Substation No/ Name :- 283070 / THANE (W)RECVING STATION

Feeder No / Name : 212 / VPM

Feeder KV- 11 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO  
STAGGERING)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0914     |           | .2743     |           | .1829     |           |
| 2    | .1829     |           | .1829     |           | .2743     |           | .1829     |
| 3    |           | .0914     |           | .1829     |           | .1829     |           |
| 4    | .1829     |           | .1829     |           | .1829     |           | .1829     |
| 5    |           | .0914     |           | .1829     |           | .1829     |           |
| 6    | .1829     |           | .1829     |           | .1829     |           | .1829     |
| 7    |           | .0914     |           | .1829     | .1829     | .1829     |           |
| 8    | .1829     |           | .1829     |           |           |           |           |
| 9    |           | .3658     |           |           | .1829     | .2743     |           |
| 10   | .2743     |           | .3658     | .3658     | .3658     |           |           |
| 11   |           |           | .3658     |           |           |           |           |
| 12   | .3658     | .3658     | .3658     | .3658     | .3658     | .3658     |           |
| 13   |           | .3658     | .4572     |           | .3658     |           |           |
| 14   | .3658     |           | .4572     | .3658     | .3658     | .1829     |           |
| 15   |           |           | .5487     |           | .4572     |           |           |
| 16   | .3658     | .4572     | .4572     | .3658     | .3658     | .1829     |           |
| 17   |           | .3658     |           |           |           |           |           |
| 18   | .2743     | .3658     | .3658     | .2743     | .2743     | .1829     | .2743     |
| 20   | .3658     | .2743     | .1829     | .2743     | .1829     | .1829     | .1829     |
| 22   | .1829     | .2743     | .2743     | .2743     | .1829     |           |           |
| 23   |           |           |           |           |           |           | .2743     |
| 24   | .2715     | .2743     | .2743     | .2743     | .3658     | .2743     | .2743     |
| Max  | .3658     | .4572     | .5487     | .3658     | .4572     | .3658     | .2743     |
| Min  | .1829     | .0914     | .1829     | .1829     | .1829     | .1829     | .1829     |
| Avg  | .2665     | .2673     | .3231     | .2820     | .2865     | .2161     | .2221     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

VIKAS COMPLEX S/DN.[726] BU 4726

Substation No/ Name :- 283072 / 22/11kv vrindavan s/s

Feeder No / Name : 201 / RABODI

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.3765    |           |           | 3.0862    |           | 2.9754    | 2.9235    |
| 2    | 2.1691    |           |           |           | 2.6406    |           | 2.8292    |
| 3    |           | ***       | 2.1502    | 2.4949    |           | 2.4949    | 2.5463    |
| 4    | 1.8484    |           |           |           | 2.3577    |           |           |
| 5    |           |           |           | 2.3101    |           | 2.4579    | 2.3388    |
| 6    | 1.6221    | 1.8107    | 1.7353    |           | 2.2068    |           |           |
| 7    |           |           |           | 2.1253    |           | 2.1437    | 2.0559    |
| 8    | 1.5278    |           | 1.5089    |           | 1.905     |           | 1.9239    |
| 9    |           | 1.5089    |           | 1.8296    |           |           | 1.8861    |
| 10   | 1.358     |           | 1.3676    | 1.7353    | 1.7556    |           | 1.6827    |
| 11   |           |           |           | 1.7353    |           |           |           |
| 12   | 1.4146    | 1.3203    | 1.3213    | 1.7164    | 1.6632    | 1.7541    | 1.6263    |
| 13   |           |           |           |           |           |           | 1.5546    |
| 14   |           |           | 1.7556    | 1.9805    | 1.9404    | 2.037     |           |
| 15   | 1.6409    | 1.2637    |           |           |           |           | 1.9204    |
| 16   |           |           | 1.7924    |           |           | 1.8673    |           |
| 17   |           |           |           |           | 1.848     |           | 1.701     |
| 18   | 1.2826    | 1.0751    |           | 1.5655    | 1.6448    | 1.7164    |           |
| 19   |           |           | 1.7926    | 1.8484    | 1.8665    |           |           |
| 20   |           |           | 2.0513    | 2.1502    | 2.1765    | 2.1313    | 2.0851    |
| 21   | 1.8861    | 2.0182    |           |           | 2.3777    | 2.4143    |           |
| 22   |           |           | 2.5873    | 2.584     | 2.5606    |           | 2.4949    |
| 23   |           |           | 2.809     |           | 2.894     | 2.7726    | 2.7721    |
| 24   | 2.5463    | 2.6217    | 2.6595    | 3.1971    | 3.0556    | 3.0727    | 2.999     |
| Max  | 2.5463    | 22.2565   | 2.809     | 3.1971    | 3.0556    | 3.0727    | 2.999     |
| Min  | 1.2826    | 1.0751    | 1.3213    | 1.5655    | 1.6448    | 1.7164    | 1.5546    |
| Avg  | 1.7884    | 4.2344    | 1.9609    | 2.1685    | 2.1929    | 2.3198    | 2.2087    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

VIKAS COMPLEX S/DN.[726] BU 4726

Substation No/ Name :- 283072 / 22/11kv vrindavan s/s

Feeder No / Name : 202 / H T CABIN

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.773     |           |           | 1.6632    |           | 1.5524    | 1.6221    |
| 2    | 1.4901    |           |           |           | 1.4712    |           | 1.5278    |
| 3    |           | 1.3203    | 1.2826    | 1.3306    |           | 1.3676    | 1.4146    |
| 4    | 1.1317    |           |           |           | 1.1317    |           |           |
| 5    |           |           |           | 1.1088    |           | 1.0719    | 1.094     |
| 6    | .9997     | 1.1317    | .9431     |           | 1.0562    |           |           |
| 7    |           |           |           | .8871     |           | .8316     | .811      |
| 8    | .7545     |           | .8299     |           | .8299     |           | .7733     |
| 9    |           | .8676     |           | .7922     |           |           | .7922     |
| 10   | .811      |           | .6878     | .7545     | .823      |           | .7577     |
| 11   |           |           |           | .811      |           |           |           |
| 12   | .8676     | .7613     | .7865     | .8488     | .924      | .9997     | .7762     |
| 13   |           |           |           |           |           |           | .823      |
| 14   |           |           | 1.0242    | .9808     | 1.0059    | 1.0374    |           |
| 15   | 1.0185    | .7922     |           |           |           |           | .9145     |
| 16   |           |           | 1.0719    |           |           | .9431     |           |
| 17   |           |           |           |           | .9145     |           | .7762     |
| 18   | .8299     |           |           | .811      | .8131     | .8488     |           |
| 19   |           |           | .9511     | .8676     | .924      |           |           |
| 20   |           |           | 1.0608    | .9808     | 1.0164    | 1.0562    | .9145     |
| 21   | 1.1317    | 1.1317    |           |           | 1.1157    | 1.0562    |           |
| 22   |           |           | 1.423     | 1.2826    | 1.2437    |           | 1.2567    |
| 23   |           |           | 1.6461    |           | 1.5339    | 1.6787    | 1.6632    |
| 24   | 1.905     | 1.9427    | 1.8484    | 1.9404    | 1.773     | 1.7187    | 1.7541    |
| Max  | 1.905     | 1.9427    | 1.8484    | 1.9404    | 1.773     | 1.7187    | 1.7541    |
| Min  | .7545     | .7613     | .6878     | .7545     | .8131     | .8316     | .7577     |
| Avg  | 1.1557    | 1.1354    | 1.1296    | 1.0757    | 1.1051    | 1.1802    | 1.1044    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

VIKAS COMPLEX S/DN.[726] BU 4726

Substation No/ Name :- 283072 / 22/11kv vrindavan s/s

Feeder No / Name : 203 / VRINDAVAN - 4

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .547      |           |           | .5487     |           | .5487     | .547      |
| 2    | .5281     |           |           |           | .4904     |           | .4715     |
| 3    |           | .3772     | .415      | .4066     |           | .462      | .4527     |
| 4    | .3772     |           |           |           | .3584     |           |           |
| 5    |           |           |           | .3174     |           | .3326     | .3584     |
| 6    | .3395     | .3018     | .3018     |           | .3395     |           |           |
| 7    |           |           |           | .2957     |           | .2987     | .2641     |
| 8    | .2641     |           | .2641     |           | .3018     |           | .2641     |
| 9    |           | .3045     |           | .3018     |           |           | .3018     |
| 10   | .2829     |           | .2587     | .3206     | .2957     |           | .2957     |
| 11   |           |           |           | .3018     |           |           |           |
| 12   | .3206     | .2641     | .2926     | .3018     | .3109     | .3395     | .3109     |
| 13   |           |           |           |           |           |           | .2926     |
| 14   |           |           | .3292     | .3206     | .3511     | .3395     |           |
| 15   | .3395     | .3584     |           |           |           |           | .3142     |
| 16   |           |           | .3511     |           |           | .3206     |           |
| 17   |           |           |           |           | .2957     |           | .2957     |
| 18   | .2641     | .2829     |           | .3018     | .2926     | .3018     |           |
| 19   |           |           | .2957     | .3018     | .2957     |           |           |
| 20   |           |           | .3511     | .3206     | .3109     | .3206     | .3142     |
| 21   | .3395     | .3961     |           |           | .3658     | .3584     |           |
| 22   |           |           | .499      | .415      | .4435     |           | .4435     |
| 23   |           |           | .5359     |           | .5544     | .547      | .5544     |
| 24   | .5847     | .5658     | .5658     | .6283     | .6036     | .5729     | .5847     |
| Max  | .5847     | .5658     | .5658     | .6283     | .6036     | .5729     | .5847     |
| Min  | .2641     | .2641     | .2587     | .2957     | .2926     | .2987     | .2641     |
| Avg  | .3807     | .3564     | .3717     | .3630     | .374      | .3952     | .3791     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

VIKAS COMPLEX S/DN.[726] BU 4726

Substation No/ Name :- 283072 / 22/11kv vrindavan s/s

Feeder No / Name : 205 / R W SAWANT

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6409    |           |           |           |
| 2    | 1.5466    |           |           | 1.3203    |
| 3    |           | 1.4712    |           | 1.1317    |
| 4    | 1.226     |           |           |           |
| 5    |           |           |           | .9997     |
| 6    | 1.1317    | 1.1317    |           |           |
| 7    |           |           |           | .9619     |
| 8    | 1.0374    |           |           | .8488     |
| 9    |           | 1.0185    |           | .9619     |
| 10   | 1.1883    |           |           | 1.0164    |
| 12   | 1.2071    | 1.3957    |           | 1.0242    |
| 13   |           |           |           | .924      |
| 15   | 1.4335    |           |           | 1.2012    |
| 17   |           |           |           | 1.0164    |
| 18   | 1.1506    |           | .9054     |           |
| 20   |           |           | .9997     | 1.0349    |
| 21   | 1.3203    |           | 1.1317    |           |
| 22   |           |           |           | 1.386     |
| 23   |           |           | 1.4712    | 1.5708    |
| 24   | 1.7353    | 1.9993    |           | 1.4901    |
| Max  | 1.7353    | 1.9993    | 1.4712    | 1.5708    |
| Min  | 1.0374    | 1.0185    | .9054     | .8488     |
| Avg  | 1.3289    | 1.4033    | 1.127     | 1.1259    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

VIKAS COMPLEX S/DN.[726] BU 4726

Substation No/ Name :- 283072 / 22/11kv vrindavan s/s

Feeder No / Name : 206 / INDIAN LEAD

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.4146    |           |           | 2.0725    |           | 1.8671    | 1.773     |
| 2    | 1.3392    |           |           |           | 1.7353    |           | 1.5278    |
| 3    |           | 1.3203    | 1.5844    | 1.6263    |           | 1.4969    | 1.3957    |
| 4    | 1.2071    |           |           |           | 1.4335    |           |           |
| 5    |           |           |           | 1.386     |           | 1.307     | 1.2637    |
| 6    | .9808     | 1.1317    | 1.2826    |           | 1.2637    |           |           |
| 7    |           |           |           | 1.1949    |           | 1.0642    |           |
| 8    | .9619     |           | 1.2071    |           | 1.1317    |           | 1.1317    |
| 9    |           | 1.3203    |           | 1.4712    |           |           | 1.4523    |
| 10   | 1.4523    |           | 1.7926    | 1.7918    | 1.7364    |           | 1.6804    |
| 11   |           |           |           | 1.9805    |           |           |           |
| 12   | 1.773     | 1.8107    | 2.2546    | 2.1313    | 2.1253    | 1.4901    | 2.1622    |
| 13   |           |           |           |           |           |           | 2.2177    |
| 14   |           |           | 2.1253    | 2.0936    | 2.0328    | 1.5844    |           |
| 15   | 1.773     | 2.1691    |           |           |           |           | 2.2731    |
| 16   |           |           | 2.268     |           |           | 1.4335    |           |
| 17   |           |           |           |           | 1.9959    |           | 2.0328    |
| 18   | 1.4901    | 1.8107    |           | 1.7353    | 1.6817    | 1.1317    |           |
| 19   |           |           | 1.7556    | 1.6221    | 1.6991    |           |           |
| 20   |           |           | 1.848     | 1.6598    | 1.7187    | 1.4335    | 1.6632    |
| 21   | 1.5089    | 1.7164    |           |           | 1.7177    | 1.5466    |           |
| 22   |           |           | 1.9589    | 1.6221    | 1.7737    |           | 1.9774    |
| 23   |           |           | 2.1472    |           | 1.9589    | 1.905     | 2.0538    |
| 24   | 1.5655    | 1.7541    | 2.0748    | 2.3101    | 1.9805    | 1.9959    | 1.8861    |
| Max  | 1.773     | 2.1691    | 2.268     | 2.3101    | 2.1253    | 1.9959    | 2.2731    |
| Min  | .9619     | 1.1317    | 1.2071    | 1.1949    | 1.1317    | 1.0642    | 1.1317    |
| Avg  | 1.4060    | 1.6292    | 1.8583    | 1.7641    | 1.7323    | 1.5213    | 1.7661    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

VIKAS COMPLEX S/DN.[726] BU 4726

Substation No/ Name :- 283072 / 22/11kv vrindavan s/s

Feeder No / Name : 207 / T.M.C.PUMPING

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7164    |           |           | 2.6139    |           | 2.5206    | 1.9805    |
| 2    | 1.4712    |           |           |           | 2.3577    |           | 1.8861    |
| 3    |           | 1.3957    | 1.5089    | 2.1472    |           | 2.0725    | 1.6975    |
| 4    | 1.226     |           |           |           | 2.1691    |           |           |
| 5    |           |           |           | 1.9418    |           | 1.8671    | 1.4523    |
| 6    | 1.0751    | 1.1317    | 1.1317    |           | 1.7541    |           |           |
| 7    |           |           |           | 1.6244    |           | 1.5497    | 1.1694    |
| 8    | 1.1317    |           | 1.094     |           | 1.7164    |           | 1.3392    |
| 9    |           | 1.1694    |           | 1.9616    |           |           | 1.5844    |
| 10   | 1.3769    |           | 1.3121    | 2.3765    | 2.3285    |           | 2.0144    |
| 11   |           |           |           | 2.6406    |           |           |           |
| 12   | 1.3957    | 1.4335    | 1.4045    | 2.6783    | 2.4949    | 1.9993    | 2.1622    |
| 13   |           |           |           |           |           |           | 2.0328    |
| 14   |           |           | 1.5708    | 2.8481    | 2.6981    | 1.9805    |           |
| 15   | 1.6221    | 1.6032    |           |           |           |           | 2.3101    |
| 16   |           |           | 1.6827    |           |           | 1.8296    |           |
| 17   |           |           |           |           | 2.4394    |           | 2.0513    |
| 18   | 1.2449    | 1.2449    |           | 2.2445    | 2.2177    | 1.6221    |           |
| 19   |           |           | 2.2405    | 2.0936    | 2.1098    |           |           |
| 20   |           |           | 2.1992    | 2.2257    | 2.1068    | 1.4335    | 1.6632    |
| 21   | 1.358     | 1.3769    |           |           | 2.0883    | 1.5278    |           |
| 22   |           |           | 2.3899    | 2.2822    | 2.2546    |           | 1.7556    |
| 23   |           |           | 2.838     |           | 2.4949    | 2.2257    | 2.1658    |
| 24   | 1.9616    | 2.0182    | 1.9993    | 3.1181    | 2.9424    | 2.8645    | 2.3152    |
| Max  | 1.9616    | 2.0182    | 2.838     | 3.1181    | 2.9424    | 2.8645    | 2.3152    |
| Min  | 1.0751    | 1.1317    | 1.094     | 1.6244    | 1.7164    | 1.4335    | 1.1694    |
| Avg  | 1.4163    | 1.4217    | 1.7810    | 2.3426    | 2.2782    | 1.9577    | 1.8488    |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

VIKAS COMPLEX S/DN.[726] BU 4726

Substation No/ Name :- 283073 / SAKET RECEIVING STATION

Feeder No / Name : 201 / AMARGAIN

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 3    | 1.0456    | 1.0349    |           | 1.0829    | 1.1203    | 1.0082    | .9979     |
| 5    |           |           |           |           | .9795     |           |           |
| 6    | .8686     | .8686     |           | .9522     |           | .8215     | .8962     |
| 8    | .8775     | .8501     |           | .8962     | .8775     |           | .8589     |
| 9    | .9425     |           | .9055     |           |           |           |           |
| 10   |           |           |           |           |           | .8029     |           |
| 12   | 1.3491    | 1.2936    | 1.419     | 1.3817    | 1.4045    | .9522     |           |
| 15   | 1.386     |           | 1.6057    | 1.3817    | 1.4563    |           |           |
| 16   |           |           | 1.5497    |           |           | 1.0082    |           |
| 18   | 1.1643    | 1.1827    | 1.307     | 1.2323    |           | .8215     |           |
| 21   | 1.2012    |           | 1.251     | 1.251     | 1.2071    | 1.0642    |           |
| 24   | 1.363     | 1.386     |           | 1.5684    | 1.4937    | 1.3352    | 1.4563    |
| Max  | 1.386     | 1.386     | 1.6057    | 1.5684    | 1.4937    | 1.3352    | 1.4563    |
| Min  | .8686     | .8501     | .9055     | .8962     | .8775     | .8029     | .8589     |
| Avg  | 1.1331    | 1.1027    | 1.3397    | 1.2183    | 1.2198    | .9767     | 1.0523    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

VIKAS COMPLEX S/DN.[726] BU 4726

Substation No/ Name :- 283073 / SAKET RECEIVING STATION

Feeder No / Name : 202 / SAKET-I

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 3    | .3921     | .4207     |           | .4715     | .3921     | .4066     | .4854     |
| 5    |           |           |           |           | .3361     |           |           |
| 6    | .2926     | .3109     |           | .3292     |           | .3292     | .3361     |
| 8    | .2772     | .2561     |           | .2926     | .3142     |           | .4108     |
| 9    | .2561     |           | .2743     |           |           |           |           |
| 10   |           |           |           |           |           | .2926     |           |
| 12   | .2926     | .2743     | .2561     | .2743     | .2926     | .2743     |           |
| 15   | .3292     |           | .3658     | .3109     | .4024     |           |           |
| 16   |           |           |           |           |           | .3292     |           |
| 18   | .2378     | .2926     | .2926     | .2378     |           | .2926     |           |
| 21   | .2926     |           | .3658     | .3841     | .3109     | .3475     |           |
| 24   | .5544     | .5853     |           | .6584     | .567      | .5544     | .567      |
| Max  | .5544     | .5853     | .3658     | .6584     | .567      | .5544     | .567      |
| Min  | .2378     | .2561     | .2561     | .2378     | .2926     | .2743     | .3361     |
| Avg  | .3250     | .3567     | .3109     | .3699     | .3736     | .3533     | .4498     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

VIKAS COMPLEX S/DN.[726] BU 4726

Substation No/ Name :- 283073 / SAKET RECEIVING STATION

Feeder No / Name : 203 / AKASHGANGA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 3    | 2.2177    | 2.1068    |           | 2.3285    | 2.4025    | 2.4272    | 2.3655    |
| 5    |           |           |           |           | 2.2916    |           |           |
| 6    | 1.9035    | 2.0328    |           | 2.2592    |           | 2.1807    | 2.1807    |
| 8    | 1.8484    | 1.8296    |           | 1.9589    | 2.0144    |           | 1.9959    |
| 9    | 1.6817    |           | 1.7187    |           |           |           |           |
| 10   |           |           |           |           |           | 1.8111    |           |
| 12   | 1.5154    | 1.4784    | 1.5708    | 1.6817    | 1.5893    | 1.7187    |           |
| 15   | 1.885     |           | 2.1437    | 2.0513    | 2.0698    |           |           |
| 16   |           |           |           |           |           | 1.9589    |           |
| 18   | 1.5154    | 1.5154    | 1.6632    | 1.6078    |           | 1.5893    |           |
| 21   | 2.2177    |           | 2.3101    | 2.3655    | 2.3101    | 2.1992    |           |
| 24   | 2.6612    | 2.6797    |           | 2.9199    | 2.7166    | 2.7166    | 2.7721    |
| Max  | 2.6612    | 2.6797    | 2.3101    | 2.9199    | 2.7166    | 2.7166    | 2.7721    |
| Min  | 1.5154    | 1.4784    | 1.5708    | 1.6078    | 1.5893    | 1.5893    | 1.9959    |
| Avg  | 1.9384    | 1.9405    | 1.8813    | 2.1466    | 2.1992    | 2.0752    | 2.3286    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

VIKAS COMPLEX S/DN.[726] BU 4726

Substation No/ Name :- 283073 / SAKET RECEIVING STATION

Feeder No / Name : 204 / SAKET II

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 3    | 1.6263    | 1.6991    |           | 1.7551    | 1.7924    | 1.531     | 1.7002    |
| 5    |           |           |           |           | 1.5708    |           |           |
| 6    | 1.2986    | 1.4563    |           | 1.475     |           | 1.3817    | 1.3676    |
| 8    | 1.307     | 1.2696    |           | 1.2696    | 1.2382    |           | 1.2567    |
| 9    | 1.251     |           | 1.2883    | 1.2696    |           |           |           |
| 10   |           |           |           |           |           | 1.2323    |           |
| 12   | 1.1016    | 1.1203    | 1.1949    | 1.0456    | 1.1203    | 1.2136    |           |
| 15   | 1.3817    |           | 1.531     | 1.4563    | 1.4937    |           |           |
| 16   |           |           |           |           |           | 1.3817    |           |
| 18   | 1.0269    | 1.1203    | 1.1016    | 1.0456    |           | 1.1389    |           |
| 21   | 1.5497    |           | 1.6244    | 1.587     | 1.5524    | 1.5684    |           |
| 24   | 2.0513    | 2.6797    |           | 2.2218    | 2.1658    | 1.9387    | 2.1285    |
| Max  | 2.0513    | 2.6797    | 1.6244    | 2.2218    | 2.1658    | 1.9387    | 2.1285    |
| Min  | 1.0269    | 1.1203    | 1.1016    | 1.0456    | 1.1203    | 1.1389    | 1.2567    |
| Avg  | 1.3993    | 1.5576    | 1.3480    | 1.4584    | 1.5619    | 1.4233    | 1.6133    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - II[557]

VIKAS COMPLEX S/DN.[726] BU 4726

Substation No/ Name :- 283073 / SAKET RECEIVING STATION

Feeder No / Name : 207 / Mira bhayender pumping NON SHEDDABLE WATER SUPPLY AND  
Feeder KV- 11 / OUTGOING UTILITY

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 3    | .7392     |           |           | .499      | .4481     | .4066     | .5975     |
| 5    |           |           |           |           | .4435     |           |           |
| 6    | .4805     | .3142     |           | .3326     |           | .3734     | .462      |
| 8    | .499      | .2402     |           | .2772     | .6348     |           | .2772     |
| 9    | .1848     |           | .2402     |           |           |           |           |
| 10   |           |           |           |           |           | .2218     |           |
| 12   | .2033     | .2218     | .3881     | .2957     | .2218     | .2218     |           |
| 15   |           |           | .2033     | .3326     | .2033     |           |           |
| 16   |           |           |           |           |           | .2402     |           |
| 17   |           |           | .2033     |           |           |           |           |
| 18   |           | .1867     | .2033     | .4435     |           | .3326     |           |
| 21   |           |           | .2772     | .4251     | .2378     | .462      |           |
| 24   | .3696     | .2772     |           | .2218     | .7947     | .2987     | .3696     |
| Max  | .7392     | .3142     | .3881     | .499      | .7947     | .462      | .5975     |
| Min  | .1848     | .1867     | .2033     | .2218     | .2033     | .2218     | .2772     |
| Avg  | .4127     | .2480     | .2526     | .3534     | .4263     | .3196     | .4266     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283085 / TARANGAN S/STN

Feeder No / Name : 201 / Solanki Dham

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.5149    | 2.3243    | 2.2862    | 2.7435    | 2.4768    | 2.4768    | 2.553     |
| 2    | 2.2481    | 2.0957    | 2.0005    | 2.5149    | 2.3243    | 2.2862    | 2.2862    |
| 3    | 2.0957    | 1.9433    | 1.9052    | 2.3624    | 2.1719    | 2.191     | 2.0195    |
| 4    | 1.8671    | 1.829     | 1.7147    | 2.21      | 2.0576    | 2.0957    | 1.9052    |
| 5    | 1.7147    | 1.7147    | 1.6194    | 2.0576    | 1.9052    | 1.9052    | 1.7909    |
| 6    | 1.6004    | 1.6004    | 1.6194    | 1.7909    | 1.829     | 1.7147    | 1.7147    |
| 7    | 1.4861    | 1.5242    | 1.6194    | 1.6385    | 1.6766    | 1.5242    | 1.6385    |
| 8    | 1.5242    | 1.4289    | 1.6194    | 1.5242    | 1.6194    | 1.6194    | 1.5623    |
| 9    | 1.467     | 1.4861    | 1.5242    | 1.4289    | 1.5623    | 1.5242    | 1.5242    |
| 10   | 1.6004    | 1.4861    | 1.5242    | 1.5242    | 1.7528    |           | 1.5623    |
| 11   | 1.6194    | 1.5242    | 1.6004    | 1.6194    | 1.7147    | 1.6575    | 1.6385    |
| 12   | 1.6194    | 1.5242    | 1.6194    | 1.6194    | 1.7147    | 1.7147    | 1.6194    |
| 13   | 1.6004    | 1.5242    | 1.6004    | 1.6194    | 1.8099    | 1.7528    | 1.6194    |
| 14   | 1.6956    | 1.6194    | 1.8099    | 1.5242    | 2.0957    | 1.7147    | 1.6194    |
| 15   | 1.6956    | 1.7147    | 1.848     | 1.7147    | 2.0957    | 1.8861    | 1.7147    |
| 16   | 1.6194    | 1.6194    | 1.848     | 1.7147    | 1.9052    | 1.7909    | .3048     |
| 17   | 1.5623    | 1.5242    | 1.6575    | 1.6385    | 1.6194    | 1.7147    | 1.7147    |
| 18   |           | 1.4289    | 1.6194    | 1.5051    | 1.5242    | 1.6956    | 1.7147    |
| 19   | 1.6956    | 1.7147    | 1.7528    | 1.6766    | 1.7147    | 1.9433    | 1.7147    |
| 20   | 1.9814    | 1.9052    | 2.0576    | 2.0386    | 1.9052    | 2.1148    | 2.0005    |
| 21   | 2.1338    | 2.0957    | 2.2481    | 2.21      | 2.0957    | 2.21      | 2.191     |
| 22   | 2.3243    | 2.2862    | 2.5339    | 2.3243    | 2.3815    |           | 2.2862    |
| 23   | 2.572     | 2.572     | 2.7435    | 2.553     |           | 2.7435    | 2.6673    |
| 24   | 2.7054    | 2.6292    | 2.6673    | 2.8769    | 2.6863    | 2.6673    | 2.7054    |
| Max  | 2.7054    | 2.6292    | 2.7435    | 2.8769    | 2.6863    | 2.7435    | 2.7054    |
| Min  | 1.467     | 1.4289    | 1.5242    | 1.4289    | 1.5242    | 1.5242    | .3048     |
| Avg  | 1.8671    | 1.7965    | 1.8766    | 1.9346    | 1.9408    | 1.9520    | 1.8361    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283085 / TARANGAN S/STN

Feeder No / Name : 202 / Navnirman

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.5911    | 2.5149    |           | 2.8959    | 2.7054    | 2.572     | 2.7054    |
| 2    | 2.3243    | 2.21      |           | 2.7435    | 2.553     | 2.3815    | 2.4387    |
| 3    | 2.1719    | 2.0195    |           | 2.4768    | 2.3243    | 2.191     | 2.1719    |
| 4    | 2.0195    | 1.9052    |           | 2.3243    | 2.0957    | 2.0957    | 1.9433    |
| 5    | 1.7909    | 1.7909    |           | 2.1719    | 1.9433    | 1.9052    | 1.829     |
| 6    | 1.6766    | 1.6385    |           | 1.8671    | 1.7909    | 1.7147    | 1.6385    |
| 7    | 1.5242    | 1.5623    |           | 1.6385    | 1.6385    | 1.5242    | 1.5242    |
| 8    | 1.5242    | 1.6766    |           | 1.5623    | 1.5813    | 1.5242    | 1.5623    |
| 9    | 1.5813    | 1.6385    |           | 1.5242    | 1.7337    | 1.5242    | 1.7147    |
| 10   | 1.829     | 1.6194    |           | 1.7147    | 1.9624    |           | 1.7147    |
| 11   | 1.7909    |           |           |           | 1.9052    | 1.9243    | 1.6575    |
| 12   | 1.829     |           |           | 2.191     | 2.0005    | 1.9052    | 1.7147    |
| 13   | 1.8671    |           |           | 2.0957    | 2.0005    | 1.9433    | 1.7147    |
| 14   | 1.9052    |           |           | 2.191     | 2.0957    | 2.0386    | 1.9052    |
| 15   | 1.9052    |           | 2.0957    | 1.9052    | 2.0957    | 2.0576    | 2.0005    |
| 16   | 1.848     |           | 2.0386    | 1.9052    | 1.9052    | 2.0195    | 1.9052    |
| 17   | 1.6766    |           | 1.9624    | 1.9052    | 1.8099    | 1.8861    | 1.8099    |
| 18   | 1.6004    |           | 1.7909    | 1.6194    | 1.7147    | 1.7528    | 1.8099    |
| 19   | 1.9243    |           | 1.9624    | 1.8671    | 1.9052    | 1.9052    | 1.8099    |
| 20   | 2.1338    |           | 2.1719    | 2.1529    | 2.2862    | 2.0957    | 2.191     |
| 21   | 2.2862    |           | 2.4768    | 2.3243    | 2.3815    | 2.2481    | 2.2862    |
| 22   | 2.5149    |           | 2.7054    | 2.4196    | 2.4768    |           | 2.4768    |
| 23   | 2.934     |           | 2.934     | 2.8578    |           | 2.934     | 2.9531    |
| 24   | 2.8578    | 2.8959    |           | 3.0674    | 2.9912    | 2.8578    | 2.934     |
| Max  | 2.934     | 2.8959    | 2.934     | 3.0674    | 2.9912    | 2.934     | 2.9531    |
| Min  | 1.5242    | 1.5623    | 1.7909    | 1.5242    | 1.5813    | 1.5242    | 1.5242    |
| Avg  | 2.0044    | 1.9520    | 2.2376    | 2.1487    | 2.0825    | 2.0455    | 2.0171    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283085 / TARANGAN S/STN

Feeder No / Name : 203 / Wimblon

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .381      | .381      | .381      | .381      | .381      |
| 2    |           | .362      | .3429     | .3429     | .381      | .3429     |
| 3    |           | .362      | .3429     | .3429     | .381      | .3429     |
| 4    |           | .3429     | .3429     | .3048     | .381      | .3048     |
| 5    |           | .3239     | .3048     | .3048     | .2858     | .3048     |
| 6    |           | .3239     | .3048     | .3048     | .2858     | .3048     |
| 7    |           | .3239     | .381      | .3048     | .2858     | .3048     |
| 8    |           | .3239     | .3429     | .3048     | .381      | .3239     |
| 9    |           | .3239     | .2858     | .3239     | .381      | .3048     |
| 10   |           |           | .2858     | .3239     |           | .3048     |
| 11   |           | .3048     | .2858     |           | .3429     | .3239     |
| 12   | 3.4294    | .2858     | .2858     | .2858     | .381      | .2858     |
| 13   | 3.4294    | .3429     | .2858     | .381      | .4191     | .2858     |
| 14   | 3.6199    | .3239     | .2858     | .381      | .4763     | .381      |
| 15   | 3.6199    | .362      | .2858     | .381      | .381      | .3048     |
| 16   | 2.8578    | .3048     | .1905     | .2858     | .4001     | .2858     |
| 17   | .381      | .3048     | .3429     | .2858     | .362      | .1905     |
| 18   |           | .3239     | .3048     | .381      | .3239     | .2858     |
| 19   |           | .3239     | .3048     | .3429     | .3429     | .3239     |
| 20   | .381      | .381      | .3048     | .381      | .3239     | .381      |
| 21   | .4001     | .4191     | .381      | .4191     | .4001     | .381      |
| 22   | .4191     | .4001     | .362      | .4191     |           | .381      |
| 23   | .4191     | .4572     | .381      |           | .4572     | .381      |
| 24   |           | .381      | .381      | .381      | .381      | .381      |
| Max  | 3.6199    | .4572     | .381      | .4191     | .4763     | .381      |
| Min  | .381      | .2858     | .1905     | .2858     | .2858     | .1905     |
| Avg  | 1.8957    | .3471     | .3207     | .3438     | .3698     | .3247     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283085 / TARANGAN S/STN

Feeder No / Name : 205 / Tarangan

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.9628    | 3.7342    | 3.6199    | 3.5437    | 3.5818    | 3.5246    | 3.4294    |
| 2    | 3.658     | 3.4294    | 3.4294    | 3.3532    | 3.3532    | 3.3341    | 3.1245    |
| 3    | 3.315     | 3.2007    | 3.0483    | 3.1626    | 3.0483    | 2.8578    | 2.8578    |
| 4    | 3.1626    | 2.934     | 2.572     | 2.934     | 2.7816    | 2.6673    | 2.553     |
| 5    | 2.8959    | 2.8197    | 2.3815    | 2.7435    | 2.6292    | 2.4768    | 2.2862    |
| 6    | 2.7435    | 2.6673    | 2.2862    | 2.5149    | 2.4387    | 2.2862    | 2.1719    |
| 7    | 2.5149    | 2.5911    | 2.2862    | 2.3815    | 2.3243    | 2.191     | 2.191     |
| 8    | 2.572     | 2.572     | 2.3243    | 2.1529    | 2.21      | 2.0957    | 2.1338    |
| 9    | 2.6482    | 2.7625    | 2.3815    | 2.191     | 2.3243    | 2.0005    | 2.2862    |
| 10   | 3.2388    | 3.6199    | 2.8578    | 2.4768    | 2.8197    |           | 2.5149    |
| 11   | 3.3341    | 3.4294    | 3.1055    | 3.1436    | 3.2388    | 2.2672    | 3.0864    |
| 12   |           |           | 3.1436    | 3.0483    | 3.1436    | 2.3624    |           |
| 13   | 1.1431    |           | 3.0674    | 3.0483    | 3.1436    | 2.3624    | 3.0483    |
| 14   | 1.2765    |           | 3.3913    | 3.2388    | 3.3341    | 2.553     | 3.0483    |
| 15   | 1.2765    |           | 3.4865    | 3.3341    | 3.3341    | 2.5911    | 3.1436    |
| 16   | 1.1431    | 2.6673    | 3.4294    | 3.0483    | 3.2388    | 2.4387    | 2.8578    |
| 17   | 1.086     | 2.6673    | 3.0864    | 2.9531    | 3.1436    | 2.2481    | 2.7625    |
| 18   | 1.0669    | 2.6673    | 2.6673    | 2.6101    | 2.6673    | 2.0957    | 2.572     |
| 19   | 1.1431    | 2.7625    | 2.5339    | 2.6292    | 2.6673    | 2.2481    | 2.191     |
| 20   | 3.0864    | 2.8578    | 2.7625    | 2.7625    | 2.8578    | 2.4006    | 2.572     |
| 21   | 3.4294    | 3.0483    | 3.1626    | 2.8959    | 2.9531    | 2.7054    | 2.7625    |
| 22   | 3.7151    | 3.2388    | 3.3341    | 3.1436    | 3.0483    |           | 2.8578    |
| 23   | 4.1533    | 3.8104    | 3.6389    | 3.6389    |           | 3.677     | 3.7151    |
| 24   | 4.2295    | 4.2295    | 3.8104    | 3.8295    | 3.7723    | 3.7151    | 3.7151    |
| Max  | 4.2295    | 4.2295    | 3.8104    | 3.8295    | 3.7723    | 3.7151    | 3.7151    |
| Min  | 1.0669    | 2.572     | 2.2862    | 2.1529    | 2.21      | 2.0005    | 2.1338    |
| Avg  | 2.6432    | 3.0855    | 2.9920    | 2.9491    | 2.9589    | 2.5954    | 2.7774    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283085 / TARANGAN S/STN

Feeder No / Name : 206 / Pumping

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7528    | 2.1719    | 3.0483    | 3.5056    | 3.4675    | 3.4294    | 3.5056    |
| 2    | 1.6004    | 2.0195    | 2.6482    | 3.315     | 3.2388    | 3.0483    | 3.1626    |
| 3    | 1.4861    | 1.829     | 2.4768    | 3.0483    | 2.8959    | 2.7625    | 2.934     |
| 4    | 1.3717    | 1.6956    | 2.2862    | 2.8578    | 2.6292    | 2.4768    | 2.6673    |
| 5    | 1.2955    | 1.6194    | 2.0957    | 2.7054    | 2.4768    | 2.2862    | 2.4006    |
| 6    | 1.2193    | 1.5242    | 1.9052    | 2.4768    | 2.3243    | 2.0957    | 2.21      |
| 7    | 1.1431    | 1.467     | 1.9052    | 2.1529    | 2.21      | 2.0957    | 2.1338    |
| 8    | 1.2003    | 1.5242    | 1.9052    | 2.3053    | 2.2481    | 2.0005    | 2.1529    |
| 9    | 1.1622    | 1.6385    | 2.0005    | 2.2862    | 2.4006    | 2.0957    | 2.3624    |
| 10   | 1.3717    | 2.1719    | 2.4768    | 2.8578    | 2.934     |           | 2.7816    |
| 11   | 1.5242    | 2.6673    | 2.8387    | 3.2388    | 3.2388    | 2.7816    | 3.2769    |
| 12   | 1.6004    | 2.7625    | 2.8769    | 3.3341    | 3.4294    | 2.8578    | 3.2388    |
| 13   | 1.7147    | 2.7625    | 2.9912    | 3.4294    | 3.3341    | 2.7816    | 3.2388    |
| 14   | 2.0576    | 3.0483    | 3.315     | 3.4294    | 3.6199    | 2.8578    | 3.3341    |
| 15   | 2.5149    | 3.1436    | 3.296     | 3.6199    | 3.6199    | 3.0102    | 3.6199    |
| 16   | 2.2481    | 3.1436    | 3.6199    | 3.4294    | 3.5246    | 2.7244    | 3.3341    |
| 17   | 2.1148    | 2.8578    | 3.4294    | 3.1055    | 3.2388    | 2.572     | 3.0483    |
| 18   | 1.9052    | 2.8578    | 3.0483    | 2.8769    | 2.6673    | 2.2862    | 3.0483    |
| 19   | 1.9814    | 2.8578    | 3.0674    | 3.0102    | 3.0483    | 2.572     | 2.8578    |
| 20   | 2.0957    | 2.8578    | 3.2579    | 3.1817    | 3.1436    | 2.8387    | 3.1436    |
| 21   | 2.1148    | 2.8578    | 3.4675    | 3.315     | 3.2388    | 3.0864    | 3.2388    |
| 22   | 2.2862    | 3.2388    | 3.7532    | 3.6389    | 3.4294    |           | 3.4294    |
| 23   | 2.6292    | 3.4294    | 3.9438    | 3.8295    |           | 3.7151    | 3.8485    |
| 24   | 1.8671    | 2.553     | 3.2388    | 4.02      | 3.8485    | 3.7151    | 3.7723    |
| Max  | 2.6292    | 3.4294    | 3.9438    | 4.02      | 3.8485    | 3.7151    | 3.8485    |
| Min  | 1.1431    | 1.467     | 1.9052    | 2.1529    | 2.21      | 2.0005    | 2.1338    |
| Avg  | 1.7607    | 2.4458    | 2.8705    | 3.1237    | 3.0525    | 2.7314    | 3.0309    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283085 / TARANGAN S/STN

Feeder No / Name : 305 / Mahavir-II

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           | .1905     |           |           | .1905     |           |
| 2    |           |           | .1905     |           |           | .1905     |           |
| 3    |           |           | .1905     |           |           | .1905     |           |
| 4    |           |           | .1905     |           |           |           |           |
| 5    |           |           | .1905     |           |           |           |           |
| 6    |           |           | .1905     |           |           | .1905     |           |
| 7    |           |           | .1905     |           |           | .1905     |           |
| 8    |           | .1905     | .1905     |           |           | .1905     |           |
| 9    | .2286     | .381      | .1905     | .1905     |           | .1905     | .381      |
| 10   | .3048     | .7621     | .381      | .381      | .3048     |           | .7621     |
| 11   | .5716     | .9526     | .381      | .381      | .7621     | .381      | .7621     |
| 12   | .7621     | .9526     | .381      | .381      |           | .381      | .7621     |
| 13   | .7621     | .7621     | .381      | .381      |           | .381      | .7621     |
| 14   | .7621     | .7621     | .381      | .381      | .7621     | .381      | .7621     |
| 15   | .7621     | .5716     | .381      | .381      | .7621     | .381      | .7621     |
| 16   | .7621     | .5716     | .381      | .381      | .7621     | .381      | .5716     |
| 17   | .7621     | .5716     | .381      | .381      | .5716     | .3048     | .5716     |
| 18   | .7621     | .5716     | .381      | .381      | .5716     | .3048     | .5716     |
| 19   | .5716     | .381      | .3048     | .381      | .381      | .3048     | .381      |
| 20   | .381      | .381      | .3048     | .3048     | .381      | .2286     | .381      |
| 21   | .3048     | .1905     | .2286     | .2286     | .381      | .1905     | .381      |
| 22   | .2286     | .1905     | .2286     | .1905     | .1905     |           | .1905     |
| 23   | .1905     | .1905     | .1905     | .1905     |           | .1905     | .1905     |
| 24   | .1905     | .1905     | .1905     | .1905     | .1905     | .1905     | .1905     |
| Max  | .7621     | .9526     | .381      | .381      | .7621     | .381      | .7621     |
| Min  | .1905     | .1905     | .1905     | .1905     | .1905     | .1905     | .1905     |
| Avg  | .5192     | .5043     | .2746     | .3191     | .5017     | .2667     | .5239     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283085 / TARANGAN S/STN

Feeder No / Name : 306 / Kalpataru-II

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4191     | .381      | .4191     | .4191     | .381      | .4191     | .381      |
| 2    | .3048     | .2667     | .2667     | .3048     | .3048     | .2667     | .3048     |
| 3    | .2667     | .2667     | .2286     | .2667     | .2667     | .2286     | .2667     |
| 4    | .2286     | .2286     | .2286     | .2667     | .2667     | .2286     | .2286     |
| 5    | .2286     | .2286     | .2286     | .2667     | .2286     | .2286     | .2286     |
| 6    | .2286     | .2286     | .2286     | .2667     | .2286     | .2286     | .2286     |
| 7    | .2286     | .2286     | .2286     | .2667     | .2286     | .2286     | .2286     |
| 8    | .3429     | .2667     | .2667     | .3429     | .6097     | .5716     | .3048     |
| 9    | .9145     |           | .9526     | .5716     | .6097     | .9526     | .9526     |
| 10   | 1.105     | 1.0669    | 1.1431    | 1.3336    | 1.3336    |           | 1.105     |
| 11   | 1.6766    |           | 2.21      | 2.2862    | 1.9052    | 2.1719    | 2.2481    |
| 12   | 2.2481    |           | 2.3243    | 2.2862    | 1.9052    | 2.2862    | 2.2862    |
| 13   | 2.1719    | 2.3624    | 2.4006    | 2.2862    | 1.9052    | 2.21      | 2.2862    |
| 14   | 2.21      | 2.4006    | 2.1719    | 2.2862    | 2.4768    | 2.1719    | 2.2862    |
| 15   | 2.2862    | 2.2862    | 2.2481    | 2.2862    | 2.2862    | 2.2481    | 2.2862    |
| 16   | 2.2862    | 2.2862    | 2.2481    | 2.2862    | 2.2862    | 2.21      | 2.0957    |
| 17   | 2.1338    | 2.2862    | 2.1719    | 2.1338    | 2.2862    | 2.2481    | 2.2862    |
| 18   | 2.0957    | 2.0957    | 2.2481    | 2.1719    | 2.0957    | 2.2481    | 2.0957    |
| 19   | 2.3624    | 2.2862    | 2.2862    | 2.21      | 2.2862    | 2.2862    | 2.0957    |
| 20   | 2.1719    | .7621     | 2.2862    | 2.2481    | 2.2862    | 2.2862    | 2.0957    |
| 21   | 1.8671    | 2.0957    | 2.2862    | 2.21      | 2.2862    | 2.3243    | 1.5242    |
| 22   | 1.5242    | 1.5242    | 1.9433    | 1.5242    | 1.7147    |           | 1.5242    |
| 23   | 1.2574    | 1.3336    | 1.1431    | 1.1812    |           | 1.1431    | 1.1431    |
| 24   | .5716     | .5716     | .5716     | .5335     | .5716     | .5716     | .4954     |
| Max  | 2.3624    | 2.4006    | 2.4006    | 2.2862    | 2.4768    | 2.3243    | 2.2862    |
| Min  | .2286     | .2286     | .2286     | .2667     | .2286     | .2286     | .2286     |
| Avg  | 1.2971    | 1.2121    | 1.3638    | 1.3431    | 1.3369    | 1.3527    | 1.2908    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283091 / ETERNITY S/STN

Feeder No / Name : 201 / Kankia

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           | .5906     |           |
| 2    |           |           |           |           | .4763     |           |
| 3    |           |           |           |           | .4001     |           |
| 4    |           |           |           |           | .381      |           |
| 5    |           |           |           |           | .381      |           |
| 6    |           |           |           |           | .4001     |           |
| 7    |           |           |           |           | .4191     |           |
| 8    |           |           |           |           | .4191     |           |
| 9    | .724      | .5716     |           | .6478     |           |           |
| 10   | .8002     | .743      |           | .8383     |           |           |
| 11   | .9145     | .8764     |           | .9717     |           | .9145     |
| 12   | .8383     | .8573     |           | .9526     |           | .9335     |
| 13   | .8192     | .8383     |           | .9526     |           | .9335     |
| 14   | .7621     | .9526     |           | .9145     |           | .9526     |
| 15   | .9907     | .9907     |           | .9717     |           | .9717     |
| 16   | .9145     | .9335     |           | .9335     |           | .9907     |
| 17   | .8764     | .8954     |           | .8573     |           | .9145     |
| 18   | .8192     | .8383     |           | .8002     |           | .7811     |
| 19   | .7811     | .7621     |           | .7049     |           | .6668     |
| 20   | .6287     | .724      |           | .6097     |           | .6668     |
| 21   | .6668     |           |           | .5906     |           | .5906     |
| 22   | .6859     |           |           | .6859     |           |           |
| 23   | .7049     | .8573     |           | .5716     |           |           |
| 24   | .6478     |           | .6668     |           | .7049     |           |
| Max  | .9907     | .9907     | .6668     | .9717     | .7049     | .9907     |
| Min  | .6287     | .5716     | .6668     | .5716     | .381      | .5906     |
| Avg  | .7859     | .8339     | .6668     | .8002     | .4636     | .8469     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283091 / ETERNITY S/STN

Feeder No / Name : 202 / Sandipani

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           | 1.9433    |           |
| 2    |           |           |           |           | 1.6766    |           |
| 3    |           |           |           |           | 1.3717    |           |
| 4    |           |           |           |           | 1.2193    |           |
| 5    |           |           |           |           | 1.1431    |           |
| 6    |           |           |           |           | 1.1431    |           |
| 7    |           |           |           |           | 1.2003    |           |
| 8    |           | 1.1431    |           |           | 1.2003    |           |
| 9    | 1.2003    | 1.2193    |           | 1.2384    |           |           |
| 10   | 1.2765    | 1.2955    |           | 1.3717    |           |           |
| 11   | 1.4098    | 1.3336    |           | 1.448     |           | 1.3527    |
| 12   | 1.3908    | 1.3717    |           | 1.5051    |           | 1.4289    |
| 13   | 1.4098    | 1.3908    |           | 1.5242    |           | 1.4098    |
| 14   | 1.448     | 1.4289    |           | 1.5242    |           | 1.4098    |
| 15   | 1.5623    | 1.5432    |           | 1.5051    |           | 1.4289    |
| 16   | 1.467     | 1.4861    |           | 1.5432    |           | 1.4289    |
| 17   | 1.448     | 1.4289    |           | 1.4289    |           | 1.4098    |
| 18   | 1.2955    | 1.3527    |           | 1.3336    |           | 1.4289    |
| 19   | 1.5432    | 1.5051    |           | 1.467     |           | 1.4098    |
| 20   | 1.6766    | 1.7528    |           |           |           | 1.7718    |
| 21   | 1.7528    | 1.829     |           | 1.848     |           | 1.829     |
| 22   | 1.8671    | 1.8099    |           | 1.9433    |           |           |
| 23   | 2.0386    | 2.1148    |           | 2.0386    |           |           |
| 24   | 2.1148    |           | 2.0005    |           | 2.1148    |           |
| Max  | 2.1148    | 2.1148    | 2.0005    | 2.0386    | 2.1148    | 1.829     |
| Min  | 1.2003    | 1.1431    | 2.0005    | 1.2384    | 1.1431    | 1.3527    |
| Avg  | 1.5563    | 1.5003    | 2.0005    | 1.5514    | 1.4458    | 1.4826    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283091 / ETERNITY S/STN

Feeder No / Name : 205 / Jay Tower

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           |           |           |           | 1.4861    |           |
| 2    |           |           |           |           | 1.2765    |           |
| 3    |           |           |           |           | 1.1622    |           |
| 4    |           |           |           |           | 1.0479    |           |
| 5    |           |           |           |           | 1.0288    |           |
| 6    |           |           |           |           | 1.0669    |           |
| 7    |           |           |           |           | 1.0479    |           |
| 8    |           | 1.0098    |           |           | 1.0098    |           |
| 9    | .9526     | .8954     |           | .9717     |           |           |
| 10   | .9145     | .9526     |           | .9335     |           |           |
| 11   | 1.0098    | 1.0098    |           | 1.0669    |           | 1.0669    |
| 12   | 1.0098    | 1.0098    |           | .9907     |           | 1.0288    |
| 13   | 1.0669    | .9907     |           | 1.0288    |           | 1.086     |
| 14   | 1.2003    | 1.1431    |           | 1.1241    |           | 1.1812    |
| 15   | .9526     | 1.1812    |           | 1.2003    |           | 1.1812    |
| 16   | 1.0669    | 1.086     |           | 1.105     |           | 1.2193    |
| 17   | .9907     |           |           | 1.0479    |           | .9717     |
| 18   | .9526     |           |           | .9335     |           | .9717     |
| 19   | 1.0669    |           |           | .9717     |           | .9907     |
| 20   | 1.1622    |           |           | 1.1812    |           | 1.1622    |
| 21   | 1.3717    |           |           | 1.3717    |           | 1.2574    |
| 22   | 1.4098    | 1.3717    |           |           |           |           |
| 23   | 1.5051    | 1.5623    |           | 1.4289    |           |           |
| 24   | 1.467     |           | 1.5432    |           | 1.5813    |           |
| Max  | 1.5051    | 1.5623    | 1.5432    | 1.4289    | 1.5813    | 1.2574    |
| Min  | .9145     | .8954     | 1.5432    | .9335     | 1.0098    | .9717     |
| Avg  | 1.1312    | 1.1102    | 1.5432    | 1.0969    | 1.1897    | 1.1016    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283094 / RAHEJA S/STN

Feeder No / Name : 201 / L.I.C. Feeder

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2384    | 1.1812    | 1.2955    | 1.3527    | 1.3527    | 1.2384    | 1.3146    |
| 2    | 1.1431    | 1.1622    | 1.1622    | 1.2384    | 1.2955    | 1.1431    | 1.2193    |
| 3    | 1.0669    | 1.0669    | 1.105     | 1.1431    | 1.2003    | 1.0479    | 1.1812    |
| 4    | 1.0098    | .9526     | 1.0288    | 1.0479    | 1.1431    | 1.0479    | 1.105     |
| 5    | .9526     | .9145     | .9526     | 1.0479    | 1.105     | 1.0479    | 1.0288    |
| 6    | .8573     | .8192     | .8954     | .9145     | .9907     | .9526     | .9526     |
| 7    | .8573     | .7811     | .8573     | .8764     | .9526     | .8573     | .9145     |
| 8    | .8573     | .8383     | .8573     | .8573     | .9335     | .8573     | .9526     |
| 9    | .9526     | 1.0479    | .8573     | .9717     | 1.0479    | .8192     | 1.0098    |
| 10   |           | 1.1431    | 1.0288    | 1.1812    | 1.1812    | .8764     | 1.1812    |
| 11   | 1.2384    | 1.2384    | 1.3336    | 1.3336    | 1.2955    | .9335     | 1.3717    |
| 12   | 1.3336    | 1.2384    | 1.3717    | 1.3717    | 1.4289    | .9907     | 1.467     |
| 13   | 1.2384    | 1.2384    | 1.4289    | 1.3527    | 1.3336    | 1.0479    | 1.2955    |
| 14   | 1.3336    | 1.2384    | 1.448     | 1.4289    | 1.3717    | 1.0669    | 1.3717    |
| 15   | 1.5242    | 1.4289    | 1.5432    | 1.5242    | 1.448     | 1.105     | 1.4861    |
| 16   | 1.4289    | 1.3717    | 1.5242    | 1.3908    | 1.4289    | 1.086     | 1.5242    |
| 17   | 1.2574    | 1.1622    | 1.3527    | 1.3336    | 1.3336    | 1.0669    | 1.2384    |
| 18   | 1.0479    | 1.1431    | 1.1431    | 1.2384    | 1.1431    | .8764     | 1.1431    |
| 19   | 1.1431    | 1.1622    | 1.1431    | 1.1812    | 1.0479    | .9907     | 1.1431    |
| 20   | 1.1812    | 1.1431    | 1.1431    | 1.2003    | 1.1431    | 1.0669    | 1.0479    |
| 21   | 1.1812    | 1.1622    | 1.1812    | 1.2384    | 1.1431    | 1.1241    | 1.1431    |
| 22   | 1.2003    | 1.2574    | 1.3527    | 1.3336    | 1.2384    | 1.2193    | 1.2384    |
| 23   | 1.3336    | 1.3527    | 1.4289    | 1.4098    | 1.3336    | 1.4098    |           |
| 24   | 1.3146    | 1.2574    | 1.4098    | 1.448     | 1.4289    | 1.3336    | 1.3908    |
| Max  | 1.5242    | 1.4289    | 1.5432    | 1.5242    | 1.448     | 1.4098    | 1.5242    |
| Min  | .8573     | .7811     | .8573     | .8573     | .9335     | .8192     | .9145     |
| Avg  | 1.1605    | 1.1376    | 1.2019    | 1.2257    | 1.2217    | 1.0502    | 1.2052    |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728] BU 4728

Substation No/ Name :- 283094 / RAHEJA S/STN

Feeder No / Name : 202 / Gangotri

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 16-MAY-18 | 17-MAY-18 |
|------|-----------|-----------|
| HR   | Load (MW) | Load (MW) |
| 1    |           | 2.6101    |
| 2    |           | 2.3434    |
| 3    |           | 2.1719    |
| 4    |           | 2.0005    |
| 5    |           | 1.848     |
| 6    |           | 1.7147    |
| 7    |           | 1.5623    |
| 8    |           | 1.5432    |
| 9    |           | 1.6194    |
| 11   | 1.7147    | 1.7909    |
| 12   | 1.7147    | 1.829     |
| 13   | 1.7147    | 1.9052    |
| 14   | 1.8099    | 2.21      |
| 15   | 1.9052    |           |
| 16   | 1.8671    |           |
| 17   | 1.7718    |           |
| 18   | 1.7147    |           |
| 19   | 1.9433    |           |
| 20   | 2.191     |           |
| 21   | 2.2862    |           |
| 22   | 2.4958    |           |
| 23   | 2.8387    |           |
| 24   |           | 2.9531    |
| Max  | 2.8387    | 2.9531    |
| Min  | 1.7147    | 1.5432    |
| Avg  | 1.9975    | 2.0073    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283094 / RAHEJA S/STN

Feeder No / Name : 203 / Tip-Top Plaza

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .381      | .362      | .381      | .381      | .362      | .381      | .381      |
| 2    | .3429     | .362      | .381      | .362      | .3239     | .381      | .362      |
| 3    | .362      | .362      | .381      | .3429     | .362      | .381      | .3429     |
| 4    | .362      | .3429     | .362      | .3239     | .3429     | .381      | .3429     |
| 5    | .3429     | .3429     | .362      | .3429     | .3239     | .381      | .362      |
| 6    | .3239     | .3429     | .362      | .3239     | .3048     | .381      | .3239     |
| 7    | .3429     | .4001     | .381      | .4001     | .4001     | .381      | .381      |
| 8    | .8002     | .5906     | .6287     | .5525     | .4763     | .4763     | .6287     |
| 9    | .9526     | .9526     | 1.2193    | 1.0098    | .5716     | .6668     | .9717     |
| 10   |           | 1.0479    | 1.1812    | .9907     |           | .7621     | 1.0669    |
| 11   | 1.3336    | 1.1431    | 1.1431    | 1.1812    | .8573     | .8764     | 1.2193    |
| 12   | 1.2384    | 1.2384    | 1.1812    | 1.2384    | .8764     | .9907     | 1.2955    |
| 13   | 1.2384    | 1.1431    | 1.2384    | 1.1812    | .8002     | 1.105     | 1.2384    |
| 14   | 1.1431    | 1.1431    | 1.2193    | 1.1431    | .8573     | 1.1431    | 1.2193    |
| 15   | 1.2384    | 1.1431    | 1.3146    | 1.1622    | .8383     | .9526     | 1.1812    |
| 16   | 1.1622    | 1.1431    | 1.2574    | 1.1622    | .7621     | .6668     | 1.1431    |
| 17   | 1.0479    | 1.1431    | 1.1812    | 1.1431    | .6668     | .724      | 1.1431    |
| 18   | .9145     | .9717     | .9717     | .9145     | .6668     | .6668     | 1.0479    |
| 19   | .6478     | .7621     | .9145     | .7049     | .6668     | .6859     | .9526     |
| 20   | .6478     | .724      | .6668     | .7621     | .6668     | .7811     | .8573     |
| 21   | .6097     | .5906     | .5716     | .6478     | .6668     | .743      | .6668     |
| 22   | .5144     | .5144     | .4763     | .5525     | .5716     | .6478     | .6668     |
| 23   | .4572     | .4382     | .4572     | .5335     | .4763     | .6287     |           |
| 24   | .381      | .4191     | .381      | .381      | .362      | .381      | .4572     |
| Max  | 1.3336    | 1.2384    | 1.3146    | 1.2384    | .8764     | 1.1431    | 1.2955    |
| Min  | .3239     | .3429     | .362      | .3239     | .3048     | .381      | .3239     |
| Avg  | .7298     | .7343     | .7756     | .7391     | .5740     | .6485     | .7935     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283094 / RAHEJA S/STN

Feeder No / Name : 204 / Anand Timber

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .9907     | .9717     | 1.0288    | 1.086     | 1.0479    | .9526     | .9907     |
| 2    |           | .8954     | .9526     | .9907     | .9526     | .9526     | .9145     |
| 3    | .8573     | .8573     | .9145     | .9145     | .9145     | .8573     | .8383     |
| 4    | .7811     | .7621     | .8383     | .8764     | .8764     | .8573     | .8002     |
| 5    | .7621     | .724      | .7811     | .8573     | .8383     | .8573     | .7621     |
| 6    | .7049     | .7049     | .724      | .7811     | .7621     | .7621     | .7049     |
| 7    | .6668     | .6287     | .6859     | .743      | .7049     | .6668     | .6478     |
| 8    | .6668     | .6668     | .724      | .7049     | .7049     | .5716     | .6478     |
| 9    | .7621     |           | .8002     | .8764     | .7621     | .6478     | .8192     |
| 10   | .8573     |           | .8764     | .9335     | .8573     | .6668     | .8764     |
| 11   |           |           | .9907     | 1.0479    | .9526     | .6287     | .9526     |
| 12   | 1.0479    | .9526     | .9145     |           | .9907     | .6859     | 1.0479    |
| 13   | .7621     | .8573     | .8764     | .9717     | .8383     | .6859     | .8192     |
| 14   | .9526     |           | 1.0288    | .9907     | 1.0669    | .724      | .8954     |
| 15   | .9526     | 1.0479    | 1.105     | 1.1431    | 1.0669    | .7621     | .9907     |
| 16   | .9907     | 1.0288    | 1.0669    | 1.086     | 1.0479    | .724      | .9526     |
| 17   | .9145     | 1.0288    | .9717     | .9717     | .9526     | .6668     | .9526     |
| 18   | .8764     | .8764     | .9526     | .9145     | .8573     | .5525     | .8573     |
| 19   | .8954     | .8954     | .9907     | 1.0479    | .8573     | .6097     | .8573     |
| 20   | .9145     | .9526     | .9717     | 1.0288    | .8573     | .6859     | .8573     |
| 21   | .8383     | .9526     | .9145     | .8954     | .8573     | .8002     | .8573     |
| 22   | .9145     | .9907     | 1.0288    | .9526     | .9526     | .8954     | .8573     |
| 23   | 1.0669    | 1.1241    | 1.2003    | 1.1431    | 1.0479    | 1.0479    |           |
| 24   | 1.086     | 1.105     | 1.1431    | 1.2193    | 1.1622    | 1.1431    | 1.0669    |
| Max  | 1.086     | 1.1241    | 1.2003    | 1.2193    | 1.1622    | 1.1431    | 1.0669    |
| Min  | .6668     | .6287     | .6859     | .7049     | .7049     | .5525     | .6478     |
| Avg  | .8755     | .9012     | .9367     | .9642     | .9137     | .7668     | .8681     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283094 / RAHEJA S/STN

Feeder No / Name : 205 / A.C.C.-II

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.0957    | 2.0957    | 2.1719    | 2.3053    | 2.2291    | 2.191     | 2.191     |
| 2    | 2.0576    | 1.9433    | 2.0957    | 2.0957    | 2.0195    | 2.0005    | 2.0005    |
| 3    | 1.7528    | 1.7528    | 2.0005    | 1.8861    | 1.9052    | 1.8099    | 1.8671    |
| 4    | 1.6194    | 1.6385    | 1.8099    | 1.7718    | 1.7147    | 1.7147    | 1.7147    |
| 5    | 1.5242    | 1.5432    | 1.6004    | 1.5623    | 1.5432    | 1.6194    | 1.6194    |
| 6    | 1.3527    | 1.5432    | 1.3717    | 1.6385    | 1.4289    | 1.4289    | 1.4098    |
| 7    | 1.4289    | 1.2574    | 1.3336    | 1.3717    | 1.3717    | 1.4289    | 1.3527    |
| 8    | 1.4289    | 1.2384    | 1.467     | 1.5242    | 1.4861    | 1.3336    | 1.3717    |
| 9    | 1.3336    | 1.4289    | 1.2574    | 1.5242    | 1.5242    | .6478     | 1.2384    |
| 10   | 1.4289    | 1.3336    | 1.7528    | 1.4861    | 1.5623    | 1.3717    | 1.4098    |
| 11   |           | 1.5242    | 1.4861    | 1.6766    | 1.6194    | 1.448     | 1.5242    |
| 12   | 1.6194    | 1.6194    | 1.5623    |           | 1.7718    | 1.5242    | 1.6766    |
| 13   | 1.4289    | 1.4289    | 1.5242    | 1.7147    | 1.6385    | 1.5242    | 1.4289    |
| 14   | 1.6194    | 1.3336    | 1.7909    | 1.5432    | 1.6766    | 1.6766    | 1.448     |
| 15   | 1.5242    | 1.6194    | 1.7909    | 1.5432    | 1.7337    | 1.6385    | 1.5242    |
| 16   | 1.448     | 1.5242    | 1.6385    | 1.7147    | 1.5242    | 1.6194    | 1.4289    |
| 17   | 1.4289    | 1.3527    | 1.4861    | 1.448     | 1.6194    | 1.5051    | 1.5242    |
| 18   | 1.4289    | 1.4289    | 1.3717    | 1.3908    | 1.5242    | 1.448     | 1.2384    |
| 19   | 1.4098    | 1.5813    | 1.8099    | 1.5242    | 1.5242    | 1.5242    | 1.4289    |
| 20   | 1.7718    | 1.7147    | 1.7528    | 1.7909    | 1.8099    | 1.7718    | 1.7147    |
| 21   | 1.7528    | 2.0005    | 1.829     | 1.7528    | 1.7147    | 1.8099    | 1.7147    |
| 22   | 1.9243    | 1.8861    | 2.0386    | 1.8861    | 2.0957    | 1.9243    | 1.7147    |
| 23   | 2.1719    | 2.2481    | 2.4196    | 2.4577    | 2.191     | 2.2291    |           |
| 24   | 2.3243    | 2.3053    | 2.4577    | 2.5911    | 2.4006    | 2.4768    | 2.4006    |
| Max  | 2.3243    | 2.3053    | 2.4577    | 2.5911    | 2.4006    | 2.4768    | 2.4006    |
| Min  | 1.3336    | 1.2384    | 1.2574    | 1.3717    | 1.3717    | .6478     | 1.2384    |
| Avg  | 1.6468    | 1.6393    | 1.7425    | 1.7478    | 1.7345    | 1.6528    | 1.6062    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283094 / RAHEJA S/STN

Feeder No / Name : 206 / Raheja

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.0957    | 2.1719    | 2.191     | 2.2862    | 2.2481    | 2.2862    | 2.3243    |
| 2    | 1.9052    | 1.8861    | 2.0767    | 2.0386    | 2.0767    | 1.8099    | 1.9814    |
| 3    | 1.8099    | 1.7909    | 2.0005    | 1.8099    | 1.9624    | 1.8099    | 1.7909    |
| 4    | 1.5623    | 1.6004    | 1.7909    | 1.7147    | 1.7528    | 1.6194    | 1.6385    |
| 5    | 1.7147    | 1.4861    | 1.6766    | 1.7528    | 1.5623    | 1.7147    | 1.5432    |
| 6    | 1.5813    | 1.448     | 1.6004    | 1.5051    | 1.467     | 1.6194    | 1.4289    |
| 7    | 1.4289    | 1.5813    | 1.4289    | 1.5051    | 1.4098    | 1.5242    | 1.3336    |
| 8    | 1.5242    | 1.467     | 1.6194    | 1.6194    | 1.4098    | 1.4289    | 1.3146    |
| 9    | 1.6194    | 1.4289    | 1.7147    | 1.6385    | 1.5242    | 1.3146    | 1.5623    |
| 10   | 1.7147    | 1.6194    | 1.7147    | 1.6194    | 1.6385    | 1.3717    | 1.7147    |
| 11   |           | 1.7147    | 1.7528    | 1.5432    | 1.7528    | 1.448     | 1.7909    |
| 12   | 1.9052    | 1.6194    | 1.7147    |           | 1.5623    | 1.5242    | 1.6385    |
| 13   | 1.9052    | 1.7147    | 1.7528    | 1.9433    | 1.6766    | 1.6004    | 1.6766    |
| 14   | 1.8099    | 1.7147    | 1.9052    | 1.7528    | 1.829     | 1.6766    | 1.7528    |
| 15   | 1.9052    | 1.8099    | 2.0767    | 1.9433    | 1.9052    | 1.7528    | 1.829     |
| 16   | 1.9052    | 1.829     | 2.0005    | 1.8099    | 1.8099    | 1.6575    | 1.7147    |
| 17   | 1.7147    | 1.7147    | 1.7147    | 1.5432    | 1.6194    | 1.448     | 1.5242    |
| 18   | 1.5623    | 1.6194    | 1.7147    | 1.467     | 1.6194    | 1.5432    | 1.4289    |
| 19   | 1.8671    | 1.829     | 1.6766    | 1.8099    | 1.6194    | 1.7718    | 1.6194    |
| 20   | 1.7528    | 2.0386    | 1.9433    | 2.0005    | 1.9052    | 1.8671    | 1.7147    |
| 21   | 1.9814    | 2.0005    | 1.9433    | 2.0195    | 1.9052    | 1.9814    | 1.7147    |
| 22   | 2.1529    | 2.1338    | 2.4006    | 2.1529    | 2.0957    | 2.0576    | 2.0005    |
| 23   | 2.5149    | 2.3624    | 2.6482    | 2.3053    | 2.3815    | 2.3815    |           |
| 24   | 2.2862    |           |           |           | 2.4577    |           | 2.3434    |
| Max  | 2.5149    | 2.3624    | 2.6482    | 2.3053    | 2.4577    | 2.3815    | 2.3434    |
| Min  | 1.4289    | 1.4289    | 1.4289    | 1.467     | 1.4098    | 1.3146    | 1.3146    |
| Avg  | 1.8356    | 1.7644    | 1.8721    | 1.8082    | 1.7996    | 1.7047    | 1.7122    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283094 / RAHEJA S/STN

Feeder No / Name : 207 / Nitin Casting

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3717    | .4001     | .4191     | .5144     | .5144     | .5716     | .4954     |
| 2    | 1.2574    | .4001     | .381      | .4763     | .4572     | .4763     | .4572     |
| 3    | 1.1622    | .362      | .381      | .4572     | .4572     | .4763     | .4382     |
| 4    | 1.0479    | .3429     | .362      | .4382     | .4191     | .381      | .4191     |
| 5    | 1.0098    | .3429     | .3429     | .4191     | .4001     | .381      | .4191     |
| 6    | .9526     | .3429     | .3429     | .4191     | .4001     | .381      | .381      |
| 7    | .9526     | .3429     | .3239     | .381      | .381      | .381      | .381      |
| 8    | .9145     | .3429     | .3429     | .4191     | .4191     | .381      | .362      |
| 9    | 1.1431    | .381      | .381      | .4001     | .4382     | .381      | .4382     |
| 10   | 1.4289    | .381      | .381      | .4382     | .4572     | .362      | .4191     |
| 11   |           | .381      | .381      | .4572     | .4763     | .381      | .4191     |
| 12   | 1.6194    | .381      | .362      |           | .5144     | .381      | .4382     |
| 13   |           | .381      | .3429     | .4763     | .4954     | .381      | .3429     |
| 14   | .381      | .381      | .381      | .5335     | .4954     | .4001     | .381      |
| 15   | .2858     | .381      | .5335     | .4954     | .5144     | .4191     | .4382     |
| 16   | .3429     | .362      | .4382     | .5335     | .4763     | .4001     | .381      |
| 17   | .3429     | .3239     | .4763     | .4382     | .4763     | .381      | .381      |
| 18   | .3239     | .3239     | .4763     | .4382     | .381      | .381      | .381      |
| 19   | .3048     | .362      | .381      | .381      | .381      | .381      | .381      |
| 20   | .3239     | .3239     | .4001     | .4191     | .4763     | .4191     | .381      |
| 21   | .3429     | .3239     | .4763     | .4382     | .4763     | .4572     | .4763     |
| 22   | .362      | .362      | .5144     | .4763     | .4763     | .4572     | .4763     |
| 23   | .4191     | .4191     | .5716     | .5335     | .5716     | .5144     |           |
| 24   | 1.5242    | .4382     | .4382     | .5525     | .5716     | .5716     | .5335     |
| Max  | 1.6194    | .4382     | .5716     | .5525     | .5716     | .5716     | .5335     |
| Min  | .2858     | .3239     | .3239     | .381      | .381      | .362      | .3429     |
| Avg  | .8097     | .3659     | .4096     | .4581     | .4636     | .4207     | .4183     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283094 / RAHEJA S/STN

Feeder No / Name : 208 / SITAVIHAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.7151    | .3048     | 2.6292    | 2.553     | 2.6673    | 2.6673    | .9717     |
| 2    | 3.5246    | 2.4577    | 2.5339    | 2.4768    | 2.6673    | 2.4768    | .8954     |
| 3    | 3.5818    | 2.4958    | 2.4387    | 2.3434    | 2.5149    | 2.3815    | .9526     |
| 4    | 3.2388    | 2.4768    | 2.3624    | 2.3815    | 2.4387    | 2.3815    | .9907     |
| 5    | 3.2388    | 2.4577    | 2.2862    | 2.4768    | 2.3243    | 2.4768    | 1.0288    |
| 6    | 3.0864    | 2.3243    | 2.21      | 2.3243    | 2.3624    | 2.191     | 1.0288    |
| 7    | 2.8578    | 2.0576    | 2.1338    | 2.3053    | 2.21      | .9526     | 1.7147    |
| 8    | 3.2769    | 2.4577    | 2.5149    | 2.4958    | 2.5911    | .8573     | 2.3624    |
| 9    | 4.1914    | 2.7625    | 2.8578    | 2.8578    | 2.6673    | .8192     | 2.6292    |
| 10   |           | 2.8578    |           | 3.0483    | 2.8578    | .8764     | 2.8959    |
| 11   | 4.763     | 3.1436    | 3.0483    | 3.1436    | 2.9912    | .9526     | 3.1817    |
| 12   | 4.9535    | 3.0483    | 3.0483    | 3.0483    | 3.1245    | .9907     | 3.1436    |
| 13   | 4.0009    | 2.8578    | 2.9721    | 2.9531    | 3.0483    | 1.0098    | 3.2388    |
| 14   | 3.0483    | 3.0483    | 3.0483    | 2.9721    | 2.9721    | .8573     | 3.2007    |
| 15   | 4.1914    | 2.9531    | 2.9721    | 2.8578    | 2.8578    | .9907     | 3.0483    |
| 16   | 4.0009    | 3.1436    | 3.0864    | 3.1626    | 4.0009    | .8192     | 3.1436    |
| 17   | 3.8104    | 2.934     | 3.0483    | 2.8578    | 2.8578    | .8764     | 2.9531    |
| 18   | 3.4294    | 3.0483    | 2.9721    | 2.7625    | 2.8578    | .9145     | 2.8578    |
| 19   | 1.2574    | 2.915     | 2.8578    | 2.8578    | 2.6673    | 1.0098    | 2.7625    |
| 20   | 3.315     | 2.6673    | 2.8578    | 2.7244    | 2.6673    | .9335     | 2.572     |
| 21   | 3.2388    | 2.7625    | 2.6673    | 2.7054    | 2.6673    | .8764     | 2.572     |
| 22   | 3.1055    | 2.6482    | 2.5911    | 2.6482    | 2.572     | .9907     | 2.6673    |
| 23   | 3.2198    | 2.4958    | 2.4768    | 2.4196    | 2.3815    | .9335     |           |
| 24   | 3.9057    | 3.2769    | 2.7625    | 2.7244    | 2.7816    | 2.572     | .9717     |
| Max  | 4.9535    | 3.2769    | 3.0864    | 3.1626    | 4.0009    | 2.6673    | 3.2388    |
| Min  | 1.2574    | .3048     | 2.1338    | 2.3053    | 2.21      | .8192     | .8954     |
| Avg  | 3.5196    | 2.6498    | 2.7120    | 2.7125    | 2.7395    | 1.3670    | 2.2514    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

GADKARI S/DN.[728]

BU 4728

Substation No/ Name :- 283094 / RAHEJA S/STN

Feeder No / Name : 209 / Auxillary Raheja S-stn

Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     |
| 2    | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     |
| 3    | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     |
| 4    | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     |
| 5    | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     |
| 6    | .0762     | .0762     | .0762     | .0762     | .0762     | .1143     | .0762     |
| 7    | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     |
| 8    | .0762     |           | .1143     | .0762     | .0762     | .0762     | .0762     |
| 9    | .0762     | .0762     |           | .0762     | .1143     |           |           |
| 10   | .0762     | .0762     | .1524     | .0762     | .1524     |           | .1524     |
| 11   | .2286     | .3048     | .2667     | .1905     | .3048     | .0762     | .2286     |
| 12   | .3048     | .3048     | .3429     | .2667     | .3048     | .0762     | .3048     |
| 13   | .3048     | .2667     | .2667     | .2667     | .381      | .0762     | .3048     |
| 14   | .3048     | .3429     | .2667     | .3048     |           | .0762     | .3048     |
| 15   | .3048     | .3429     | .2667     | .2667     | .381      | .0762     | .2667     |
| 16   | .2286     | .3429     | .2286     | .2667     | .2667     | .0762     | .2667     |
| 17   | .2286     | .3048     | .3048     | .2667     | .2667     | .0762     | .2667     |
| 18   | .1524     | .2286     | .3048     | .1905     | .1524     | .0762     | .2286     |
| 19   | .1524     | .2286     | .1143     | .1143     | .1143     | .1143     | .1524     |
| 20   | .1524     | .0762     | .1524     | .1143     | .1143     | .0762     | .1524     |
| 21   | .2667     | .0762     | .1524     | .1143     | .0762     | .0762     | .1143     |
| 22   | .0762     | .0762     | .1143     | .1143     | .1143     | .0762     | .0762     |
| 23   | .0762     | .0762     | .1143     | .1143     | .0762     | .0762     |           |
| 24   | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     |
| Max  | .3048     | .3429     | .3429     | .3048     | .381      | .1143     | .3048     |
| Min  | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     | .0762     |
| Avg  | .1541     | .1623     | .1640     | .1429     | .1524     | .0797     | .1593     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

KISAN NAGAR[540]

BU 4540

Substation No/ Name :- 283100 / KISAN NAGAR

Feeder No / Name : 201 / Sub-Station No.6

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3443    | 1.4937    | 1.2696    | 1.587     |           | 1.5123    | 1.4937    |
| 2    | 1.2696    | 1.3443    | 1.1763    | 1.5123    |           | 1.3443    | 1.419     |
| 3    | 1.1949    | 1.1763    | 1.1576    | 1.4563    |           | 1.1763    | 1.307     |
| 4    | 1.1389    | .9335     | 1.1763    | 1.4003    |           | 1.0829    | 1.1203    |
| 5    | 1.0829    | .9709     |           | 1.307     |           | 1.1016    | .9709     |
| 6    | 1.2696    | 1.0082    |           | 1.363     |           | 1.1203    | .9709     |
| 7    | 1.0456    | 1.1389    | 1.3121    | 1.1203    | 1.1389    | 1.0642    | 1.0456    |
| 8    | 1.0642    | 1.1389    | 1.2136    | 1.1576    | 1.1203    | 1.0456    | 1.1389    |
| 9    | 1.1949    | 1.1576    | 1.2696    | 1.1949    | 1.1389    | 1.1389    | 1.2323    |
| 10   | 1.307     |           | 1.307     |           | 1.4003    | 1.2323    | 1.3443    |
| 11   | 1.3817    | 1.4377    | 1.4377    |           | 1.4937    | 1.363     | 1.3817    |
| 12   | 1.363     |           | 1.419     | 1.419     | 1.4003    | 1.2883    | 1.3256    |
| 13   | 1.307     |           | 1.419     |           | 1.3256    | 1.2323    | 1.0269    |
| 14   | 1.3256    |           | 1.3256    |           | 1.363     | 1.3256    | 1.3256    |
| 15   | 1.475     | 1.3817    | 1.531     |           | 1.4563    | 1.419     | 1.3817    |
| 16   | 1.307     |           | 1.475     |           | 1.419     | 1.307     | 1.419     |
| 17   | 1.2883    |           | 1.2323    |           | 1.2696    | 1.1949    | 1.307     |
| 18   | 1.2323    | 1.2136    | 1.2136    |           | 1.4563    | 1.1016    | 1.2323    |
| 19   | 1.307     | 1.2696    | 1.3256    |           | 1.419     | 1.1949    | 1.2696    |
| 20   | 1.3256    | 1.3817    | 1.5123    |           | 1.4937    | 1.5497    | 1.3256    |
| 21   | 1.4003    | 1.4003    | 1.5123    |           | 1.475     | 1.3817    | 1.419     |
| 22   | 1.363     | 1.4937    | 1.587     |           | 1.5123    | 1.363     | 1.4563    |
| 23   | 1.531     | 1.531     | 1.643     |           | 1.5684    | 1.5684    | 1.587     |
| 24   | 1.5497    | 1.5497    | 1.6057    | 1.6617    |           | 1.643     | 1.6057    |
| Max  | 1.5497    | 1.5497    | 1.643     | 1.6617    | 1.5684    | 1.643     | 1.6057    |
| Min  | 1.0456    | .9335     | 1.1576    | 1.1203    | 1.1203    | 1.0456    | .9709     |
| Avg  | 1.2945    | 1.2790    | 1.3691    | 1.3799    | 1.3794    | 1.2813    | 1.2961    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

KISAN NAGAR[540]

BU 4540

Substation No/ Name :- 283100 / KISAN NAGAR

Feeder No / Name : 203 / Nair Hotel

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.6139    | 2.7633    | 2.7633    | 2.9687    |           | 2.6513    | 2.6886    |
| 2    | 2.4272    | 2.4646    | 2.3152    | 2.5953    |           | 2.4459    | 2.6139    |
| 3    | 2.2779    | 2.1098    | 2.2405    | 2.3899    |           | 2.0538    | 2.4646    |
| 4    | 2.2218    | 1.9418    | 2.2262    | 2.2218    |           | 1.8671    | 2.3899    |
| 5    | 2.0911    | 1.9791    |           | 2.1285    |           | 1.9231    | 2.0538    |
| 6    | 2.1658    | 1.0082    |           | 2.1845    |           | 2.1098    | 1.9791    |
| 7    | 2.0165    | 2.0725    | 2.2032    | 2.0165    | 2.1098    | 1.9231    | 1.9418    |
| 8    | 1.9978    | 2.0165    | 2.0911    | 2.1098    | 2.0165    | 1.9605    | 1.9978    |
| 9    | 2.3152    | 2.2779    | 2.5766    | 2.1658    | 2.2405    | 2.0165    | 2.3152    |
| 10   | 2.782     |           | 2.8006    |           | 2.6886    | 2.2405    | 2.838     |
| 11   | 2.7633    | 2.7073    | 2.782     |           | 2.7446    | 2.3712    | 2.726     |
| 12   | 2.5953    |           | 2.7633    | 2.6513    | 2.6139    | 2.3712    | 2.6699    |
| 13   | 2.4832    |           | 2.6886    |           | 2.4832    | 2.2405    | 2.3339    |
| 14   | 2.4832    |           | 2.894     |           | 2.4832    | 2.4086    | 2.7073    |
| 15   | 2.6139    | 2.6513    | 2.9801    |           | 2.6139    | 2.2779    | 2.8006    |
| 16   | 2.5766    |           | 2.8481    |           | 2.6326    | 2.2405    | 2.6886    |
| 17   | 2.5019    |           | 2.6886    |           | 2.3899    | 2.1658    | 2.6513    |
| 18   | 2.4272    | 2.4796    | 2.5953    |           | 2.5579    | 2.1098    | 2.5766    |
| 19   | 2.3339    | 2.4434    | 2.5086    |           | 2.4272    | 2.2405    | 2.4272    |
| 20   | 2.5393    | 2.5873    | 2.7073    |           | 2.6139    | 2.5953    | 2.5953    |
| 21   | 2.7446    | 2.6699    | 2.7073    |           | 2.6326    | 2.5766    | 2.6513    |
| 22   | 2.6699    | 2.8645    | 2.8193    |           | 2.7633    | 2.6699    | 2.6886    |
| 23   | 2.8006    | 2.9687    | 3.0994    |           | 2.8567    | 2.8006    | 2.894     |
| 24   | 2.894     | 2.9127    | 2.95      | 3.0434    |           | 2.9127    | 2.838     |
| Max  | 2.894     | 2.9687    | 3.0994    | 3.0434    | 2.8567    | 2.9127    | 2.894     |
| Min  | 1.9978    | 1.0082    | 2.0911    | 2.0165    | 2.0165    | 1.8671    | 1.9418    |
| Avg  | 2.4723    | 2.3844    | 2.6477    | 2.4069    | 2.5217    | 2.2989    | 2.5221    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

KISAN NAGAR[540]

BU 4540

Substation No/ Name :- 283100 / KISAN NAGAR

Feeder No / Name : 204 / Administrative Bldg.

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2567    | 1.2567    | .9979     | .0924     |           | 1.1706    | 1.2197    |
| 2    | 1.1643    | .961      | .924      | .1294     |           | 1.0974    | 1.1088    |
| 3    | 1.0349    | .7947     | .961      | .1109     |           | .9511     | .961      |
| 4    | .9425     | .7392     | 1.0082    | .0924     |           | .7865     | .8501     |
| 5    | .8871     | .7947     |           | .1294     |           | .8048     | .7392     |
| 6    | .8501     | .8501     |           | .0739     |           | .823      | .8131     |
| 7    | .8316     | .8316     | .8775     | .1109     | .8871     | .823      | .8316     |
| 8    | .8871     | .8316     | .8402     | .0924     | .8326     | .823      | .9055     |
| 9    | 1.0164    | 1.0164    | 1.1016    | .2402     | .9335     | .823      | 1.0719    |
| 10   | 1.0903    |           | 1.1088    |           | 1.0425    | .8413     | 1.1458    |
| 11   | 1.1643    | 1.1765    | 1.2197    |           | 1.134     | .924      | 1.2752    |
| 12   | 1.1643    |           | 1.2936    | 1.2197    | 1.1157    | .9055     | 1.2382    |
| 13   | 1.1827    |           | 1.2567    |           | 1.0608    | .8871     | 1.1827    |
| 14   | 1.2012    |           | 1.1458    |           | 1.0791    | .924      | 1.2012    |
| 15   | 1.1458    | 1.1273    | .3511     |           | 1.1157    | .9795     | 1.2382    |
| 16   | 1.1273    |           | .3547     |           | 1.1523    | .924      | 1.1458    |
| 17   | 1.1088    |           | .4066     |           | 1.0608    | .8501     | 1.1827    |
| 18   | 1.0903    | 1.0269    | .3696     |           | .9694     | .7762     | 1.0903    |
| 19   | 1.0534    | .9795     | .1848     |           | 1.0059    | .8871     | 1.0349    |
| 20   | 1.0349    | 1.1088    | .1478     |           | 1.0791    | .9979     | 1.0719    |
| 21   | 1.1088    | 1.1458    | .1663     |           | 1.0791    | 1.0534    | 1.1088    |
| 22   | 1.1273    | 1.1389    | .1663     |           | 1.1888    | 1.0534    | 1.2136    |
| 23   | 1.2936    | 1.3121    | .1478     |           | 1.2071    | 1.1643    | 1.3121    |
| 24   | 1.3491    | 1.3491    | 1.386     | .1294     |           |           | 1.2752    |
| Max  | 1.3491    | 1.3491    | 1.386     | 1.2197    | 1.2071    | 1.1706    | 1.3121    |
| Min  | .8316     | .7392     | .1478     | .0739     | .8326     | .7762     | .7392     |
| Avg  | 1.0880    | 1.0245    | .7462     | .2201     | 1.0555    | .9248     | 1.0924    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

KISAN NAGAR[540]

BU 4540

Substation No/ Name :- 283100 / KISAN NAGAR

Feeder No / Name : 205 / Kalibai

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.0513    | 2.0698    | 1.7372    |           |           | 2.2177    | 2.1807    |
| 2    | 1.848     | 1.848     | 1.7372    |           |           | 2.0883    | 2.1437    |
| 3    | 1.7002    | 1.5154    | 1.6448    |           |           | 1.848     | 2.0328    |
| 4    | 1.5524    | 1.2936    | 1.7364    |           |           | 1.4784    | 1.6632    |
| 5    | 1.4784    | 1.3491    |           |           |           | 1.4969    | 1.5893    |
| 6    | 1.4045    | 1.386     |           |           |           | 1.4969    | 1.4784    |
| 7    | 1.4969    | 1.3676    | 1.4784    |           | 1.6057    | 1.4415    | 1.4969    |
| 8    | 1.5154    | 1.4969    | 1.5524    |           | 1.6632    | 1.5524    | 1.5154    |
| 9    | 1.5524    | 1.5154    | 1.5339    |           | 1.6804    | 1.4784    | 1.5339    |
| 10   | 1.5893    |           | 1.5339    |           | 1.7002    | 1.4784    | 1.5708    |
| 11   | 1.6263    | 1.5708    | 1.5524    |           | 1.6448    | 1.5524    | .3511     |
| 12   | 1.6078    |           | 1.5708    | 1.7193    | 1.6448    | 1.5524    | .3326     |
| 13   | 1.5893    |           | 1.5339    |           | 1.6078    | 1.6078    | .3326     |
| 14   | 1.6817    |           | 1.6817    |           | 1.8111    | 1.6263    | .3511     |
| 15   | 1.5893    | 1.7556    |           |           | 1.7372    | 1.6817    | .3696     |
| 16   | 1.6078    |           |           |           | 1.6632    | 1.5893    | .3511     |
| 17   | 1.5154    |           |           |           | 1.5339    | 1.46      | .3511     |
| 18   | 1.4045    | 1.4415    |           |           | 1.46      | 1.3306    | .3142     |
| 19   | 1.5893    | 1.587     |           |           | 1.6263    | 1.6078    | .3326     |
| 20   | 1.922     | 1.828     |           |           | 1.922     | 1.922     | .4251     |
| 21   | 1.8296    | 1.0534    |           |           | 1.9035    | 1.9404    | .4251     |
| 22   | 1.922     | 2.0911    |           |           | 1.885     | 2.0513    | .4805     |
| 23   | 2.0698    | 2.1437    |           |           | 1.9404    | 2.2361    | .5359     |
| 24   | 2.2361    | 2.2177    | 2.3101    |           |           |           | 2.3655    |
| Max  | 2.2361    | 2.2177    | 2.3101    | 1.7193    | 1.9404    | 2.2361    | 2.3655    |
| Min  | 1.4045    | 1.0534    | 1.4784    | 1.7193    | 1.46      | 1.3306    | .3142     |
| Avg  | 1.6825    | 1.6406    | 1.6618    | 1.7193    | 1.7076    | 1.6841    | 1.0218    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

KISAN NAGAR[540]

BU 4540

Substation No/ Name :- 283100 / KISAN NAGAR

Feeder No / Name : 206 / Old Modella

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2254    | 1.0608    | 1.0974    | 1.1523    |           | 1.1273    | 1.3169    |
| 2    | 1.1157    | .9145     | .9511     | 1.1157    |           | 1.0719    | 1.2803    |
| 3    | 1.0242    | .8413     | .9877     | 1.0608    |           | .924      | 1.1706    |
| 4    | .9328     | .7682     | .9979     | 1.0059    |           | .8871     | 1.0242    |
| 5    | .8413     | .7865     |           | .9328     |           | .7947     | .9145     |
| 6    | .7682     | .7865     |           | .8779     |           | .8131     | .7682     |
| 7    | .7316     | .7316     | .8775     | .8413     | .8402     | .8501     | .7682     |
| 8    | .8048     | .7865     | .8316     | .8596     | .8962     | .8686     | .823      |
| 9    | .8962     | .9511     | .9896     | .8596     | .9709     | .8686     | .9328     |
| 10   | 1.0974    |           | 1.1523    |           | 1.2382    | 1.0349    | 1.0791    |
| 11   | 1.0974    | 1.0974    | 1.1706    |           | 1.2197    | 1.0608    | 1.134     |
| 12   | 1.1523    |           | 1.1888    | 1.0829    | 1.2012    | 1.1157    | 1.2254    |
| 13   | 1.1523    |           | 1.1523    |           | 1.1088    |           | 1.0974    |
| 14   | 1.1706    |           | 1.262     |           | 1.2382    | 1.0974    | 1.1706    |
| 15   | 1.1888    | 1.2437    | 1.2986    |           | 1.3306    | 1.134     | 1.2437    |
| 16   | 1.1523    |           | 1.2986    |           | 1.2752    | 1.0974    | 1.2254    |
| 17   | 1.0791    |           | 1.1888    |           | 1.2382    | 1.0059    | 1.1523    |
| 18   | 1.0791    | .9896     | 1.0791    |           | 1.1088    | .9877     | 1.134     |
| 19   | 1.0791    | 1.0456    | 1.134     |           | 1.1643    | 1.0059    | 1.134     |
| 20   | 1.134     | 1.1576    | 1.2437    |           | 1.2197    | 1.0608    | 1.1888    |
| 21   | 1.0974    |           | 1.1157    |           | 1.1088    | 1.0242    | 1.1157    |
| 22   | 1.0608    | 1.1041    | 1.1888    |           | 1.1088    | 1.0425    | 1.0791    |
| 23   | 1.2437    | 1.2071    | 1.2803    |           | 1.2567    | 1.2071    | 1.2071    |
| 24   | 1.3535    | 1.1706    | 1.3717    | 1.262     |           |           | 1.3717    |
| Max  | 1.3535    | 1.2437    | 1.3717    | 1.262     | 1.3306    | 1.2071    | 1.3717    |
| Min  | .7316     | .7316     | .8316     | .8413     | .8402     | .7947     | .7682     |
| Avg  | 1.0616    | .9790     | 1.1299    | 1.0046    | 1.1485    | 1.0036    | 1.1065    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

KOPRI S/DN.[655]

BU 4655

Substation No/ Name :- 283074 / WALMIKI S/S

Feeder No / Name : 203 / Walmiki

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7924    | 1.4003    | 1.4937    |           | 1.419     | 1.4563    | 1.4563    |
| 2    | 1.3443    | 1.2696    | 1.3256    | 1.4377    | 1.3817    | 1.2696    | 1.2696    |
| 3    | 1.1576    | 1.1949    | 1.1763    | 1.2696    | 1.251     | 1.2136    |           |
| 4    |           |           | .9896     |           | 1.1203    | 1.1016    | 1.0829    |
| 5    |           |           | 1.0269    |           | 1.0829    | 1.0642    |           |
| 6    | .9709     | .9149     | .9709     | 1.0829    | .9896     | .9709     | .9709     |
| 7    | .8402     | .8589     | .8589     | .8775     | .8775     | .8215     | .8215     |
| 8    | .8402     | .7842     | .8402     | .8029     | .8402     | .8402     | .7842     |
| 9    |           | .8775     | .8775     |           | .8402     | .8029     | .7842     |
| 10   | .8215     | .7655     | .8589     | .8029     | .9149     |           | .7282     |
| 11   | .8215     | .8029     | .8589     | .8589     | .9149     |           | .8215     |
| 12   | .8215     | .8402     | .8589     |           | .9335     |           | .7842     |
| 13   | .8589     | .8029     |           | .8029     | .9709     | .7655     | .7468     |
| 14   | .8962     | .8962     | 1.0269    | .9335     | 1.0269    | .8215     |           |
| 15   | .9522     | .9335     | 1.1389    | .9709     | 1.1203    |           | .9335     |
| 16   | .8962     |           | 1.0456    | .9335     | 1.0082    | .9335     | .8775     |
| 17   | .8402     | .8402     | .9896     | .9522     | .9522     |           | .8402     |
| 18   | .7468     | .8029     |           | .8589     | .8589     | .7468     | .7468     |
| 19   | .8962     | .9149     | .9522     | .8775     | .8962     | .8589     | .8402     |
| 20   | 1.0642    | 1.0456    |           | 1.0642    | 1.0642    | .9522     | .9896     |
| 21   | 1.0082    | 1.0269    | 1.1389    | 1.0642    | 1.0082    | .9335     | .9522     |
| 22   | 1.1016    | 1.1949    | 1.2323    | 1.2136    | 1.1576    | 1.1016    | 1.1576    |
| 23   | 1.4563    | 1.5123    | 1.5497    | 1.4937    | 1.3256    | 1.4937    | 1.475     |
| 24   | 1.5684    | 1.4937    | 1.587     |           | 1.587     | 1.531     | 1.5497    |
| Max  | 1.7924    | 1.5123    | 1.587     | 1.4937    | 1.587     | 1.531     | 1.5497    |
| Min  | .7468     | .7655     | .8402     | .8029     | .8402     | .7468     | .7282     |
| Avg  | 1.0331    | 1.0082    | 1.0856    | 1.0165    | 1.0642    | 1.0357    | .9816     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

KOPRI S/DN.[655]

BU 4655

Substation No/ Name :- 283074 / WALMIKI S/S

Feeder No / Name : 204 / Devika

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7924    | 1.8858    | 1.8858    |           | .3547     | .3734     | .3547     |
| 2    | 1.6804    | 1.6991    | 1.7177    | 1.8298    | .3174     | .2987     | .3174     |
| 3    | 1.531     | 1.5123    | 1.6244    | 1.6804    | .2987     | .2987     |           |
| 4    |           |           | 1.4563    |           | .2614     | .2614     | .2241     |
| 5    |           |           | 1.419     |           | .2427     |           |           |
| 6    | 1.307     | 1.2323    | 1.2883    | 1.307     | .2241     | .2054     | .2241     |
| 7    | 1.2696    | 1.2883    | 1.3256    | 1.3256    | .2241     | .1867     | .2241     |
| 8    | 1.2323    | 1.307     | 1.307     | 1.307     | .1867     | .2241     | .2241     |
| 9    |           | 1.251     | 1.2323    |           | .1307     | .1867     | .1867     |
| 10   | 1.1763    | 1.1949    | 1.1949    | 1.2136    | .1867     |           | .168      |
| 11   | 1.1203    | 1.1576    | 1.1949    | 1.1576    | .2241     |           | .1867     |
| 12   | 1.1576    | .8402     | 1.1763    |           | .1307     |           | .2054     |
| 13   | 1.1949    | 1.1763    | 1.1576    | 1.1389    | .168      | .1867     | .1867     |
| 14   | 1.2323    | 1.307     | 1.307     | 1.307     | .1867     | .1867     |           |
| 15   | 1.2883    | 1.3443    | 1.4937    | 1.363     | .1307     |           | .2054     |
| 16   | 1.2696    |           | 1.3817    | 1.3443    | .112      | .2241     | .1867     |
| 17   | 1.2136    | 1.2136    | 1.251     | .8589     | .0934     |           | .2054     |
| 18   | 1.1389    | 1.0829    |           | .2427     | .0934     | .1867     | .1867     |
| 19   | 1.3443    | 1.251     | 1.3256    | .112      | .112      | .1867     | .168      |
| 20   | 1.6057    | 1.5684    |           | .2241     | .1867     | .2614     | .2241     |
| 21   | 1.6244    | 1.6244    | 1.643     | .2241     | .168      | .2614     | .1867     |
| 22   | 1.6991    | 1.7364    | 1.8111    | .2987     | .2987     | .2987     | .2241     |
| 23   | 1.9231    | 2.0351    | 2.0725    | .3921     | .3734     | .3734     | .3734     |
| 24   | 2.0725    | 1.9418    | 2.1098    |           | .3921     | .3921     | .4108     |
| Max  | 2.0725    | 2.0351    | 2.1098    | 1.8298    | .3921     | .3921     | .4108     |
| Min  | 1.1203    | .8402     | 1.1576    | .112      | .0934     | .1867     | .168      |
| Avg  | 1.4226    | 1.4119    | 1.4716    | .9626     | .2124     | .2552     | .2321     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

KOPRI S/DN.[655]

BU 4655

Substation No/ Name :- 283074 / WALMIKI S/S

Feeder No / Name : 205 / Puranik

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3361     | .3547     | .3921     |           | .4294     | .4481     | .4294     |
| 2    | .2987     | .2987     | .3734     | .3921     | .3921     |           | .3734     |
| 3    | .2614     | .2801     | .3547     | .3547     | .3547     | .3734     |           |
| 4    |           |           | .3174     |           | .3174     | .3361     | .2801     |
| 5    |           |           | .3174     |           | .3547     | .2987     |           |
| 6    | .2241     | .2241     | .2801     | .2987     | .2801     | .2987     | .2427     |
| 7    | .2241     | .2241     | .2614     | .2614     | .2427     | .2427     | .2427     |
| 8    | .2241     | .2054     | .2427     | .2614     | .2427     | .2427     | .2054     |
| 9    |           | .2614     | .2614     |           | .2614     | .2614     | .2241     |
| 10   | .2054     | .1867     | .2614     | .2241     | .2427     |           | .2427     |
| 11   |           | .2241     |           | .2427     | .2427     |           | .2427     |
| 12   |           | .2241     | .2427     |           | .2801     |           | .2427     |
| 13   |           | .2614     | .2614     | .2427     | .2427     | .2614     | .2614     |
| 14   |           | .2614     | .2801     |           | .2614     | .2987     |           |
| 15   |           | .2614     | .2987     |           | .2987     |           | 1.0642    |
| 16   |           |           | .2801     | .2427     | .2801     | .2987     | 1.0082    |
| 17   | .2054     | .2427     | .2614     | .2241     | .2614     |           | .9335     |
| 18   | .1867     | .2054     |           | .2241     | .2241     | .2614     | .8215     |
| 19   | .2241     | .2801     | .2801     | .2801     | .2987     | .2987     | .9709     |
| 20   | .2801     |           |           | .3174     | .3361     | .3547     | 1.1203    |
| 21   | .2987     | .3547     | .3734     | .3361     | .3174     | .3361     | 1.1576    |
| 22   | .3547     | .3921     | .4668     | .4108     | .4108     | .3921     | 1.4377    |
| 23   | .4108     | .4854     | .5041     | .5041     | .5041     | .5228     | 1.6991    |
| 24   | .4108     | .3921     | .5041     |           | .5041     |           | .5228     |
| Max  | .4108     | .4854     | .5041     | .5041     | .5041     | .5228     | 1.6991    |
| Min  | .1867     | .1867     | .2427     | .2241     | .2241     | .2427     | .2054     |
| Avg  | .2763     | .2810     | .3245     | .3011     | .3158     | .3251     | .6535     |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

KOPRI S/DN.[655]

BU 4655

Substation No/ Name :- 283074 / WALMIKI S/S

Feeder No / Name : 206 / Gautam Tower

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.1741    | 3.1741    | 3.2487    |           | 3.1927    | 3.2301    | ***       |
| 2    | 2.8006    | 2.8567    | 3.0247    | 3.6595    | 2.9874    | 3.006     | 2.9313    |
| 3    | 2.6699    | 2.7073    | 2.7446    | 3.062     | 2.8193    | 2.7633    |           |
| 4    |           |           | 2.4832    |           | 2.6513    | 2.6139    | 2.5393    |
| 5    |           |           | 2.4272    |           | 2.5206    | 2.4646    |           |
| 6    | 2.3152    | 2.2779    | 2.3152    | 2.4272    | 2.4272    | 2.2779    | 2.3152    |
| 7    | 2.1285    | 2.1658    | 2.2405    | 2.3339    | 2.2779    | 2.1285    | 2.2218    |
| 8    | 2.1098    | 2.1098    | 2.1472    | 2.1845    | 2.2218    | 2.0911    | 2.2218    |
| 9    |           | 2.1658    | 2.3152    |           | 2.2592    | 2.0538    | 2.1658    |
| 10   | 2.4272    | 2.2592    | 2.4086    | 2.4272    | 2.6326    |           | 2.3525    |
| 11   | 2.4646    | 2.4646    | 2.4646    | 2.5019    | 2.7633    |           | 2.4646    |
| 12   | 2.6326    | 2.6139    | 2.726     |           | 2.838     |           | 2.5393    |
| 13   | 2.6139    | 2.6886    | 2.6513    | 2.6886    | 2.9127    | 2.2965    | 2.5766    |
| 14   | 2.6326    | 2.6886    | 2.8006    | 2.726     | 2.8567    | 2.3712    |           |
| 15   | 2.6513    | 2.7073    | 3.0434    | 2.7446    | 2.95      |           | 2.6886    |
| 16   | 2.6699    |           | 2.9313    | 2.6699    | 2.8567    | 2.3899    | 2.6699    |
| 17   | 2.6139    | 2.4646    | 2.8193    | 2.6326    | 2.7073    |           | 2.5579    |
| 18   | 2.4459    | 2.3712    |           | 2.3525    | 2.5206    | 2.1845    | 2.3152    |
| 19   | 2.6139    | 2.5393    | 2.7446    | 2.5393    | 2.7073    | 2.5579    | 2.5206    |
| 20   | 2.9127    | 3.062     |           | 2.9313    | 2.9874    | 2.8006    | 2.894     |
| 21   | 2.8006    | 2.8753    | 3.062     | 2.894     | 2.95      | 2.7073    | 2.782     |
| 22   | 2.9127    | 2.95      | 3.1741    | 2.9874    | 2.9687    | 2.8567    | 2.9127    |
| 23   | 3.1367    | 3.2487    | 3.3794    | 3.2861    | .3734     | 3.2114    | 3.1554    |
| 24   | 3.3981    | 3.4728    | 3.4541    |           | 3.5101    | 3.3794    | 3.3794    |
| Max  | 3.3981    | 3.4728    | 3.4541    | 3.6595    | 3.5101    | 3.3794    | 32.1701   |
| Min  | 2.1098    | 2.1098    | 2.1472    | 2.1845    | .3734     | 2.0538    | 2.1658    |
| Avg  | 2.6726    | 2.6602    | 2.7548    | 2.7249    | 2.6622    | 2.5992    | 4.0178    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

KOPRI S/DN.[655]

BU 4655

Substation No/ Name :- 283074 / WALMIKI S/S

Feeder No / Name : 207 / BSUP Feeder

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0642    | 1.0829    | 1.0829    |           | 1.1203    | 1.0642    | 1.0642    |
| 2    | .9522     | 1.0456    | 1.0642    | 1.1576    | 1.0829    | .9522     | 1.0082    |
| 3    | .8775     | .9522     | .9709     | 1.0456    | .9522     | .9709     |           |
| 4    |           |           | .8962     |           | .9522     | .9149     | .9335     |
| 5    |           |           | .9335     |           | .8589     | .8589     |           |
| 6    | .8402     | .8402     | .8589     | .8029     | .8775     | .8589     | .8402     |
| 7    | .8402     | .8962     | .9335     | .9335     | .8215     | .7842     | .7468     |
| 8    | .8589     | .8775     | .8589     | .9149     | .8589     | .8215     | .8029     |
| 9    |           | .8775     | .8402     |           | .8775     | .8402     | .8402     |
| 10   | .6722     | .8215     | .8589     | .8215     | .8402     |           | .8029     |
| 11   | .7282     | .7095     | .8775     | .8589     | .8962     |           | .7655     |
| 12   | .6908     | .6722     | .8962     |           | .9335     |           | .8775     |
| 13   | .7468     | .6722     | .8402     | .7655     | .8029     | .7842     | .8962     |
| 14   | .7842     | .7842     | .8589     | .7468     | .8962     | .7842     |           |
| 15   | .8215     | .8589     | .8962     | .7468     | .9149     |           | .8402     |
| 16   | .8402     |           | .8589     | .8402     | .9149     | .8589     | .8402     |
| 17   | .8215     | .7282     | .8215     | .8402     | .8402     |           | .8215     |
| 18   | .5975     | .7468     |           | .7655     | .7282     | .7655     | .5788     |
| 19   | .7095     | .6535     | .6535     | .6722     | .8029     | .6348     | .6722     |
| 20   | .8589     | .8589     |           | .8029     | .8215     | .7282     | .8215     |
| 21   | .8402     | .8589     | .8029     | .7842     | .8589     | .7842     | .8589     |
| 22   | .9335     | .9522     | 1.0456    | .9335     | .8775     | .9709     | .9896     |
| 23   | 1.1016    | 1.1576    | 1.1949    | 1.1576    | .9522     | 1.1576    | 1.1389    |
| 24   | 1.0829    | 1.0642    | 1.1576    |           | 1.1389    | 1.0829    | 1.1576    |
| Max  | 1.1016    | 1.1576    | 1.1949    | 1.1576    | 1.1389    | 1.1576    | 1.1576    |
| Min  | .5975     | .6535     | .6535     | .6722     | .7282     | .6348     | .5788     |
| Avg  | .8411     | .8624     | .9183     | .8661     | .9009     | .8746     | .8713     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for **All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

THANE DIVISION - I[553]

KOPRI S/DN.[655] BU 4655

Substation No/ Name :- 283074 / WALMIKI S/S

Feeder No / Name : 208 / Auxillary Walmiki S-stn

Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 10   | .0448     |           |           |           |           |           |
| 12   | .0822     | .0822     |           | .085      |           | .0896     |
| 24   | .6588     | .0659     | .052      | .0624     | .0832     | .0659     |
| Max  | .6588     | .0822     | .052      | .085      | .0832     | .0896     |
| Min  | .0448     | .0659     | .052      | .0624     | .0832     | .0659     |
| Avg  | .2619     | .0741     | .052      | .0737     | .0832     | .0778     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283079 / 22/11 kV VASANT VIHAR

SUBSTATI

Feeder No / Name : 201 / SHOPPING FEEDER

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.7737    | 1.828     | 1.8473    | 1.9204    | 3.2036    | 3.095     | 3.1459    |
| 2    | 1.6289    | 1.6289    | 1.6827    | 1.8642    | 2.8054    | 2.758     | 2.8416    |
| 3    | 1.5565    | 1.5384    | 1.5729    | 1.7909    | 2.6606    | 2.6505    | 2.7149    |
| 4    | 1.4842    | 1.4299    | 1.4685    | 1.7372    | 2.5339    | 2.5431    | 2.6244    |
| 5    | 1.4118    | 1.4118    | 1.4327    | 1.6832    | 2.3348    | 2.3529    | 2.3891    |
| 6    | 1.2851    | 1.3032    | 1.3611    | 1.5415    | 2.1719    | 2.1719    | 2.1719    |
| 7    | 1.2308    | 1.3394    | 1.3112    | 1.4175    | 2.0633    | 2.0452    | 2.0595    |
| 8    | 1.3213    | 1.3394    | 1.2894    | 1.3466    | 1.9366    | 1.9185    | 1.97      |
| 9    | 1.3575    | 1.3937    | 1.3253    | 1.382     | 2.0633    | 2.0774    | 1.9879    |
| 10   | 1.4118    | 1.4118    | 1.5203    | 1.4842    | 2.2986    | 2.2028    | 2.1439    |
| 11   | 1.5203    | 1.5023    | 1.5023    | 1.4661    | 2.4796    | 2.3282    | 2.1616    |
| 12   | 1.5927    | 1.5203    | 1.5384    | 1.448     | 2.4977    | 2.4977    | 2.2325    |
| 13   | 1.5746    | 1.5023    | 1.5203    | 1.4842    | 2.552     | 2.6326    | 2.2502    |
| 14   | 1.4661    | 1.4118    | 1.5384    | 1.6289    | 2.733     | 2.5692    | 2.2857    |
| 15   | 1.5565    | 1.5203    | 1.6651    | 1.6832    | 2.6787    | 2.5882    | 2.3388    |
| 16   | 1.4842    | 1.4299    | 1.6832    | 1.4842    | 2.5158    | 2.5701    | 2.3211    |
| 17   | 1.3998    | 1.448     | 1.5203    | 1.3032    | 2.371     | 2.3529    | 2.0908    |
| 18   | 1.3611    | 1.4299    | 1.3756    | 1.267     | 2.2443    | 2.2028    | 1.9845    |
| 19   | 1.5238    | 1.5384    | 1.5927    | 2.1719    | 2.371     | 2.167     | 2.1262    |
| 20   | 1.6655    | 1.7556    | 1.8099    | 2.6244    | 2.6787    | 2.6244    | 2.4097    |
| 21   | 1.773     | 1.7375    | 1.8461    | 2.6425    | 2.7149    | 2.6147    | 2.6223    |
| 22   | 1.773     | 1.7556    | 1.9909    | 2.9502    | 2.9683    | 2.955     | 2.9235    |
| 23   | 1.9909    | 2.0302    | 2.0485    | 3.3665    | 3.4558    | 3.3131    | 3.4751    |
| 24   | 1.9728    | 1.9728    | 1.9753    | 2.0485    | 3.3484    | 3.4189    | 3.5298    |
| Max  | 1.9909    | 2.0302    | 2.0485    | 3.3665    | 3.4558    | 3.4189    | 3.5298    |
| Min  | 1.2308    | 1.3032    | 1.2894    | 1.267     | 1.9366    | 1.9185    | 1.97      |
| Avg  | 1.5465    | 1.5491    | 1.6008    | 1.8224    | 2.5701    | 2.5271    | 2.4500    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283079 / 22/11 kV VASANT VIHAR

SUBSTATI

Feeder No / Name : 202 / M R S FEEDER

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3121    | 1.2752    | 1.2934    | 1.4148    | 1.3676    | 1.3073    | 1.3032    |
| 2    | 1.2197    | 1.1827    | 1.1584    | 1.3394    | 1.2382    | 1.2178    | 1.2127    |
| 3    | 1.1088    | 1.0534    | .9313     | 1.2536    | 1.1088    | 1.1104    | 1.1403    |
| 4    | 1.0349    | .9979     | .9134     | 1.1765    | 1.0719    | 1.0745    | 1.086     |
| 5    | .9055     | .924      | .8238     | 1.0745    | .9979     | .9671     | .9492     |
| 6    | .8686     | .8686     | .8059     | .9671     | .924      | .8869     | .8059     |
| 7    | .9055     | .8316     | .7522     | .7619     | .7762     | .8145     | .7343     |
| 8    | .7023     | .8131     | .7164     | .6805     | .7392     | .6697     | .6626     |
| 9    | .7947     | .6653     | .7701     | .7343     | .7023     | .7343     | .6805     |
| 10   | .7207     | .7392     | .7023     | .7392     | .7392     | .7343     | .6584     |
| 11   | .6838     | .7577     | .7762     | .7577     | .924      | .7796     | .7602     |
| 12   | .7947     | .6653     | .7577     | .7207     | .8686     | .8954     | .7783     |
| 13   | .7207     | .7947     | .9055     | .961      | .9055     | .9492     | .7964     |
| 14   | .8871     | .7762     | .8871     | .9055     | .8501     | .9492     | .7059     |
| 15   | .8131     | .8131     | 1.0164    | .8871     | 1.0349    | .9313     | .8688     |
| 16   | .8417     | .7964     | .8869     | .8688     | .9231     | .9134     | .8688     |
| 17   | .7087     | .6335     | .8326     | .7783     | .8507     | .8596     | .7421     |
| 18   | .6201     | .6697     | .6697     | .6697     | .8145     | .8238     | .5973     |
| 19   | .6805     | .7602     | .8507     | .724      | .7421     | .8238     | .7783     |
| 20   | .8682     | .8869     | .9231     | .9412     | .8869     | .8775     | .8688     |
| 21   | 1.0029    | .9774     | 1.0679    | .9774     | 1.0136    | .9134     | .9593     |
| 22   | 1.0745    | 1.086     | 1.1946    | 1.1765    | 1.1222    | 1.1999    | 1.1946    |
| 23   | 1.4784    | 1.3717    | 1.4632    | 1.4045    | 1.3937    | 1.4632    | 1.4661    |
| 24   | 1.4784    | 1.46      | 1.4632    | 1.4998    | 1.4784    | 1.4506    | 1.448     |
| Max  | 1.4784    | 1.46      | 1.4632    | 1.4998    | 1.4784    | 1.4632    | 1.4661    |
| Min  | .6201     | .6335     | .6697     | .6697     | .7023     | .6697     | .5973     |
| Avg  | .9261     | .9083     | .9401     | .9756     | .9781     | .9728     | .9194     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283079 / 22/11 kV VASANT VIHAR

SUBSTATI

Feeder No / Name : 203 / VOLTAS FEEDER

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.8473    | 1.8473    | 1.773     | 1.9366    | 1.8839    | 1.8446    | 1.8823    |
| 2    | 1.6827    | 1.6461    | 1.6651    | 1.7193    | 1.7193    | 1.7013    | 1.6834    |
| 3    | 1.4815    | 1.5546    | 1.576     | 1.6118    | 1.5729    | 1.576     | 1.6118    |
| 4    | 1.4083    | 1.39      | 1.379     | 1.5043    | 1.4449    | 1.4327    | 1.4685    |
| 5    | 1.2986    | 1.2986    | 1.3073    | 1.3575    | 1.39      | 1.4299    | 1.3253    |
| 6    | 1.1523    | 1.1888    | 1.2489    | 1.1641    | 1.3352    | 1.267     | 1.1641    |
| 7    | 1.134     | 1.0974    | 1.1462    | 1.0924    | 1.134     | 1.1283    | 1.0745    |
| 8    | 1.0974    | 1.134     | 1.0745    | 1.0387    | 1.1523    | 1.0208    | 1.0208    |
| 9    | 1.0608    | .9694     | 1.0029    | .9671     | 1.0608    | .985      | .9492     |
| 10   | .9877     | .9877     | 1.0425    | 1.0425    | 1.0791    | 1.0566    | 1.1222    |
| 11   | 1.0059    | .9694     | 1.0059    | 1.0242    | 1.0608    | 1.1104    | 1.0029    |
| 12   | 1.0608    | 1.0059    | 1.0791    | 1.0608    | 1.2254    | 1.182     | 1.0208    |
| 13   | 1.0425    | .9877     | 1.134     | 1.2437    | 1.2254    | 1.2536    | 1.1462    |
| 14   | 1.1706    | 1.0974    | 1.2437    | 1.2071    | 1.2437    | 1.2715    | 1.0924    |
| 15   | 1.1523    | 1.1523    | 1.2986    | 1.2254    | 1.2254    | 1.2894    | 1.1104    |
| 16   | 1.0566    | 1.0745    | 1.2357    | 1.0566    | 1.1999    | 1.3073    | 1.0924    |
| 17   | .985      | .9671     | 1.0745    | 1.0208    | 1.0924    | 1.2536    | 1.0745    |
| 18   | .9313     | .9313     | 1.0387    | 1.0029    | 1.0208    | 1.0924    | 1.0029    |
| 19   | 1.0566    | .9671     | 1.0745    | 1.0387    | 1.0387    | 1.0745    | 1.1462    |
| 20   | 1.2226    | 1.1641    | 1.2894    | 1.2178    | 1.1641    | 1.2357    | 1.2715    |
| 21   | 1.3253    | 1.3073    | 1.379     | 1.3432    | 1.3073    | 1.2851    | 1.3253    |
| 22   | 1.4864    | 1.5043    | 1.7372    | 1.5581    | 1.5581    | 1.6834    | 1.5402    |
| 23   | 1.9387    | 1.9387    | 2.0851    | 1.9936    | 1.9342    | 1.9547    | 1.9342    |
| 24   | 2.0485    | 2.1068    | 2.0302    | 2.1948    | 2.0302    | 2.0452    | 2.0633    |
| Max  | 2.0485    | 2.1068    | 2.0851    | 2.1948    | 2.0302    | 2.0452    | 2.0633    |
| Min  | .9313     | .9313     | 1.0029    | .9671     | 1.0208    | .985      | .9492     |
| Avg  | 1.2764    | 1.2620    | 1.3300    | 1.3176    | 1.3375    | 1.3534    | 1.2969    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283079 / 22/11 kV VASANT VIHAR

SUBSTATI

Feeder No / Name : 205 / SIDDHACAL

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .5914     | .5729     | .5194     | .5973     | .6099     | .6089     | .5731     |
| 2    | .499      | .499      | .5014     | .5373     | .5544     | .5373     | .5373     |
| 3    | .462      | .462      | .4525     | .4298     | .499      | .4835     | .4835     |
| 4    | .4251     | .4066     | .394      | .4344     | .462      | .4477     | .4298     |
| 5    | .4066     | .3696     | .3761     | .3982     | .4251     | .4298     | .394      |
| 6    | .3142     | .2957     | .3224     | .3801     | .3696     | .3582     | .3582     |
| 7    | .2772     | .3142     | .3224     | .3189     | .3326     | .3403     | .3224     |
| 8    | .2957     | .2957     | .2865     | .2835     | .3142     | .2865     | .3224     |
| 9    | .2957     | .3142     | .3012     | .3045     | .3511     | .2629     | .3045     |
| 10   | .3511     | .3511     | .3696     | .3326     | .3511     | .3045     | .3109     |
| 11   | .3326     | .3326     | .3511     | .3511     | .3696     | .3403     | .362      |
| 12   | .3696     | .2957     | .3881     | .3511     | .3511     | .3761     | .3258     |
| 13   | .3326     | .3142     | .3511     | .3696     | .4066     | .3761     | .3258     |
| 14   | .3511     | .3142     | .3696     | .3696     | .3881     | .3582     | .3258     |
| 15   | .3511     | .3511     | .4066     | .3696     | .4251     | .3582     | .3801     |
| 16   | .3045     | .3475     | .4024     | .3475     | .4024     | .3582     | .362      |
| 17   | .2865     | .3109     | .3292     | .3292     | .3658     | .3224     | .3439     |
| 18   | .2658     | .2926     | .3109     | .3292     | .3292     | .3077     | .2896     |
| 19   | .3012     | .2743     | .3292     | .3109     | .3292     | .2896     | .362      |
| 20   | .3366     | .3292     | .3841     | .4024     | .3475     | .3439     | .3801     |
| 21   | .3898     | .3841     | .439      | .4572     | .4024     | .3761     | .3982     |
| 22   | .4298     | .4572     | .4755     | .5121     | .4755     | .4887     | .4887     |
| 23   | .6283     | .567      | .6584     | .6099     | .6089     | .6154     | .6516     |
| 24   | .6468     | .6283     | .6584     | .6767     | .6653     | .6447     | .6516     |
| Max  | .6468     | .6283     | .6584     | .6767     | .6653     | .6447     | .6516     |
| Min  | .2658     | .2743     | .2865     | .2835     | .3142     | .2629     | .2896     |
| Avg  | .3852     | .3783     | .4041     | .4084     | .4223     | .4006     | .4035     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283095 / 22KV KASARWADWALI SWG STN

Feeder No / Name : 301 / SERENDIPITY MALL

Feeder KV- 22 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1524     |           |           | .1524     |           | .1524     |           |
| 2    | .1524     |           |           |           |           | .1524     |           |
| 3    | .1524     |           |           |           |           | .1524     |           |
| 4    | .1524     |           |           |           |           | .1524     |           |
| 5    | .1524     |           |           |           |           | .1524     |           |
| 6    | .1524     |           | .1524     |           |           | .1524     |           |
| 7    | .1905     |           | .1905     | .1524     |           | .1524     |           |
| 8    | .1905     |           | .1905     |           | .1524     | .1524     |           |
| 9    | .381      |           | .3429     |           | .6097     |           |           |
| 10   | .6478     |           | .9145     |           | .9145     |           | .6478     |
| 11   | .9526     |           | .9145     |           | .9145     |           | 1.0669    |
| 12   | .9145     | .8764     | .9145     |           | .9145     | 1.105     |           |
| 13   | .9526     |           | .9145     |           | .9145     |           |           |
| 14   | 1.0288    | .9907     | .9145     |           | .9145     | 1.1431    | 1.0669    |
| 15   | .9526     |           | 1.0669    |           | .9526     |           | 1.105     |
| 16   | .9145     |           | .9907     |           | 1.0669    |           | 1.0669    |
| 17   |           |           | .9907     |           | .9907     |           | 1.0288    |
| 18   |           |           | .9907     |           | .9907     |           | 1.0288    |
| 19   |           |           | 1.0288    |           | .9907     | .9907     | 1.0288    |
| 20   |           | .9907     | .9145     |           | .8764     | 1.0669    | 1.0288    |
| 21   |           |           | .9145     |           | .9907     |           |           |
| 22   |           |           | .3429     |           | .4572     |           |           |
| 23   |           |           | .1905     |           | .2286     |           |           |
| 24   | .1905     |           |           | .1905     |           | .1905     |           |
| Max  | 1.0288    | .9907     | 1.0669    | .1905     | 1.0669    | 1.1431    | 1.105     |
| Min  | .1524     | .8764     | .1524     | .1524     | .1524     | .1524     | .6478     |
| Avg  | .4841     | .9526     | .7155     | .1651     | .8049     | .4396     | 1.0076    |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283095 / 22KV KASARWADWALI SWG STN

Feeder No / Name : 302 / IRON AND METAL

Feeder KV- 22 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .381      |           |           | .381      |           | .3048     |           |
| 2    | .381      |           |           | .381      |           | .3048     |           |
| 3    | .381      |           |           | .381      |           | .3048     |           |
| 4    | .381      |           |           | .381      |           | .3048     |           |
| 5    | .381      |           |           | .381      |           | .3048     |           |
| 6    | .4191     |           | .6859     | .381      |           | .4191     |           |
| 7    | .4191     |           | .724      | .4572     |           | .381      |           |
| 8    | .8002     |           | .724      |           | .381      | .4954     |           |
| 9    | .8002     |           | .9907     |           | .4572     |           |           |
| 10   | 1.0669    |           | 1.105     |           | .3429     |           | 1.105     |
| 11   | 1.0669    |           | 1.105     |           |           |           | 1.2193    |
| 12   | 1.0669    | 1.1431    | 1.105     |           |           | .6097     |           |
| 13   | 1.0288    |           | 1.105     |           |           |           |           |
| 14   | 1.0669    | 1.0288    | 1.105     |           |           | .5716     |           |
| 15   | 1.0669    |           | 1.105     |           |           |           |           |
| 16   | 1.0669    |           | 1.3717    |           |           |           | 1.105     |
| 17   |           |           | 1.3717    |           | .4572     |           | 1.105     |
| 18   |           |           | 1.3336    |           | .4572     |           | 1.1431    |
| 19   |           |           | .9907     |           | .4572     | .6859     | 1.0288    |
| 20   |           | .9526     | .5716     |           | .4954     | .6478     | .8764     |
| 21   |           |           | .5716     |           | .4572     |           |           |
| 22   |           |           | .5335     |           | .4572     |           |           |
| 23   |           |           | .5335     |           | .4191     |           |           |
| 24   | .4572     |           |           | .4954     |           | .4191     |           |
| Max  | 1.0669    | 1.1431    | 1.3717    | .4954     | .4954     | .6859     | 1.2193    |
| Min  | .381      | .9526     | .5335     | .381      | .3429     | .3048     | .8764     |
| Avg  | .7195     | 1.0415    | .9463     | .4048     | .4382     | .4426     | 1.0832    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283095 / 22KV KASARWADWALI SWG STN

Feeder No / Name : 303 / BOMBAY METAL AND ALLOY NON SHEDDABLE EXPRESS HV FEEDERS  
 Feeder KV- 22 / OUTGOING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4954     |           |           | .4572     |           | .3429     |           |
| 2    | .4572     |           |           | .4572     |           |           |           |
| 3    | .381      |           |           | .4572     |           | .3048     |           |
| 4    | .381      |           |           | .4572     |           | .3048     |           |
| 5    | .381      |           |           | .4572     |           | .3048     |           |
| 6    | .4191     |           | .4191     | .4572     |           | .3048     |           |
| 7    | .381      |           | .4191     | .4572     |           | .3048     |           |
| 8    | .4954     |           | .4572     |           | .381      | .3048     |           |
| 9    | .5716     |           | .6097     |           | .4191     |           |           |
| 10   | .6097     |           | .6859     |           | .4191     |           | .6478     |
| 11   | .5716     |           | .6859     |           | .4191     |           | .6478     |
| 12   | .6097     | .6478     | .6859     |           | .4572     |           |           |
| 13   | .6097     |           | .6859     |           | .4572     |           |           |
| 14   | .6097     | .6859     | .6859     |           | .4572     | .3048     |           |
| 15   | .6859     |           | .6859     |           | .4572     |           |           |
| 16   | .6859     |           | .6478     |           | .4572     |           |           |
| 17   |           |           | .6478     |           | .381      |           |           |
| 18   |           |           | .6478     |           | .381      |           |           |
| 19   |           |           | .6097     |           | .3429     | .3429     | .6097     |
| 20   |           | .6097     | .6097     |           | .3429     | .3048     | .6478     |
| 21   |           |           | .6097     |           | .3429     |           |           |
| 22   |           |           | .4954     |           | .3048     |           |           |
| 23   |           |           | .5716     |           | .3048     |           |           |
| 24   | .4954     |           |           | .4572     |           | .3429     |           |
| Max  | .6859     | .6859     | .6859     | .4572     | .4572     | .3429     | .6478     |
| Min  | .381      | .6097     | .4191     | .4572     | .3048     | .3048     | .6097     |
| Avg  | .5200     | .6478     | .6033     | .4572     | .3953     | .3152     | .6383     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283095 / 22KV KASARWADWALI SWG STN

Feeder No / Name : 304 / G CORP

Feeder KV- 22 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4191     |           |           | .4572     |           | .3048     |           |
| 2    | .4191     |           |           | .4572     |           | .3048     |           |
| 3    | .4191     |           |           | .4572     |           | .3048     |           |
| 4    | .4191     |           |           | .4572     |           | .3048     |           |
| 5    | .4191     |           |           | .4572     |           | .3048     |           |
| 6    | .4954     |           | .1905     | .4572     |           | .3048     |           |
| 7    | .2286     |           | .2667     | .5335     |           | .2667     |           |
| 8    | .5335     |           | .5716     |           | .381      | .2667     |           |
| 9    | .5716     |           | .7621     |           | .4954     |           |           |
| 10   | .724      |           | .6859     |           | .5716     |           | .8002     |
| 11   | .724      |           | .6859     |           | .5716     |           | .7621     |
| 12   | .7621     | .6478     | .6859     |           | .5716     | .2667     |           |
| 13   | .6859     |           | .6859     |           | .5716     |           |           |
| 14   | .7621     | .7621     | .6859     |           | .6097     | .1524     |           |
| 15   | .7621     |           | .6859     |           | .6097     |           |           |
| 16   | .8002     |           | .6859     |           | .1524     |           |           |
| 17   |           |           | .6859     |           | .5335     |           |           |
| 18   |           |           | .6859     |           | .5335     |           |           |
| 19   |           |           | .6859     |           | .4572     | .1524     | .6859     |
| 20   |           | .3048     | .6859     |           | .4191     | .1524     | .6478     |
| 21   |           |           | .724      |           | .3048     |           |           |
| 22   |           |           | .6097     |           | .381      |           |           |
| 23   |           |           | .6859     |           | .1524     |           |           |
| 24   | .4191     |           |           | .5716     |           | .3048     |           |
| Max  | .8002     | .7621     | .7621     | .5716     | .6097     | .3048     | .8002     |
| Min  | .2286     | .3048     | .1905     | .4572     | .1524     | .1524     | .6478     |
| Avg  | .5626     | .5716     | .6309     | .4810     | .4573     | .2608     | .724      |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283097 / 22/11 KV SOHAM S/S

Feeder No / Name : 201 / SOHAM 1

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .463      | .4287     | .3772     | .463      | .4115     | .4115     | .4801     |
| 2    | .4458     | .4287     | .3429     | .4287     | .3772     | .3601     | .463      |
| 3    | .4115     | .3772     | .3429     | .3601     | .3429     | .3429     |           |
| 4    | .3772     | .3086     | .3086     | .3429     | .3086     | .2743     | .3601     |
| 5    | .3429     | .3086     | .2743     | .3258     | .2572     | .2743     | .3429     |
| 6    | .3086     | .3086     | .2743     | .3086     | .2572     | .2572     | .3258     |
| 7    | .2572     | .2915     | .2572     | .2743     | .2743     | .2401     | .3086     |
| 8    | .2572     | .2915     | .2401     | .2572     | .2572     | .2401     | .2743     |
| 9    | .2743     | .2572     | .2743     | .2401     | .3086     | .2743     | .2915     |
| 10   | .3086     | .3258     | .3258     | .3601     | .4115     | .3258     | .3772     |
| 11   | .3258     | .3601     | .3086     | .3601     | .4287     | .4115     | .3772     |
| 12   | .3429     | .3258     | .3601     | .3086     | .4287     | .4115     | .3086     |
| 13   | .3429     | .3429     | .3772     | .3944     | .3601     | .3601     | .3429     |
| 14   | .3429     | .3601     | .3601     | .3772     | .3944     | .3772     | .3429     |
| 15   | .3772     | .4115     | .4287     | .3944     | .4458     | .4115     | .3772     |
| 16   | .3944     | .3944     | .4287     | .3944     | .463      | .4287     | .4115     |
| 17   | .3772     | .3429     | .4287     | .3429     | .4287     | .3772     | .3772     |
| 18   | .3258     | .3086     | .3944     | .3429     | .3601     | .3944     | .3429     |
| 19   | .3601     | .3772     | .3944     | .3944     | .3772     | .3772     | .3429     |
| 20   | .3772     | .3258     | .3601     | .4287     | .3772     | .3601     | .3429     |
| 21   | .3772     | .3944     | .4115     |           | .3601     | .3772     | .4287     |
| 22   | .3772     | .3944     | .4458     | .4287     | .4458     | .3944     |           |
| 23   | .4458     | .4287     | .4801     | .4458     | .4287     | .4458     | .463      |
| 24   | .4801     | .463      | .4287     | .4973     | .4801     | .4801     | .4801     |
| Max  | .4801     | .463      | .4801     | .4973     | .4801     | .4801     | .4801     |
| Min  | .2572     | .2572     | .2401     | .2401     | .2572     | .2401     | .2743     |
| Avg  | .3622     | .3565     | .3594     | .3683     | .3744     | .3586     | .3710     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283097 / 22/11 KV SOHAM S/S

Feeder No / Name : 202 / UNNATI

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8059     | .703      | .7716     | .823      | .823      | .6687     | .7716     |
| 2    | .7545     | .6001     | .7202     | .703      | .7716     | .6344     | .7373     |
| 3    | .6859     | .5487     | .6687     | .6687     | .7202     | .5487     | .703      |
| 4    | .6173     | .4801     | .6173     | .6001     | .6687     | .4801     | .6687     |
| 5    | .5487     | .4287     | .5487     | .5316     | .6173     | .4458     | .6001     |
| 6    | .4973     | .4287     | .4801     | .5144     | .5487     | .4287     | .5316     |
| 7    | .4801     | .3772     | .4801     | .463      | .4973     | .4115     | .4973     |
| 8    | .4458     |           | .463      | .4115     | .4458     | .4115     | .3944     |
| 9    | .4801     | .463      | .5316     | .4115     | .4973     | .4115     | .4458     |
| 10   | .463      | .4458     | .4458     | .4458     | .4973     | .463      | .4115     |
| 11   | .463      | .463      | .4287     | .463      | .4801     | .4287     | .4801     |
| 12   | .4458     | .463      | .4287     | .463      | .4458     | .6344     | .4801     |
| 13   | .463      | .5316     | .4458     | .5316     | .4115     | .463      | .5316     |
| 14   | .4458     | .4801     | .4801     | .5316     | .4287     | .4973     | .4801     |
| 15   | .463      | .5487     | .4973     | .5487     | .4801     | .5144     | .5144     |
| 16   | .4801     | .5316     | .4801     | .5144     | .5316     | .5658     | .5487     |
| 17   | .4287     | .4973     | .463      | .4287     | .4973     | .4973     | .4973     |
| 18   | .3772     | .3944     | .4115     | .3944     | .4287     | .4287     | .3772     |
| 19   | .3944     | .4287     | .3944     | .4115     | .3944     | .4458     | .3772     |
| 20   | .4801     | .463      | .5316     | .4801     | .463      | .463      | .4458     |
| 21   | .5144     | .583      | .5658     | .583      | .5316     | .5144     | .5487     |
| 22   | .6001     | .7202     | .6516     | .703      | .5658     | .6001     |           |
| 23   | .7373     | .8745     |           | .8059     | .703      | .7373     | .8745     |
| 24   | .8573     | .7545     | .823      | .823      | .8745     | .7888     | .7716     |
| Max  | .8573     | .8745     | .823      | .823      | .8745     | .7888     | .8745     |
| Min  | .3772     | .3772     | .3944     | .3944     | .3944     | .4115     | .3772     |
| Avg  | .5387     | .5308     | .5360     | .5523     | .5551     | .5201     | .5517     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283097 / 22/11 KV SOHAM S/S

Feeder No / Name : 203 / REGENCY

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.6235    | 2.5377    | 2.6063    | 2.8978    | 2.6578    | 2.4348    | 2.7606    |
| 2    | 2.4691    | 2.2634    | 2.4177    | 2.8292    | 2.4863    | 2.3148    | 2.7263    |
| 3    | 2.3148    | 2.0576    | 2.2291    | 2.7949    | 2.3148    | 1.8861    | 2.6578    |
| 4    | 2.1434    | 1.6289    | 2.0405    | 2.6578    | 2.1434    | 1.7147    | 2.5892    |
| 5    | 1.9719    | 1.5432    | 1.8519    | 2.5892    | 1.9719    | 1.5775    | 2.4863    |
| 6    | 1.7147    | 1.4575    | 1.7147    | 2.4863    | 1.7147    | 1.4918    | 2.4177    |
| 7    | 1.5089    | 1.4232    | 1.4575    | 2.0748    | 1.4232    | 1.4746    | 2.2462    |
| 8    | 1.406     | 1.4232    | 1.3889    | 1.5432    | 1.4575    | 1.4746    | 1.3717    |
| 9    | 1.5089    | 1.4746    | 1.5775    | 1.4746    | 1.5432    | 1.3203    | 1.406     |
| 10   | 1.6118    | 1.5432    | 1.6118    | 1.5261    | 1.6804    | 1.5432    | 1.5089    |
| 11   | 1.6632    | 1.5947    | 1.7147    | 1.6461    | 1.749     | 1.6118    | 1.6975    |
| 12   | 1.6461    | 1.6289    | 1.6804    | 1.6804    | 1.7833    | 1.6975    | 1.6975    |
| 13   | 1.6804    | 1.5947    | 1.6975    | 1.7318    | 1.7833    | 1.749     | 1.7661    |
| 14   | 1.7147    | 1.6804    | 1.8347    | 1.7661    | 1.7833    | 1.8861    | 1.749     |
| 15   | 1.7833    | 1.9204    | 2.1434    | .5487     | 1.9204    | 1.9033    | 1.8861    |
| 16   | 1.7661    | 1.8861    | 1.7147    | 1.9547    | 1.9376    | 1.9547    | 1.9204    |
| 17   | 1.6289    | 1.749     | 1.869     | 1.8519    | 1.8861    | 1.8861    | 1.7318    |
| 18   | 1.5089    | 1.5604    | 1.7318    | 1.749     | 1.7147    | 1.6632    | 1.6118    |
| 19   | 1.5947    | 1.5432    | 1.6118    | 1.6289    | 1.6289    | 1.6289    | 1.5432    |
| 20   | 1.8519    | 1.6975    | 1.7147    | 1.749     | 1.6804    | 1.5947    | 1.5947    |
| 21   | 1.9204    | 1.8861    | 1.989     | 1.9033    | 1.8519    | 1.9204    | 1.869     |
| 22   | 2.1948    | 2.2291    | 2.3148    | 2.2291    | 2.0748    | 2.0233    |           |
| 23   | 2.7092    | 2.6749    | 2.7778    | 2.7606    | 2.5892    | 2.6406    | 2.7778    |
| 24   | 2.7778    | 2.692     | 2.7949    | 2.9664    | 2.8292    | 2.7606    | 2.8121    |
| Max  | 2.7778    | 2.692     | 2.7949    | 2.9664    | 2.8292    | 2.7606    | 2.8121    |
| Min  | 1.406     | 1.4232    | 1.3889    | .5487     | 1.4232    | 1.3203    | 1.3717    |
| Avg  | 1.9047    | 1.8204    | 1.9369    | 2.0433    | 1.9419    | 1.8397    | 2.0360    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283097 / 22/11 KV SOHAM S/S

Feeder No / Name : 204 / OMKARESHWAR

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3429     | .3086     | .3429     | .2401     | .3429     | .3086     | .2229     |
| 2    | .3086     | .2915     | .3429     | .2229     | .3429     | .2743     | .2229     |
| 3    | .2915     | .2743     | .3086     | .2229     | .3086     | .2572     | .2058     |
| 4    | .2401     | .2572     | .2915     | .2229     | .2915     | .2401     | .2058     |
| 5    | .2229     | .2401     | .2572     | .2058     | .2743     | .2401     | .1886     |
| 6    | .1715     | .2229     | .2572     | .2058     | .2572     | .2229     | .1886     |
| 7    | .2058     | .2229     | .2572     | .2058     | .2572     | .2229     | .1886     |
| 8    | .2229     | .2229     | .2572     | .1886     | .2572     | .2229     | .2058     |
| 9    | .2401     | .2401     | .2572     | .1886     | .2572     | .2401     | .2229     |
| 10   | .2572     | .2572     | .2572     | .2058     | .2572     | .2572     | .2229     |
| 11   | .2743     | .2743     | .2743     | .2058     | .2915     | .2572     | .2915     |
| 12   | .2915     | .2915     | .2915     | .2743     | .3086     | .2572     | .2572     |
| 13   | .2915     | .2915     | .2915     | .2743     | .3086     | .2743     | .2743     |
| 14   | .2915     | .2743     | .2915     | .2743     | .3086     | .2743     | .2915     |
| 15   | .2915     | .2915     | .3086     | .2743     | .2915     | .2915     | .2915     |
| 16   | .2743     | .2743     | .3086     | .2743     | .2743     | .2915     | .3086     |
| 17   | .2743     | .2743     | .3086     | .2743     | .2743     | .2743     | 1.5604    |
| 18   | .2572     | .2572     | .2743     | .2743     | .2572     | .2743     | .2572     |
| 19   | .2743     | .2572     | .2743     | .2743     | .2743     | .2743     | .2572     |
| 20   | .2915     | .3086     | .2572     | .3086     | .2915     | .2572     | .2572     |
| 21   | .3086     | .3258     | .2572     | .3258     | .2915     | .2572     | .2915     |
| 22   | .3086     | .3429     | .2572     | .3086     | .3086     | .2572     |           |
| 23   | .3772     | .3772     | .2401     | .3944     | .3772     | .2401     |           |
| 24   | .3601     | .3429     | .3601     | .2401     | .3772     | .3429     | .2229     |
| Max  | .3772     | .3772     | .3601     | .3944     | .3772     | .3429     | 1.5604    |
| Min  | .1715     | .2229     | .2401     | .1886     | .2572     | .2229     | .1886     |
| Avg  | .2779     | .2801     | .2843     | .2536     | .2950     | .2629     | .3016     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283097 / 22/11 KV SOHAM S/S

Feeder No / Name : 205 / HAWARE ESTATE

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.8347    | 1.749     | 2.5377    | 1.1145    | 2.6406    | 2.5377    | 2.7263    |
| 2    | 1.749     | 1.5947    | 2.4177    | 1.046     | 2.5206    | 2.1434    | 2.6578    |
| 3    | 1.6461    | 1.4575    | 2.2977    | 2.7263    | 2.4006    | 1.8004    | 2.6406    |
| 4    | 1.5432    | 1.2689    | 2.1776    | 2.6578    | 2.2462    | 1.8004    | 2.5892    |
| 5    | 1.4403    | 1.166     | 2.0576    | 2.5892    | 2.0576    | 1.7833    | 2.5549    |
| 6    | 1.3375    | 1.1488    | 1.9376    | 2.4863    | 1.9719    | 1.7661    | 2.4863    |
| 7    | 1.2346    | 1.1317    | 1.8004    | 2.1434    | 1.7661    | 1.749     | 2.4177    |
| 8    | 1.1488    | 1.1317    | 1.7661    | 1.7147    | 1.7147    | 1.749     | 1.7661    |
| 9    | 1.1145    | 1.1831    | 1.6118    | 1.7147    | 1.7147    | 1.6804    | 1.6461    |
| 10   | 1.0802    | 1.0974    | 1.4918    | 1.6289    | 1.6118    | 1.5775    | 1.5775    |
| 11   | 1.0974    | 1.0631    | 1.5432    |           | 1.6118    | 1.5604    | 1.5604    |
| 12   | 1.046     | 1.5432    | 1.6289    | 1.5089    | 1.6118    | 1.5947    | 1.5432    |
| 13   | 1.0974    | 1.5432    | 1.6804    | 1.5775    | 1.6118    | 1.6289    | 1.5604    |
| 14   | 1.1831    | 1.7318    | 1.869     | 1.8519    | 1.749     | 1.6461    | 1.749     |
| 15   | 1.2689    | 1.7147    | 2.0576    | 1.869     | 1.8004    | 1.6975    | 1.749     |
| 16   | 1.2689    | 1.7147    | 1.7147    | 1.166     | 1.8176    | 1.869     | 1.7833    |
| 17   | 1.2346    | 1.4575    | 1.6461    | 1.5089    | 1.6804    | 1.5261    | 1.5604    |
| 18   | 1.0117    | 1.3889    | 1.4918    | 1.406     | 1.4746    | 1.4403    | 1.3889    |
| 19   | 1.1488    | 1.5261    | 1.5775    | 1.6118    | 1.5432    | 1.7147    | 1.5089    |
| 20   | 1.2517    | 1.8176    | 1.7147    | 1.8176    | 1.749     | 1.749     | 1.7833    |
| 21   | 1.286     | 1.8861    | 1.9719    | 1.8861    | 1.9033    | 2.0576    |           |
| 22   | 1.4918    | 2.1948    | 2.1434    | 2.1605    | 2.0748    | 2.1262    |           |
| 23   | 1.8004    | 2.5892    | 2.4863    | 2.4006    | 2.4691    | 2.5377    |           |
| 24   | 1.8861    | 1.9033    | 2.6578    | 2.8978    | 2.7606    | 2.7606    | 2.7606    |
| Max  | 1.8861    | 2.5892    | 2.6578    | 2.8978    | 2.7606    | 2.7606    | 2.7606    |
| Min  | 1.0117    | 1.0631    | 1.4918    | 1.046     | 1.4746    | 1.4403    | 1.3889    |
| Avg  | 1.3417    | 1.5418    | 1.9283    | 1.8906    | 1.9376    | 1.854     | 2.0005    |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283097 / 22/11 KV SOHAM S/S

Feeder No / Name : 206 / MERIT MAGNUM

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6344     | .5316     | .6173     | .6687     | .6001     | .583      | .6001     |
| 2    | .583      | .4801     | .583      | .6001     | .5144     | .4801     | .5658     |
| 3    | .5316     | .4287     | .5487     | .5658     | .4801     | .3944     | .5658     |
| 4    | .4801     | .3772     | .5144     | .5316     | .4287     | .3772     | .5316     |
| 5    | .4287     | .3772     | .4801     | .4973     | .3429     | .3429     | .5144     |
| 6    | .4115     | .3601     | .3772     | .4287     | .3086     | .3429     | .4458     |
| 7    | .4115     | .3429     | .3258     | .4115     | .3086     | .3258     | .4115     |
| 8    | .3601     | .3429     | .3429     | .3429     | .3601     | .3258     | .3601     |
| 9    | .3086     | .3429     | .3944     | .3429     | .3086     | .3086     | .3601     |
| 10   | .3258     | .2743     | .3086     | .3429     | .3429     | .3772     | .3258     |
| 11   | .2915     | .3086     | .2743     | .3258     | .3429     | .3772     |           |
| 12   | .2743     | .2915     | .2915     |           | .3429     | .4115     | .2915     |
| 13   | .2915     | .2743     | .3086     |           | .3772     | .3772     | .2915     |
| 14   | .3086     | .3086     | .3601     |           | .3944     | .4115     | .3258     |
| 15   | .3086     | .3429     | .4115     | .3601     | .3944     | .4287     | .3429     |
| 16   | .3086     | .3429     | .3429     | .2915     | .3601     | .4458     | .3429     |
| 17   | .3086     | .3258     | .3258     | .2915     | .3601     | .3772     | .2915     |
| 18   | .2915     | .2743     | .3258     | .3258     | .3601     | .3429     | .2743     |
| 19   | .3429     | .3601     | .4287     | .3429     | .3944     | .3601     | .3258     |
| 20   | .4115     | .4287     | .4287     | .3772     | .4115     | .3944     | .4115     |
| 21   | .4458     | .4458     | .4801     | .4801     | .4458     | .5144     |           |
| 22   | .5487     | .583      | .5658     | .5316     | .5487     | .5316     |           |
| 23   | .6516     | .6173     | .703      | .6344     | .6344     | .6001     |           |
| 24   | .6687     | .6001     | .6516     | .6859     | .6001     | .6344     | .6173     |
| Max  | .6687     | .6173     | .703      | .6859     | .6344     | .6344     | .6173     |
| Min  | .2743     | .2743     | .2743     | .2915     | .3086     | .3086     | .2743     |
| Avg  | .4137     | .3901     | .4330     | .4466     | .4151     | .4194     | .4098     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283097 / 22/11 KV SOHAM S/S

Feeder No / Name : 207 / ORIAN

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0514     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 2    | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 3    | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 4    | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 5    | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 6    | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 7    | .0343     | .0514     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 8    | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 9    | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 10   | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 11   | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 12   | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 13   | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 14   | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 15   | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 16   | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 17   | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 18   | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 19   | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| 20   | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |           |
| 21   | .0343     | .0514     | .0343     | .0343     | .0343     | .0343     |           |
| 22   | .0343     | .0343     | .0343     | .0514     | .0343     | .0343     |           |
| 23   | .0343     | .0514     | .0343     | .0514     | .0343     | .0343     |           |
| 24   | .0514     | .0343     | .0514     | .0343     | .0343     | .0343     | .0343     |
| Max  | .0514     | .0514     | .0514     | .0514     | .0343     | .0343     | .0343     |
| Min  | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     | .0343     |
| Avg  | .0357     | .0364     | .0350     | .0357     | .0343     | .0343     | .0343     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283101 / 22/22 KV HYPERCITY SWITCHING

Feeder No / Name : 301 / Ovla

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.2388    |           |           | 3.4294    |           | 3.315     |           |
| 2    | 2.6673    |           |           | 3.2388    |           | 2.6673    |           |
| 3    | 2.4768    |           |           | 3.2388    |           | 2.4768    |           |
| 4    | 2.4768    |           |           | 3.2388    |           | 2.4768    |           |
| 5    | 2.4768    |           |           | 3.2388    |           | 2.4768    |           |
| 6    | 2.1338    |           | 2.2481    | 3.2388    |           | 2.2862    |           |
| 7    | 2.1338    |           | 2.21      |           |           | 2.3624    |           |
| 8    | 2.0957    |           | 2.21      |           |           | 2.4768    |           |
| 9    | 2.5911    |           | 2.934     |           | 2.6673    |           |           |
| 10   | 3.3913    |           | 3.4294    |           | 3.1245    |           | 3.4675    |
| 11   | 3.7723    |           | 3.4294    |           | 3.1245    |           | 3.8866    |
| 12   | 3.658     | 2.1338    | 3.4294    |           | 3.2388    | 2.8197    |           |
| 13   | 3.2769    |           | 3.4294    |           | 3.2388    |           |           |
| 14   | 3.3913    | 3.1626    | 3.8104    |           | 3.1245    | 2.4006    | 3.315     |
| 15   | 3.4294    | 2.9721    | 3.9247    |           | 3.2769    |           | 3.658     |
| 16   | 3.5437    | 3.0102    | 4.0009    |           | 3.5056    |           | 3.5437    |
| 17   |           | 2.8578    | 4.0009    |           | 3.0483    |           | 3.1245    |
| 18   |           | 2.6292    | 3.1626    |           | 2.934     |           | 2.8578    |
| 19   |           | 2.6292    | 2.6292    |           | 2.7816    | 2.4006    | 2.553     |
| 20   |           | 2.8197    | 3.2388    |           | 2.7435    | 2.553     | 2.7054    |
| 21   |           |           | 2.9721    |           | 2.7435    |           |           |
| 22   |           |           | 3.1626    |           | 2.9721    |           |           |
| 23   |           |           | 3.3532    |           | 3.315     |           |           |
| 24   | 3.2388    |           |           | 3.3913    |           | 3.315     |           |
| Max  | 3.7723    | 3.1626    | 4.0009    | 3.4294    | 3.5056    | 3.315     | 3.8866    |
| Min  | 2.0957    | 2.1338    | 2.21      | 3.2388    | 2.6673    | 2.2862    | 2.553     |
| Avg  | 2.9407    | 2.7768    | 3.1986    | 3.2878    | 3.0559    | 2.6175    | 3.2346    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283101 / 22/22 KV HYPERCITY SWITCHING

Feeder No / Name : 302 / 22KV HAWARE CITY

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4954     |           |           | .4954     |           | .4191     |           |
| 2    | .4572     |           |           | .3429     |           | .4191     |           |
| 3    | .4572     |           |           | .3429     |           | .4191     |           |
| 4    | .4191     |           |           | .3429     |           | .4191     |           |
| 5    | .4191     |           |           | .3429     |           | .381      |           |
| 6    | .381      |           | .3048     | .3429     |           | .3429     |           |
| 7    | .2667     |           | .3048     | .2667     |           | .2667     |           |
| 8    | .2667     |           | .3048     | .4954     |           | .2667     |           |
| 9    | .2667     |           | .3048     |           | .3429     |           |           |
| 10   | .3048     |           | .3048     |           | .3429     |           | .3048     |
| 11   | .3048     |           | .3048     |           | .3429     |           | .3048     |
| 12   | .3048     | .3048     | .3048     |           | .3429     | .2667     |           |
| 13   | .2667     |           | .3048     |           | .3048     |           |           |
| 14   | .2667     | .3048     | .2667     |           | .3048     | .2667     | .2667     |
| 15   | .2667     |           | .2667     |           | .3048     |           |           |
| 16   | .2667     |           | .2667     |           | .3048     |           | .2667     |
| 17   |           |           | .2667     |           | .2667     |           | .2286     |
| 18   |           |           | .2667     |           | .2667     |           | .2286     |
| 19   |           |           | .2667     |           | .3048     | .2667     | .2667     |
| 20   |           | .3429     | .3048     |           | .3048     | .3048     | .3048     |
| 21   |           |           | .3429     |           | .381      |           |           |
| 22   |           |           | .381      |           | .381      |           |           |
| 23   |           |           | .4954     |           | .4954     |           |           |
| 24   | .4954     |           |           | .4954     |           | .4191     |           |
| Max  | .4954     | .3429     | .4954     | .4954     | .4954     | .4191     | .3048     |
| Min  | .2667     | .3048     | .2667     | .2667     | .2667     | .2667     | .2286     |
| Avg  | .3474     | .3175     | .3090     | .3853     | .3327     | .3429     | .2715     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283101 / 22/22 KV HYPERCITY SWITCHING

Feeder No / Name : 303 / CHENNA

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.2193    |           |           | 1.1431    |           | 1.2193    |           |
| 2    | 1.1431    |           |           | 1.0669    |           | 1.0288    |           |
| 3    | 1.1431    |           |           | 1.0669    |           | 1.0288    |           |
| 4    | 3.0483    |           |           | 1.0669    |           | 1.0288    |           |
| 5    | 1.1431    |           |           | 1.0669    |           | 1.105     |           |
| 6    | 1.0669    |           | .9907     | 1.0669    |           | 1.105     |           |
| 7    | 1.0669    |           | .9907     | 1.0288    |           | .9907     |           |
| 8    | 1.2955    |           | 1.0288    |           |           | .9907     |           |
| 9    | 1.3336    |           | 1.9433    |           | 1.3717    |           |           |
| 10   | 1.5242    |           | 1.829     |           | 1.6004    |           | 1.5623    |
| 11   | 1.8671    |           | 1.829     |           | 1.6004    |           | 2.21      |
| 12   | 1.9433    | 1.5242    | 1.7147    |           | 1.6004    | 1.0669    |           |
| 13   | 1.7909    |           | 1.9052    |           | 1.5242    |           |           |
| 14   |           | 1.3717    | 1.9052    |           | 1.3717    | 1.105     |           |
| 15   |           |           | 2.0576    |           | 1.6004    |           |           |
| 16   | 1.6766    |           | 2.0957    |           | 2.0195    |           | 1.6004    |
| 17   |           |           | 2.0957    |           | 1.9814    |           | 1.9814    |
| 18   |           |           | 2.2862    |           | 1.7909    |           | 1.2955    |
| 19   |           |           | 1.9433    |           | .9907     | .9907     | 1.7528    |
| 20   |           | 1.9433    | 1.5242    |           | 2.21      | 1.1812    | 1.448     |
| 21   |           |           | 1.829     |           | 2.1338    |           |           |
| 22   |           |           | 1.6766    |           | 1.6004    |           |           |
| 23   |           |           | .4572     |           | 1.4098    |           |           |
| 24   | 1.3336    |           |           | 1.4098    |           | 1.3336    |           |
| Max  | 3.0483    | 1.9433    | 2.2862    | 1.4098    | 2.21      | 1.3336    | 2.21      |
| Min  | 1.0669    | 1.3717    | .4572     | 1.0288    | .9907     | .9907     | 1.2955    |
| Avg  | 1.5064    | 1.6131    | 1.6723    | 1.1145    | 1.6537    | 1.0903    | 1.6929    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283101 / 22/22 KV HYPERCITY SWITCHING

Feeder No / Name : 304 / Incommer to Haware SS      NON SHEDDABLE EXPRESS HV FEEDERS  
 Feeder KV- 22 / INCOMING      (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1905     |           |           | .1905     |           | .1905     |           |
| 2    | .1905     |           |           | .1905     |           | .1905     |           |
| 3    | .1905     |           |           | .1905     |           | .1905     |           |
| 4    | .1905     |           |           | .1905     |           | .1905     |           |
| 5    | .1905     |           |           | .1905     |           | .1905     |           |
| 6    | .1905     |           | .1905     | .1905     |           | .1905     |           |
| 7    | .1905     |           |           | .1905     |           | .1905     |           |
| 8    | .1905     |           | .1905     | .1905     |           | .1905     |           |
| 9    | .1905     |           | .1905     |           | .1905     | .1905     |           |
| 10   | .1905     |           | .1905     |           | .1905     |           | .1905     |
| 11   | .1905     |           | .1905     |           | .1524     |           | .1524     |
| 12   | .1905     | .1905     | .1905     |           | .1524     | .1905     |           |
| 13   | .1905     |           | .1905     |           |           |           |           |
| 14   | .1905     | .1905     | .1905     |           | .1524     | .1905     |           |
| 15   | .1905     |           | .1905     |           | .1905     |           |           |
| 16   | .1905     |           | .1905     |           | .1905     |           | .1524     |
| 17   |           |           | .1905     |           | .1905     |           | .1524     |
| 18   |           |           | .1905     |           | .1905     |           | .1905     |
| 19   |           |           | .1905     |           | .1905     | .1905     | .1905     |
| 20   |           | .1905     | .1905     |           | .1905     | .1905     | .1905     |
| 21   |           |           | .1905     |           | .1905     |           |           |
| 22   |           |           | .1905     |           | .1905     |           |           |
| 23   |           |           | .1905     |           | .1905     |           |           |
| 24   | .1905     |           |           | .1905     |           | .1905     |           |
| Max  | .1905     | .1905     | .1905     | .1905     | .1905     | .1905     | .1905     |
| Min  | .1905     | .1905     | .1905     | .1905     | .1524     | .1905     | .1524     |
| Avg  | .1905     | .1905     | .1905     | .1905     | .1823     | .1905     | .1742     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283101 / 22/22 KV HYPERCITY SWITCHING

Feeder No / Name : 305 / INCOMMER TO LODHA SS NON SHEDDABLE EXPRESS HV FEEDERS  
 Feeder KV- 22 / INCOMING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 4.763     |           |           | 4.1914    |           | 3.8104    |           |
| 2    | 3.8104    |           |           | 4.1914    |           | 3.4294    |           |
| 3    | 3.8104    |           |           | 3.2769    |           | 3.4294    |           |
| 4    | 3.8104    |           |           | 3.2388    |           | 3.4294    |           |
| 5    | 3.6199    |           |           | 3.2769    |           | 3.4294    |           |
| 6    | 3.2769    |           | 2.7054    | 3.0483    |           | 2.8578    |           |
| 7    | 3.0102    |           |           | 2.5149    |           | 2.8197    |           |
| 8    | 3.0102    |           | 2.4006    |           |           | 2.6292    |           |
| 9    | 3.0102    |           | 2.5911    |           | 2.8197    |           |           |
| 10   | 3.0102    |           |           |           | 2.8959    |           | 2.7816    |
| 11   | 3.1245    |           | 2.6673    |           | 2.8959    |           | 2.8197    |
| 12   | 2.8578    | 2.8578    | 2.6673    |           | 3.0483    | 3.1626    |           |
| 13   | 2.934     |           | 2.6673    |           | 3.0483    |           |           |
| 14   | 3.2007    | 2.7435    | 2.6673    |           | 3.0864    | 3.315     |           |
| 15   | 3.4294    |           | 3.1626    |           | 3.1245    |           |           |
| 16   | 3.5056    |           | 3.0483    |           | 3.3532    |           | 2.9721    |
| 17   |           |           | 2.8578    |           | 3.0483    |           | 2.6673    |
| 18   |           |           | 2.6292    |           | 2.934     |           | 2.4768    |
| 19   |           |           | 2.6292    |           | 3.2007    | 3.0102    | 2.7054    |
| 20   |           | 3.1626    | 2.6673    |           | 3.3532    | 3.315     | 3.2007    |
| 21   |           |           | 3.4675    |           | 3.6199    |           |           |
| 22   |           |           | 3.8104    |           | 3.8104    |           |           |
| 23   |           |           | 4.2676    |           | 4.0771    |           |           |
| 24   | 4.763     |           |           | 4.2676    |           | 3.8104    |           |
| Max  | 4.763     | 3.1626    | 4.2676    | 4.2676    | 4.0771    | 3.8104    | 3.2007    |
| Min  | 2.8578    | 2.7435    | 2.4006    | 2.5149    | 2.8197    | 2.6292    | 2.4768    |
| Avg  | 3.4675    | 2.9213    | 2.9316    | 3.5008    | 3.2211    | 3.2652    | 2.8034    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283104 / 22/11 KV ANILINE SUBSTATION

Feeder No / Name : 201 / SANGHAVI HILLS

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2096     | .2096     | .2033     | .2402     | .2286     | .2241     | .2096     |
| 2    | .1905     | .1905     | .1829     | .2218     | .1905     | .2241     | .1905     |
| 3    | .1715     | .1715     | .1829     | .1886     | .1715     | .1867     | .1524     |
| 4    | .1715     | .1715     | .1663     | .1698     | .1715     | .1509     | .1334     |
| 5    | .1524     | .1524     | .168      | .168      | .1524     | .1698     | .1334     |
| 6    | .1524     | .1334     | .1494     | .1509     | .1524     | .1698     | .1334     |
| 7    | .1524     | .1334     | .1494     | .1509     | .1524     | .1509     | .1715     |
| 8    | .1334     | .1524     | .1494     | .1334     | .1524     | .132      | .1524     |
| 9    | .1524     | .1307     | .1478     | .1334     | .1463     | .1132     | .1524     |
| 10   | .1143     | .112      | .1494     | .1334     | .1698     | .1334     | .1334     |
| 11   | .1143     | .1307     | .1294     | .1524     | .1848     | .1524     | .1143     |
| 12   | .1334     | .1307     | .128      | .1334     | .1867     | .1524     | .1334     |
| 13   | .1334     | .1494     | .1478     | .1334     | .1307     | .1524     | .1334     |
| 14   | .1334     | .1494     | .1646     | .1334     | .1509     | .1715     | .1524     |
| 15   | .1334     | .1494     | .168      | .1524     | .1307     | .1715     | .1524     |
| 16   | .1334     | .1494     | .168      | .1524     | .1307     | .1524     | .1524     |
| 17   | .1334     | .1494     | .1509     | .1524     | .132      | .1524     | .1524     |
| 18   | .1334     | .1307     | .112      | .1524     | .1509     | .1524     | .1334     |
| 19   | .1334     | .1494     | .1494     | .1524     | .0943     | .1524     | .1334     |
| 20   | .1524     | .1494     | .1698     | .1524     | .1886     | .1715     | .1715     |
| 21   |           | .168      | .168      |           | .1698     | .1905     | .1905     |
| 22   |           | .1886     | .2075     |           | .1698     | .1905     | .2286     |
| 23   |           | .2263     | .2452     |           | .2075     | .2286     | .2286     |
| 24   | .2286     | .2286     | .2263     | .2427     | .2477     | .2427     | .2286     |
| Max  | .2286     | .2286     | .2452     | .2427     | .2477     | .2427     | .2286     |
| Min  | .1143     | .112      | .112      | .1334     | .0943     | .1132     | .1143     |
| Avg  | .1506     | .1586     | .1660     | .1619     | .1651     | .1704     | .1612     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283104 / 22/11 KV ANILINE SUBSTATION

Feeder No / Name : 202 / BORIVADE

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .3429     | .381      | .3921     | .4108     | .3429     |           | .4191     |
| 2    | .3048     | .3429     | .3361     | .3547     | .3048     | .4108     | .381      |
| 3    | .2858     | .3048     | .2801     | .3206     | .2858     | .3734     | .381      |
| 4    | .2667     | .2858     | .2614     | .3174     | .2286     | .3584     | .3429     |
| 5    | .2477     | .2858     | .2427     | .2614     | .2477     | .3395     | .3429     |
| 6    | .2286     | .2667     |           | .2614     | .3048     | .3395     | .3429     |
| 7    | .2286     | .2667     | .2587     | .2427     |           | .2801     | .2477     |
| 8    | .2286     | .2286     | .2427     | .2286     | .2477     | .2641     | .2667     |
| 9    | .2477     | .2427     | .2614     | .2858     | .2614     | .3018     | .2858     |
| 10   | .3239     | .2427     | .3174     | .3048     | .3361     | .3429     | .2477     |
| 11   | .2477     | .2452     | .2587     | .3239     | .3174     | .3048     | .2477     |
| 12   | .2477     | .2452     | .2241     | .2477     | .2614     | .2858     | .2858     |
| 13   | .2477     | .2641     | .2402     | .2477     | .2614     | .2858     | .2667     |
| 14   | .3048     | .2801     | .2587     | .2667     | .2987     | .2286     | .2858     |
| 15   | .2858     | .2587     | .2402     | .3048     | .3361     | .381      | .2858     |
| 16   | .2858     | .2614     | .2614     | .3048     | .3395     | .381      | .2858     |
| 17   | .2858     | .3174     | .3547     | .3048     | .3206     | .4001     | .3048     |
| 18   | .2858     | .2427     | .2378     | .3048     | .2829     | .3239     | .2477     |
| 19   | .2858     | .2587     | .2772     | .2667     | .2263     | .2858     | .1905     |
| 20   | .2858     | .2427     | .2987     | .2477     | .2427     | .2858     | .2667     |
| 21   |           | .2801     | .3174     |           | .2987     | .2477     | .3239     |
| 22   |           | .3395     | .3696     |           | .3547     | .362      | .381      |
| 23   |           | .4108     | .4294     |           | .4294     | .4572     | .4001     |
| 24   | .4001     | .4191     | .4338     | .4481     | .381      | .4338     | .4191     |
| Max  | .4001     | .4191     | .4338     | .4481     | .4294     | .4572     | .4191     |
| Min  | .2286     | .2286     | .2241     | .2286     | .2263     | .2286     | .1905     |
| Avg  | .2794     | .2881     | .2954     | .2979     | .3005     | .3336     | .3104     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283104 / 22/11 KV ANILINE SUBSTATION

Feeder No / Name : 203 / RUTU ENCLAVE

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.5242    | 1.5684    | 1.643     | 1.6385    | 1.6244    | 1.6004    |
| 2    |           | 1.3908    | 1.4415    | 1.5684    | 1.4861    | 1.5123    | 1.467     |
| 3    |           | 1.2384    | 1.3169    | 1.475     | 1.3717    | 1.3957    | 1.3146    |
| 4    |           | 1.1431    | 1.2883    | 1.4377    | 1.2384    | 1.2696    | .9907     |
| 5    |           | 1.0669    | 1.0829    | 1.3443    | 1.1431    | 1.1949    | .9526     |
| 6    |           | .9526     | .9511     | 1.1949    | 1.0669    | 1.0456    | .8954     |
| 7    |           | .9335     | .8775     | .9522     | .9145     | .9808     | .9145     |
| 8    | 1.4861    | .8573     | .8413     | 1.0098    | .8954     |           | .8573     |
| 9    | .8383     | .8215     | .8686     | .9907     | .8775     |           | .7811     |
| 10   | .8764     | .8215     | .7655     | .9907     | 1.0829    | .9907     | .8002     |
| 11   | .7621     | .7655     | .7577     | .8573     | 1.0349    | 1.0098    | .8383     |
| 12   | .8573     | .8402     | .8779     | .8573     | .9335     | 1.0098    | .8764     |
| 13   | .8383     | .7655     | .9511     | .8954     | .8402     | 1.0479    | .8383     |
| 14   | .8573     | .8029     | .9896     | .9717     | .9709     | 1.1431    | .9145     |
| 15   | .7621     | .8402     | .9979     | .9907     | 1.0608    | 1.2193    | .9717     |
| 16   | .7621     | .8962     | 1.0269    | 1.0098    | 1.0642    | 1.1431    | .8573     |
| 17   | .743      | .7842     | .8962     | 1.0288    | .9694     | 1.105     | .8192     |
| 18   | .7621     | .7655     | .8029     | 1.0479    | .8865     | .8764     | .8192     |
| 19   | .8383     | .8029     | .8871     | .8954     | .9522     | .9526     | .8192     |
| 20   | 1.0098    | .8962     | .9795     | .9145     | 1.0082    | .9907     | .9907     |
| 21   |           | 1.0642    | 1.1576    |           | 1.1016    | 1.1431    | 1.2384    |
| 22   |           | 1.1949    | 1.4003    |           | 1.251     | 1.2574    | 1.4289    |
| 23   |           | 1.5844    | 1.5524    |           | 1.5123    | 1.5432    | 1.5432    |
| 24   | 1.5813    | 1.6004    | 1.643     | 1.7364    | 1.6766    | 1.7164    | 1.6385    |
| Max  | 1.5813    | 1.6004    | 1.643     | 1.7364    | 1.6766    | 1.7164    | 1.6385    |
| Min  | .743      | .7655     | .7577     | .8573     | .8402     | .8764     | .7811     |
| Avg  | .9268     | 1.0147    | 1.0801    | 1.1339    | 1.1241    | 1.1896    | 1.0487    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283104 / 22/11 KV ANILINE SUBSTATION

Feeder No / Name : 204 / RUBY

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1524     | .1143     | .1478     | .1886     | .1143     | .168      | .1905     |
| 2    | .1334     | .1143     | .1294     | .168      | .0953     | .1509     | .1524     |
| 3    | .1334     | .0953     | .1109     | .132      | .0953     | .1509     | .1524     |
| 4    | .1334     | .0953     | .1109     | .112      | .0953     | .1307     | .1334     |
| 5    | .1143     | .0953     | .0924     | .112      | .0953     | .132      | .1143     |
| 6    | .1143     | .0953     | .0924     | .112      | .0953     | .132      | .1143     |
| 7    | .1143     | .1143     | .0914     | .0943     | .1143     | .132      | .1143     |
| 8    | .1334     | .1143     | .0934     | .1143     | .0953     |           | .1143     |
| 9    | .0762     | .1307     | .1109     | .0762     | .1109     |           | .1143     |
| 10   | .0953     | .0747     | .0924     | .0762     | .1109     | .0762     | .1143     |
| 11   | .0953     | .0934     | .0934     | .0953     | .1109     | .0953     | .1143     |
| 12   | .0953     | .0943     | .0943     | .0953     | .112      | .1143     | .0953     |
| 13   | .0953     | .112      | .0943     | .0953     | .0934     | .1334     | .1143     |
| 14   | .0953     | .0934     | .0934     | .0953     | .112      | .1334     | .0953     |
| 15   | .0953     | .0934     | .112      | .0953     | .1494     | .1524     | .1143     |
| 16   | .0953     | .0934     | .1132     | .0953     | .1132     | .1143     | .1143     |
| 17   | .0953     | .0934     | .0934     | .0953     | .0914     | .1143     | .0953     |
| 18   | .0953     | .0747     | .112      | .0953     | .0754     | .1143     | .0953     |
| 19   | .0953     | .0747     | .1109     | .0953     | .0754     | .0953     | .0953     |
| 20   | .0953     | .0754     | .0914     | .0953     | .0943     | .0953     | .0953     |
| 21   |           | .0943     | .0934     |           | .0934     | .1143     | .1334     |
| 22   |           | .1307     | .112      |           | .112      | .1334     | .1524     |
| 23   |           | .1698     | .168      |           | .1494     | .1715     | .1524     |
| 24   | .1524     | .1334     | .1698     | .1867     | .1143     | .1886     |           |
| Max  | .1524     | .1698     | .1698     | .1886     | .1494     | .1886     | .1905     |
| Min  | .0762     | .0747     | .0914     | .0762     | .0754     | .0762     | .0953     |
| Avg  | .1098     | .1029     | .1093     | .1107     | .1049     | .1292     | .1209     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283104 / 22/11 KV ANILINE SUBSTATION

Feeder No / Name : 205 / SAFIRE

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .1334     | .1524     | .1307     | .168      | .1143     | .132      | .1715     |
| 2    | .1334     | .1334     | .112      | .132      | .1143     | .132      | .1715     |
| 3    | .1143     | .1143     | .0943     | .1509     | .0953     | .132      | .1715     |
| 4    | .1143     | .1143     | .0934     | .1132     | .0953     | .1509     | .1524     |
| 5    | .1334     | .0953     | .0732     | .0943     | .1143     | .1509     | .1524     |
| 6    | .1334     | .0953     | .0732     | .0943     | .1143     | .1132     | .1524     |
| 7    | .0953     | .1143     | .0934     | .0943     | .1143     | .1132     | .0953     |
| 8    | .0762     | .0953     | .0943     | .1143     | .0953     |           | .0953     |
| 9    | .0762     | .112      | .0754     | .0953     | .112      |           | .1143     |
| 10   | .0953     | .0943     | .0754     | .0953     | .112      | .1143     | .0953     |
| 11   | .0953     | .0747     | .0943     | .1334     | .112      | .1143     | .0953     |
| 12   | .0762     | .056      | .0747     | .0762     | .1132     | .1143     | .0953     |
| 13   | .0762     | .0754     | .0747     | .0762     | .0934     | .0953     | .0953     |
| 14   | .0762     | .0747     | .0934     | .0762     | .0943     | .1143     | .0953     |
| 15   | .0762     | .0754     | .0934     | .0762     | .1132     | .1143     | .0953     |
| 16   | .0762     | .0934     | .112      | .0762     | .1132     | .1334     | .0953     |
| 17   | .0762     | .1307     | .0943     | .0953     | .132      | .1334     | .0953     |
| 18   | .0762     | .0747     | .0934     | .0953     | .0943     | .1143     | .0953     |
| 19   | .0953     | .0754     | .0924     | .1143     | .0943     | .0953     | .0953     |
| 20   | .0953     | .0934     | .0934     | .1143     | .132      | .0953     | .1143     |
| 21   |           | .1132     | .0943     |           | .1132     | .1143     | .1334     |
| 22   |           | .1509     | .1307     |           | .112      | .1334     | .1524     |
| 23   |           | .132      | .168      |           | .1478     | .1715     | .1524     |
| 24   | .1524     | .1524     | .1698     | .1867     | .1334     | .1509     | .1715     |
| Max  | .1524     | .1524     | .1698     | .1867     | .1478     | .1715     | .1715     |
| Min  | .0762     | .056      | .0732     | .0762     | .0934     | .0953     | .0953     |
| Avg  | .0989     | .1039     | .0998     | .1082     | .1117     | .1242     | .1231     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283104 / 22/11 KV ANILINE SUBSTATION

Feeder No / Name : 206 / SOLITARE

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2096     | .1715     | .168      | .2075     | .2477     | .1886     | .2286     |
| 2    | .1905     | .1715     | .1646     | .168      | .2286     | .1698     | .1905     |
| 3    | .1905     | .1524     | .1478     | .168      | .2286     | .1698     | .1905     |
| 4    | .1715     | .1334     | .1307     | .168      | .2096     | .1698     | .1524     |
| 5    | .1524     | .1334     | .132      | .1494     | .1905     | .1509     | .1334     |
| 6    | .1334     | .1334     | .112      | .1494     | .1524     | .1509     | .1334     |
| 7    | .1143     | .1334     | .112      | .112      | .0953     | .1509     | .1143     |
| 8    | .0953     | .1143     | .112      | .0953     | .0953     | .132      | .1334     |
| 9    | .0953     | .112      | .0924     | .1524     | .1307     | .132      | .1334     |
| 10   | .0953     | .132      | .1494     | .1334     | .1294     | .1715     | .1524     |
| 11   | .1334     | .1698     | .168      | .1334     | .1494     | .1715     | .1905     |
| 12   | .1524     | .1494     | .1848     | .1524     | .1463     | .1715     | .1905     |
| 13   | .1524     | .1886     | .1829     | .1524     | .1463     | .1715     | .1905     |
| 14   | .1524     | .1848     | .1867     | .1715     | .1867     | .1905     | .1715     |
| 15   | .1524     | .168      | .2012     | .1715     | .1867     | .2096     | .1905     |
| 16   | .1524     | .168      | .1867     | .1715     | .2054     | .1905     | .1905     |
| 17   | .1524     | .168      | .1698     | .1715     | .2263     | .1905     | .1524     |
| 18   | .1524     | .168      | .1867     | .1715     | .2075     | .1905     | .1524     |
| 19   | .1524     | .1867     | .1867     | .1905     | .2263     | .1905     | .1524     |
| 20   | .1715     | .1867     | .1848     | .1905     | .2075     | .1905     | .1905     |
| 21   |           | .1829     | .1867     |           | .1867     | .1905     | .2096     |
| 22   |           | .2033     | .2241     |           | .2263     | .2096     | .2286     |
| 23   |           | .2054     | .2614     |           | .2427     | .2477     | .2286     |
| 24   | .1334     | .1905     | .1886     | .2241     | .2667     | .1886     | .2286     |
| Max  | .2096     | .2054     | .2614     | .2241     | .2667     | .2477     | .2286     |
| Min  | .0953     | .112      | .0924     | .0953     | .0953     | .132      | .1143     |
| Avg  | .1479     | .1628     | .1675     | .1621     | .1883     | .1787     | .1762     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283105 / 22/22 KV PATLIPADA SWITCHING

Feeder No / Name : 301 / Incommer to ROMA 1

NON SHEDDABLE EXPRESS HV FEEDERS

Feeder KV- 22 / INCOMING

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 4.2181    | 4.0809    |           |           |           |
| 2    | 3.8066    | 3.6694    |           |           |           |
| 3    | 3.3608    | 3.2922    |           |           |           |
| 4    | 3.1207    | 3.0521    |           |           |           |
| 5    | 2.8464    | 3.0864    |           |           |           |
| 6    | 2.7435    | 2.6406    |           |           |           |
| 7    | 2.6749    | 2.572     |           |           |           |
| 8    | 3.155     |           |           |           |           |
| 9    | 3.4294    |           |           |           |           |
| 10   | 3.6694    |           |           |           |           |
| 11   | 3.6694    |           |           |           |           |
| 12   | 3.6008    |           |           |           |           |
| 13   | 3.6694    |           |           |           |           |
| 14   | 3.6351    |           |           |           |           |
| 15   | 4.1495    |           |           |           |           |
| 16   | 4.0809    |           |           |           |           |
| 17   | 3.7037    |           |           |           |           |
| 18   | 3.1893    |           |           |           |           |
| 19   | 3.3608    |           |           |           |           |
| 20   | 3.4294    |           |           |           |           |
| 21   | 3.7723    |           |           |           |           |
| 22   | 4.0466    |           |           |           |           |
| 23   | 4.5268    |           |           |           |           |
| 24   | 4.6982    | 4.561     | 4.6639    | 4.8697    | 4.6639    |
| Max  | 4.6982    | 4.561     | 4.6639    | 4.8697    | 4.6639    |
| Min  | 2.6749    | 2.572     | 4.6639    | 4.8697    | 4.6639    |
| Avg  | 3.6065    | 3.3693    | 4.6639    | 4.8697    | 4.6639    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283105 / 22/22 KV PATLIPADA SWITCHING

Feeder No / Name : 302 / POKHRAN

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.4006    | 2.0233    |           |           |           |
| 2    | 2.2977    | 1.9204    |           |           |           |
| 3    | 2.2291    | 1.6804    |           |           |           |
| 4    | 2.0919    | 1.6118    |           |           |           |
| 5    | 1.9547    | 1.6461    |           |           |           |
| 6    | 1.8176    | 1.989     |           |           |           |
| 7    | 1.8861    | 1.8519    |           |           |           |
| 8    | 1.989     |           |           |           |           |
| 9    | 2.1948    |           |           |           |           |
| 10   | 3.0178    |           |           |           |           |
| 11   | 3.2922    |           |           |           |           |
| 12   | 3.4979    |           |           |           |           |
| 13   | 2.9835    |           |           |           |           |
| 14   | 3.0864    |           |           |           |           |
| 15   | 3.2922    |           |           |           |           |
| 16   | 3.2236    |           |           |           |           |
| 17   | 3.2236    |           |           |           |           |
| 18   | 3.1207    |           |           |           |           |
| 19   | 3.0864    |           |           |           |           |
| 20   | 2.8464    |           |           |           |           |
| 21   | 2.4691    |           |           |           |           |
| 22   | 2.4691    |           |           |           |           |
| 23   | 2.6406    |           |           |           |           |
| 24   | 2.572     | 2.7092    | 2.7435    | 2.6406    | 7.1331    |
| Max  | 3.4979    | 2.7092    | 2.7435    | 2.6406    | 7.1331    |
| Min  | 1.8176    | 1.6118    | 2.7435    | 2.6406    | 7.1331    |
| Avg  | 2.6535    | 1.9290    | 2.7435    | 2.6406    | 7.1331    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283105 / 22/22 KV PATLIPADA SWITCHING

Feeder No / Name : 303 / ANILINE

Feeder KV- 22 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 4.5268    |           |           |
| 2    |           | 4.0809    |           |           |
| 3    |           | 3.7723    |           |           |
| 4    |           | 3.3608    |           |           |
| 5    |           | 3.4294    |           |           |
| 6    |           | 3.2236    |           |           |
| 7    |           | 2.9835    |           |           |
| 11   | 3.155     |           |           |           |
| 12   | 3.2579    |           |           |           |
| 13   | 3.155     |           |           |           |
| 14   | 3.2579    |           |           |           |
| 15   | 3.6351    |           |           |           |
| 16   | 3.2579    |           |           |           |
| 17   | 3.1207    |           |           |           |
| 18   | 2.8464    |           |           |           |
| 19   | 3.2579    |           |           |           |
| 20   | 3.7723    |           |           |           |
| 21   | 3.9781    |           |           |           |
| 22   | 4.4925    |           |           |           |
| 23   | 5.0755    |           |           |           |
| 24   |           | 5.2812    | 5.3498    | 5.7613    |
| Max  | 5.0755    | 5.2812    | 5.3498    | 5.7613    |
| Min  | 2.8464    | 2.9835    | 5.3498    | 5.7613    |
| Avg  | 3.5586    | 3.8323    | 5.3498    | 5.7613    |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283105 / 22/22 KV PATLIPADA SWITCHING

Feeder No / Name : 304 / AKBAR CAMP SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.0631    | 1.0288    |           |           |           |
| 2    | 1.0288    | .9602     |           |           |           |
| 3    | .9259     | .8916     |           |           |           |
| 4    | .8916     | .9259     |           |           |           |
| 5    | .8916     | .9259     |           |           |           |
| 6    | .9259     | .9259     |           |           |           |
| 7    | .9259     | .9602     |           |           |           |
| 8    | 1.0288    |           |           |           |           |
| 9    | 1.0288    |           |           |           |           |
| 10   | 1.2003    |           |           |           |           |
| 11   | 1.3032    |           |           |           |           |
| 12   | 1.406     |           |           |           |           |
| 13   | 1.3032    |           |           |           |           |
| 14   | 1.2689    |           |           |           |           |
| 15   | 1.3717    |           |           |           |           |
| 16   | 1.3032    |           |           |           |           |
| 17   | 1.2003    |           |           |           |           |
| 18   | 1.166     |           |           |           |           |
| 19   | 1.2003    |           |           |           |           |
| 20   | 1.1317    |           |           |           |           |
| 21   | 1.0974    |           |           |           |           |
| 22   | 1.0974    |           |           |           |           |
| 23   | 1.0974    |           |           |           |           |
| 24   | 1.166     | 1.1317    | .8916     | .9259     | 1.0974    |
| Max  | 1.406     | 1.1317    | .8916     | .9259     | 1.0974    |
| Min  | .8916     | .8916     | .8916     | .9259     | 1.0974    |
| Avg  | 1.1260    | .9688     | .8916     | .9259     | 1.0974    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283105 / 22/22 KV PATLIPADA SWITCHING

Feeder No / Name : 305 / KASARVADAVALI & STN X'MER NON SHEDDABLE EXPRESS HV FEEDERS  
 Feeder KV- 22 / INCOMING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3717    | 1.3717    |           |           |
| 2    | 1.2689    | 1.3032    |           |           |
| 3    | 1.2346    | 1.2689    |           |           |
| 4    | 1.2346    | 1.3032    |           |           |
| 5    | 1.3375    | 1.3375    |           |           |
| 6    | 1.3717    | 1.5775    |           |           |
| 7    | 1.5089    | 1.6118    |           |           |
| 8    | 1.7833    |           |           |           |
| 9    | 2.3663    |           |           |           |
| 10   | 2.7778    |           |           |           |
| 11   | 3.155     |           |           |           |
| 12   | 3.1207    |           |           |           |
| 13   | 3.1207    |           |           |           |
| 14   | 3.1893    |           |           |           |
| 15   | 3.1893    |           |           |           |
| 16   | 3.155     |           |           |           |
| 17   | 3.1207    |           |           |           |
| 18   | 3.0864    |           |           |           |
| 19   | 2.7435    |           |           |           |
| 20   | 2.572     |           |           |           |
| 21   | 2.1948    |           |           |           |
| 22   | 2.0576    |           |           |           |
| 23   | 1.5432    |           |           |           |
| 24   | 1.406     | 1.4403    | 1.5089    | 1.5775    |
| Max  | 3.1893    | 1.6118    | 1.5089    | 1.5775    |
| Min  | 1.2346    | 1.2689    | 1.5089    | 1.5775    |
| Avg  | 2.2462    | 1.4018    | 1.5089    | 1.5775    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283105 / 22/22 KV PATLIPADA SWITCHING

Feeder No / Name : 306 / G.B. SOUTH SHEDDABLE URBAN  
Feeder KV- 22 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.4348    | 2.2291    |           |           |           |
| 2    | 2.4006    | 1.989     |           |           |           |
| 3    | 2.2977    | 1.8519    |           |           |           |
| 4    | 2.0919    | 1.8176    |           |           |           |
| 5    | 2.0576    | 1.8176    |           |           |           |
| 6    | 1.9547    | 1.6804    |           |           |           |
| 7    | 1.9204    | 1.8519    |           |           |           |
| 8    | 1.989     |           |           |           |           |
| 9    | 2.915     |           |           |           |           |
| 10   | 3.6008    |           |           |           |           |
| 11   | 4.2524    |           |           |           |           |
| 12   | 4.2524    |           |           |           |           |
| 13   | 4.1152    |           |           |           |           |
| 14   | 3.9438    |           |           |           |           |
| 15   | 4.2524    |           |           |           |           |
| 16   | 4.2867    |           |           |           |           |
| 17   | 4.0809    |           |           |           |           |
| 18   | 3.8066    |           |           |           |           |
| 19   | 3.8066    |           |           |           |           |
| 20   | 3.4979    |           |           |           |           |
| 21   | 3.3608    |           |           |           |           |
| 23   | 2.4691    |           |           |           |           |
| 24   | 2.6063    | 2.6063    | 4.6296    | 5.0755    | 8.3676    |
| Max  | 4.2867    | 2.6063    | 4.6296    | 5.0755    | 8.3676    |
| Min  | 1.9204    | 1.6804    | 4.6296    | 5.0755    | 8.3676    |
| Avg  | 3.1475    | 1.9805    | 4.6296    | 5.0755    | 8.3676    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283106 / 22/11 KV RUNWAL GARDEN

SUBSTAT

Feeder No / Name : 201 / 11KV UNIVERSITY

NON SHEDDABLE EXPRESS HV FEEDERS

Feeder KV- 11 / OUTGOING

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 12   | .0373     |           | .0377     |           | .0189     | .0344     |
| 24   |           | .0187     |           | .0189     |           | .0189     |
| Max  | .0373     | .0187     | .0377     | .0189     | .0189     | .0344     |
| Min  | .0373     | .0187     | .0377     | .0189     | .0189     | .0189     |
| Avg  | .0373     | .0187     | .0377     | .0189     | .0189     | .0267     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283106 / 22/11 KV RUNWAL GARDEN

SUBSTAT

Feeder No / Name : 202 / RUNWAL GARDEN CITY PH-2

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 12   | .8488     |           | .8402     |           | .8962     | .8413     |
| 24   |           | 1.3769    |           | 1.5497    |           | 1.4563    |
| Max  | .8488     | 1.3769    | .8402     | 1.5497    | .8962     | 1.4563    |
| Min  | .8488     | 1.3769    | .8402     | 1.5497    | .8962     | .8413     |
| Avg  | .8488     | 1.3769    | .8402     | 1.5497    | .8962     | 1.1488    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283106 / 22/11 KV RUNWAL GARDEN

SUBSTAT

Feeder No / Name : 203 / RUNWAL CONSTRUCTION

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 12   | 1.2637    |           | 2.0182    |           | 1.3203    | 1.9204    |
| 24   |           | 1.8107    |           | 2.3577    |           | 2.3011    |
| Max  | 1.2637    | 1.8107    | 2.0182    | 2.3577    | 1.3203    | 2.3011    |
| Min  | 1.2637    | 1.8107    | 2.0182    | 2.3577    | 1.3203    | 1.9204    |
| Avg  | 1.2637    | 1.8107    | 2.0182    | 2.3577    | 1.3203    | 2.1108    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283107 / 22/11KV HAWARE CITY

SUBSTATION

Feeder No / Name : 201 / RATANTEJ

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .583      | .6516     | .6344     | .7202     | .6859     | .8383     | .7621     |
| 2    | .6001     | .6344     | .6001     | .703      | .6859     | .743      | .724      |
| 3    | .5658     | .6173     | .5487     | .6859     | .6859     | .7621     | .724      |
| 4    | .5316     | .6001     | .5144     | .6344     | .6668     | .743      | .7049     |
| 5    | .4973     | .5658     | .4801     | .583      | .6287     | .724      | .7049     |
| 6    | .5487     | .5487     | .4973     | .5144     | .6097     | .7049     | .6859     |
| 7    | .5144     | .5144     | .463      | .463      | .5906     | .6668     | .6859     |
| 8    | .4801     | .4973     | .4801     | .4287     | .5716     | .5335     | .6478     |
| 9    | .4973     | .463      | .4458     | .5144     | .5335     | .5335     | .4763     |
| 10   | .5144     | .5316     | .5144     | .5906     | .5335     | .5335     | .5716     |
| 11   | .5316     | .5144     | .5487     | .4572     | .6478     | .6097     | .5906     |
| 12   | .5487     | .5487     | .5316     | .4763     | .6859     | .6097     | .6097     |
| 13   | .5316     | .5316     | .5144     | .4572     | .6287     | .7049     | .6097     |
| 14   | .5316     | .5487     | .5658     | .4763     | .7049     | .7049     | .6287     |
| 15   | .5144     | .5316     | .6001     | .6097     | .7049     | .7049     | .5906     |
| 16   | .5144     | .5487     | .6001     | .6097     | .6859     | .6859     | .5906     |
| 17   | .4973     | .5144     | .583      | .6097     | .6287     | .5335     | .5335     |
| 18   | .4801     | .5316     | .5658     | .5525     | .5906     | .5335     | .5335     |
| 19   | .5316     | .5487     | .583      | .5716     | .6668     | .6668     | .6097     |
| 20   | .583      | .583      | .6344     | .6859     | .6478     | .6668     | .6097     |
| 21   | .6173     | .6173     | .6859     | .6859     | .743      | .7049     | .6668     |
| 22   | .6344     | .6516     | .703      | .6859     | .8383     | .7621     | .724      |
| 23   | .6516     | .6687     | .7373     | .8192     | .8573     | .8954     | .8192     |
| 24   | .6687     | .6687     | .6687     | .7545     | .8192     | .8954     | .9145     |
| Max  | .6687     | .6687     | .7373     | .8192     | .8573     | .8954     | .9145     |
| Min  | .4801     | .463      | .4458     | .4287     | .5335     | .5335     | .4763     |
| Avg  | .5487     | .5680     | .5708     | .5954     | .6684     | .6859     | .6549     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283107 / 22/11KV HAWARE CITY

SUBSTATION

Feeder No / Name : 202 / PLATINUM

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8059     | .823      | .8573     | .9774     | .9907     | 1.086     | .8954     |
| 2    | .7888     | .8059     | .823      | .9602     | .9526     | .8954     | .8002     |
| 3    | .7716     | .7202     | .7888     | .9259     | .9145     | .8764     | .8573     |
| 4    | .7373     | .6687     | .7545     | .8916     | .8764     | .8764     | .724      |
| 5    | .6859     | .6859     | .7716     | .8573     | .8573     | .8192     | .7049     |
| 6    | .703      | .6516     | .7373     | .8059     | .8002     | .8002     | .6859     |
| 7    | .6687     | .6173     | .7545     | .7716     | .7621     | .8002     | .6859     |
| 8    | .6344     | .6344     | .7202     | .7373     | .724      | .8002     | .7049     |
| 9    | .6516     | .6001     | .6859     | .6668     | .7049     | .7621     | .7049     |
| 10   | .6173     | .6173     | .703      | .6668     | .8002     | .7621     | .724      |
| 11   | .6344     | .6344     | .7202     | .724      | .8954     | .7621     | .8002     |
| 12   | .6344     | .6516     | .703      | .724      | .8954     | .8573     | .8002     |
| 13   | .6173     | .6859     | .7373     | .6859     | .8954     | .8573     | .724      |
| 14   | .6344     | .703      | .8059     | .6859     | 1.086     | .8573     | .724      |
| 15   | .6001     | .7373     | .8402     | .9145     | 1.086     | .8383     | .8002     |
| 16   | .5658     | .7545     | .8059     | .9145     | .8954     | .8192     | .8002     |
| 17   | .583      | .7202     | .7373     | .7811     | .8192     | .724      | .743      |
| 18   | .5487     | .6859     | .703      | .7811     | .8954     | .724      | .724      |
| 19   | .7373     | .6344     | .6687     | .9145     | .9145     | .8573     | .8383     |
| 20   | .8059     | .6687     | .7202     | .9145     | .9145     | .8573     | .8573     |
| 21   | .7888     | .7373     | .8059     | .9526     | .7811     | .8002     | .8383     |
| 22   | .8059     | .8059     | .9431     | .9907     | 1.086     | .8954     | 1.0479    |
| 23   | .8402     | .823      | 1.0631    | 1.086     | 1.1241    | 1.105     | 1.1241    |
| 24   | .8573     | .8573     | .8402     | 1.046     | 1.105     | 1.1622    | 1.1431    |
| Max  | .8573     | .8573     | 1.0631    | 1.086     | 1.1241    | 1.1622    | 1.1431    |
| Min  | .5487     | .6001     | .6687     | .6668     | .7049     | .724      | .6859     |
| Avg  | .6966     | .7052     | .7788     | .8490     | .9073     | .8581     | .8105     |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283107 / 22/11KV HAWARE CITY

SUBSTATION

Feeder No / Name : 203 / 11 KV HAWARE CITY

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .6001     | .6344     | .6344     | .4115     | .381      | .4572     | .4954     |
| 2    | .583      | .6001     | .6173     | .4287     | .4191     | .381      | .4954     |
| 3    | .5487     | .5658     | .583      | .3944     | .381      | .4572     | .4572     |
| 4    | .5144     | .5316     | .5487     | .3601     | .381      | .381      | .4954     |
| 5    | .4801     | .5487     | .5144     | .3772     | .381      | .381      | .4954     |
| 6    | .4458     | .5144     | .4801     | .3429     | .381      | .362      | .4763     |
| 7    | .463      | .4801     | .4973     | .3086     | .362      | .362      | .4572     |
| 8    | .4115     | .4973     | .463      | .3258     | .362      | .362      | .362      |
| 9    | .4458     | .6344     | .4458     | .3429     | .3429     | .3429     | .3239     |
| 10   | .4115     | .463      | .463      | .3429     | .362      | .3429     | .2667     |
| 11   | .4287     | .4287     | .4801     | .3048     | .3239     | .3429     | .2477     |
| 12   | .4458     | .3944     | .4287     | .3048     | .3048     | .3239     | .2477     |
| 13   | .4458     | .3772     | .2401     | .2858     | .3048     | .362      | .2667     |
| 14   | .463      | .3944     | .2743     | .2858     | .3048     | .362      | .2858     |
| 15   | .4287     | .4115     | .2915     | .2477     | .3048     | .362      | .2667     |
| 16   | .3944     | .4287     | .2743     | .2096     | .3048     | .3429     | .2667     |
| 17   | .3601     | .463      | .2572     | .2096     | .2858     | .362      | .3048     |
| 18   | .3258     | .4973     | .2743     | .2477     | .3048     | .3048     | .2858     |
| 19   | .4287     | .5144     | .2401     | .3239     | .3048     | .362      | .381      |
| 20   | .5144     | .5658     | .3429     | .3239     | .362      | .381      | .381      |
| 21   | .583      | .6001     | .3944     | .381      | .381      | .381      | .381      |
| 22   | .6173     | .6516     | .4458     | .4763     | .4572     | .4954     | .4954     |
| 23   | .6516     | .6516     | .4458     | .4763     | .5335     | .4954     | .5144     |
| 24   | .6859     | .6687     | .6687     | .4287     | .5716     | .5144     | .5144     |
| Max  | .6859     | .6687     | .6687     | .4763     | .5716     | .5144     | .5144     |
| Min  | .3258     | .3772     | .2401     | .2096     | .2858     | .3048     | .2477     |
| Avg  | .4865     | .5216     | .4294     | .3392     | .3667     | .3842     | .3818     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283107 / 22/11KV HAWARE CITY

SUBSTATION

Feeder No / Name : 204 / UNNATI GREEN

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .2743     | .2572     | .2572     | .2915     | .2667     | .3239     | .3048     |
| 2    | .2401     | .2401     | .2572     | .2572     | .2667     | .2286     | .3048     |
| 3    | .2572     | .2229     | .2401     | .2743     | .2667     | .3048     | .3048     |
| 4    | .2401     | .2058     | .2058     | .2401     | .2477     | .2286     | .2477     |
| 5    | .2058     | .1715     | .2229     | .2229     | .2477     | .2286     | .2477     |
| 6    | .2229     | .1886     | .2401     | .2401     | .2477     | .2286     | .2477     |
| 7    | .2401     | .1715     | .2058     | .2058     | .2286     | .2286     | .2286     |
| 8    | .2229     | .1715     | .2229     | .1886     | .2096     | .2858     | .1905     |
| 9    | .2401     | .1543     | .2058     | .2286     | .1905     | .2858     | .2096     |
| 10   | .2401     | .2058     | .1886     | .2477     | .2096     | .2858     | .2667     |
| 11   | .2058     | .1886     | .1886     | .2096     | .2477     | .2286     | .1905     |
| 12   | .1715     | .1715     | .1715     | .2096     | .2286     | .2286     | .1905     |
| 13   | .1543     | .1543     | .2401     | .2096     | .2096     | .1905     | .1905     |
| 14   | .1715     | .1715     | .2572     | .2096     | .2858     | .2096     | .1905     |
| 15   | .1886     | .1715     | .2401     | .2286     | .2858     | .2286     | .2286     |
| 16   | .1715     | .1886     | .2229     | .2286     | .3048     | .3048     | .2286     |
| 17   | .1886     | .1715     | .1715     | .2286     | .2667     | .1905     | .2286     |
| 18   | .1715     | .1886     | .1543     | .1905     | .2096     | .1905     | .2286     |
| 19   | .1715     | .1886     | .1543     | .2286     | .1715     | .1905     | .2477     |
| 20   | .1886     | .2058     | .2401     | .2286     | .2096     | .2096     | .2477     |
| 21   | .2401     | .2401     | .3086     | .2667     | .2286     | .2477     | .2477     |
| 22   | .2743     | .2572     | .3429     | .2667     | .3239     | .3048     | .3048     |
| 23   | .2572     | .2572     | .3258     | .3239     | .3239     | .362      | .3239     |
| 24   | .2915     | .2743     | .2743     | .3086     | .3239     | .381      | .3429     |
| Max  | .2915     | .2743     | .3429     | .3239     | .3239     | .381      | .3429     |
| Min  | .1543     | .1543     | .1543     | .1886     | .1715     | .1905     | .1905     |
| Avg  | .2179     | .2008     | .2308     | .2389     | .2501     | .2540     | .2477     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283107 / 22/11KV HAWARE CITY

SUBSTATION

Feeder No / Name : 205 / HAWARE CITY-II

Feeder KV- 11 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .2401     | .2286     | .2477     | .2477     |
| 2    |           | .1715     | .2096     | .1715     | .2286     |
| 3    |           | .1715     | .1905     | .1715     | .1905     |
| 4    |           | .12       | .1905     | .1715     | .1715     |
| 5    |           | .1372     | .1715     | .1905     | .1715     |
| 6    |           | .1543     | .1715     | .1905     | .1715     |
| 7    |           | .1372     | .1715     | .1715     | .1524     |
| 8    |           | .12       | .1905     | .1715     | .1524     |
| 9    |           | .1905     | .1715     | .1905     | .1524     |
| 10   |           | .2096     | .2286     | .1905     | .1715     |
| 11   |           | .1715     | .2286     | .2286     | .1905     |
| 12   |           | .1715     | .1905     | .2286     | .1715     |
| 13   |           | .1905     | .2096     | .2096     | .1905     |
| 14   | .1543     | .1905     | .2096     | .2096     | .1905     |
| 15   | .1372     | .2096     | .2096     | .2286     | .1905     |
| 16   | .1372     | .1905     | .1905     | .2286     | .1905     |
| 17   | .12       | .1715     | .1905     | .1715     | .1715     |
| 18   | .1543     | .1715     | .1715     | .1524     | .1715     |
| 19   | .1543     | .1905     | .1715     | .1905     | .2096     |
| 20   | .2058     | .2286     | .2096     | .1905     | .2096     |
| 21   | .2229     | .2286     | .2667     | .2286     | .2667     |
| 22   | .2401     | .2286     | .2477     | .2477     | .2858     |
| 23   |           | .2667     | .2477     | .3048     | .2858     |
| 24   |           | .2572     | .2667     | .2667     | .2858     |
| Max  | .2401     | .2667     | .2667     | .3048     | .2858     |
| Min  | .12       | .12       | .1715     | .1524     | .1524     |
| Avg  | .1696     | .1883     | .2056     | .2064     | .2008     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283113 / 22/11 KV ACME-JAI BHAWANI

NAGA

Feeder No / Name : 202 / MMRDA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .415      |           | .4338     |           | .415      |           |
| 2    |           | .3772     |           | .3772     |           | .3772     |           |
| 3    |           | .3206     |           | .3395     |           | .3395     |           |
| 4    |           | .3018     |           | .3206     |           | .3206     |           |
| 5    |           | .3206     |           | .3395     |           | .3395     |           |
| 6    |           | .3206     |           | .3018     |           | .3395     |           |
| 7    |           | .3206     |           | .3018     |           | .2829     |           |
| 8    |           | .3018     |           |           |           | .3206     |           |
| 9    |           |           |           |           | .3584     |           |           |
| 10   | .3395     |           | .3206     |           | .3395     |           |           |
| 11   | .3018     |           | .3395     |           | .3395     |           |           |
| 12   | .3206     |           | .3018     |           | .3772     |           |           |
| 13   | .2641     |           | .3395     |           | .3772     |           |           |
| 14   | .2829     |           | .3584     |           | .3961     |           |           |
| 15   | .3018     |           | .3584     |           | .3584     |           |           |
| 16   | .2829     |           | .3772     |           | .3772     |           |           |
| 17   | .2829     |           | .3584     |           | .3584     |           |           |
| 18   | .6036     |           | .3395     |           | .3584     |           |           |
| 19   | .2829     |           | .3395     |           | .3206     |           |           |
| 20   | .3395     |           | .3395     |           | .3961     |           |           |
| 21   | .3584     |           | .3772     |           | .3584     |           |           |
| 22   | .3584     |           | .415      |           | .3772     |           |           |
| 23   | .4338     |           | .4527     |           |           |           |           |
| 24   | .415      | .4527     | .4527     | .4715     | .4715     | .4715     | .4904     |
| Max  | .6036     | .4527     | .4527     | .4715     | .4715     | .4715     | .4904     |
| Min  | .2641     | .3018     | .3018     | .3018     | .3206     | .2829     | .4904     |
| Avg  | .3445     | .3479     | .3647     | .3607     | .3709     | .3563     | .4904     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283113 / 22/11 KV ACME-JAI BHAWANI

NAGA

Feeder No / Name : 203 / AKANKSHA

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 2.8858    |           | 3.1687    |           | 2.9613    |           |
| 2    |           | 2.5463    |           | 2.999     |           | 2.7349    |           |
| 3    |           | 2.2634    |           | 2.6406    |           | 2.4143    |           |
| 4    |           | 2.0936    |           | 2.2822    |           | 2.2068    |           |
| 5    |           | 1.8861    |           | 2.0748    |           | 2.0748    |           |
| 6    |           | 1.7918    |           | 1.8861    |           | 1.9616    |           |
| 7    |           | 1.8673    |           | 1.8107    |           | 1.8296    |           |
| 8    |           | 1.773     |           |           |           | 1.8107    |           |
| 9    |           |           |           |           | 2.0559    |           |           |
| 10   | 2.1502    |           | 2.1313    |           | 2.3577    |           |           |
| 11   | 2.3954    |           | 2.452     |           | 2.6029    |           |           |
| 12   | 2.5463    |           | 2.3954    |           | 2.6595    |           |           |
| 13   | 2.5086    |           | 2.452     |           | 2.6595    |           |           |
| 14   | 2.6595    |           | 2.6406    |           | 2.6783    |           |           |
| 15   | 2.6595    |           | 2.7349    |           | 2.6595    |           |           |
| 16   | 2.6406    |           | 2.8292    |           | 2.6783    |           |           |
| 17   | 2.452     |           | 2.6406    |           | 2.6406    |           |           |
| 18   | 2.1691    |           | 2.2257    |           | 2.3388    |           |           |
| 19   | 2.1125    |           | 2.2634    |           | 2.1879    |           |           |
| 20   | 2.2634    |           | 2.3011    |           | 2.2822    |           |           |
| 21   | 2.4143    |           | 2.5463    |           | 2.452     |           |           |
| 22   | 2.6406    |           | 2.8481    |           | 2.5463    |           |           |
| 23   | 3.0178    |           | 3.3951    |           |           |           |           |
| 24   | 2.999     | 3.131     | 3.0933    | 3.4328    | 3.263     | 3.2065    | 3.263     |
| Max  | 3.0178    | 3.131     | 3.3951    | 3.4328    | 3.263     | 3.2065    | 3.263     |
| Min  | 2.1125    | 1.773     | 2.1313    | 1.8107    | 2.0559    | 1.8107    | 3.263     |
| Avg  | 2.5086    | 2.2487    | 2.5966    | 2.5369    | 2.5375    | 2.3556    | 3.263     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283113 / 22/11 KV ACME-JAI BHAWANI

NAGA

Feeder No / Name : 204 / BASILIA - I

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .1698     |           | .2263     |           | .1886     |           |
| 2    |           | .1698     |           | .2075     |           | .1886     |           |
| 3    |           | .1698     |           | .1886     |           | .1698     |           |
| 4    |           | .1698     |           | .1698     |           | .1509     |           |
| 5    |           | .1698     |           | .1698     |           | .1509     |           |
| 6    |           | .1698     |           |           |           | .1509     |           |
| 7    |           | .1886     |           | .1698     |           | .132      |           |
| 8    |           | .1509     |           |           |           | .132      |           |
| 9    |           |           |           |           | .2263     |           |           |
| 10   | .1886     |           | .1698     |           | .1886     |           |           |
| 11   | .1509     |           | .132      |           | .1509     |           |           |
| 12   | .1698     |           | .1509     |           | .132      |           |           |
| 13   | .1509     |           | .132      |           | .1509     |           |           |
| 14   | .1509     |           | .132      |           | .1698     |           |           |
| 15   | .1509     |           | .132      |           | .1886     |           |           |
| 16   | .1509     |           | .132      |           | .1886     |           |           |
| 17   | .1698     |           | .132      |           | .1886     |           |           |
| 18   | .1698     |           | .1132     |           | .1132     |           |           |
| 19   | .1132     |           | .1132     |           | .132      |           |           |
| 20   | .1132     |           | .1886     |           | .1509     |           |           |
| 21   | .1509     |           | .1509     |           | .1509     |           |           |
| 22   | .1509     |           | .1886     |           | .1509     |           |           |
| 23   | .2263     |           | .2263     |           |           |           |           |
| 24   | .2452     | .1886     | .2075     | .2641     | .2075     | .2075     | .2075     |
| Max  | .2452     | .1886     | .2263     | .2641     | .2263     | .2075     | .2075     |
| Min  | .1132     | .1509     | .1132     | .1698     | .1132     | .132      | .2075     |
| Avg  | .1635     | .1719     | .1534     | .1994     | .1660     | .1635     | .2075     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283113 / 22/11 KV ACME-JAI BHAWANI

NAGA

Feeder No / Name : 205 / DOSTI IMPIRIA - I

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .2263     |           | .2263     |           | .2452     |
| 2    |           | .1886     |           | .1886     |           | .2263     |
| 3    |           | .1698     |           | .1698     |           | .1886     |
| 4    |           | .1509     |           | .1698     |           | .1698     |
| 5    |           | .1509     |           | .1509     |           | .1698     |
| 6    |           | .132      |           | .132      |           | .1698     |
| 7    |           | .1132     |           | .132      |           | .132      |
| 8    |           | .1132     |           |           |           | .132      |
| 9    |           |           |           |           | .132      |           |
| 10   | .1132     |           | .1132     |           | .1509     |           |
| 11   | .0943     |           | .1132     |           | .0943     |           |
| 12   | .132      |           | .1132     |           | .1509     |           |
| 13   | .132      |           | .1132     |           | .1132     |           |
| 14   | .1509     |           | .132      |           | .1132     |           |
| 15   | .1509     |           | .1509     |           | .132      |           |
| 16   | .1509     |           | .1698     |           | .132      |           |
| 17   | .132      |           | .132      |           | .1509     |           |
| 18   | .132      |           | .132      |           | .1132     |           |
| 19   | .132      |           | .132      |           | .132      |           |
| 20   | .132      |           | .1132     |           | .1509     |           |
| 21   | .1886     |           | .1698     |           | .1886     |           |
| 22   | .1886     |           | .1886     |           | .1509     |           |
| 23   | .2263     |           | .2263     |           |           |           |
| 24   | .2641     | .2452     | .2263     | .2452     | .2641     | .2829     |
| Max  | .2641     | .2452     | .2263     | .2452     | .2641     | .2829     |
| Min  | .0943     | .1132     | .1132     | .132      | .0943     | .132      |
| Avg  | .1547     | .1656     | .1484     | .1768     | .1446     | .1907     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

KOLSHETH URBAN S/DN.[541] BU 4541

Substation No/ Name :- 283113 / 22/11 KV ACME-JAI BHAWANI

NAGA

Feeder No / Name : 206 / DOSTI IMPIRIA - II

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .7167     |           | .7545     |           | .7545     |           |
| 2    |           | .6602     |           | .6602     |           | .7167     |           |
| 3    |           | .5847     |           | .547      |           | .6979     |           |
| 4    |           | .5658     |           | .5093     |           | .6224     |           |
| 5    |           | .5658     |           | .4904     |           | .6036     |           |
| 6    |           | .5847     |           | .5658     |           | .6036     |           |
| 7    |           | .5093     |           | .5658     |           | .5093     |           |
| 8    |           | .5658     |           |           |           | .547      |           |
| 9    |           |           |           |           | .6602     |           |           |
| 10   | .6602     |           | .7356     |           | .7356     |           |           |
| 11   | .8488     |           | .8865     |           | .8488     |           |           |
| 12   | .9054     |           | .9431     |           | .9431     |           |           |
| 13   | .7922     |           | .811      |           | .9431     |           |           |
| 14   | .7922     |           | .8299     |           | .8865     |           |           |
| 15   | .7922     |           | .8488     |           | .9054     |           |           |
| 16   | .7545     |           | .8488     |           | .8865     |           |           |
| 17   | .7167     |           | .7545     |           | .8676     |           |           |
| 18   | .6036     |           | .8488     |           | .7733     |           |           |
| 19   | .7167     |           | .8488     |           | .7922     |           |           |
| 20   | .7545     |           | .8488     |           | .7922     |           |           |
| 21   | .7356     |           | .9054     |           | .8488     |           |           |
| 22   | .7356     |           | .8488     |           | .811      |           |           |
| 23   | .7545     |           | .811      |           |           |           |           |
| 24   | .7356     | .7733     | .7356     | .811      | .8299     | .811      | .9997     |
| Max  | .9054     | .7733     | .9431     | .811      | .9431     | .811      | .9997     |
| Min  | .6036     | .5093     | .7356     | .4904     | .6602     | .5093     | .9997     |
| Avg  | .7532     | .6140     | .8337     | .613      | .8349     | .6518     | .9997     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

LOKMANYA NAGAR[591] BU 4591

Substation No/ Name :- 283080 / 22/11KV MHADA S/STN

Feeder No / Name : 204 / FEEDER NO. 4

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.6763    | 3.8226    | 3.8592    | 4.1335    | 4.0055    | 3.9323    | 4.0238    |
| 2    | 3.3653    | 3.4934    | 3.53      | 3.8592    | 3.8043    | 3.7494    | 3.7129    |
| 3    | 3.3288    | 3.3836    | 3.4385    | 3.658     | 3.6214    | 3.4751    | 3.4751    |
| 4    | 3.1276    | 3.2007    | 3.2922    | 3.3836    | 3.4385    | 3.4568    | 3.2922    |
| 5    | 3.0727    | 2.9264    |           | 3.2922    | 3.2556    | 3.2007    | 3.1459    |
| 6    | 2.9264    | 2.8715    | 3.091     | 3.1276    | 3.1093    | 2.9995    | 2.9995    |
| 7    | 2.7069    | 2.7069    | 3.0178    | 2.9264    | 2.8898    | 2.7618    | 2.9264    |
| 8    | 2.7618    | 2.8715    | 2.9447    | 2.9813    | 2.963     | 2.8532    | 2.8715    |
| 9    | 2.8166    | 2.9081    | 2.963     | 2.963     | 2.9813    | 2.8532    | 2.7984    |
| 10   | 2.7618    | 2.7435    | 2.9081    | 2.9447    | 2.9081    | 2.8532    | 2.8349    |
| 11   | 2.8715    | 2.8715    | 2.9264    | 2.9447    | 2.9264    | 3.0361    | 2.963     |
| 12   | 2.7618    | 2.8715    | 2.9264    | 2.9264    | 3.091     | 3.091     | 2.9995    |
| 13   | 2.8166    | 2.963     | 3.0361    | 2.8898    | 2.9995    | 3.0178    | 2.9081    |
| 14   | 3.0178    | 2.9813    | 3.2922    | 3.0178    | 3.2373    | 3.091     | 2.9995    |
| 15   | 2.9995    | 2.9264    | 3.3653    | 3.1093    | 3.1093    | 3.2373    | 2.9264    |
| 16   | 2.8349    | 2.8715    | 3.2922    | 2.9995    | 3.091     | 3.1459    | 2.9081    |
| 17   | 2.7801    | 2.8166    | 3.0361    | 2.9264    | 3.1093    | 3.0178    | 2.8532    |
| 18   | 2.7618    | 2.7435    | 2.9264    | 2.7069    | 3.1459    | 2.9447    | 2.8898    |
| 19   | 2.963     | 3.0178    | 3.219     | 2.9813    | 3.1459    | 3.0544    | 3.1093    |
| 20   | 3.5117    | 3.5117    | 3.4568    | 3.53      | 3.53      | 3.3471    | 3.3836    |
| 21   | 3.53      | 3.7494    | 3.8226    | 3.7129    | 3.7129    | 3.5117    | 1.7741    |
| 22   | 3.6397    | 3.8226    | 3.9689    | 3.8226    | 3.8775    | 3.6946    | 3.7494    |
| 23   | 4.1335    | 2.268     | 4.2798    | 4.2616    | 4.0787    | 4.0238    | 4.1884    |
| 24   | 4.1701    | 4.1884    | 4.1884    | 4.5908    | 4.3713    | 4.2798    | 4.2433    |
| Max  | 4.1701    | 4.1884    | 4.2798    | 4.5908    | 4.3713    | 4.2798    | 4.2433    |
| Min  | 2.7069    | 2.268     | 2.9081    | 2.7069    | 2.8898    | 2.7618    | 1.7741    |
| Avg  | 3.1390    | 3.1055    | 3.3383    | 3.3204    | 3.3501    | 3.2762    | 3.1657    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

LOKMANYA NAGAR[591] BU 4591

Substation No/ Name :- 283080 / 22/11KV MHADA S/STN

Feeder No / Name : 205 / FEEDER NO. 5

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.6118    | 1.6095    | 1.6651    | 1.7372    | 1.7375    | 1.7193    | 1.7375    |
| 2    | 1.4327    | 1.5546    | 1.5565    | 1.576     | 1.6461    | 1.6118    | 1.5729    |
| 3    | 1.3432    | 1.4998    | 1.448     | 1.4327    | 1.6461    | 1.576     | 1.4632    |
| 4    | 1.3611    | 1.4632    | 1.448     | 1.5223    | 1.6461    | 1.5581    | 1.4815    |
| 5    | 1.576     | 1.4449    | 1.5746    | 1.6297    | 1.6461    | 1.6297    | 1.4632    |
| 6    | 1.4327    | 1.4632    | 1.5927    | 1.6118    | 1.6095    | 1.4685    | 1.4661    |
| 7    | 1.3969    | 1.4815    | 1.6108    | 1.4864    | 1.4998    | 1.3969    | 1.4998    |
| 8    | 1.5043    | 1.5181    | 1.5927    | 1.7013    | 1.5181    | 1.4327    | 1.5181    |
| 9    | 1.0974    | 1.5384    | 1.5746    | 1.5364    | 1.5546    | 1.5384    | 1.4083    |
| 10   | 1.4998    | 1.4842    | 1.6476    | 1.2986    | 1.4864    | 1.5023    | 1.4449    |
| 11   | 1.5181    | 1.4661    | 1.6655    | 1.2437    | 1.5043    | 1.5384    | 1.4998    |
| 12   | 1.5181    |           | 1.7013    | 1.3169    | 1.6297    | 1.5203    | 1.4815    |
| 13   | 1.4998    | 1.5023    | 1.6297    | 1.2986    | 1.773     | 1.5384    | 1.5546    |
| 14   | 1.262     | 1.4118    | 1.2894    | 1.2986    | 1.3432    | 1.5023    | 1.2986    |
| 15   | 1.2986    | 1.3575    | 1.3253    | 1.3169    | 1.0208    | 1.3394    | 1.2803    |
| 16   | 1.1888    | 1.2851    | 1.3611    | 1.3169    | 1.0566    | 1.3575    | 1.2986    |
| 17   | 1.3717    | 1.2127    | 1.6476    | 1.2437    | 1.1641    | 1.5203    | 1.4266    |
| 18   | 1.4083    | 1.3213    | 1.5043    | 1.0791    | 1.2536    | 1.3575    | 1.3717    |
| 19   | 1.6827    | 1.3575    | 1.6297    | 1.5546    | 1.4864    | 1.5203    | 1.6095    |
| 20   | 1.7924    | 1.3937    | 1.7013    | 1.7741    | 1.7193    | 1.6832    | 1.7193    |
| 21   | 1.7193    | 1.7194    | 1.773     | 1.8839    | 1.7193    | 1.7556    | 1.7741    |
| 22   | 1.7741    | 1.8642    | 1.8625    | 1.9387    | 1.773     | 1.7918    | 1.8107    |
| 23   | 1.8656    | 1.8461    | 1.8625    | 2.0302    | 1.8446    | 2.0814    | 1.9022    |
| 24   | 1.7909    | 1.8473    | 1.8461    | 1.9163    | 1.9204    | 1.8625    | 2.0271    |
| Max  | 1.8656    | 1.8642    | 1.8625    | 2.0302    | 1.9204    | 2.0814    | 2.0271    |
| Min  | 1.0974    | 1.2127    | 1.2894    | 1.0791    | 1.0208    | 1.3394    | 1.2803    |
| Avg  | 1.4978    | 1.5062    | 1.6046    | 1.5310    | 1.5499    | 1.5751    | 1.5463    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

LOKMANYA NAGAR[591] BU 4591

Substation No/ Name :- 283110 / 22/11 kv Akruti Substation

Feeder No / Name : 201 / LAXMI INDUSTRIES

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .4024     |           |           |           |           |           | .4024     |
| 2    | .3841     |           |           |           |           |           |           |
| 3    | .3841     |           |           |           |           |           | .3658     |
| 4    | .3658     |           |           |           |           |           |           |
| 5    | .3475     |           |           |           |           |           |           |
| 6    | .3475     |           |           |           |           |           |           |
| 7    | .3475     |           |           |           |           |           |           |
| 8    | .3841     |           |           |           |           |           | .4572     |
| 9    | .4755     |           |           | .5121     |           |           |           |
| 10   | .7316     |           | .7133     | .7316     |           |           |           |
| 11   | .8048     |           | .8048     | .7865     |           |           | .7133     |
| 12   | .8413     | .7316     | .8413     | .8048     | .7865     | .439      | .6584     |
| 13   |           |           | .7499     | .7499     |           |           |           |
| 14   | .7499     |           | .7682     | .7316     |           |           |           |
| 15   | .7316     | .7499     | .823      | .7133     |           |           | .695      |
| 16   | .6767     | .7316     |           | .7133     | .7133     |           |           |
| 17   | .695      |           |           | .695      |           |           |           |
| 18   |           | .6584     |           | .6584     | .6401     |           | .7682     |
| 19   |           | .6036     |           | .5487     |           |           |           |
| 20   |           |           |           | .4572     |           |           |           |
| 21   |           |           |           | .4755     |           |           |           |
| 22   |           |           |           | .4024     |           |           |           |
| 23   |           |           |           | .4755     |           |           |           |
| 24   | .439      | .4938     |           | .4572     | .439      | .8597     | .8962     |
| Max  | .8413     | .7499     | .8413     | .8048     | .7865     | .8597     | .8962     |
| Min  | .3475     | .4938     | .7133     | .4024     | .439      | .439      | .3658     |
| Avg  | .5358     | .6615     | .7834     | .6196     | .6447     | .6494     | .6196     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

LOKMANYA NAGAR[591] BU 4591

Substation No/ Name :- 283110 / 22/11 kv Akruti Substation

Feeder No / Name : 202 / OLD MSEB SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .8688     |           |           |           |           |           |           |
| 2    | .8326     |           |           |           |           |           | .8145     |
| 3    | .7602     |           |           |           |           |           |           |
| 4    |           |           |           |           |           |           | .7421     |
| 5    | .724      |           |           |           |           |           |           |
| 6    | .6878     |           |           |           |           |           |           |
| 7    | .6335     |           |           |           |           |           |           |
| 8    | .6335     |           |           |           |           |           | .6516     |
| 9    | .6516     |           |           | .6878     |           |           |           |
| 10   | .724      |           | .724      | .724      |           |           |           |
| 11   | .7421     |           | .8145     | .7421     |           |           | .7421     |
| 12   | .7783     | .7964     | .8326     | .7421     | .8507     | .7783     | .7964     |
| 13   |           |           | .8145     | .7783     |           |           |           |
| 14   | .7602     |           | .8326     | .7964     |           |           |           |
| 15   | .7602     | .7964     |           | .8145     |           | .7865     | .8145     |
| 16   | .7783     | .724      |           | .7602     | .7421     |           |           |
| 17   | .7783     |           |           | .7964     |           |           |           |
| 18   |           | .8688     |           | .8326     | .8688     |           | .8326     |
| 19   |           | .9231     |           | .905      |           |           |           |
| 20   |           |           |           | .9774     |           |           |           |
| 21   |           |           |           | .9774     |           |           |           |
| 22   |           |           |           | .9593     |           |           |           |
| 23   |           |           |           | .9774     |           |           |           |
| 24   | .905      | .9412     |           | .9593     | .9593     | .8869     | .9955     |
| Max  | .905      | .9412     | .8326     | .9774     | .9593     | .8869     | .9955     |
| Min  | .6335     | .724      | .724      | .6878     | .7421     | .7783     | .6516     |
| Avg  | .7512     | .8417     | .8036     | .8394     | .8552     | .8172     | .7987     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

LOKMANYA NAGAR[591] BU 4591

Substation No/ Name :- 283110 / 22/11 kv Akruti Substation

Feeder No / Name : 203 / VIHANG PARK

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

|      |           |
|------|-----------|
| DATE | 17-MAY-18 |
| HR   | Load (MW) |
| 12   | .1372     |
| Max  | .1372     |
| Min  | .1372     |
| Avg  | .1372     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

LOKMANYA NAGAR[591] BU 4591

Substation No/ Name :- 283110 / 22/11 kv Akruti Substation

Feeder No / Name : 204 / GREEN WOOD SEAL

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .0566     |           |           |           |           |           |           |
| 2    | .0377     |           |           |           |           |           | .0566     |
| 3    | .0377     |           |           |           |           |           |           |
| 4    | .0377     |           |           |           |           |           | .0566     |
| 5    | .0377     |           |           |           |           |           |           |
| 6    | .0566     |           |           |           |           |           | .0566     |
| 7    | .0566     |           |           |           |           |           |           |
| 8    | .0566     |           |           |           |           |           | .0566     |
| 9    | .0566     |           |           | .0754     |           |           |           |
| 10   |           |           | .0566     | .0566     |           |           |           |
| 11   | .0754     |           | .0754     | .0566     |           |           | .0566     |
| 12   | .0566     | .0566     | .0754     | .0566     | .0566     | .0732     | .0566     |
| 13   |           |           | .0566     | .0566     |           |           |           |
| 14   | .0566     |           | .0754     | .0566     |           |           |           |
| 15   | .0566     |           |           | .0566     |           |           | .0566     |
| 16   | .0377     |           |           | .0754     | .0566     |           |           |
| 17   | .0566     | .0754     |           | .0566     |           |           |           |
| 18   |           | .0754     |           | .0377     |           |           | .0566     |
| 19   |           | .0754     |           | .0377     |           |           |           |
| 20   |           |           |           | .0377     |           |           |           |
| 21   |           |           |           | .0754     |           |           |           |
| 22   |           |           |           | .0566     |           |           |           |
| 23   |           |           |           | .0754     |           |           |           |
| 24   | .0754     | .0754     |           | .0943     | .0754     | .0754     | .0566     |
| Max  | .0754     | .0754     | .0754     | .0943     | .0754     | .0754     | .0566     |
| Min  | .0377     | .0566     | .0566     | .0377     | .0566     | .0732     | .0566     |
| Avg  | .0530     | .0716     | .0679     | .0601     | .0629     | .0743     | .0566     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

LOKMANYA NAGAR[591] BU 4591

Substation No/ Name :- 283110 / 22/11 kv Akruti Substation

Feeder No / Name : 206 / BHAITHI COLONY

SHEDDABLE URBAN

Feeder KV- 11 / OUTGOING

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.5565    |           |           |           |           |           |           |
| 2    | 1.4842    |           |           |           |           |           | 1.5043    |
| 3    | 1.448     |           |           |           |           |           |           |
| 4    | 1.3756    |           |           |           |           |           | 1.4148    |
| 5    | 1.3394    |           |           |           |           |           |           |
| 6    | 1.267     |           |           |           |           |           | 1.3073    |
| 7    | 1.2308    |           |           |           |           |           |           |
| 8    | 1.1946    |           |           |           |           |           | 1.2357    |
| 9    | 1.1584    |           |           | 1.2127    |           |           |           |
| 10   | 1.1584    |           | 1.1765    | 1.1765    |           |           | 1.2357    |
| 11   | 1.086     |           | 1.1765    | 1.1403    |           |           | 1.2357    |
| 12   | 1.1765    | 1.0745    | 1.2489    | 1.1765    | 1.2357    |           | 1.1641    |
| 13   |           |           | 1.2127    | 1.2308    |           |           |           |
| 14   | 1.1403    |           | 1.6651    | 1.2489    |           |           |           |
| 15   | 1.2489    |           |           | 1.2715    |           |           | 1.1641    |
| 16   | 1.1584    |           |           | 1.2308    |           |           |           |
| 17   | 1.1584    | 1.2178    |           | 1.1946    |           |           |           |
| 18   |           |           |           | 1.1584    | 1.182     |           | 1.1641    |
| 19   |           | 1.2357    |           | 1.4299    |           |           |           |
| 20   |           |           |           | 1.448     |           |           |           |
| 21   |           |           |           | 1.4661    |           |           |           |
| 22   |           |           |           | 1.5023    |           |           |           |
| 23   |           |           |           | 1.6289    |           |           |           |
| 24   | 1.6289    | 1.7194    |           | 1.7918    | 1.7013    | 1.576     | 1.7551    |
| Max  | 1.6289    | 1.7194    | 1.6651    | 1.7918    | 1.7013    | 1.576     | 1.7551    |
| Min  | 1.086     | 1.0745    | 1.1765    | 1.1403    | 1.182     | 1.576     | 1.1641    |
| Avg  | 1.2830    | 1.3119    | 1.2959    | 1.3318    | 1.373     | 1.576     | 1.3181    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

WAGLE ESTATE S/DN.[542] BU 4542

Substation No/ Name :- 283076 / 22/22 KV WAGLE ETATE

SWITCHING

Feeder No / Name : 301 / Feeder No I

Feeder KV- 22 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY

STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 4.1495    | 3.9609    | 4.3381    | 4.5268    | 3.7723    | 3.7723    | 3.7723    |
| 2    | 4.1495    | 3.9609    | 4.1495    | 4.1495    | 3.7723    | 3.5837    | 3.7723    |
| 3    | 3.9609    | 3.7723    | 4.1495    | 4.1495    | 3.7723    | 3.5837    | 3.5837    |
| 4    | 3.9609    | 3.7723    | 3.9609    | 3.7723    | 3.7723    | 3.3951    | 3.5837    |
| 5    | 3.7723    | 3.3951    | 3.9609    | 3.7723    | 3.5837    | 3.3951    | 3.5837    |
| 6    | 3.7723    | 3.3951    | 3.7723    | 3.3951    | 3.3951    | 3.3951    | 3.5837    |
| 7    | 3.7723    | 3.3951    | 3.7723    | 3.3951    | 3.3951    | 3.3951    | 3.5837    |
| 8    | 4.5268    | 3.7723    | 4.3381    | 3.7723    | 3.7723    | 3.3951    | 4.3381    |
| 9    | 5.8471    | 4.7154    | 5.8471    |           | 4.904     | 4.1495    | 5.4698    |
| 10   | 6.6015    | 6.6015    | 7.1674    |           | 6.4129    |           | 6.7901    |
| 11   | 6.9787    | 7.1674    | 7.9218    |           | 6.2243    |           | 6.9787    |
| 12   | 7.1674    | 7.5446    | 7.9218    |           | 6.7901    |           | 7.356     |
| 13   | 6.2243    | 6.6015    | 6.7901    |           | 5.6584    |           | 6.2243    |
| 14   | 7.1674    | 6.9787    | 7.1674    |           |           |           | 6.6015    |
| 15   | 7.356     | 7.1674    | 7.5446    |           | 6.4129    |           | 6.9787    |
| 16   | 7.1674    | 7.5446    | 7.5446    |           | 6.2243    | 4.1495    | 6.7901    |
| 17   | 7.1674    |           |           | 1.6975    | 5.6584    | 4.5268    | 7.1674    |
| 18   | 5.6584    | 6.0357    | 6.6015    | 4.5268    | 5.6584    | 4.3381    | 6.0357    |
| 19   | 4.904     | 5.4698    | 6.0357    | 4.1495    | 4.904     | 3.9609    | 5.6584    |
| 20   | 4.3381    | 4.904     | 5.2812    | 3.9609    | 4.7154    | 4.1495    | 4.7154    |
| 21   | 4.1495    | 4.5268    |           | 3.7723    | 4.1495    | 3.2065    | 4.3381    |
| 22   | 3.9609    | 4.5268    | 4.904     | 3.7723    | 3.9609    | 3.9609    | 4.1495    |
| 23   | 3.9609    | 4.3381    | 4.3381    | 3.9609    | 3.9609    | 3.9609    | 4.0238    |
| 24   | 4.3381    | 4.1495    | 4.3381    | 4.5268    | 3.7723    | 3.9609    | 3.7723    |
| Max  | 7.356     | 7.5446    | 7.9218    | 4.5268    | 6.7901    | 4.5268    | 7.356     |
| Min  | 3.7723    | 3.3951    | 3.7723    | 1.6975    | 3.3951    | 3.2065    | 3.5837    |
| Avg  | 5.2105    | 5.1172    | 5.5384    | 3.8312    | 4.7236    | 3.7933    | 5.1188    |



**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

WAGLE ESTATE S/DN.[542] BU 4542

Substation No/ Name :- 283076 / 22/22 KV WAGLE ETATE

SWITCHING

Feeder No / Name : 302 / Feeder No -II

Feeder KV- 22 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY

STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.8861    | 2.0748    | 1.8861    | 2.0748    | 1.6975    | 2.2634    | 2.0748    |
| 2    | 1.8861    | 2.0748    | 1.6975    | 1.8861    | 1.8861    | 2.0748    | 2.0748    |
| 3    | 1.8861    | 2.0748    | 1.6975    | 1.8861    | 1.8861    | 2.0748    | 1.8861    |
| 4    | 1.6975    | 1.8861    | 1.8861    | 1.6975    | 1.8861    | 1.8861    | 1.8861    |
| 5    | 1.6975    | 1.8861    | 1.8861    | 1.6975    | 1.8861    | 2.0748    | 1.8861    |
| 6    | 1.6975    | 1.8861    | 1.6975    | 1.6975    | 1.8861    | 2.0748    | 1.8861    |
| 7    | 1.6975    | 1.8861    | 1.6975    | 1.6975    | 1.6975    | 1.8861    | 1.8861    |
| 8    | 2.6406    | 3.0178    | 2.452     | 2.452     | 2.452     | 1.5089    | 3.0178    |
| 9    | 3.7723    | 3.7723    | 3.2065    | 3.5837    | 3.3951    | 1.8861    | 3.9609    |
| 10   | 4.1495    | 4.5268    | 4.3381    | 4.3381    | 3.9609    | 2.6406    | 4.7154    |
| 11   | 4.3381    | 4.904     | 4.3381    | 3.5837    | 4.5268    | 2.6406    | 4.904     |
| 12   | 4.5268    | 3.9609    | 3.3951    |           | 4.5268    | 2.452     | 5.0926    |
| 13   | 4.3381    | 4.3381    | 4.3381    |           | 4.1495    | 2.6406    | 4.7154    |
| 14   | 4.3381    | 4.3381    |           |           | 4.1495    | 2.6406    | 4.7154    |
| 15   | 4.5268    | 4.3381    | 4.7154    |           | 4.3381    | 2.6406    | 3.9609    |
| 16   | 4.1495    | 4.1495    | 4.5268    |           | 4.3381    | 2.0748    | 4.1495    |
| 17   | 4.1495    | 4.7154    | 4.3381    | 1.6975    | 3.9609    | 2.2634    | 3.9609    |
| 18   | 3.7723    | 3.7723    | 3.7723    | 3.0178    | 3.3951    | 1.8861    | 3.9609    |
| 19   | 3.3951    | 3.0178    | 3.0178    | 3.2065    | 2.8292    | 1.8861    | 3.3951    |
| 20   | 2.6406    | 2.452     | 2.6406    | 2.452     | 2.8292    | 1.6975    | 3.0178    |
| 21   | 2.452     | 2.0748    |           | 2.0748    | 2.452     | 1.3203    | 2.6406    |
| 22   | 2.452     | 1.8861    | 2.2634    | 2.0748    | 2.452     | 2.2634    | 2.6406    |
| 23   | 2.2634    | 1.8861    | 2.2634    | 2.0748    | 2.2634    | 2.2634    | 2.452     |
| 24   | 2.0748    | 2.2634    | 1.8861    | 2.0748    | 1.8861    | 2.452     | 2.0748    |
| Max  | 4.5268    | 4.904     | 4.7154    | 4.3381    | 4.5268    | 2.6406    | 5.0926    |
| Min  | 1.6975    | 1.8861    | 1.6975    | 1.6975    | 1.6975    | 1.3203    | 1.8861    |
| Avg  | 3.0178    | 3.0493    | 2.9064    | 2.3825    | 2.9471    | 2.1455    | 3.2064    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

WAGLE ESTATE S/DN.[542] BU 4542

Substation No/ Name :- 283076 / 22/22 KV WAGLE ETATE

SWITCHING

Feeder No / Name : 305 / Feeder No V

Feeder KV- 22 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY

STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 2.0748    | 2.0748    | 2.2634    | 2.2634    | 1.8861    | 2.0748    | 1.8861    |
| 2    | 2.0748    | 2.0748    | 2.0748    | 2.0748    | 1.8861    | 2.0748    | 1.8861    |
| 3    | 2.0748    | 2.0748    | 2.0748    | 2.0748    | 1.8861    | 2.0748    | 1.8861    |
| 4    | 2.0748    | 1.8861    | 1.8861    | 2.0748    | 1.8861    | 2.0748    | 1.8861    |
| 5    | 2.0748    | 1.8861    | 1.8861    | 1.8861    | 1.8861    | 2.0748    | 1.8861    |
| 6    | 2.0748    | 2.0748    | 2.0748    | 1.8861    | 1.8861    |           | 1.8861    |
| 7    | 2.0748    | 2.0748    | 2.0748    | 1.8861    | 1.8861    | 1.8861    | 2.0748    |
| 8    | 2.8292    | 2.6406    | 2.6406    | 2.2634    | 2.452     |           | 2.8292    |
| 9    | 3.7723    | 3.3951    | 3.3951    | 3.0178    | 3.0178    |           | 3.7723    |
| 10   | 3.9609    | 4.1495    | 4.5268    | 3.7723    | 4.1495    |           | 4.1495    |
| 11   | 4.5268    | 4.5268    | 4.904     |           | 4.3381    |           | 4.904     |
| 12   | 4.3381    | 4.1495    | 2.6406    |           | 3.9609    |           | 4.7154    |
| 13   | 3.7723    | 4.5268    | 3.7723    |           | 3.3951    |           | 3.7723    |
| 14   | 4.1495    | 4.7154    | 4.904     |           | 3.7723    |           | 4.1495    |
| 15   |           | 4.5268    | 4.7154    |           | 3.9609    |           | 4.3381    |
| 16   | 3.7723    | 4.7154    | 4.5268    |           | 3.9609    |           | 4.904     |
| 17   | 3.9609    | 4.5268    | 4.1495    |           | 3.3951    |           | 4.3381    |
| 18   | 3.7723    | 3.9609    | 3.5837    | 2.2634    | 3.0178    |           | 3.9609    |
| 19   | 2.8292    | 3.2065    | 3.2065    | 2.452     | 2.6406    |           | 3.3951    |
| 20   |           | 2.8292    | 2.6406    | 2.452     | 2.452     |           | 3.0178    |
| 21   | 2.2634    | 2.8292    |           | 2.2634    | 2.6406    |           | 2.6406    |
| 22   | 2.0748    | 2.6406    |           | 2.2634    | 2.452     |           | 2.6406    |
| 23   | 2.0748    | 2.2634    | 2.2634    | 2.2634    | 2.2634    | 2.0748    | 2.0748    |
| 24   | 2.0748    | 2.0748    | 2.2634    | 2.2634    | 1.8861    | 2.0748    | 1.8861    |
| Max  | 4.5268    | 4.7154    | 4.904     | 3.7723    | 4.3381    | 2.0748    | 4.904     |
| Min  | 2.0748    | 1.8861    | 1.8861    | 1.8861    | 1.8861    | 1.8861    | 1.8861    |
| Avg  | 2.9407    | 3.1593    | 3.1122    | 2.3189    | 2.7899    | 2.0512    | 3.1200    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

WAGLE ESTATE S/DN.[542] BU 4542

Substation No/ Name :- 283076 / 22/22 KV WAGLE ETATE

SWITCHING

Feeder No / Name : 310 / Feeder No IV

Feeder KV- 22 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY

STAGGERING (MIDC, EQUIVALENT)

| DATE | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.1317    | .7545     | 1.1317    |           |
| 2    |           | 1.1317    | .7545     | 1.1317    |           |
| 3    |           | 1.1317    | .9431     | 1.1317    |           |
| 4    |           | 1.1317    | .9431     | 1.3203    |           |
| 5    |           | 1.1317    | .9431     | .9431     |           |
| 6    |           | 1.1317    | .9431     | 1.1317    |           |
| 7    |           | 1.1317    | .9431     | 1.1317    |           |
| 8    |           | 1.3203    | 1.1317    | .9431     |           |
| 9    |           |           | 1.5089    |           |           |
| 10   |           |           | 1.5089    |           |           |
| 11   |           |           | 1.5089    |           |           |
| 12   |           |           | 1.5089    |           | 2.0748    |
| 13   |           |           | 1.5089    |           | 1.8861    |
| 14   | 2.2634    |           |           |           | 2.0748    |
| 15   | 1.8861    |           | 1.5089    |           | 1.8861    |
| 16   | 1.6975    |           | 1.5089    |           | 2.0748    |
| 17   | 1.6975    | .7545     | 1.1317    |           | 1.8861    |
| 18   | 1.5089    | 1.1317    | 1.3203    |           | 1.5089    |
| 19   | 1.5089    | 1.1317    | 1.1317    |           | 1.5089    |
| 20   | 1.3203    | .9431     | 1.1317    |           | 1.1317    |
| 21   |           | .9431     | 1.1317    |           | 1.1317    |
| 22   | 1.1317    | .9431     | .9431     |           | 1.1317    |
| 23   |           | .9431     | 1.1317    |           | 1.1317    |
| 24   |           | 1.1317    | .9431     | .9431     |           |
| Max  | 2.2634    | 1.3203    | 1.5089    | 1.3203    | 2.0748    |
| Min  | 1.1317    | .7545     | .7545     | .9431     | 1.1317    |
| Avg  | 1.6268    | 1.0728    | 1.1645    | 1.0898    | 1.6189    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

WAGLE ESTATE S/DN.[542] BU 4542

Substation No/ Name :- 283076 / 22/22 KV WAGLE ETATE

SWITCHING

Feeder No / Name : 320 / KISAN NAGAR-2 INCOMER TO NON SHEDDABLE EXPRESS HV FEEDERS  
 KISAN Feeder KV- 22 / INCOMING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | 1.5089    | 4.7154    | 4.7154    |           |
| 2    |           | 1.3203    | 4.5268    | 4.3381    |           |
| 3    |           | 1.1317    | 4.1495    | 4.1495    |           |
| 4    |           | 1.1317    | 3.9609    | 3.9609    |           |
| 5    |           | .9431     | 3.7723    | 3.7723    |           |
| 6    |           | .9431     | 3.3951    | 3.5837    |           |
| 7    |           | .9431     | 3.3951    | 3.2065    |           |
| 8    |           | .9431     | 3.3951    |           |           |
| 9    |           |           | 3.7723    |           | .3018     |
| 11   |           |           |           |           | 2.6406    |
| 12   |           |           |           |           | 2.6406    |
| 13   |           |           |           |           | 6.2243    |
| 14   | 4.5268    |           |           |           | 6.9787    |
| 15   | 1.5089    |           |           |           | 7.1674    |
| 16   | 1.5089    |           |           |           | 7.1674    |
| 17   | 1.8861    |           |           |           |           |
| 18   | 1.3203    | 3.3951    |           |           |           |
| 19   | 1.3203    | 3.5837    | 3.7723    |           |           |
| 20   | 1.5089    | 4.1495    | 4.3381    |           |           |
| 21   |           | 4.3381    | 4.1495    |           |           |
| 22   | 1.3203    | 4.5268    | 4.3381    |           |           |
| 23   | 1.5089    | 5.0926    | 4.904     |           |           |
| 24   |           | 1.5089    | 4.904     | 5.0926    |           |
| Max  | 4.5268    | 5.0926    | 4.904     | 5.0926    | 7.1674    |
| Min  | 1.3203    | .9431     | 3.3951    | 3.2065    | .3018     |
| Avg  | 1.8233    | 2.3640    | 4.0992    | 4.1024    | 4.7315    |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

WAGLE ESTATE S/DN.[542] BU 4542

Substation No/ Name :- 283083 / 22/11KV Ramnagar Substation

Feeder No / Name : 202 / 11KV Hanuman Nagar

Feeder KV- 11 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY

STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-MAY-18 | 16-MAY-18 | 19-MAY-18 | 20-MAY-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .8488     |           | .7922     |
| 2    |           | .8488     |           | .7922     |
| 3    |           | .7922     |           | .7545     |
| 4    |           | .7922     |           | .7545     |
| 5    |           | .7922     |           | .7733     |
| 6    |           | .7922     |           | .811      |
| 7    |           | .8299     |           |           |
| 8    |           | .7373     |           |           |
| 9    |           | 1.0631    | .8865     |           |
| 10   | 1.3014    | 1.2346    | 1.226     |           |
| 11   | 1.3392    | 1.286     | 1.4146    |           |
| 12   | 1.3392    | 1.406     | 1.5089    |           |
| 13   | 1.0185    | 1.2174    | 1.1506    |           |
| 14   | 1.358     | 1.2003    | 1.358     |           |
| 15   | 1.3957    | 1.286     | 1.3014    |           |
| 16   | 1.4146    | 1.2346    | 1.4335    |           |
| 17   | 1.4146    | 1.166     | 1.4146    |           |
| 18   | 1.1694    | .8573     | 1.3203    |           |
| 19   | 1.226     |           | 1.1694    |           |
| 20   | 1.094     |           | 1.1128    |           |
| 21   |           |           | .9808     |           |
| 22   |           |           | .9242     |           |
| 24   |           | .9054     |           | .8299     |
| Max  | 1.4146    | 1.406     | 1.5089    | .8299     |
| Min  | 1.0185    | .7373     | .8865     | .7545     |
| Avg  | 1.2791    | 1.0153    | 1.2287    | .7868     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

WAGLE ESTATE S/DN.[542] BU 4542

Substation No/ Name :- 283083 / 22/11KV Ramnagar Substation

Feeder No / Name : 203 / 11KV TMT Depo

Feeder KV- 11 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY  
STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-MAY-18 | 16-MAY-18 | 19-MAY-18 | 20-MAY-18 |
|------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .811      |           | .811      |
| 2    |           | .7733     |           | .7922     |
| 3    |           | .7545     |           | .7545     |
| 4    |           | .7545     |           | .7356     |
| 5    |           | .7356     |           | .7356     |
| 6    |           | .7356     |           | .7545     |
| 7    |           | .7356     |           |           |
| 8    |           | .703      |           |           |
| 9    | 1.1317    | 1.0631    | 1.1883    |           |
| 10   | 1.4335    | 1.2346    | 1.2637    |           |
| 11   | 1.1506    | 1.3717    | 1.1883    |           |
| 12   | 1.3014    | 1.6289    | 1.4523    |           |
| 13   | 1.226     | 1.7147    | 1.3014    |           |
| 14   | 1.4335    | 1.6289    | 1.3957    |           |
| 15   | 1.3769    | 1.7147    | 1.5278    |           |
| 16   | 1.4523    | 1.6289    | 1.4712    |           |
| 17   | 1.4712    | 1.5432    | 1.3014    |           |
| 18   | 1.094     | 1.3889    | 1.1506    |           |
| 19   | .9808     |           | .9997     |           |
| 20   | .9808     |           | .9997     |           |
| 21   |           |           | .9242     |           |
| 22   |           |           | .8865     |           |
| 24   |           | .8676     |           | .8676     |
| Max  | 1.4712    | 1.7147    | 1.5278    | .8676     |
| Min  | .9808     | .703      | .8865     | .7356     |
| Avg  | 1.2527    | 1.1468    | 1.2179    | .7787     |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

WAGLE ESTATE S/DN.[542] BU 4542

Substation No/ Name :- 283083 / 22/11KV Ramnagar Substation

Feeder No / Name : 204 / NSIL-HT

Feeder KV- 11 / OUTGOING

SHEDDABLE FEEDER MIDC EQUIVALENT  
HAVING WEEKLY STAGGERING

| DATE | 15-MAY-18 | 16-MAY-18 | 19-MAY-18 |
|------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) |
| 1    |           | .1509     |           |
| 2    |           | .1509     |           |
| 3    |           | .1698     |           |
| 4    |           | .1698     |           |
| 5    |           | .1509     |           |
| 6    |           | .1509     |           |
| 7    |           | .1509     |           |
| 8    |           | .2058     |           |
| 9    | .3772     | .5487     | .3018     |
| 10   | .6413     | .6516     | .6036     |
| 11   | .9431     | .823      | .679      |
| 12   | .7922     | .7888     | .6224     |
| 13   | .679      | .6344     | .6224     |
| 14   | .6413     | .6859     | .5281     |
| 15   | .7733     | .6859     | .5281     |
| 16   | .7545     | .6516     | .5093     |
| 17   | .7167     | .5487     | .4904     |
| 18   | .6036     | .4287     | .3961     |
| 19   | .2829     |           | .1886     |
| 20   | .2263     |           | .1698     |
| 21   |           |           | .1132     |
| 22   |           |           | .132      |
| 24   |           | .1698     |           |
| Max  | .9431     | .823      | .679      |
| Min  | .2263     | .1509     | .1132     |
| Avg  | .6193     | .4167     | .4203     |

## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

WAGLE ESTATE S/DN.[542] BU 4542

Substation No/ Name :- 283083 / 22/11KV Ramnagar Substation

Feeder No / Name : 206 / I-THINK IT Park-2  
Feeder KV- 11 / OUTGOINGSHEDDABLE FEEDER MIDC EQUIVALENT  
HAVING WEEKLY STAGGERING

| DATE | 15-MAY-18 | 16-MAY-18 | 19-MAY-18 |
|------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) |
| 9    |           | .3086     |           |
| 10   | .3395     | .3429     | .2452     |
| 11   | .3772     | .3258     | .2641     |
| 12   | .3772     | .3429     | .2641     |
| 13   | .3584     | .3429     | .2641     |
| 14   | .3584     | .3429     | .2641     |
| 15   | .3772     | .3258     | .2452     |
| 16   | .3961     | .3429     | .2452     |
| 17   | .3772     | .3258     | .2452     |
| 18   | .3584     | .2915     | .2263     |
| 19   | .2452     |           |           |
| 20   | .1886     |           |           |
| Max  | .3961     | .3429     | .2641     |
| Min  | .1886     | .2915     | .2263     |
| Avg  | .3412     | .3292     | .2515     |



## MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

## Feederwise Load Information for All Feeders

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

WAGLE ESTATE S/DN.[542] BU 4542

Substation No/ Name :- 283099 / 22/22KV Ashar IT Park

Switchin

Feeder No / Name : 301 / 22KV Sathenagar Feeder

Feeder KV- 22 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY

STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 3.5837    | 3.7723    | 3.5837    | 2.6406    | 2.6406    | 2.6406    | 3.6214    |
| 2    | 3.3951    | 3.7723    | 3.5837    | 2.6406    | 2.452     | 2.6406    | 3.546     |
| 3    | 3.3951    | 3.5837    | 3.3951    | 2.452     | 2.2634    | 2.6406    | 3.5082    |
| 4    | 3.3951    | 3.5837    | 3.3951    | 2.452     | 2.2634    | 2.452     | 3.4328    |
| 5    | 3.3951    | 3.3951    | 3.3951    | 2.452     | 2.2634    | 2.452     | 3.4328    |
| 6    | 3.3951    | 3.3951    | 3.3951    | 2.452     | 2.2634    | 2.452     | 3.4328    |
| 7    | 3.3951    | 3.3951    | 3.3951    | 2.6406    | 2.2634    | 2.452     | 3.131     |
| 8    | 3.9609    | 4.3381    | 4.3381    | 3.0178    | 2.6406    | 2.452     | 3.9609    |
| 9    | 2.8292    | 5.0926    | 5.2812    |           | 3.2065    | 3.9609    | 5.4698    |
| 10   | 5.6584    | 5.8471    | 6.0357    |           | 3.7723    | 4.3381    | 4.904     |
| 11   | 6.0357    | 5.8471    | 6.2243    |           | 3.7723    | 4.3381    | 6.4129    |
| 12   | 6.0357    | 6.0357    | 6.0357    |           | 3.7723    | 4.1495    | 3.7723    |
| 13   | 5.2812    | 5.2812    | 3.5837    |           | 3.3951    | 3.7723    | 3.5837    |
| 14   | 6.2243    | 5.8471    | 3.9609    |           | 3.7723    | 3.9609    | 3.9609    |
| 15   | 5.2812    | 5.6584    | 4.1495    |           | 3.7723    | 3.9609    | 4.1495    |
| 16   | 5.6584    | 5.8471    | 4.1495    |           | 3.7723    | 3.9609    | 3.7723    |
| 17   | 5.6584    | 5.4698    | 4.1495    |           | 3.5837    | 3.7723    | 4.1495    |
| 18   | 5.2812    | 5.2812    | 3.5837    |           | 3.3951    | 3.5837    | 3.5837    |
| 19   | 5.0926    |           | 3.3951    | 3.2065    | 3.0178    | 3.7723    | 3.2065    |
| 20   | 4.5268    |           | 3.3951    | 3.2065    | 3.0178    | 3.5837    | 3.3951    |
| 21   | 4.1495    | 4.1495    | 3.3951    | 3.0178    | 3.0178    | 3.6214    | 3.2065    |
| 22   | 4.3381    | 3.9609    | 3.0178    | 3.0178    | 3.0178    | 3.6591    | 3.0178    |
| 23   | 4.1495    | 3.9609    | 3.0178    | 3.0178    | 3.0178    | 3.4705    | 3.0178    |
| 24   | 3.7723    | 3.9609    | 3.7723    | 2.8292    | 2.8292    | 2.8292    | 3.5082    |
| Max  | 6.2243    | 6.0357    | 6.2243    | 3.2065    | 3.7723    | 4.3381    | 6.4129    |
| Min  | 2.8292    | 3.3951    | 3.0178    | 2.452     | 2.2634    | 2.452     | 3.0178    |
| Avg  | 4.4953    | 4.6125    | 3.9845    | 2.7888    | 3.0493    | 3.3715    | 3.7990    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

WAGLE ESTATE S/DN.[542] BU 4542

Substation No/ Name :- 283099 / 22/22KV Ashar IT Park

Switchin

Feeder No / Name : 303 / Ashir IT complex feeder

Feeder KV- 22 / OUTGOING

SHEDDABLE FEEDER HAVING WEEKLY

STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | 1.3203    | 1.5089    | 1.3203    | 1.5089    | 1.3203    | 1.3203    | 1.0562    |
| 2    | 1.3203    | 1.3203    | 1.3203    | 1.5089    | 1.3203    | 1.3203    | .9808     |
| 3    | 1.1317    | 1.3203    | 1.3203    | 1.3203    | 1.1317    | 1.1317    | .9431     |
| 4    | 1.1317    | 1.1317    | 1.3203    | 1.3203    | 1.1317    | 1.1317    | .9054     |
| 5    | 1.1317    | 1.1317    | 1.3203    | 1.1317    | 1.1317    | 1.1317    | .9054     |
| 6    | 1.1317    | 1.1317    | 1.3203    | 1.1317    | 1.1317    | .9431     | .9431     |
| 7    | 1.1317    | 1.1317    | 1.3203    | 1.3203    | 1.1317    | .9431     | 1.094     |
| 8    | 1.8861    | 1.3203    | 1.5089    | 1.8861    | 1.3203    | 1.1317    | 1.7353    |
| 9    | .5658     | 3.5837    | 3.0178    | 2.452     | 2.6406    | 1.6975    | 2.8669    |
| 10   | 3.7723    | 3.9609    | 3.7723    | 3.3951    | 2.8292    | 1.6975    | 3.5837    |
| 11   | 3.7723    | 3.7723    | 3.9609    | 3.7723    | 3.0178    | 1.8861    | 3.9609    |
| 12   | 3.7723    |           |           | 3.7723    | 3.0178    | 1.8861    | 3.9609    |
| 13   | 3.5837    | 3.5837    | 3.7723    | 3.5837    | 3.0178    | 1.8861    | 3.9609    |
| 14   | 3.7723    | 3.7723    | 3.5837    | 3.5837    | 3.0178    | 1.8861    | 3.9609    |
| 15   | 3.9609    | 3.9609    | 3.9609    | 3.7723    | 3.0178    | 1.8861    | 4.1495    |
| 16   | 3.7723    | 3.7723    | 3.9609    | 3.7723    | 3.0178    | 1.8861    | 3.9609    |
| 17   | 3.5837    | 3.7723    | 3.9609    | 3.7723    | 2.8292    | 1.6975    | 3.7723    |
| 18   | 3.3951    | 3.5837    | 3.5837    | 3.5837    | 2.6406    | 1.5089    | 3.5837    |
| 19   | 2.8292    |           | 3.2065    | 2.8292    | 2.0748    | 1.5089    | 3.0178    |
| 20   | 2.2634    |           | 2.452     | 2.2634    | 1.8861    | 1.1317    | 2.452     |
| 21   | 1.8861    | 2.0748    | 2.2634    | 2.0748    | 1.5089    | 1.2071    | 1.8861    |
| 22   | 1.6975    | 1.8861    | 1.8861    | 1.6975    | 1.3203    | 1.1694    | 1.6975    |
| 23   | 1.6975    | 1.6975    | 1.8861    | 1.6975    | 1.3203    | 1.1317    | 1.6975    |
| 24   | 1.5089    | 1.5089    | 1.5089    | 1.6975    | 1.5089    | 1.3203    | 1.0562    |
| Max  | 3.9609    | 3.9609    | 3.9609    | 3.7723    | 3.0178    | 1.8861    | 4.1495    |
| Min  | .5658     | 1.1317    | 1.3203    | 1.1317    | 1.1317    | .9431     | .9054     |
| Avg  | 2.3341    | 2.4250    | 2.5012    | 2.4520    | 2.0119    | 1.4350    | 2.4221    |

**MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD****Feederwise Load Information for All Feeders**

From 15-MAY-18 and 21-MAY-18

BHANDUP (U) ZONE[053]

THANE (U) CIRCLE[539]

WAGLE ESTATE DIVISION[409]

WAGLE ESTATE S/DN.[542] BU 4542

Substation No/ Name :- 283099 / 22/22KV Ashar IT Park

Switchin

Feeder No / Name : 309 / 22KV JAI BHAWANI NAGER SHEDDABLE FEEDER HAVING WEEKLY  
 FEEDER Feeder KV- 22 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 15-MAY-18 | 16-MAY-18 | 17-MAY-18 | 18-MAY-18 | 19-MAY-18 | 20-MAY-18 | 21-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR   | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1    | .7545     | .9431     | .9431     | .9431     | .7545     | .9431     | .8299     |
| 2    | .7545     | .9431     | .7545     | .9431     | .7545     | .7545     | .7922     |
| 3    | .7545     | .7545     | .7545     | .7545     | .7545     | .7545     | .7545     |
| 4    | .7545     | .7545     | .7545     | .7545     | .7545     | .7545     | .7545     |
| 5    | .7545     | .7545     | .7545     | .7545     | .7545     | .9431     | .7545     |
| 6    | .7545     | .7545     | .7545     | .9431     | .7545     | .9431     | .7922     |
| 7    | .9431     | .9431     | .9431     | .9431     | .9431     | .9431     | .9431     |
| 8    | 1.1317    | 1.1317    | 1.1317    | 1.1317    | 1.1317    | 1.1317    | .9431     |
| 9    | .9431     | 1.6975    | 1.8861    |           | 1.8861    | 1.3203    | 1.8107    |
| 10   | 2.0748    | 1.8861    | 2.2634    |           | 2.2634    | 1.3203    | 1.8861    |
| 11   | 2.0748    | 2.2634    | 2.0748    |           | 2.2634    | 1.5089    | 2.0748    |
| 12   | 2.0748    | 2.0748    | 2.2634    |           | 2.2634    | 1.3203    | 2.0748    |
| 13   | 1.8861    | 1.5089    | 1.8861    |           | 1.6975    | .9431     | 1.8861    |
| 14   | 1.6975    | 1.8861    | 1.8861    |           | 2.0748    | 1.1317    | 1.8861    |
| 15   | 1.6975    | 1.8861    | 2.0748    |           | 2.0748    | 1.1317    | 1.8861    |
| 16   | 1.6975    | 1.8861    | 2.2634    |           | 2.0748    | 1.1317    | 2.0748    |
| 17   | 1.8861    | 1.8861    | 2.2634    |           | 2.0748    | 1.3203    | 2.0748    |
| 18   | 1.6975    | 1.6975    | 1.6975    |           | 1.6975    | 1.1317    | 1.6975    |
| 19   | 1.5089    |           | 1.6975    | 1.1317    | 1.6975    | 1.1317    | 1.5089    |
| 20   | 1.3203    |           | 1.5089    | 1.1317    | 1.5089    | 1.1317    | 1.5089    |
| 21   | 1.1317    | 1.1317    | 1.3203    | 1.1317    | 1.1317    | 1.1317    | 1.1317    |
| 22   | 1.1317    | 1.1317    | 1.1317    | .9431     | 1.1317    | 1.0562    | 1.1317    |
| 23   | 1.1317    | 1.1317    | 1.1317    | .9431     | 1.1317    | 1.0562    | 1.1317    |
| 24   | .9431     | .9431     | 1.1317    | .9431     | .7545     | .9431     | 1.0562    |
| Max  | 2.0748    | 2.2634    | 2.2634    | 1.1317    | 2.2634    | 1.5089    | 2.0748    |
| Min  | .7545     | .7545     | .7545     | .7545     | .7545     | .7545     | .7545     |
| Avg  | 1.3125    | 1.3632    | 1.4696    | .9566     | 1.4303    | 1.0783    | 1.3910    |