

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 302 / Ganesh Mandir

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .961 | .9877 | 1.0669 | 1.0242 | 1.105 | 1.0974 | 1.1431 |
| 2 | .8501 | .8413 | .9907 | .9145 | 1.0288 | .9511 | .9907 |
| 3 | .7762 | .7316 | .8764 | .8048 | .9145 | .8413 | .9145 |
| 4 | .7023 | .695 | .724 | .7682 | .8383 | .8048 | .8383 |
| 5 | .6653 | .695 | .6859 | .7316 | .8002 | .7316 | .7621 |
| 6 | .6653 | .695 | | .695 | .7621 | .7316 | |
| 7 | .6283 | .695 | .6859 | .7316 | .724 | .7167 | .8002 |
| 8 | .6283 | .6859 | | .7682 | .7392 | .7682 | .8002 |
| 9 | .7202 | .9259 | .8573 | 1.0288 | .924 | .924 | .8573 |
| 10 | .823 | 1.1317 | 1.0974 | 1.2003 | 1.2197 | 1.0349 | 1.0631 |
| 11 | 1.2003 | 1.4746 | 1.406 | | 1.7002 | 1.4415 | 1.3032 |
| 12 | 1.2689 | 1.5775 | 1.5432 | | 1.8111 | 1.5893 | |
| 13 | 1.3032 | 1.5089 | 1.5432 | | 1.848 | 1.6263 | |
| 14 | 1.2346 | 1.3375 | 1.406 | | 1.6632 | 1.5524 | |
| 15 | 1.166 | 1.3032 | 1.406 | 1.6118 | 1.7002 | 1.5154 | 1.4403 |
| 16 | 1.0974 | 1.3032 | 1.4403 | 1.6004 | 1.5893 | 1.3306 | 1.3032 |
| 17 | 1.3535 | 1.448 | 1.5893 | 1.5623 | 1.7353 | 1.4098 | 1.2567 |
| 18 | 1.4998 | 1.6004 | 1.5524 | 1.7147 | 1.6827 | 1.448 | 1.2567 |
| 19 | 1.6827 | 1.6766 | 1.7741 | 1.7909 | 1.7558 | 1.6385 | 1.2936 |
| 20 | 1.6461 | 1.7528 | 1.7002 | 1.7528 | 1.7193 | 1.6004 | 1.3306 |
| 21 | 1.4998 | 1.5242 | 1.6263 | | 1.4998 | 1.6385 | 1.2567 |
| 22 | 1.134 | 1.2955 | 1.2437 | | 1.2803 | 1.3336 | 1.1088 |
| 23 | 1.0974 | 1.2955 | 1.2437 | 1.2574 | 1.2803 | 1.2955 | 1.1458 |
| 24 | 1.1088 | 1.1706 | 1.2574 | 1.2071 | 1.2955 | 1.2071 | 1.2955 |
| Max | 1.6827 | 1.7528 | 1.7741 | 1.7909 | 1.848 | 1.6385 | 1.4403 |
| Min | .6283 | .6859 | .6859 | .695 | .724 | .7167 | .7621 |
| Avg | 1.0714 | 1.1814 | 1.2598 | 1.1758 | 1.3174 | 1.2179 | 1.1080 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 305 / Tilak Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.7741 | 1.8656 | 1.9433 | 1.9022 | 2.0576 | 1.9753 | 2.21 |
| 2 | 1.5524 | 1.5364 | 1.829 | 1.6095 | 1.7147 | 1.7193 | 1.829 |
| 3 | 1.4415 | 1.39 | 1.4861 | 1.4632 | 1.5242 | 1.6095 | 1.6766 |
| 4 | 1.3306 | 1.3169 | 1.3717 | 1.4266 | 1.448 | 1.4712 | 1.5242 |
| 5 | 1.2936 | 1.2437 | 1.2955 | 1.3535 | 1.4098 | 1.2803 | 1.4861 |
| 6 | 1.2567 | 1.2437 | 1.2955 | 1.3169 | 1.3717 | 1.2803 | 1.4098 |
| 7 | 1.2567 | 1.3535 | 1.448 | 1.39 | 1.4098 | 1.3169 | 1.448 |
| 8 | 1.2936 | 1.3717 | 1.4403 | 1.4266 | 1.4415 | 1.4266 | 1.5623 |
| 9 | 1.2346 | 1.406 | 1.4403 | 1.3717 | 1.6263 | 1.4415 | 15.1921 |
| 10 | 1.5775 | 1.7833 | 1.7833 | 1.749 | 1.922 | | 1.7147 |
| 11 | 2.1605 | 2.4348 | 2.0919 | 2.0576 | 2.6242 | 1.8111 | 2.1262 |
| 12 | 2.2291 | 2.332 | 2.4006 | 2.3663 | 2.7721 | 1.7741 | 1.9204 |
| 13 | 2.1948 | 2.2634 | 2.4691 | 2.1948 | 2.4025 | 2.0698 | |
| 14 | 2.1948 | 2.2634 | 2.2977 | 2.0576 | 2.4394 | 1.4045 | 2.0576 |
| 15 | 2.0233 | 2.0919 | 2.332 | 2.0919 | 2.5503 | 1.4784 | 2.1605 |
| 16 | 1.8861 | 2.0919 | 2.1948 | 2.1948 | 2.3655 | 1.9589 | 2.0233 |
| 17 | 2.1216 | 2.4387 | 2.5133 | 2.553 | 2.524 | 2.2481 | 2.2177 |
| 18 | 2.1948 | 2.7054 | 2.5503 | 2.5149 | 2.6337 | 2.1338 | 2.0698 |
| 19 | 2.1948 | 2.7816 | 2.7351 | 2.7435 | 2.8898 | 2.2862 | 2.2546 |
| 20 | 2.524 | 2.8959 | 2.7721 | 2.7816 | 2.8532 | 2.4768 | 2.3655 |
| 21 | 1.9753 | 2.6292 | 2.5873 | | 2.4874 | 2.934 | 2.1437 |
| 22 | 1.9753 | 2.0957 | 2.0851 | | 2.1582 | 2.4006 | 1.9589 |
| 23 | 2.0485 | 2.1719 | 2.1948 | 2.2481 | 2.1216 | 2.4387 | 2.1068 |
| 24 | 2.0698 | 2.1582 | 2.1338 | 2.2314 | 2.2862 | 2.2314 | 2.21 |
| Max | 2.524 | 2.8959 | 2.7721 | 2.7816 | 2.8898 | 2.934 | 15.1921 |
| Min | 1.2346 | 1.2437 | 1.2955 | 1.3169 | 1.3717 | 1.2803 | 1.4098 |
| Avg | 1.8252 | 1.9944 | 2.0288 | 1.9566 | 2.1264 | 1.8768 | 2.5073 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 306 / Ram Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.5184 | 4.4993 | 4.6868 | 4.6456 | 4.9916 | 4.6456 | 4.9154 |
| 2 | 4.0703 | 3.914 | 4.1914 | 4.2067 | 4.4963 | 4.1335 | 4.4201 |
| 3 | 3.8836 | 3.8043 | 3.9628 | 3.7677 | 3.9628 | 4.0604 | 3.8104 |
| 4 | 3.6969 | 3.5848 | 3.7342 | 3.5482 | 3.7342 | 3.6946 | 3.7342 |
| 5 | 3.4728 | 3.4019 | 3.658 | 3.4751 | 3.6961 | 3.5117 | 3.658 |
| 6 | 3.3608 | 3.4019 | 3.5437 | 3.4019 | 3.5818 | 3.4751 | 3.6199 |
| 7 | 3.062 | 3.1824 | 3.3913 | 3.5117 | 3.1245 | 3.1459 | 3.4294 |
| 8 | 2.95 | 2.7778 | | 3.0727 | 2.95 | 3.0727 | 3.0483 |
| 9 | 2.7778 | 2.6749 | 2.6406 | 2.7778 | 2.838 | 2.9874 | 2.7092 |
| 10 | 2.7778 | 2.7778 | 2.7435 | 2.8807 | 2.838 | 3.0994 | 2.7435 |
| 11 | 2.8807 | 2.8464 | 2.915 | 3.0178 | 3.062 | 3.3608 | 2.8464 |
| 12 | 2.915 | 2.9835 | 3.0178 | 3.0864 | 3.1367 | 3.5101 | 2.8807 |
| 13 | 3.0521 | 2.9492 | 3.1207 | 2.8464 | 3.5475 | 3.5101 | |
| 14 | 3.2236 | 2.9835 | 3.0864 | 3.155 | 3.6595 | 3.7342 | 2.915 |
| 15 | 3.2922 | 3.0178 | 3.2922 | 3.3951 | 4.0329 | 4.1076 | 3.0864 |
| 16 | 3.155 | 2.9835 | 3.1893 | 3.0864 | 3.7342 | 4.0771 | 2.9835 |
| 17 | 3.1093 | 3.2007 | 3.2861 | 3.315 | 3.5117 | 3.8104 | 3.0247 |
| 18 | 3.1093 | 3.1245 | 3.2487 | 3.2007 | 3.4019 | 3.4675 | 2.9127 |
| 19 | 3.5117 | 3.5056 | 3.6222 | 3.5056 | 3.6946 | 3.7342 | 3.1741 |
| 20 | 3.8775 | 4.0771 | 4.0703 | 4.0009 | 4.0604 | 4.1533 | 3.6222 |
| 21 | 4.0969 | 4.3058 | 4.2196 | | 4.2067 | 4.4582 | 4.0329 |
| 22 | 4.4627 | 4.6868 | 4.5725 | | 4.4627 | 4.7249 | 4.369 |
| 23 | 4.6982 | 5.144 | 5.1212 | 5.2202 | 5.0846 | 5.1821 | 5.0038 |
| 24 | 5.0785 | 4.9749 | 5.2584 | 5.1578 | 5.4489 | 5.1212 | 5.2965 |
| Max | 5.0785 | 5.144 | 5.2584 | 5.2202 | 5.4489 | 5.1821 | 5.2965 |
| Min | 2.7778 | 2.6749 | 2.6406 | 2.7778 | 2.838 | 2.9874 | 2.7092 |
| Avg | 3.5430 | 3.5334 | 3.6771 | 3.5580 | 3.8024 | 3.8658 | 3.5755 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 309 / Nalanda

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .5228 | .4527 | .4954 | .5121 | .4954 | .5121 | .4954 |
| 2 | .4481 | .4024 | .4572 | .439 | .4572 | .5121 | .4954 |
| 3 | .4108 | .4024 | .381 | .4024 | .4191 | .439 | .4572 |
| 4 | .3734 | .3658 | .381 | .4024 | .381 | .4024 | .4191 |
| 5 | .3361 | .3658 | .381 | .4024 | .381 | .3658 | .381 |
| 6 | .3361 | .3658 | .3429 | .3658 | .3429 | .3658 | .381 |
| 7 | .2987 | .4024 | .3429 | .3429 | .381 | .4024 | .381 |
| 8 | .3734 | .4458 | .4191 | .4755 | .4481 | .4755 | .4954 |
| 9 | .4801 | .6173 | .6516 | .6516 | .5975 | .6348 | .583 |
| 10 | .8573 | .9602 | .8916 | .9602 | 1.0082 | 1.0082 | .7888 |
| 11 | 1.166 | 1.2689 | 1.3375 | | 1.4563 | 1.1949 | 1.0288 |
| 12 | 1.2003 | 1.4746 | 1.4746 | | 1.531 | 1.307 | 1.1317 |
| 13 | 1.3032 | 1.5089 | 1.4746 | 1.5775 | 1.5684 | 1.419 | 1.2346 |
| 14 | 1.2003 | 1.2003 | 1.2346 | 1.4746 | 1.3817 | 1.2323 | 1.0974 |
| 15 | 1.0974 | 1.2346 | 1.406 | 1.3375 | 1.3817 | 1.307 | 1.1317 |
| 16 | 1.0631 | 1.166 | 1.166 | 1.406 | 1.419 | 1.2696 | 1.0974 |
| 17 | 1.3535 | 1.6004 | 1.4937 | 1.4861 | 1.5364 | 1.4098 | 1.0456 |
| 18 | 1.2437 | 1.7909 | 1.4937 | 1.6004 | 1.6827 | 1.3717 | 1.1203 |
| 19 | 1.5364 | 1.7528 | 1.7551 | 1.7528 | 1.7924 | 1.5623 | 1.1203 |
| 20 | 1.4998 | 1.6766 | 1.5684 | 1.7528 | 1.6827 | 1.4861 | 1.1949 |
| 21 | 1.3169 | 1.4861 | 1.3817 | 1.6385 | 1.5364 | 1.6004 | 1.1203 |
| 22 | 1.0242 | 1.105 | .9511 | 1.0669 | 1.0974 | 1.1431 | .7842 |
| 23 | .695 | .7621 | .7682 | .8383 | .8779 | .8002 | .7468 |
| 24 | .5975 | .5853 | .6097 | .6219 | .6097 | .8048 | .724 |
| Max | 1.5364 | 1.7909 | 1.7551 | 1.7528 | 1.7924 | 1.6004 | 1.2346 |
| Min | .2987 | .3658 | .3429 | .3429 | .3429 | .3658 | .381 |
| Avg | .8639 | .9747 | .9524 | .9776 | 1.0194 | .9594 | .8106 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (E) S/DN-I[166] BU 4166

Substation No/ Name :- 283045 / BAJI PRABHU

Feeder No / Name : 312 / Datta Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.733 | 3.8775 | 3.6351 | 4.0238 | 4.2676 | 4.0604 | 4.382 |
| 2 | 3.4004 | 3.3653 | 3.2236 | 3.5482 | 3.7342 | 3.7677 | 3.8866 |
| 3 | 3.1417 | 3.1459 | 3.0178 | 3.2556 | 3.4294 | 3.4385 | 3.658 |
| 4 | 2.9569 | 2.7801 | 2.9492 | 3.0727 | 3.2769 | 3.219 | 3.3532 |
| 5 | 2.7721 | 2.7435 | 2.8807 | 2.8898 | 3.0483 | 2.9264 | 3.2007 |
| 6 | 2.6612 | 2.7435 | 2.7435 | 2.8166 | 2.934 | 2.8532 | 3.0483 |
| 7 | 2.4394 | 2.6703 | 2.4691 | 2.7435 | 2.8197 | | 2.934 |
| 8 | 2.4764 | 2.332 | 2.3663 | 2.7069 | | 2.7801 | 2.8578 |
| 9 | 2.1262 | 2.2977 | 2.2977 | 2.4006 | 2.6242 | 2.6242 | 2.4006 |
| 10 | 2.2634 | 2.1948 | 2.2291 | 2.4006 | 2.6981 | 2.5133 | 2.332 |
| 11 | 2.2977 | 2.1948 | 2.2291 | | *** | 2.809 | 2.2977 |
| 12 | 2.2634 | 2.1948 | 2.2634 | | 2.5503 | 2.7351 | 2.2634 |
| 13 | 2.4006 | 2.2291 | 2.3663 | 3.1893 | 2.6242 | 2.7351 | 2.3663 |
| 14 | 2.6063 | | 2.5377 | 2.915 | 2.8829 | 3.0678 | 2.4691 |
| 15 | 2.6749 | 2.4348 | 2.7435 | 2.9835 | 3.1417 | 3.3265 | 2.6749 |
| 16 | 2.4691 | 2.4691 | 2.6063 | 2.7092 | 2.8829 | 3.2526 | 2.7351 |
| 17 | 2.3411 | 2.5911 | 2.5873 | 2.7435 | 2.8166 | 2.9721 | 2.5133 |
| 18 | 2.3045 | 3.0483 | 2.7351 | 2.8197 | 2.8166 | 2.934 | 2.5873 |
| 19 | 2.7801 | 3.2388 | 3.1047 | 3.0102 | 3.1824 | 3.2769 | 2.846 |
| 20 | 3.1093 | 3.3532 | 3.4004 | 3.2388 | 3.2922 | 3.6199 | 3.1786 |
| 21 | 3.3288 | 3.658 | 3.6961 | 3.6199 | 3.6946 | 3.6961 | 3.5113 |
| 22 | 3.5117 | 4.039 | 3.9872 | 4.039 | 3.8775 | 4.0771 | 3.733 |
| 23 | 4.0604 | 4.4201 | 4.3896 | 4.382 | 4.2433 | 4.5725 | 4.2135 |
| 24 | 4.2135 | 4.3164 | 4.5725 | 4.4627 | 4.5725 | 4.353 | 4.6868 |
| Max | 4.2135 | 4.4201 | 4.5725 | 4.4627 | 25.2443 | 4.5725 | 4.6868 |
| Min | 2.1262 | 2.1948 | 2.2291 | 2.4006 | 2.5503 | 2.5133 | 2.2634 |
| Avg | 2.8472 | 2.9712 | 2.9596 | 3.1805 | 4.2024 | 3.2874 | 3.0887 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 310 / Phule Road

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .7202 | .7842 | .7545 | .7888 | .7545 | .8589 | .7888 |
| 2 | .6173 | .7095 | .6516 | .7202 | .6859 | .7842 | .7202 |
| 3 | .583 | .6348 | .583 | .6859 | .6859 | .7095 | .6859 |
| 4 | .5487 | .5975 | .5487 | .583 | .6173 | .7095 | .6516 |
| 5 | .5487 | .5975 | .5487 | .5487 | .6173 | .6348 | .6516 |
| 6 | .4801 | .6722 | | .583 | .583 | .6348 | .6173 |
| 7 | .4458 | .5975 | .583 | .583 | .583 | .583 | .583 |
| 8 | .4801 | .4801 | .5144 | .5144 | .5601 | .4801 | .5487 |
| 9 | .5228 | .5144 | .5144 | .5144 | .5601 | .5144 | .5144 |
| 10 | .4481 | .4458 | .5144 | .5144 | .5975 | .5144 | .5144 |
| 11 | .4854 | .5144 | .5487 | .583 | .5975 | | .5487 |
| 12 | .5228 | .5487 | .5487 | .583 | .5975 | .5487 | .583 |
| 13 | .5228 | .583 | .5487 | .6173 | .6283 | .583 | .583 |
| 14 | .5601 | .5487 | .583 | .6173 | .7095 | .6173 | .583 |
| 15 | .6348 | .583 | .6173 | .7202 | .7842 | .7202 | .6516 |
| 16 | .5601 | .6173 | .7202 | .6859 | .7842 | .6859 | .6516 |
| 17 | .5544 | .5144 | .583 | .5487 | .6348 | .6516 | .5144 |
| 18 | .5601 | .5487 | .5144 | .4801 | .6348 | .583 | .4801 |
| 19 | .6348 | .583 | .6173 | .5487 | .7095 | .6859 | .583 |
| 20 | .7095 | .6516 | .6859 | .6516 | .7468 | .6859 | .6173 |
| 21 | .7095 | .6516 | .7545 | .7545 | .7842 | .6859 | .6859 |
| 22 | .7468 | .8573 | .823 | .8916 | .8326 | .823 | .7888 |
| 23 | .8589 | .9602 | .9602 | .9259 | .9335 | .8573 | .8573 |
| 24 | .7888 | .8962 | .823 | .8916 | .823 | .9709 | .8573 |
| Max | .8589 | .9602 | .9602 | .9259 | .9335 | .9709 | .8573 |
| Min | .4458 | .4458 | .5144 | .4801 | .5601 | .4801 | .4801 |
| Avg | .5935 | .6288 | .6322 | .6473 | .6852 | .6749 | .6359 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 311 / Gaondevi Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.9204 | 1.848 | 1.6461 | 1.7833 | 1.9547 | 2.1068 | 1.9547 |
| 2 | 1.8176 | 1.885 | 1.7147 | 1.7833 | 1.7833 | 1.8176 | 1.8519 |
| 3 | 1.7147 | 1.8111 | 1.7147 | 1.7147 | 1.7147 | 1.7147 | 1.749 |
| 4 | 1.6804 | 1.7372 | 1.6118 | 1.6118 | 1.6118 | 1.7147 | 1.749 |
| 5 | 1.6118 | 1.7002 | 1.5775 | 1.6118 | 1.5775 | 1.6461 | 1.6461 |
| 6 | 1.5775 | 1.7741 | 1.6461 | 1.6804 | 1.5432 | 1.6118 | 1.6118 |
| 7 | 1.406 | 1.7372 | 1.5089 | 1.5432 | 1.5089 | 1.4746 | 1.5432 |
| 8 | 1.3375 | 1.3375 | 1.3375 | 1.3717 | 1.2936 | 1.3717 | 1.3717 |
| 9 | 1.2936 | 1.1317 | 1.2003 | 1.2003 | 1.0349 | 1.3032 | 1.2003 |
| 10 | 1.2567 | 1.0631 | 1.0974 | 1.1317 | 1.2197 | 1.2003 | 1.0974 |
| 11 | 1.2197 | 1.0631 | 1.0974 | 1.0631 | 1.1088 | 1.166 | 1.1317 |
| 12 | 1.2567 | 1.0288 | 1.0631 | 1.0631 | 1.9959 | 1.2003 | 1.0974 |
| 13 | 1.2936 | 1.0631 | 1.2003 | 1.166 | 1.2936 | 1.3032 | 1.166 |
| 14 | 1.4415 | 1.166 | 1.2689 | 1.2003 | 1.4045 | 1.4403 | 1.2003 |
| 15 | 1.4415 | 1.2003 | 1.2346 | 1.3717 | 1.4784 | 1.4746 | 1.3375 |
| 16 | 1.3676 | 1.166 | 1.166 | 1.4403 | 1.3676 | 1.406 | 1.2689 |
| 17 | 1.2936 | 1.0288 | 1.0631 | 1.0631 | 1.2936 | 1.3375 | 1.0974 |
| 18 | 1.1827 | .9945 | 1.0631 | .9945 | 1.1827 | 1.2346 | 1.0974 |
| 19 | 1.4045 | 1.3032 | 1.3375 | 1.2003 | 1.5524 | 1.4746 | 1.2689 |
| 20 | 1.7372 | 1.749 | 1.8176 | 1.6804 | 1.885 | 1.8176 | 1.6804 |
| 21 | 1.7741 | 1.749 | 1.9204 | 1.7833 | 1.848 | 1.7833 | 1.6118 |
| 22 | 1.922 | 1.9204 | 1.9547 | 1.9547 | 2.0328 | 1.9547 | 1.8519 |
| 23 | 2.0698 | 2.1262 | 2.1948 | 2.0919 | 2.2177 | 1.9204 | 2.1262 |
| 24 | | 1.9589 | 2.0919 | 2.1262 | 2.0919 | 2.2916 | 2.0233 |
| Max | 2.0698 | 2.1262 | 2.1948 | 2.1262 | 2.2177 | 2.2916 | 2.1262 |
| Min | 1.1827 | .9945 | 1.0631 | .9945 | 1.0349 | 1.166 | 1.0974 |
| Avg | 1.5226 | 1.4809 | 1.4804 | 1.4846 | 1.5831 | 1.5736 | 1.4889 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 312 / Garibacha Wada

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.1207 | 3.3653 | 3.2236 | 3.2579 | 3.155 | 3.4019 | 3.2236 |
| 2 | 2.8464 | 2.9995 | 2.8807 | 2.9492 | 2.915 | 3.1824 | 2.9835 |
| 3 | 2.7092 | 2.8166 | 2.7092 | 2.7435 | 2.7435 | 2.963 | 2.915 |
| 4 | 2.6063 | 2.6337 | 2.4691 | 2.5034 | 2.5034 | 2.8532 | 2.6749 |
| 5 | 2.4348 | 2.5972 | 2.4348 | 2.5034 | 2.5034 | 2.7801 | 2.572 |
| 6 | 2.2977 | 2.7801 | 2.572 | 2.572 | 2.4006 | 2.7069 | 2.5034 |
| 7 | 2.1262 | 2.524 | 2.332 | 2.4006 | 2.2977 | 2.2977 | 2.4691 |
| 8 | 2.0233 | 2.1605 | 2.1605 | 2.1262 | 2.3045 | 2.1948 | 2.0233 |
| 9 | 2.1582 | 1.989 | 2.0576 | 2.0576 | 2.1582 | 2.0919 | 1.989 |
| 10 | 2.0485 | 1.8519 | 1.9204 | 2.0576 | 2.0119 | 2.0919 | 1.8861 |
| 11 | 2.0485 | 1.7833 | 1.8519 | 1.8861 | 2.0119 | 2.0576 | 1.8519 |
| 12 | 2.0485 | 1.8519 | 1.8519 | 1.8861 | 2.0485 | 2.0576 | 1.6804 |
| 13 | 2.1216 | 2.1262 | 2.0576 | 2.0919 | 2.3411 | 2.4006 | 2.1262 |
| 14 | 2.3411 | 2.0576 | 2.2634 | 2.0576 | 2.4874 | 2.4348 | 1.989 |
| 15 | 2.4508 | 2.0919 | 2.2291 | 2.1948 | 2.4874 | 2.5034 | 2.0919 |
| 16 | 2.3045 | 1.9547 | 2.0576 | 2.1605 | 2.3045 | 2.4691 | 1.989 |
| 17 | 2.0851 | 1.7147 | 1.8861 | 1.8519 | 2.1582 | 2.2291 | 1.8519 |
| 18 | 1.9387 | 1.7833 | 1.8176 | 1.6461 | 1.9387 | 1.989 | 1.6804 |
| 19 | 2.1948 | 2.1262 | 2.0576 | 2.0233 | 2.1582 | 2.2634 | 1.8519 |
| 20 | 2.5972 | 2.5034 | 2.5377 | 2.4006 | 2.5606 | 2.6063 | 2.4006 |
| 21 | 2.7435 | 2.7435 | 2.8121 | 2.8807 | 2.8532 | 2.7435 | 2.6063 |
| 22 | 2.9264 | 3.0521 | 2.9835 | 3.1893 | 3.1093 | 3.0864 | 2.9835 |
| 23 | 3.4385 | 3.4979 | 3.5665 | 3.4294 | 3.5848 | 3.4979 | 3.4637 |
| 24 | 3.3265 | 3.6214 | 3.4294 | 3.4637 | 3.4979 | 3.6214 | 3.4294 |
| Max | 3.4385 | 3.6214 | 3.5665 | 3.4637 | 3.5848 | 3.6214 | 3.4637 |
| Min | 1.9387 | 1.7147 | 1.8176 | 1.6461 | 1.9387 | 1.989 | 1.6804 |
| Avg | 2.4557 | 2.4427 | 2.4234 | 2.4306 | 2.5223 | 2.6052 | 2.3848 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 313 / Jai Hind Colony

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.8861 | 2.0995 | 1.989 | 2.1262 | 1.989 | 2.1719 | 2.0576 |
| 2 | 1.7147 | 1.8461 | 1.749 | 1.8519 | 1.8861 | 1.9185 | 1.8176 |
| 3 | 1.6461 | 1.7013 | 1.6118 | 1.5432 | 1.6118 | 1.7375 | 1.6461 |
| 4 | 1.4746 | 1.5565 | 1.4403 | 1.406 | 1.5089 | 1.6289 | 1.5432 |
| 5 | 1.3375 | 1.4842 | 1.406 | 1.3375 | 1.5089 | 1.5927 | 1.5432 |
| 6 | 1.3375 | 1.4842 | 1.3717 | 1.406 | 1.406 | 1.4746 | 1.4746 |
| 7 | 1.166 | 1.448 | 1.3717 | 1.3717 | 1.3375 | 1.3032 | 1.4403 |
| 8 | 1.166 | 1.2689 | 1.2346 | 1.3032 | 1.3756 | 1.3375 | 1.3717 |
| 9 | 1.2308 | 1.166 | 1.2346 | 1.2689 | 1.3756 | 1.2689 | 1.989 |
| 10 | 1.2308 | 1.166 | 1.2689 | 1.2003 | 1.3032 | 1.3375 | 1.2346 |
| 11 | 1.3032 | 1.3717 | 1.4403 | 1.5432 | 1.5565 | 1.406 | 1.6118 |
| 12 | 1.3394 | 1.7147 | 1.749 | 1.749 | 1.8461 | 1.8176 | 1.749 |
| 13 | 1.3756 | 1.5775 | 1.6461 | 1.6118 | 1.8823 | 1.8519 | 1.6118 |
| 14 | 1.5565 | 1.3717 | 1.5089 | 1.6461 | 1.6651 | 1.6118 | 1.5089 |
| 15 | 1.5203 | 1.406 | 1.4746 | 1.4403 | 1.6289 | 1.5775 | 1.406 |
| 16 | 1.4842 | 1.3375 | 1.4403 | 1.3717 | 1.5565 | 1.5432 | 1.406 |
| 17 | 1.3394 | 1.3032 | 1.3717 | 1.3032 | 1.448 | 1.4746 | 1.2689 |
| 18 | 1.267 | 1.2689 | 1.3032 | 1.2689 | 1.448 | 1.4403 | 1.2346 |
| 19 | 1.5565 | 1.5432 | 1.5432 | 1.4403 | 1.6651 | 1.5775 | 1.4403 |
| 20 | 1.7013 | 1.6461 | 1.6804 | 1.6118 | 1.8099 | 1.6461 | 1.5775 |
| 21 | 1.6651 | 1.7147 | 1.7833 | 1.749 | 1.8099 | 1.7147 | 1.6461 |
| 22 | 2.8959 | 1.8519 | 1.7833 | 1.8519 | | 1.8861 | 1.8861 |
| 23 | 2.0633 | 2.0576 | 2.0919 | 2.0233 | 2.3891 | 2.0919 | 2.1262 |
| 24 | 1.989 | 2.2805 | 2.1948 | 2.2291 | 2.1948 | 2.3529 | 2.2634 |
| Max | 2.8959 | 2.2805 | 2.1948 | 2.2291 | 2.3891 | 2.3529 | 2.2634 |
| Min | 1.166 | 1.166 | 1.2346 | 1.2003 | 1.3032 | 1.2689 | 1.2346 |
| Avg | 1.5520 | 1.5694 | 1.5704 | 1.5689 | 1.6610 | 1.6568 | 1.6189 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 314 / Umeshnagar Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.0288 | 1.0608 | .9945 | 1.0288 | .9945 | 1.0974 | |
| 2 | .9602 | .9877 | .9259 | .8573 | .8916 | .9877 | .9602 |
| 3 | .8916 | .9145 | .8573 | .7545 | .823 | .9145 | .8916 |
| 4 | .823 | .8413 | .7888 | .7545 | .7888 | .8779 | .823 |
| 5 | .7888 | .8413 | .7888 | .7545 | .7888 | .8413 | .7888 |
| 6 | .7202 | .5487 | .823 | .7888 | .7545 | .8413 | .7888 |
| 7 | .6859 | .7682 | .6859 | .7545 | .7545 | .7545 | .7888 |
| 8 | .6516 | .6516 | .6516 | .6859 | .7316 | | .6859 |
| 9 | .695 | .6173 | .6173 | .6173 | .695 | .6859 | .6173 |
| 10 | .695 | .583 | .6173 | .6516 | .6219 | .6859 | .583 |
| 11 | .6584 | .583 | .583 | .6173 | .6584 | .6516 | .583 |
| 12 | .695 | .6173 | .583 | .583 | .695 | .6516 | .5487 |
| 13 | .695 | .6516 | .6173 | .6516 | .695 | .7545 | .6516 |
| 14 | .7682 | .6516 | .6859 | .6173 | .7316 | .7888 | .6516 |
| 15 | .8413 | .6516 | .6516 | .6859 | .8048 | .823 | .6859 |
| 16 | .7682 | .6173 | .6516 | .6516 | .7682 | .7888 | .6516 |
| 17 | .695 | .583 | .583 | .6173 | .7316 | .7202 | .5487 |
| 18 | .6584 | .583 | .583 | .5487 | .6584 | .6516 | |
| 19 | .8048 | .7545 | .7202 | .6859 | .8048 | .7545 | .5487 |
| 20 | .8779 | .8573 | .8573 | .823 | .9145 | .8573 | .6859 |
| 21 | .9145 | .8916 | .9259 | .9259 | .9145 | .9259 | .823 |
| 22 | 1.0242 | .9945 | 1.0288 | 1.0631 | 1.0608 | .9945 | .9259 |
| 23 | 1.1706 | 1.166 | 1.1317 | 1.0974 | 1.134 | 1.166 | 1.1317 |
| 24 | 1.1317 | 1.134 | 1.166 | 1.166 | 1.1317 | 1.2071 | 1.166 |
| Max | 1.1706 | 1.166 | 1.166 | 1.166 | 1.134 | 1.2071 | 1.166 |
| Min | .6516 | .5487 | .583 | .5487 | .6219 | .6516 | .5487 |
| Avg | .8185 | .7729 | .7716 | .7659 | .8145 | .8444 | .7514 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI (W) SN-III[167] BU 4167

Substation No/ Name :- 283067 / Anand Nagar

Feeder No / Name : 315 / 22 KV Subhash Road

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.4006 | 2.5606 | 2.5034 | 2.572 | 2.572 | 2.7801 | 2.5377 |
| 2 | 2.1605 | 2.3045 | 2.1262 | 2.2291 | 2.2634 | 2.6337 | 2.4348 |
| 3 | 1.9204 | 2.0485 | 1.9204 | 2.0576 | 2.1262 | 2.1948 | 2.1948 |
| 4 | 1.8176 | 1.829 | 1.749 | 1.8176 | 1.9547 | 2.0851 | 1.989 |
| 5 | 1.6804 | 1.7924 | 1.6804 | 1.7147 | 1.8519 | 1.8861 | 1.7833 |
| 6 | 1.5432 | 1.6827 | 1.5775 | 1.7147 | 1.749 | 1.749 | 1.6461 |
| 7 | 1.4746 | 1.6461 | 1.6804 | 1.6461 | 1.6118 | 1.6118 | 1.5432 |
| 8 | 1.4746 | 1.5089 | 1.6461 | 1.6118 | 1.6461 | 1.5089 | 1.5432 |
| 9 | 1.5729 | 1.5775 | 1.6461 | 1.6461 | 1.7193 | 1.5432 | 1.6461 |
| 10 | 1.6095 | 1.6118 | 1.6804 | 1.6118 | 1.829 | 1.5775 | 1.6804 |
| 11 | 1.6461 | 1.6118 | 1.6461 | 1.6118 | 1.8656 | 1.7147 | 1.7833 |
| 12 | 1.7558 | 1.6461 | 1.7147 | 1.8176 | .695 | 1.6804 | 1.8176 |
| 13 | 1.7558 | 1.7147 | 1.8519 | 1.7833 | 2.0119 | | 1.6804 |
| 14 | 1.9387 | 1.7147 | 1.8519 | 1.7833 | 2.0851 | 1.9204 | 1.8519 |
| 15 | 1.9753 | 1.8176 | 1.9204 | 2.1262 | 2.4143 | 2.2291 | 2.0233 |
| 16 | 1.7558 | 1.8861 | 2.0233 | 1.9547 | 2.268 | 2.2291 | 2.0233 |
| 17 | 1.6461 | 1.7147 | 1.749 | 1.6804 | 1.9753 | 1.8861 | 1.6461 |
| 18 | 1.6095 | 1.6804 | 1.6804 | 1.6461 | 1.9753 | 1.6804 | 1.5089 |
| 19 | 1.9387 | 1.8861 | 1.8861 | 1.8176 | 2.0851 | 2.0233 | 1.8176 |
| 20 | 2.0119 | 1.9547 | 2.0576 | 2.0233 | 2.1948 | 2.0233 | 1.9547 |
| 21 | 2.1582 | 2.0576 | 2.2634 | 2.2977 | 2.2314 | 2.0919 | 1.989 |
| 22 | 2.3045 | 2.5034 | 2.4348 | 2.6063 | 2.5606 | 2.6406 | 2.4006 |
| 23 | 2.7069 | 2.8807 | 2.915 | 2.8807 | 2.963 | 2.9492 | 2.915 |
| 24 | 2.6063 | 2.9264 | 2.8464 | 2.915 | 2.8464 | 3.0727 | 2.915 |
| Max | 2.7069 | 2.9264 | 2.915 | 2.915 | 2.963 | 3.0727 | 2.915 |
| Min | 1.4746 | 1.5089 | 1.5775 | 1.6118 | .695 | 1.5089 | 1.5089 |
| Avg | 1.8943 | 1.9399 | 1.9605 | 1.9819 | 2.0623 | 2.0744 | 1.9719 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
StationFeeder No / Name : 300 / station transformer
Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | .0267 |
| Max | .0267 |
| Min | .0267 |
| Avg | .0267 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
StationFeeder No / Name : 305 / Gograswadi
Feeder KV- 22 / OUTGOING

SHEDDABLE URBAN

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.7435 | 2.8578 | 2.934 | 2.934 | 3.0102 | 3.0483 | 3.0483 |
| 2 | 2.4387 | 2.5149 | 2.553 | 2.6292 | 2.6292 | 2.7435 | 2.7435 |
| 3 | 2.2862 | 2.2481 | 2.3243 | 2.2862 | 2.3624 | 2.5911 | 2.5149 |
| 4 | 2.0576 | 2.1338 | 2.0957 | 2.1338 | 2.1719 | 2.21 | 2.3243 |
| 5 | 1.9433 | 1.9433 | 2.0576 | 2.0576 | 1.7147 | 2.0576 | 2.0957 |
| 6 | 1.7909 | 1.9433 | 1.9052 | 1.9433 | 1.9814 | 2.3243 | 2.0195 |
| 7 | 1.7147 | 1.8671 | | 1.9433 | 1.8671 | 1.829 | 1.829 |
| 8 | 1.7147 | 1.7909 | 1.7528 | 1.8671 | 1.829 | 1.8671 | 1.8671 |
| 9 | 1.7147 | 1.7528 | 1.7528 | 1.7909 | 1.8671 | 1.8671 | 1.7909 |
| 10 | 1.6385 | 1.6766 | 1.7528 | 1.7528 | 1.7528 | 1.829 | 1.6766 |
| 11 | 1.5623 | 1.5623 | 1.6004 | 1.7528 | 1.6766 | 1.829 | 1.7147 |
| 12 | 1.6766 | 1.6766 | 1.7147 | 1.7528 | 1.7909 | 1.9433 | 1.7528 |
| 13 | 1.7528 | 1.7147 | 1.7909 | 1.7147 | 1.7528 | 2.0195 | 1.6766 |
| 14 | 1.8671 | 1.7147 | 1.7528 | 1.7147 | 1.9814 | 2.0957 | 1.6766 |
| 15 | 2.0576 | 1.7528 | 1.829 | 1.9052 | 2.0957 | 2.3243 | 1.5623 |
| 16 | 1.7909 | 1.6766 | 1.7147 | 1.7528 | 1.9052 | 2.1338 | 1.5242 |
| 17 | 1.6385 | 1.6004 | 1.6385 | 1.6004 | 1.7909 | 1.9052 | 1.5242 |
| 18 | 1.6004 | 1.6004 | 1.6004 | 1.6004 | 1.7528 | 1.7528 | 1.4861 |
| 19 | 1.7909 | 1.9052 | 1.829 | 1.829 | 1.8671 | 1.9814 | 1.7528 |
| 20 | 2.0957 | 2.1338 | 2.1719 | 2.0957 | 2.1719 | 2.1719 | 2.0195 |
| 21 | 2.2481 | 2.2481 | 2.3624 | 2.2862 | 2.2862 | 2.3624 | 2.1338 |
| 22 | 2.4006 | 2.4387 | 2.553 | 2.553 | 2.4387 | 2.6292 | 2.4387 |
| 23 | 2.8959 | | 3.1245 | 2.9721 | 2.9721 | 3.0102 | 2.9721 |
| 24 | 3.0483 | 3.1626 | 3.1245 | 3.2007 | 3.2388 | 3.2007 | 3.2388 |
| Max | 3.0483 | 3.1626 | 3.1245 | 3.2007 | 3.2388 | 3.2007 | 3.2388 |
| Min | 1.5623 | 1.5623 | 1.6004 | 1.6004 | 1.6766 | 1.7528 | 1.4861 |
| Avg | 2.0195 | 1.9963 | 2.0841 | 2.0862 | 2.1211 | 2.2386 | 2.0576 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 306 / KARADE BRAHAMAN

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.6385 | 1.6766 | 1.7147 | 1.7528 | 1.7909 | 1.7528 | 1.7528 |
| 2 | 1.4098 | 1.4861 | 1.448 | 1.5242 | 1.6004 | 1.5242 | 1.5623 |
| 3 | 1.2574 | 1.2955 | 1.3336 | 1.3336 | 1.4098 | 1.3717 | 1.4098 |
| 4 | 1.1431 | 1.2193 | 1.2193 | 1.2574 | 1.3336 | 1.3336 | 1.2574 |
| 5 | 1.0669 | 1.0669 | 1.0669 | 1.105 | 1.1431 | 1.1812 | 1.1812 |
| 6 | .9907 | .9907 | .9907 | .9907 | .9907 | 1.0288 | 1.0288 |
| 7 | .9145 | .9907 | .9526 | 1.0288 | .9907 | .9526 | .9907 |
| 8 | .9145 | .9907 | .9145 | .9526 | .9907 | .9907 | .9526 |
| 9 | .9907 | .9907 | .9907 | 1.0288 | 1.0669 | .9526 | .9907 |
| 10 | 1.0288 | 1.0669 | 1.105 | 1.1812 | 1.1812 | .9907 | 1.0669 |
| 11 | 1.0669 | 1.0669 | 1.0288 | 1.1431 | 1.1431 | 1.105 | 1.1431 |
| 12 | 1.1431 | 1.105 | 1.2193 | 1.2193 | 1.2193 | 1.1812 | 1.2193 |
| 13 | 1.1812 | 1.2955 | 1.3717 | 1.3717 | 1.3717 | 1.2955 | 1.2955 |
| 14 | 1.2193 | 1.2574 | 1.448 | 1.4098 | 1.4098 | 1.3336 | 1.2955 |
| 15 | 1.3717 | 1.2574 | 1.4098 | 1.2574 | 1.448 | 1.4098 | 1.1431 |
| 16 | 1.1812 | 1.1431 | 1.2955 | 1.2574 | 1.3336 | 1.2955 | 1.1431 |
| 17 | 1.1431 | 1.2574 | 1.1812 | 1.2193 | 1.2574 | 1.1812 | 1.1431 |
| 18 | .9907 | 1.1812 | 1.1431 | | 1.2193 | 1.0669 | .9907 |
| 19 | 1.1431 | 1.1431 | 1.2193 | 1.2193 | 1.2574 | 1.1431 | 1.0669 |
| 20 | 1.2955 | 1.2955 | 1.3336 | 1.2955 | 1.2955 | 1.2955 | 1.1812 |
| 21 | 1.2955 | 1.3336 | 1.3336 | 1.2955 | 1.3336 | 1.3717 | 1.2193 |
| 22 | 1.448 | 1.4861 | 1.5623 | 1.6004 | 1.4861 | 1.4861 | 1.4861 |
| 23 | 1.7528 | 1.7909 | 1.829 | 1.9052 | 1.7528 | 1.8671 | 1.829 |
| 24 | 1.7909 | 1.9052 | 1.8671 | 1.9052 | 1.9814 | 1.9433 | 1.9814 |
| Max | 1.7909 | 1.9052 | 1.8671 | 1.9052 | 1.9814 | 1.9433 | 1.9814 |
| Min | .9145 | .9907 | .9145 | .9526 | .9907 | .9526 | .9526 |
| Avg | 1.2241 | 1.2622 | 1.2908 | 1.3154 | 1.3336 | 1.2939 | 1.2638 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 308 / STAR COLONY

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.6385 | 1.7147 | 1.7528 | 1.7147 | 1.7909 | 1.7909 | 1.7528 |
| 2 | 1.448 | 1.5242 | 1.5242 | 1.5623 | 1.5242 | 1.6385 | 1.5623 |
| 3 | 1.3336 | 1.448 | 1.4098 | 1.4098 | 1.3336 | 1.5242 | 1.448 |
| 4 | 1.2193 | 1.2955 | 1.3336 | 1.2574 | 1.3336 | 1.3336 | 1.3336 |
| 5 | 1.1431 | 1.1812 | 1.1812 | 1.1812 | 1.2193 | 1.2193 | 1.2574 |
| 6 | 1.105 | 1.1431 | 1.1812 | 1.1431 | 1.1431 | 1.1431 | 1.1812 |
| 7 | 1.0669 | 1.1431 | | 1.1431 | 1.0669 | 1.1431 | 1.1812 |
| 8 | 1.0288 | 1.1812 | 1.1431 | 1.105 | 1.105 | 1.1812 | 1.1431 |
| 9 | 1.0669 | 1.1431 | 1.1812 | 1.1812 | 1.1431 | 1.1431 | 1.2574 |
| 10 | 1.1812 | 1.2193 | 1.2955 | 1.2193 | 1.2574 | 1.1812 | 1.2574 |
| 11 | 1.2574 | 1.2574 | 1.2955 | 1.2955 | 1.2955 | 1.2574 | 1.2574 |
| 12 | 1.2955 | 1.2955 | 1.2193 | 1.2193 | 1.3717 | 1.2955 | 1.1812 |
| 13 | 1.4098 | 1.2955 | 1.2955 | 1.2955 | 1.3717 | 1.3336 | 1.2574 |
| 14 | 1.4098 | 1.2574 | 1.4098 | 1.448 | 1.5242 | 1.4098 | 1.2193 |
| 15 | 1.5242 | 1.2955 | 1.4098 | 1.4861 | 1.6004 | 1.448 | 1.2193 |
| 16 | 1.4098 | 1.2955 | 1.3717 | 1.3717 | 1.5623 | 1.4861 | 1.2193 |
| 17 | 1.3336 | 1.3336 | 1.448 | 1.2955 | 1.3336 | 1.3336 | 1.2193 |
| 18 | 1.2574 | 1.2574 | 1.2955 | 1.1812 | 1.2955 | 1.3336 | 1.2193 |
| 19 | 1.3336 | 1.3717 | 1.3336 | 1.2955 | 1.448 | 1.4098 | 1.2193 |
| 20 | 1.5242 | 1.4861 | 1.448 | 1.3336 | 1.5242 | 1.5623 | 1.3717 |
| 21 | 1.5242 | 1.4861 | 1.5623 | 1.448 | 1.5242 | 1.5623 | 1.4098 |
| 22 | 1.6004 | 1.6385 | 1.6004 | 1.6004 | 1.6004 | 1.7147 | 1.5623 |
| 23 | 1.7909 | 1.8671 | 1.829 | 1.829 | 1.8671 | 1.8671 | 1.7909 |
| 24 | 1.7909 | 1.9052 | 1.829 | 1.9814 | 1.9814 | 1.9433 | 1.9433 |
| Max | 1.7909 | 1.9052 | 1.829 | 1.9814 | 1.9814 | 1.9433 | 1.9433 |
| Min | 1.0288 | 1.1431 | 1.1431 | 1.105 | 1.0669 | 1.1431 | 1.1431 |
| Avg | 1.3622 | 1.3765 | 1.4065 | 1.3749 | 1.4257 | 1.4273 | 1.3527 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
StationFeeder No / Name : 309 / MAHAVIR COLONY/NAGAR
Feeder KV- 22 / OUTGOING

SHEDDABLE URBAN

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.2955 | 1.3336 | 1.3336 | 1.3336 | 1.3336 | 1.3336 | 1.3336 |
| 2 | 1.105 | 1.1431 | 1.2193 | 1.2193 | 1.2193 | 1.2955 | 1.2574 |
| 3 | 1.0288 | 1.105 | 1.105 | 1.105 | 1.105 | 1.1812 | 1.2193 |
| 4 | .9907 | 1.0288 | 1.0669 | 1.0288 | 1.0669 | 1.0669 | 1.105 |
| 5 | .9526 | .9145 | .9526 | .9526 | .9526 | .9526 | 1.0669 |
| 6 | .9145 | .8764 | .8764 | .8764 | .8764 | .9145 | .9145 |
| 7 | .8764 | .9145 | .9526 | .9145 | .9145 | .9145 | .9145 |
| 8 | .8764 | .9145 | .8383 | .8764 | .9526 | .9145 | .9145 |
| 9 | .9145 | .9145 | .9145 | .8764 | .9145 | .9145 | .9145 |
| 10 | .9145 | .8383 | .9145 | .9145 | .9145 | .9145 | .8383 |
| 11 | .9145 | .7621 | .8764 | 2.7054 | .8764 | .9526 | .9145 |
| 12 | .9907 | .9145 | .8764 | 2.7054 | .8002 | 1.0669 | .9145 |
| 13 | .9145 | .9907 | 1.0288 | 3.0483 | .9526 | 1.105 | .9145 |
| 14 | 1.105 | .9526 | .9907 | 3.1245 | 1.105 | 1.1431 | .9145 |
| 15 | 1.105 | .9145 | 1.0669 | 3.0483 | 1.1431 | 1.2193 | .9145 |
| 16 | .8764 | .9145 | .9526 | .9526 | 1.0288 | 1.1431 | .8383 |
| 17 | .9145 | .9145 | .9145 | .9145 | .9526 | .9907 | .8383 |
| 18 | .8764 | .9145 | .8764 | .8764 | .9145 | .9145 | .8002 |
| 19 | .9526 | .9526 | .9526 | .9145 | .9907 | .9907 | .9145 |
| 20 | 1.0288 | 1.0669 | 1.1431 | 1.0669 | 1.105 | 1.105 | 1.0288 |
| 21 | 1.1431 | 1.1431 | 1.1431 | 1.0669 | 1.105 | 1.2193 | 1.105 |
| 22 | 1.1812 | 1.2955 | 1.2955 | 1.2955 | 1.2193 | 1.3336 | 1.2193 |
| 23 | 1.5242 | 1.4861 | 1.5623 | 1.5242 | 1.5242 | 1.5242 | 1.4861 |
| 24 | 1.3717 | 1.5242 | 1.5242 | 1.5623 | 1.5242 | 1.5242 | 1.5242 |
| Max | 1.5242 | 1.5242 | 1.5623 | 3.1245 | 1.5242 | 1.5242 | 1.5242 |
| Min | .8764 | .7621 | .8383 | .8764 | .8002 | .9145 | .8002 |
| Avg | 1.0320 | 1.0304 | 1.0574 | 1.4543 | 1.0621 | 1.1098 | 1.0336 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 310 / GAONDEVI MANDIR

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.1338 | 2.3243 | 2.4006 | 2.4387 | 2.4006 | 2.3624 | 2.3624 |
| 2 | 1.9433 | 2.1338 | 2.0576 | 2.1719 | 2.0957 | 2.1719 | 2.0957 |
| 3 | 1.829 | 1.7909 | 1.829 | 1.8671 | 1.8671 | 1.9433 | 1.9433 |
| 4 | 1.6004 | 1.6766 | 1.7147 | 1.6766 | 1.7147 | 1.6004 | 1.7528 |
| 5 | 1.5242 | 1.5623 | 1.5623 | 1.5623 | 1.6004 | 1.6385 | 1.6385 |
| 6 | 1.3717 | 1.448 | 1.4098 | 1.4098 | 1.4861 | 1.448 | 1.6004 |
| 7 | 1.2955 | 1.4098 | 1.3717 | 1.1431 | 1.448 | 1.4098 | 1.4098 |
| 8 | 1.2574 | 1.3336 | 1.4861 | 1.4861 | 1.448 | 1.448 | 1.448 |
| 9 | 1.3717 | 1.4098 | 1.448 | 1.448 | 1.4861 | 1.448 | 1.448 |
| 10 | 1.448 | 1.4861 | 1.5623 | 1.5242 | 1.6004 | 1.6004 | 1.448 |
| 11 | 1.7147 | 1.6385 | 1.7147 | 1.6385 | 1.7528 | 1.7909 | 1.6385 |
| 12 | 1.6385 | 1.7147 | 1.7147 | 1.6766 | 1.7147 | 1.8671 | 1.6385 |
| 13 | 1.7528 | 1.6385 | 1.7909 | 1.7147 | 1.7147 | 1.7909 | 1.829 |
| 14 | 1.7528 | 1.7147 | 1.829 | 1.7147 | 1.9052 | 1.9052 | 1.6385 |
| 15 | 1.8671 | 1.6766 | 1.829 | 1.9433 | 2.0195 | 2.0957 | 1.6385 |
| 16 | 1.7528 | 1.6766 | 1.7909 | 1.7909 | 1.8671 | 1.9433 | 1.5242 |
| 17 | 1.5623 | 1.7528 | 1.7909 | 1.6385 | 1.6004 | 1.8671 | 1.4861 |
| 18 | 1.6004 | 1.6385 | 1.6766 | 1.5623 | 1.7147 | 1.6766 | 1.448 |
| 19 | 1.7147 | 1.7909 | 1.829 | 1.829 | 1.8671 | 1.7909 | 1.6004 |
| 20 | 1.9052 | 1.9433 | 2.0576 | 1.9814 | 2.0195 | 2.0576 | 1.7528 |
| 21 | 1.9433 | 2.0576 | 2.1338 | 2.0195 | 2.0576 | 2.0195 | 1.8671 |
| 22 | 1.9052 | 2.0957 | 2.1338 | 2.0195 | 2.0195 | 2.1719 | 2.0195 |
| 23 | 2.4006 | 2.4768 | 2.5149 | 2.5149 | 2.4006 | 2.4387 | 2.4006 |
| 24 | 2.4006 | 2.553 | 2.6292 | 2.7435 | 2.6292 | 2.553 | 2.6673 |
| Max | 2.4006 | 2.553 | 2.6292 | 2.7435 | 2.6292 | 2.553 | 2.6673 |
| Min | 1.2574 | 1.3336 | 1.3717 | 1.1431 | 1.448 | 1.4098 | 1.4098 |
| Avg | 1.7369 | 1.7893 | 1.8449 | 1.8131 | 1.8512 | 1.8766 | 1.7623 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 311 / PANDURANG WADI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.1719 | 2.2481 | 2.2862 | 2.2481 | 2.3243 | 2.3624 | 2.3624 |
| 2 | 1.9052 | 1.9433 | 1.9433 | 1.9814 | 2.0195 | 2.0957 | 2.0576 |
| 3 | 1.7528 | 1.6766 | 1.7528 | 1.7528 | 1.8671 | 1.8671 | 1.7909 |
| 4 | 1.4861 | 1.6004 | 1.6004 | 1.6004 | 1.6385 | 1.6385 | 1.7147 |
| 5 | 1.3717 | 1.448 | 1.4098 | 1.448 | 1.5242 | 1.4861 | 1.5623 |
| 6 | 1.2193 | 1.3717 | 1.3336 | 1.4098 | 1.448 | 1.4098 | 1.448 |
| 7 | 1.1431 | 1.3336 | 1.3336 | 1.3336 | 1.3336 | 1.2574 | 1.4098 |
| 8 | 1.2193 | 1.2574 | 1.2955 | 1.2574 | 1.3717 | 1.2955 | 1.3336 |
| 9 | 1.2193 | 1.2574 | 1.1812 | 1.2574 | 1.3336 | 1.3336 | 1.3336 |
| 10 | 1.1812 | 1.1431 | 1.1431 | 1.1431 | 1.1812 | 1.2574 | 1.1431 |
| 11 | 1.1812 | 1.1431 | .9145 | 1.1812 | 1.1812 | 1.2574 | 1.1431 |
| 12 | 1.1812 | 1.1431 | 1.1431 | 1.1431 | 1.1431 | 1.2955 | 1.1431 |
| 13 | 1.2955 | 1.0669 | 1.1812 | 1.1812 | 1.2193 | 1.3336 | 1.1812 |
| 14 | 1.448 | 1.1431 | 1.2955 | 1.2574 | 1.4098 | 1.5242 | 1.1812 |
| 15 | 1.5623 | 1.2193 | 1.3336 | 1.3717 | 1.5242 | 1.7528 | 1.1812 |
| 16 | 1.3336 | 1.1431 | 1.2193 | 1.2955 | 1.448 | 1.6766 | 1.1431 |
| 17 | 1.2574 | 1.0669 | 1.1431 | 1.1431 | 1.2955 | 1.4098 | 1.1431 |
| 18 | 1.1812 | 1.1812 | 1.1431 | 1.0669 | 1.2574 | 1.3336 | 1.0669 |
| 19 | 1.2955 | 1.2955 | 1.2574 | 1.2574 | 1.3717 | 1.4861 | 1.1812 |
| 20 | 1.6385 | 1.6004 | 1.6385 | 1.6004 | 1.6385 | 1.6766 | 1.5623 |
| 21 | 1.6385 | 1.7528 | 1.7909 | 1.6766 | 1.7528 | 1.7528 | 1.6385 |
| 22 | 1.829 | 1.9052 | 1.9814 | 1.9052 | 1.7909 | 1.9814 | 1.829 |
| 23 | 2.2862 | 2.21 | 2.3624 | 2.3243 | 2.2481 | 2.3624 | 2.2862 |
| 24 | 2.2862 | 2.4768 | 2.5149 | 2.6292 | 2.5149 | 2.4387 | 2.5149 |
| Max | 2.2862 | 2.4768 | 2.5149 | 2.6292 | 2.5149 | 2.4387 | 2.5149 |
| Min | 1.1431 | 1.0669 | .9145 | 1.0669 | 1.1431 | 1.2574 | 1.0669 |
| Avg | 1.5035 | 1.4845 | 1.5083 | 1.5194 | 1.5765 | 1.6369 | 1.5146 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 312 / NANDIVALI ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.9052 | 1.8671 | 1.8671 | 1.9052 | 1.9433 | 1.9433 | 1.9433 |
| 2 | 1.6004 | 1.6385 | 1.6766 | 1.6385 | 1.6385 | 1.7528 | 1.6766 |
| 3 | 1.4861 | | 1.448 | 1.4861 | 1.4861 | 1.6385 | 1.5623 |
| 4 | 1.2955 | 1.2955 | 1.2955 | 1.2955 | 1.4098 | 1.5242 | 1.3717 |
| 5 | 1.2193 | 1.2193 | 1.2193 | 1.2193 | 1.2574 | 1.3336 | 1.3336 |
| 6 | 1.1431 | 1.1812 | 1.2193 | 1.1812 | 1.1431 | 1.1812 | 1.2193 |
| 7 | 1.0288 | 1.1431 | 1.1812 | 1.105 | 1.1431 | 1.0669 | 1.1431 |
| 8 | .9145 | .9526 | .9907 | 1.0288 | 1.0288 | 1.0669 | 1.0288 |
| 9 | .9526 | .9145 | .9907 | .9145 | .9145 | 1.0288 | .9526 |
| 10 | .9526 | .8383 | .8764 | .9145 | .9145 | 1.105 | .8383 |
| 11 | .9907 | .9526 | .9526 | .9526 | .9907 | 1.105 | .8002 |
| 12 | .9526 | .9526 | .9145 | .8383 | .8764 | .9907 | .9145 |
| 13 | .9145 | .8764 | .8383 | .7621 | .8764 | .9526 | .8002 |
| 14 | 1.0669 | .8383 | .9145 | .9145 | 1.105 | 1.105 | .8002 |
| 15 | 1.2574 | .9526 | 1.0288 | 1.0288 | 1.1812 | 1.3336 | .8002 |
| 16 | 1.0288 | .9145 | .8764 | .9145 | .9907 | 1.2193 | .8002 |
| 17 | .9526 | .8383 | .7621 | .8002 | .9145 | .9907 | .8002 |
| 18 | .9145 | .8383 | .8383 | .8383 | .8764 | .9907 | .8002 |
| 19 | .9907 | .9526 | .9145 | .9145 | .9907 | 1.0669 | .9526 |
| 20 | 1.1431 | 1.1431 | 1.1812 | 1.1431 | 1.1812 | 1.1812 | 1.0669 |
| 21 | 1.2574 | 1.2574 | 1.2955 | 1.2574 | 1.2955 | 1.3336 | 1.2955 |
| 22 | 1.448 | 1.448 | 1.5623 | 1.8671 | 1.4861 | 1.5242 | 1.4861 |
| 23 | 1.9433 | 1.9052 | 1.9433 | 1.9814 | 1.829 | 1.9052 | 1.9814 |
| 24 | 1.9814 | 2.0957 | 2.0576 | 2.0957 | 2.0957 | 2.0957 | 1.9814 |
| Max | 1.9814 | 2.0957 | 2.0576 | 2.0957 | 2.0957 | 2.0957 | 1.9814 |
| Min | .9145 | .8383 | .7621 | .7621 | .8764 | .9526 | .8002 |
| Avg | 1.2225 | 1.1746 | 1.2019 | 1.2082 | 1.2320 | 1.3098 | 1.1812 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 313 / P AND T COLONY

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.7909 | 1.8671 | 1.8671 | 1.9052 | 1.9433 | 1.9433 | 1.9433 |
| 2 | 1.5623 | 1.6004 | 1.6766 | 1.6385 | 1.7147 | 1.7528 | 1.7528 |
| 3 | 1.4098 | 1.4098 | 1.448 | 1.448 | 1.5623 | 1.6004 | 1.6385 |
| 4 | 1.2574 | 1.2574 | 1.3336 | 1.3336 | 1.448 | 1.4861 | 1.448 |
| 5 | 1.1812 | 1.1812 | 1.2574 | 1.1812 | 1.2574 | 1.3336 | 1.3336 |
| 6 | 1.1431 | 1.2193 | 1.2193 | 1.2193 | 1.1812 | 1.1812 | 1.2955 |
| 7 | 1.105 | 1.1431 | 1.1431 | 1.0669 | 1.1812 | 1.105 | 1.1812 |
| 8 | 1.0288 | 1.0669 | 1.0288 | .9907 | 1.0288 | 1.0669 | 1.0288 |
| 9 | .9907 | .9907 | .9526 | .9145 | .9907 | 1.0288 | .9907 |
| 10 | .9907 | .8764 | .9145 | 1.0288 | .9907 | 1.0669 | .9526 |
| 11 | 1.0288 | .9526 | 1.0288 | 1.0288 | 1.0288 | 1.0669 | .8764 |
| 12 | 1.0669 | .9907 | 1.0288 | .9145 | 1.0288 | 1.0669 | 1.0288 |
| 13 | 1.0288 | 1.0288 | .9907 | 1.0288 | 1.0669 | 1.105 | .9526 |
| 14 | 1.2193 | 1.0288 | 1.0669 | 1.0669 | 1.2574 | 1.3336 | .9526 |
| 15 | 1.2955 | 1.0288 | 1.1812 | 1.2574 | 1.4098 | 1.448 | .9526 |
| 16 | 1.1812 | 1.0288 | 1.105 | 1.105 | 1.3336 | 1.3717 | .9907 |
| 17 | 1.0669 | 1.0288 | .9907 | 1.0288 | 1.2193 | 1.2574 | .9907 |
| 18 | 1.0288 | .9907 | .9907 | .9907 | 1.1431 | 1.1431 | .9907 |
| 19 | 1.0669 | 1.105 | 1.1812 | 1.1431 | 1.2574 | 1.2574 | 1.105 |
| 20 | 1.1812 | 1.2193 | 1.2574 | 1.1812 | 1.2574 | 1.2955 | 1.2193 |
| 21 | 1.2193 | 1.3336 | 1.2955 | 1.3336 | 1.3336 | 1.3336 | 1.2955 |
| 22 | 1.5242 | 1.5623 | 1.6385 | 1.6004 | 1.6004 | 1.7528 | 1.5623 |
| 23 | 1.9052 | 1.9433 | 1.9814 | 1.9814 | 1.9433 | 2.0957 | 1.9052 |
| 24 | 1.9814 | 2.0576 | 2.0957 | 2.1338 | 2.0957 | 1.9814 | 2.1719 |
| Max | 1.9814 | 2.0576 | 2.0957 | 2.1338 | 2.0957 | 2.0957 | 2.1719 |
| Min | .9907 | .8764 | .9145 | .9145 | .9907 | 1.0288 | .8764 |
| Avg | 1.2606 | 1.2463 | 1.2781 | 1.2717 | 1.3447 | 1.3781 | 1.2733 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

DOMBIVALI URBAN DIVSION[400]

DOMBIVALI WEST IISDN[720] BU 4720

Substation No/ Name :- 283211 / MSEB Colony Switching
Station

Feeder No / Name : 314 / Gandhi Nagar

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.2955 | 1.3717 | 1.3717 | 1.4098 | 1.3717 | 1.3336 | 1.3717 |
| 2 | 1.1812 | 1.2193 | 1.1431 | 1.2574 | 1.2193 | 1.2193 | 1.1812 |
| 3 | 1.0288 | 1.105 | 1.0288 | 1.0669 | 1.105 | 1.1431 | 1.105 |
| 4 | .9526 | .9907 | .9907 | 1.0288 | .9907 | 1.0288 | .9907 |
| 5 | .8383 | .8383 | .8764 | .8764 | .9145 | .8764 | .9145 |
| 6 | .724 | .8002 | .8002 | .8002 | .8002 | .8002 | .8002 |
| 7 | .6478 | .6859 | .6478 | .724 | .6478 | .6478 | .6478 |
| 8 | .6859 | .724 | .7621 | .724 | .6478 | .6859 | .724 |
| 9 | .724 | .8002 | .8002 | .8383 | .8002 | .8002 | .7621 |
| 10 | .6859 | .8383 | .8383 | .8383 | .8002 | .7621 | .724 |
| 11 | .724 | .8002 | .8002 | .724 | .724 | .8002 | .6097 |
| 12 | .6859 | .724 | .6478 | .6859 | .724 | .724 | .6097 |
| 13 | .7621 | .6478 | .724 | .6859 | .8383 | .7621 | .6097 |
| 14 | .8383 | .724 | .8002 | .7621 | .8383 | .8002 | .6097 |
| 15 | .9526 | .8002 | .8383 | .8002 | .9526 | .8764 | .5716 |
| 16 | .7621 | .6859 | .7621 | .724 | .8383 | .8764 | .5716 |
| 17 | .724 | .6478 | .6478 | .6097 | .724 | .6859 | .5716 |
| 18 | .6478 | .6478 | .6478 | .6097 | .6859 | .6478 | .5335 |
| 19 | .8002 | .7621 | .7621 | .724 | .7621 | .8002 | .6478 |
| 20 | .8764 | .8764 | .9526 | .8764 | .8383 | .8383 | .7621 |
| 21 | .9907 | .9907 | .9907 | .9526 | .8764 | .9907 | .8383 |
| 22 | 1.105 | 1.0288 | 1.1812 | 1.0288 | 1.0288 | 1.0669 | 1.0288 |
| 23 | 1.448 | 1.448 | 1.4861 | 1.3717 | 1.2574 | 1.3717 | 1.3336 |
| 24 | 1.4098 | 1.4861 | 1.5623 | 1.5242 | 1.5242 | 1.4098 | 1.4861 |
| Max | 1.448 | 1.4861 | 1.5623 | 1.5242 | 1.5242 | 1.4098 | 1.4861 |
| Min | .6478 | .6478 | .6478 | .6097 | .6478 | .6478 | .5335 |
| Avg | .8955 | .9018 | .9193 | .9018 | .9129 | .9145 | .8335 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 301 / 22 KV SONARPADA IND

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .7621 | .7621 | .8002 | .8002 | .724 | .8002 | .8002 |
| 2 | .724 | .724 | .7621 | .7621 | .6859 | .7621 | .724 |
| 3 | .724 | .6859 | .724 | .724 | .6859 | .724 | .6859 |
| 4 | .6859 | .6859 | .6859 | .6859 | .6859 | .6859 | .6478 |
| 5 | .6478 | .6097 | .6859 | .6478 | .6478 | .6478 | .6478 |
| 6 | .6478 | .6478 | .6859 | .6097 | .6478 | .6478 | .6097 |
| 7 | .6097 | .6097 | .6097 | .5716 | .6478 | .6478 | .6097 |
| 8 | .6097 | .6478 | .6097 | .6478 | .6859 | .6478 | .6859 |
| 9 | .6478 | .7621 | .8002 | .6478 | .8383 | .724 | .7621 |
| 10 | .724 | 1.105 | 1.1431 | .8764 | 1.1431 | .9907 | 1.105 |
| 11 | .8764 | 1.2574 | 1.2574 | 1.0288 | 1.2574 | 1.1431 | 1.2574 |
| 12 | .8764 | 1.448 | 1.3717 | .9907 | 1.2955 | 1.2193 | 1.2955 |
| 13 | .8764 | | 1.2574 | .9526 | 1.2574 | .9907 | 1.2574 |
| 14 | .8002 | 1.1812 | 1.2574 | .9145 | 1.2955 | 1.2193 | 1.1812 |
| 15 | .9145 | 1.3717 | 1.3336 | 1.0288 | 1.448 | 1.3717 | 1.3336 |
| 16 | .9526 | 1.4098 | 1.3717 | 1.0288 | 1.4098 | 1.3336 | 1.3717 |
| 17 | .6859 | 1.3336 | 1.2955 | .9526 | 1.448 | 1.3336 | 1.2574 |
| 18 | .724 | 1.2955 | 1.1812 | .5335 | 1.2574 | 1.0669 | 1.1431 |
| 19 | .8383 | 1.105 | 1.1431 | .8764 | 1.1431 | 1.1812 | 1.0288 |
| 20 | .9145 | 1.105 | 1.105 | .8383 | 1.1431 | 1.1431 | .9526 |
| 21 | .8002 | .9907 | .9526 | .8002 | .9145 | .9145 | .8764 |
| 22 | .7621 | .8383 | .8764 | .7621 | .8383 | .8383 | .8383 |
| 23 | .8002 | .8764 | .9145 | .8383 | .8764 | .8383 | .8383 |
| 24 | .8002 | .8002 | .8764 | .8764 | .8002 | .8383 | .8383 |
| Max | .9526 | 1.448 | 1.3717 | 1.0288 | 1.448 | 1.3717 | 1.3717 |
| Min | .6097 | .6097 | .6097 | .5335 | .6478 | .6478 | .6097 |
| Avg | .7669 | .9675 | .9875 | .8081 | .9907 | .9463 | .9478 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 302 / 22 KV SONARPADA VILLAGE

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.6766 | 1.6385 | 1.7147 | 1.6766 | 1.7528 | 1.7528 | 1.7528 |
| 2 | 1.5623 | 1.5623 | 1.5623 | 1.6766 | 1.6766 | 1.5242 | 1.7147 |
| 3 | 1.4861 | 1.5623 | 1.4861 | 1.6004 | 1.5623 | 1.448 | 1.6385 |
| 4 | 1.4861 | 1.4861 | 1.448 | 1.5242 | 1.5242 | 1.4098 | 1.6385 |
| 5 | 1.4098 | 1.448 | 1.5242 | 1.4861 | 1.5623 | 1.5242 | 1.6004 |
| 6 | 1.4098 | 1.448 | 1.448 | 1.448 | 1.5242 | 1.5242 | 1.5242 |
| 7 | 1.4098 | 1.3717 | 1.3717 | 1.3717 | 1.4098 | 1.4098 | 1.4861 |
| 8 | 1.3717 | 1.3336 | 1.3717 | 1.3717 | 1.3717 | 1.3717 | 1.4098 |
| 9 | 1.2193 | 1.2955 | 1.2955 | 1.2574 | 1.3336 | 1.2574 | 1.3336 |
| 10 | 1.105 | 1.1812 | 1.2193 | 1.3336 | 1.3717 | 1.2955 | 1.2193 |
| 11 | 1.1431 | 1.2193 | 1.2193 | 1.1431 | 1.2574 | 1.2574 | 1.1812 |
| 12 | 1.1431 | 1.1812 | 1.1812 | | 1.2193 | 1.2955 | 1.2193 |
| 13 | 1.1812 | 1.1812 | 1.2193 | | 1.2193 | 1.1812 | 1.0669 |
| 14 | 1.2574 | 1.1812 | 1.2574 | | 1.2955 | 1.4098 | 1.2193 |
| 15 | 1.3717 | 1.3717 | 1.4098 | 1.448 | 1.4098 | 1.4098 | 1.4098 |
| 16 | 1.2574 | 1.3336 | 1.3336 | 1.3717 | 1.4098 | 1.4098 | 1.4098 |
| 17 | 1.1812 | .9526 | 1.2574 | 1.2955 | 1.3336 | 1.2574 | 1.3336 |
| 18 | 1.105 | 1.1812 | 1.2574 | 1.105 | 1.2955 | 1.1812 | 1.1812 |
| 19 | 1.2574 | 1.1812 | 1.3336 | 1.2193 | .9907 | 1.3717 | 1.2193 |
| 20 | 1.5623 | 1.4861 | 1.6385 | 1.6004 | 1.6004 | 1.7147 | 1.4098 |
| 21 | 1.5623 | 1.6004 | 1.7147 | 1.5623 | 1.6004 | 1.6385 | 1.5623 |
| 22 | 1.6004 | 1.6385 | 1.7147 | 1.6004 | 1.7147 | 1.6004 | 1.5623 |
| 23 | 1.7147 | 1.7909 | 1.7909 | 1.7147 | 1.7909 | 1.7147 | 1.7528 |
| 24 | 1.7147 | 1.7147 | 1.7909 | 1.8671 | 1.7528 | 1.9052 | 1.7528 |
| Max | 1.7147 | 1.7909 | 1.7909 | 1.8671 | 1.7909 | 1.9052 | 1.7528 |
| Min | 1.105 | .9526 | 1.1812 | 1.105 | .9907 | 1.1812 | 1.0669 |
| Avg | 1.3829 | 1.3892 | 1.4400 | 1.4607 | 1.4575 | 1.4527 | 1.4416 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 303 / 22 KV JADE RUBBER
Feeder KV- 22 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY
STAGGERING (MIDC, EQUIVALENT)

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.2481 | 1.6385 | 2.4006 | 2.2481 | 1.6766 | 2.3624 | 2.2481 |
| 2 | 2.21 | 1.6004 | 2.2862 | 2.2862 | 1.6385 | 2.21 | 2.1338 |
| 3 | 2.21 | 1.6004 | 2.2862 | 2.1719 | 1.6766 | 2.2481 | 2.0576 |
| 4 | 2.0576 | 1.6004 | 2.3624 | 2.1338 | 1.6385 | 2.2481 | 2.0576 |
| 5 | 2.1338 | 1.7147 | 2.2862 | 2.0957 | 1.6004 | 2.2862 | 2.0576 |
| 6 | 1.9052 | 1.7147 | 2.3624 | 2.0957 | 1.6385 | 2.2862 | 2.0957 |
| 7 | 1.7909 | 1.7528 | 2.3243 | 2.0576 | 1.7147 | 2.2481 | 2.0957 |
| 8 | 1.6766 | 2.2481 | 2.4006 | 2.0957 | 1.9433 | 2.3243 | 2.3624 |
| 9 | 1.6766 | 3.2388 | 2.934 | 2.0576 | 2.9721 | 2.7054 | 3.4294 |
| 10 | 1.7147 | 3.8485 | 4.0009 | 2.2862 | 3.4675 | 3.5437 | 4.039 |
| 11 | 1.6766 | .381 | 4.382 | 2.3624 | 3.7342 | 3.2388 | 3.9628 |
| 12 | 1.6766 | 4.1533 | 4.3058 | 2.1338 | 3.8485 | 3.8485 | 4.1152 |
| 13 | 1.6385 | 3.8104 | 3.8104 | 2.1338 | 3.5437 | 3.1245 | 3.9247 |
| 14 | 1.7147 | 4.1152 | 4.1914 | 2.1719 | 3.6961 | 3.658 | 4.2295 |
| 15 | 1.7147 | 4.1914 | 3.5818 | 2.2481 | 3.7342 | 3.6199 | 4.1152 |
| 16 | 1.5623 | 3.8866 | 4.0771 | 2.21 | 3.7723 | 3.5818 | 4.3058 |
| 17 | 1.6004 | 4.1152 | 3.9628 | 2.1719 | 3.8485 | 3.0102 | 3.6199 |
| 18 | 1.5242 | 3.5056 | 3.3913 | 2.0195 | 3.2769 | 2.8197 | 3.2769 |
| 19 | 1.6766 | 3.1626 | 3.2388 | 1.829 | 3.0483 | 2.8578 | 3.2007 |
| 20 | 1.6385 | 2.8959 | 2.8578 | 1.829 | 2.8578 | 2.4768 | 2.8578 |
| 21 | 1.5623 | 2.7054 | 2.4387 | 1.9052 | 2.6292 | 2.2862 | 2.6673 |
| 22 | 1.6004 | 2.553 | 2.4387 | 1.9052 | 2.5911 | 2.2481 | 2.4768 |
| 23 | 1.6004 | 2.4387 | 2.3243 | 1.7909 | 2.6292 | 2.1338 | 2.4768 |
| 24 | 2.2862 | 1.6766 | 2.4387 | 2.3624 | 1.7528 | 2.4768 | 2.2862 |
| Max | 2.2862 | 4.1914 | 4.382 | 2.3624 | 3.8485 | 3.8485 | 4.3058 |
| Min | 1.5242 | .381 | 2.2862 | 1.7909 | 1.6004 | 2.1338 | 2.0576 |
| Avg | 1.7957 | 2.6895 | 3.0451 | 2.1084 | 2.7054 | 2.7435 | 3.0039 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 304 / 22 KV REGENCY FEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.2769 | 3.4294 | 3.4294 | 3.4294 | 3.4675 | 3.5818 | 3.5056 |
| 2 | 3.0483 | 3.2007 | 3.3532 | 3.0864 | 3.2769 | 3.0483 | 3.315 |
| 3 | 2.8578 | 3.0483 | 2.6673 | 2.934 | 3.0864 | 2.7816 | 3.0864 |
| 4 | 2.7816 | 2.8197 | 2.7435 | 2.8578 | 2.9721 | 2.6673 | 2.9721 |
| 5 | 2.6292 | 2.6292 | 2.7435 | 2.7435 | 2.8578 | 2.8197 | 2.8197 |
| 6 | 2.3243 | 2.5149 | 2.3624 | 2.4768 | 2.6673 | 2.6292 | 2.7435 |
| 7 | 2.2481 | 2.3624 | 2.3243 | 2.0957 | 2.3243 | 2.4006 | 2.2862 |
| 8 | 2.0576 | 2.1719 | 2.21 | 2.0576 | 2.1338 | 2.2481 | 2.2481 |
| 9 | 2.0195 | 2.0957 | 2.0957 | 2.0576 | 2.1719 | 2.0957 | 2.0576 |
| 10 | 2.0576 | 2.2862 | 2.3243 | 2.1338 | 2.2481 | 2.0576 | 2.1338 |
| 11 | 2.1338 | 2.21 | 2.3624 | | 2.3243 | 2.1338 | 2.0957 |
| 12 | 2.1338 | 2.2481 | 2.2481 | 2.2481 | 2.2481 | 2.2862 | 2.2481 |
| 13 | 2.0576 | 2.2481 | 2.0195 | 2.1338 | 2.2481 | 2.0576 | 2.0957 |
| 14 | 2.3624 | 2.3243 | 2.4006 | 2.2481 | 2.3624 | 2.4006 | 2.21 |
| 15 | 2.4768 | 2.4387 | 2.7054 | 2.553 | 2.7054 | 2.7054 | 2.4387 |
| 16 | 2.3624 | 2.4768 | 2.553 | | 2.5149 | | 2.3624 |
| 17 | 2.1719 | 2.3624 | 2.4387 | | 2.0576 | 2.2862 | 2.21 |
| 18 | 2.0195 | 2.0576 | 1.8671 | 2.3624 | 2.21 | | 1.8671 |
| 19 | 1.7147 | 2.1338 | 2.0957 | 2.1338 | 2.21 | 2.3243 | 2.0195 |
| 20 | 2.4006 | 2.4768 | 2.5911 | 2.5149 | 2.5149 | 2.3243 | 2.4006 |
| 21 | 2.553 | 2.6673 | 2.7054 | 2.7054 | 2.5911 | 2.7816 | 2.5149 |
| 22 | 2.8578 | 3.0102 | 3.0102 | 3.0102 | 2.8959 | 3.0864 | 2.8197 |
| 23 | 3.2769 | 3.3913 | 3.5437 | 3.3913 | 3.315 | 3.5437 | 3.3532 |
| 24 | 3.4294 | 3.5818 | 3.6199 | 3.658 | 3.8104 | 3.6199 | 3.8485 |
| Max | 3.4294 | 3.5818 | 3.6199 | 3.658 | 3.8104 | 3.6199 | 3.8485 |
| Min | 1.7147 | 2.0576 | 1.8671 | 2.0576 | 2.0576 | 2.0576 | 1.8671 |
| Avg | 2.4688 | 2.5911 | 2.6006 | 2.6110 | 2.6339 | 2.6309 | 2.5688 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 305 / 22 KV SAGAON-NANDIVLI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.2388 | 3.2007 | 3.3913 | 3.3532 | 3.315 | 3.5056 | 3.4294 |
| 2 | 2.9721 | 3.0102 | 3.0483 | 3.0102 | 3.0864 | 3.0483 | 3.1245 |
| 3 | 2.7816 | 2.8197 | 2.8197 | 2.8197 | 2.934 | 2.7054 | 2.9721 |
| 4 | 2.6673 | 2.7054 | 2.6673 | 2.7435 | 2.8197 | 2.6673 | 2.8197 |
| 5 | 2.5911 | 2.6292 | 2.6673 | 2.5911 | 2.7054 | 2.7435 | 2.7435 |
| 6 | 2.5149 | 2.5911 | 2.4768 | 2.4768 | 2.553 | 2.553 | 2.6673 |
| 7 | 2.5149 | 2.4768 | 2.553 | 2.4006 | 2.5911 | 2.5149 | 2.5911 |
| 8 | 2.4768 | 2.3624 | 2.3243 | 2.3624 | 2.4006 | 2.4387 | 2.4768 |
| 9 | 2.3243 | 2.2862 | 2.4006 | 2.1719 | 2.2481 | 2.3624 | 2.2481 |
| 10 | 2.2862 | 2.0957 | 2.1338 | 2.0576 | 2.21 | 2.2862 | 2.1719 |
| 11 | 2.2481 | 2.0576 | 2.0576 | 1.9433 | 2.1719 | 2.2481 | 1.9814 |
| 12 | 2.21 | 2.0195 | 2.4768 | 1.9433 | 2.1719 | 2.2481 | 2.0195 |
| 13 | 2.1719 | 1.9814 | 2.0957 | 1.8671 | 2.0957 | 2.21 | 2.0195 |
| 14 | 2.3243 | 2.0195 | 2.1719 | 2.0195 | 2.2481 | 2.4768 | 1.9814 |
| 15 | 2.5149 | 2.0957 | 2.1719 | 2.1719 | 2.4006 | 2.553 | 2.1719 |
| 16 | 2.3624 | 2.0957 | 2.1719 | 1.8671 | 2.3243 | 2.3624 | 2.0576 |
| 17 | 2.1719 | 2.0576 | 1.9814 | 1.9433 | 2.21 | 2.2481 | 1.9814 |
| 18 | 2.0957 | 1.9052 | 1.9814 | 1.829 | 2.0957 | 2.1719 | 1.8671 |
| 19 | 2.2862 | 2.1719 | 2.2481 | 1.9814 | 2.2862 | 2.4387 | 2.0195 |
| 20 | 2.6292 | 2.4387 | 2.6292 | 2.553 | 2.553 | 2.5911 | 2.4006 |
| 21 | 2.8197 | 2.8578 | 2.8578 | 2.6673 | 2.7816 | 2.8959 | 2.7054 |
| 22 | 3.0864 | 3.1245 | 3.1626 | 2.9721 | 3.0102 | 3.1245 | 2.934 |
| 23 | 3.4294 | 3.5437 | 3.6199 | 3.4294 | 3.3532 | 3.5818 | 3.4675 |
| 24 | 3.5818 | 3.5818 | 3.7342 | 3.6199 | 3.6199 | 3.6961 | 3.658 |
| Max | 3.5818 | 3.5818 | 3.7342 | 3.6199 | 3.6199 | 3.6961 | 3.658 |
| Min | 2.0957 | 1.9052 | 1.9814 | 1.829 | 2.0957 | 2.1719 | 1.8671 |
| Avg | 2.5958 | 2.5053 | 2.5768 | 2.4498 | 2.5911 | 2.6530 | 2.5212 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 306 / 22 KV MIDC RESI. ZONE

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.3058 | 4.5344 | 4.4582 | 4.4201 | 4.4201 | 4.6487 | 4.3439 |
| 2 | 3.6961 | 3.8104 | 3.8104 | 3.8866 | 3.9628 | 3.8485 | 4.0009 |
| 3 | 3.4675 | 3.4294 | 3.4675 | 3.4675 | 3.6961 | 3.5056 | 3.7342 |
| 4 | 3.2007 | 3.2769 | 3.315 | 3.315 | | 3.1626 | 3.3532 |
| 5 | 2.934 | 2.8959 | 3.0864 | 3.1245 | 3.0864 | 3.2007 | 3.1245 |
| 6 | 2.7054 | 2.7816 | 2.6673 | 2.8578 | 2.7816 | 3.0102 | 2.9721 |
| 7 | 2.2862 | 2.4387 | 2.4768 | 2.4387 | 2.5149 | 2.6673 | 2.7816 |
| 8 | 2.553 | 2.6673 | 2.6673 | 2.8959 | 2.6673 | 2.7435 | 2.7054 |
| 9 | 2.6292 | 2.6292 | 2.6292 | 2.8197 | 2.7435 | 2.7054 | 2.8578 |
| 10 | 2.8197 | 3.0483 | 2.8959 | 3.1245 | 2.8959 | 2.8578 | 3.1626 |
| 11 | 2.7816 | 3.1626 | 3.0864 | 2.934 | 3.0483 | 2.9721 | 3.3532 |
| 12 | 3.0864 | 3.0102 | 2.934 | 3.2769 | 3.1626 | 2.9721 | 3.315 |
| 13 | 3.0864 | 3.1245 | .0381 | 3.1626 | 3.1245 | 3.1626 | 3.1245 |
| 14 | 3.5056 | 3.0864 | 3.3913 | 3.2007 | 3.4675 | 3.3532 | 3.2769 |
| 15 | 3.8485 | 3.2769 | 3.6961 | 3.7723 | 3.7723 | 3.6961 | 3.5437 |
| 16 | 3.2769 | 3.3913 | 3.4294 | 3.4675 | 3.4294 | 3.5056 | 3.2388 |
| 17 | 2.934 | 3.1626 | 3.0864 | 3.0102 | 3.3913 | 3.1626 | 2.934 |
| 18 | 2.553 | 2.9721 | 2.9721 | 2.9721 | 2.8959 | 2.7054 | 2.6673 |
| 19 | 3.1626 | 3.0864 | 3.0864 | 3.0102 | 3.1245 | 3.1626 | 2.7054 |
| 20 | 3.2769 | 3.315 | 3.5056 | 3.3532 | 3.3532 | 3.2007 | 3.0102 |
| 21 | 3.4675 | 3.315 | 3.6199 | 3.2388 | 3.4675 | 3.5056 | 3.315 |
| 22 | 3.7342 | 3.9247 | 3.9247 | 3.7723 | 3.658 | 3.7723 | 3.5818 |
| 23 | 4.4201 | 4.4201 | 4.8392 | 4.6106 | 4.2295 | 4.5344 | 4.5344 |
| 24 | 4.4582 | 4.6868 | 4.8773 | 4.8773 | 4.8011 | 4.7249 | 4.6487 |
| Max | 4.4582 | 4.6868 | 4.8773 | 4.8773 | 4.8011 | 4.7249 | 4.6487 |
| Min | 2.2862 | 2.4387 | .0381 | 2.4387 | 2.5149 | 2.6673 | 2.6673 |
| Avg | 3.2579 | 3.3103 | 3.2484 | 3.3754 | 3.3780 | 3.3659 | 3.3452 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 307 / 22 KV MIDC FEEDER NO - 11 SHEDDABLE FEEDER HAVING WEEKLY
Feeder KV- 22 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.9721 | 2.0957 | 3.0864 | 3.2769 | 2.934 | 3.8866 | 3.7723 |
| 2 | 3.0483 | 2.0576 | 2.8197 | 3.2769 | 2.8578 | 3.7342 | 3.5437 |
| 3 | 3.0102 | 1.9814 | 2.8578 | 3.2007 | 2.7816 | 3.6199 | 3.5056 |
| 4 | 2.8578 | 1.9814 | 2.8959 | 3.2388 | 2.7435 | 3.6199 | 3.5437 |
| 5 | 2.7816 | 2.0195 | 2.7816 | 3.2007 | 2.7054 | 3.658 | 3.3913 |
| 6 | 2.5911 | 2.0576 | 2.8959 | 3.0864 | 2.8197 | 3.5818 | 3.3532 |
| 7 | 2.4387 | 2.21 | 2.8959 | 2.8959 | 2.8578 | 3.658 | 3.3532 |
| 8 | 2.2862 | 2.5911 | 3.315 | 2.6673 | 3.2388 | 3.5437 | 3.8104 |
| 9 | 2.4387 | 3.2388 | 3.8866 | 3.0483 | 4.1533 | | 4.4201 |
| 10 | 2.3624 | 4.4582 | 5.2202 | 3.4294 | 5.2584 | 5.144 | 5.3727 |
| 11 | 2.4768 | 4.763 | 5.5251 | 3.3913 | 5.4108 | 5.2965 | 5.9442 |
| 12 | 2.4387 | 5.144 | 5.4108 | 3.3532 | 5.5251 | 5.3727 | 5.3727 |
| 13 | 2.4006 | 4.6106 | 4.9535 | 3.0864 | 5.4489 | 5.2202 | 5.3346 |
| 14 | 2.4006 | 4.763 | 4.9916 | 3.4294 | 5.6394 | 5.2584 | 5.2202 |
| 15 | 2.3624 | 5.2584 | 5.2584 | 3.4294 | 5.9061 | 5.144 | 5.5251 |
| 16 | 2.4006 | 5.2584 | 5.2965 | 3.3913 | 5.6394 | 5.2584 | 5.6013 |
| 17 | 2.3243 | 5.2584 | 5.1821 | 2.934 | 5.7156 | 5.1059 | 5.3727 |
| 18 | 2.1719 | 4.763 | 4.5344 | 2.7816 | 5.2584 | 4.8392 | 4.9535 |
| 19 | 2.3624 | 4.5344 | 4.4201 | 2.8959 | 4.9916 | 4.5725 | 4.4963 |
| 20 | 2.4006 | 4.0009 | 3.9247 | 2.8197 | 4.7249 | 3.8866 | 3.9628 |
| 21 | 2.3624 | 3.5437 | 3.6199 | 2.8578 | 4.2676 | 3.6199 | 3.7342 |
| 22 | 2.2481 | 3.2769 | 3.5056 | 2.8197 | 3.8485 | 3.7723 | 3.4675 |
| 23 | | 3.2388 | 3.5056 | 2.934 | 3.9628 | 3.6199 | 3.5056 |
| 24 | 3.0102 | 2.0957 | 3.2769 | 3.5818 | 2.934 | 3.8866 | 3.7723 |
| Max | 3.0483 | 5.2584 | 5.5251 | 3.5818 | 5.9061 | 5.3727 | 5.9442 |
| Min | 2.1719 | 1.9814 | 2.7816 | 2.6673 | 2.7054 | 3.5437 | 3.3532 |
| Avg | 2.5281 | 3.5500 | 4.0025 | 3.1261 | 4.2343 | 4.3174 | 4.3471 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 308 / 22 KV TEMPO NAKA
Feeder KV- 22 / OUTGOINGSHEDDABLE FEEDER HAVING WEEKLY
STAGGERING (MIDC, EQUIVALENT)

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.5056 | 2.8959 | 3.5437 | 3.658 | 2.8578 | .3429 | 3.7342 |
| 2 | 3.5437 | 2.8578 | 3.4294 | 3.5437 | 2.8959 | 3.4294 | 3.4675 |
| 3 | 3.315 | 2.8578 | 3.4294 | 3.5056 | 2.934 | 3.315 | 3.3532 |
| 4 | 3.315 | 2.8959 | 3.4675 | 3.4294 | 2.8959 | 3.2769 | 3.315 |
| 5 | 3.3532 | 2.8959 | 3.3913 | 3.5056 | 2.934 | 3.4675 | 3.5437 |
| 6 | 3.1245 | 2.8959 | 3.5437 | 3.3532 | 3.0102 | 3.658 | 3.5437 |
| 7 | 3.0102 | 3.0483 | 3.2388 | 3.2388 | 2.9721 | 3.5818 | 3.658 |
| 8 | 2.8578 | 3.0483 | 3.4294 | 3.2769 | 3.1626 | 3.2769 | 3.6199 |
| 9 | 2.7816 | 3.8485 | 4.0771 | 3.2769 | 4.2676 | 3.7723 | 3.9628 |
| 10 | 2.934 | 5.487 | 5.7918 | 3.8104 | 5.7156 | 5.487 | 5.4489 |
| 11 | 2.934 | 5.7156 | 6.0966 | 3.8866 | 6.7063 | 5.6013 | 5.9442 |
| 12 | 2.9721 | 6.1347 | 5.868 | 3.9628 | 6.4015 | 5.9823 | 6.0204 |
| 13 | 3.0483 | 5.6775 | 5.6775 | 3.8104 | 5.487 | 4.6106 | 5.6775 |
| 14 | 2.9721 | 6.0204 | 5.9442 | 3.7723 | 5.9823 | 5.2965 | 5.7918 |
| 15 | 2.8959 | 6.3634 | 6.211 | 3.9247 | 6.2872 | 5.9442 | 5.5251 |
| 16 | 2.8959 | 6.2872 | 6.6682 | 3.8104 | 6.2872 | 5.487 | 6.3253 |
| 17 | 2.8959 | 5.7537 | 6.2491 | 3.658 | 6.4015 | 5.3727 | 5.7156 |
| 18 | 2.934 | 5.2202 | 5.0297 | | 5.3727 | 4.8773 | 5.0297 |
| 19 | 2.9721 | 4.8392 | 4.763 | 3.0483 | 4.763 | 4.5725 | 4.7249 |
| 20 | 3.0102 | 4.4201 | 4.1152 | 2.9721 | 4.382 | 4.0009 | 4.0009 |
| 21 | 3.1245 | 3.8866 | 4.0009 | 3.2388 | 4.1152 | 3.9628 | 4.3058 |
| 22 | 2.934 | 3.8104 | 3.8485 | 3.0864 | 3.8104 | 3.9247 | 3.8866 |
| 23 | 2.934 | 3.5437 | 3.658 | 2.934 | 3.8104 | 3.5437 | 3.7723 |
| 24 | 3.6199 | 2.934 | 3.5818 | 3.658 | 2.8959 | 3.6199 | 3.6199 |
| Max | 3.6199 | 6.3634 | 6.6682 | 3.9628 | 6.7063 | 5.9823 | 6.3253 |
| Min | 2.7816 | 2.8578 | 3.2388 | 2.934 | 2.8578 | .3429 | 3.315 |
| Avg | 3.0785 | 4.3058 | 4.5439 | 3.4940 | 4.4312 | 4.1835 | 4.4995 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 283212 / SONAR PADA

Feeder No / Name : 310 / 22 KV Sonarpada sw stn
transfo Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 2 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 3 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 4 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 5 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 6 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 7 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 8 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 9 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 10 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 11 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 12 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 13 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 14 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 15 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 16 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 17 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 18 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 19 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 20 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 21 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 22 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 23 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 24 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Max | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Min | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Avg | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 301 / Feeder No 1 (Incommer-I)
Feeder KV- 22 / INCOMINGNON SHEDDABLE EXPRESS HV FEEDERS
(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 8.2423 |
| Max | 8.2423 |
| Min | 8.2423 |
| Avg | 8.2423 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 302 / Feeder No 2 (Incomer to
BAji P Feeder KV- 22 / INCOMINGNON SHEDDABLE EXPRESS HV FEEDERS
(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 9.8686 |
| Max | 9.8686 |
| Min | 9.8686 |
| Avg | 9.8686 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 303 / 22 kv Netivali III
(Incomer) Feeder KV- 22 /
INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS
(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 9.1861 |
| Max | 9.1861 |
| Min | 9.1861 |
| Avg | 9.1861 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 305 / Feeder No 5 (Incomer-I to NON SHEDDABLE EXPRESS HV FEEDERS
MSEB Feeder KV- 22 / INCOMING (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 6.1988 |
| Max | 6.1988 |
| Min | 6.1988 |
| Avg | 6.1988 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 306 / Feeder No 6(I/C TO 283067) NON SHEDDABLE EXPRESS HV FEEDERS
Feeder KV- 22 / INCOMING (NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 6.579 |
| Max | 6.579 |
| Min | 6.579 |
| Avg | 6.579 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 307 / Feeder No. 7 (Incomer to MSEB Feeder KV- 22 / INCOMING NON SHEDDABLE EXPRESS HV FEEDERS (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 7.0965 |
| Max | 7.0965 |
| Min | 7.0965 |
| Avg | 7.0965 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 308 / 22 KV Feeder No. 8

Feeder KV- 22 / OUTGOING

SHEDDABLE URBAN

| | |
|------|-----------|
| DATE | 01-MAY-18 |
| HR | Load (MW) |
| 24 | 4.0657 |
| Max | 4.0657 |
| Min | 4.0657 |
| Avg | 4.0657 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 309 / Feeder No. 9 (Incomer to MSEB Feeder KV- 22 / INCOMING NON SHEDDABLE EXPRESS HV FEEDERS (CONTINUOUS PROCESS)(NO STAGGERING)

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 7.207 |
| Max | 7.207 |
| Min | 7.207 |
| Avg | 7.207 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 310 / Feeder No. 10(I/C TO
283067) Feeder KV- 22 /
INCOMINGNON SHEDDABLE EXPRESS HV FEEDERS
(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 8.5734 |
| Max | 8.5734 |
| Min | 8.5734 |
| Avg | 8.5734 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 311 / 22KV Feeder no11 (I/C TO 2832 Feeder KV- 22 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS
(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 5.6013 |
| Max | 5.6013 |
| Min | 5.6013 |
| Avg | 5.6013 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 312 / Dombivali sub station

transfor Feeder KV- 22 /

OUTGOING

| | |
|------|-----------|
| DATE | 01-MAY-18 |
| HR | Load (MW) |
| 24 | .3429 |
| Max | .3429 |
| Min | .3429 |
| Avg | .3429 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 286012 / Dombivali MIDC-I

Feeder No / Name : 313 / Dombivali sub station

transfor Feeder KV- 22 /

OUTGOING

| | |
|------|-----------|
| DATE | 01-MAY-18 |
| HR | Load (MW) |
| 24 | .3429 |
| Max | .3429 |
| Min | .3429 |
| Avg | .3429 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 301 / 22 KV Shil road feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 23 | .6859 |
| 24 | 10.6584 |
| Max | 10.6584 |
| Min | .6859 |
| Avg | 5.6722 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 302 / 22 kv Lokdhara (incomer)
Feeder KV- 22 / INCOMINGNON SHEDDABLE EXPRESS HV FEEDERS
(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 11.4948 |
| Max | 11.4948 |
| Min | 11.4948 |
| Avg | 11.4948 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 303 / 22 KV Bajiprabhu Sw Stn
Feeder KV- 22 / INCOMINGNON SHEDDABLE EXPRESS HV FEEDERS
(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 11.3519 |
| Max | 11.3519 |
| Min | 11.3519 |
| Avg | 11.3519 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 305 / Feeder No. PAL-5

Feeder KV- 22 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS
(CONTINUOUS PROCESS)(NO STAGGERING)

| | |
|------|-----------|
| DATE | 01-MAY-18 |
| HR | Load (MW) |
| 24 | 5.7339 |
| Max | 5.7339 |
| Min | 5.7339 |
| Avg | 5.7339 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 307 / 22 KV NANDIVALI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 23 | 1.3717 |
| 24 | 5.7289 |
| Max | 5.7289 |
| Min | 1.3717 |
| Avg | 3.5503 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 308 / 22KV KMIDC (I/C TO 283212) NON SHEDDABLE EXPRESS HV FEEDERS
Feeder KV- 22 / INCOMING (NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 5.8848 |
| Max | 5.8848 |
| Min | 5.8848 |
| Avg | 5.8848 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 312 / feeder no 12

Feeder KV- 22 / INCOMING

NON SHEDDABLE EHV INDUSTRIAL FEEDERS

(CONTINUOUS PROCESS)(NO STAGGERING

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | 20.1407 |
| Max | 20.1407 |
| Min | 20.1407 |
| Avg | 20.1407 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 313 / Pal SS station
transformer f Feeder KV- 22 /
OUTGOING

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | .6859 |
| Max | .6859 |
| Min | .6859 |
| Avg | .6859 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.III[577] BU 4577

Substation No/ Name :- 288047 / Dombivali PAL - II

Feeder No / Name : 320 / Pal SS station transformer
fee Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 |
|------|-----------|
| HR | Load (MW) |
| 24 | .6859 |
| Max | .6859 |
| Min | .6859 |
| Avg | .6859 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 301 / Pal Incomer

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 6.0966 | | 5.144 | | 2.7435 | 5.3346 | 5.3727 |
| 2 | 5.7537 | | 4.9535 | | 2.7816 | 5.2584 | 5.2202 |
| 3 | 5.5251 | | 4.8773 | | 2.7816 | 5.0297 | 4.9916 |
| 4 | 5.144 | | 5.144 | | 2.8197 | 4.9535 | 4.9154 |
| 5 | 4.9535 | | 5.4108 | | 2.7435 | 4.8773 | 4.8011 |
| 6 | 4.9154 | | 5.487 | | 2.934 | 5.3346 | 4.9535 |
| 7 | 4.382 | | 4.8773 | | 3.0483 | 4.5725 | 4.8011 |
| 8 | 3.3532 | 4.0771 | 6.0966 | | 3.6961 | 5.2202 | 5.1821 |
| 9 | 3.6961 | 6.7444 | 6.6301 | 3.2769 | 5.7537 | 5.5632 | 6.0204 |
| 10 | 3.8104 | 7.4684 | 7.316 | 3.2769 | 6.8968 | 6.5158 | 7.5827 |
| 11 | 4.1533 | 8.078 | 7.8494 | | 7.7732 | 7.2779 | 8.3067 |
| 12 | 3.8866 | 7.7732 | 8.5353 | | 7.8875 | 7.4684 | 7.697 |
| 13 | 3.8866 | 7.2398 | 7.316 | | 6.7444 | 5.8299 | 7.316 |
| 14 | 3.8866 | 8.2686 | 8.078 | | 7.5446 | 6.6682 | 7.4303 |
| 15 | 3.8866 | 7.6208 | 8.078 | | 7.8494 | 6.973 | 8.1924 |
| 16 | 4.1533 | 8.2686 | 7.9256 | | 8.0018 | 6.7063 | 7.5827 |
| 17 | 4.2295 | 8.1924 | 7.697 | | 7.2017 | 6.973 | 7.8113 |
| 18 | 3.8104 | 7.0492 | 6.973 | | 6.7444 | 6.973 | 6.8206 |
| 19 | 3.7723 | 6.4777 | 6.5539 | 2.3243 | 5.868 | 5.6775 | 6.0966 |
| 20 | 3.4294 | 6.0966 | 5.7918 | 2.2862 | 5.2584 | 5.4489 | 5.6394 |
| 21 | 3.2769 | 5.5251 | 5.3727 | 2.4768 | 5.6394 | 5.2584 | 5.3346 |
| 22 | 3.658 | 5.4108 | 5.7156 | 2.7054 | 5.487 | 5.6775 | 5.4108 |
| 23 | 3.5056 | 5.2584 | 6.2872 | 2.7054 | 5.6013 | 5.1821 | 5.9061 |
| 24 | 6.0966 | 3.658 | 5.2584 | 5.7537 | 2.8578 | 5.5251 | 5.6394 |
| Max | 6.0966 | 8.2686 | 8.5353 | 5.7537 | 8.0018 | 7.4684 | 8.3067 |
| Min | 3.2769 | 3.658 | 4.8773 | 2.2862 | 2.7435 | 4.5725 | 4.8011 |
| Avg | 4.3026 | 6.6592 | 6.3904 | 3.1007 | 5.2774 | 5.8458 | 6.2094 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 302 / Dombivali Incomer

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 9.1831 | | 11.6217 | | 9.145 | 9.2212 | |
| 2 | 9.0688 | | 11.4312 | | 8.9544 | 9.145 | |
| 3 | 8.9544 | | 10.7834 | | 8.802 | 9.0688 | |
| 4 | 8.3067 | | 10.6691 | | 8.3067 | 8.3829 | |
| 5 | 7.9637 | | 10.0214 | | 8.0018 | 8.3067 | |
| 6 | 7.1254 | | 9.6403 | | 7.5065 | 7.5446 | |
| 7 | 6.8968 | | 9.526 | | 6.973 | 7.2017 | |
| 8 | 6.7825 | 6.7444 | 8.9544 | | 6.592 | 7.0111 | |
| 9 | 6.7063 | 6.4777 | 8.5734 | 6.4396 | 6.6301 | 6.8206 | 6.6301 |
| 10 | 6.7825 | 6.5539 | 7.4684 | 5.7537 | 6.6682 | 6.973 | 6.5539 |
| 11 | 6.6301 | 6.6301 | 6.6301 | 7.9256 | 6.4777 | 7.2398 | 6.7444 |
| 12 | 6.7825 | 6.5539 | 6.5539 | 8.1543 | 6.3253 | 7.4303 | 6.6682 |
| 13 | 6.7825 | 8.7639 | 6.7063 | 7.8113 | 6.4777 | 7.2398 | 6.4015 |
| 14 | 7.1636 | 8.5353 | 6.7825 | 7.5827 | 7.0873 | 7.5065 | 6.5539 |
| 15 | 7.4684 | 8.802 | 7.1254 | 9.1831 | 7.5446 | 7.5827 | 7.0111 |
| 16 | 7.2398 | 8.7639 | 6.973 | 9.0306 | 7.1636 | 7.8494 | 6.973 |
| 17 | 6.8587 | 8.3448 | 6.7063 | 8.1543 | 7.0492 | 7.4684 | 6.4777 |
| 18 | 6.6682 | 8.421 | 6.5539 | 8.2305 | 6.7825 | 7.0492 | 6.3253 |
| 19 | 7.316 | 9.3736 | 6.9349 | 6.592 | 7.7351 | 7.4684 | 6.7444 |
| 20 | 8.2686 | 10.7453 | 8.1924 | 7.8875 | 8.1924 | 8.1924 | 7.7732 |
| 21 | 8.5353 | 11.1264 | 8.5734 | 8.1543 | 8.5734 | 8.6115 | 8.3067 |
| 22 | 8.8401 | 11.3169 | 8.8401 | 8.6877 | 8.9163 | 8.7639 | 8.6877 |
| 23 | 9.3736 | 12.0028 | 9.3736 | 9.2974 | 9.4117 | 9.3736 | 9.2212 |
| 24 | 9.2974 | 9.0688 | 11.8122 | 9.4498 | 9.1831 | 9.4498 | 9.3355 |
| Max | 9.3736 | 12.0028 | 11.8122 | 9.4498 | 9.4117 | 9.4498 | 9.3355 |
| Min | 6.6301 | 6.4777 | 6.5539 | 5.7537 | 6.3253 | 6.8206 | 6.3253 |
| Avg | 7.7081 | 8.7191 | 8.6020 | 8.0209 | 7.6875 | 7.9542 | 7.2755 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 303 / 22 Kv Kalyan west feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.0678 | | 5.0297 | | 5.4108 | 5.3346 | |
| 2 | 4.9535 | | 4.9535 | | 5.3346 | 5.2584 | 4.9535 |
| 3 | 4.763 | | 4.6487 | | 5.0297 | 5.0297 | 4.6106 |
| 4 | 4.382 | | 4.1152 | | 3.8866 | 4.763 | 4.0771 |
| 5 | 3.8485 | | 3.8485 | | 3.9247 | 4.1914 | 4.0009 |
| 6 | 3.6961 | | 3.658 | | 3.8104 | 3.9247 | 3.8866 |
| 7 | 3.2007 | | 3.2388 | | 3.4294 | 3.5437 | 3.658 |
| 8 | 3.1245 | 3.1245 | 3.5818 | | 3.2007 | | |
| 9 | 3.8104 | 3.0483 | 3.2388 | 3.2007 | 3.2388 | 3.4675 | 3.2769 |
| 10 | 3.2769 | 3.5437 | 3.2769 | 3.3532 | 3.4294 | 3.2007 | 3.3532 |
| 11 | 3.2007 | 3.5437 | 3.3532 | 3.1245 | 3.4675 | 3.315 | 3.2388 |
| 12 | 3.1245 | 3.1245 | 3.4294 | 3.1245 | 3.3532 | 3.4675 | 3.1626 |
| 13 | 3.2769 | 3.2007 | 3.2007 | 3.2007 | 3.2769 | 3.315 | 3.315 |
| 14 | 3.6961 | 3.4294 | 3.3532 | 3.2769 | 3.658 | 7.2398 | 3.3913 |
| 15 | 3.8104 | 3.3913 | 3.6199 | 3.6961 | 4.0009 | 8.3066 | 3.7723 |
| 16 | 3.6961 | 3.6199 | 3.5437 | 3.6199 | 3.8485 | 8.459 | 3.658 |
| 17 | 3.4294 | 3.3913 | 3.4294 | 3.0864 | 3.5818 | 7.9256 | 3.1626 |
| 18 | 3.0864 | 3.0102 | 3.1245 | 2.8578 | 3.6961 | 7.0874 | 2.8959 |
| 19 | 3.5056 | 3.3532 | 3.2769 | 3.2007 | 3.6961 | 3.4675 | 3.4294 |
| 20 | 3.7342 | 3.8866 | 3.8866 | 3.8104 | 4.1533 | 4.039 | 3.6961 |
| 21 | 4.039 | 4.039 | 4.1914 | 4.039 | 4.1533 | 4.2295 | 4.0771 |
| 22 | 4.1914 | 4.8773 | 4.5725 | 4.6106 | 4.3439 | 4.5725 | 4.3439 |
| 23 | 4.8773 | 5.2202 | 5.2584 | 5.2965 | 5.0297 | 5.2584 | 5.1059 |
| 24 | 5.1821 | 5.2584 | 5.144 | 5.6013 | 5.487 | 5.4108 | 5.487 |
| Max | 5.1821 | 5.2584 | 5.2584 | 5.6013 | 5.487 | 8.459 | 5.487 |
| Min | 3.0864 | 3.0102 | 3.1245 | 2.8578 | 3.2007 | 3.2007 | 2.8959 |
| Avg | 3.8739 | 3.7095 | 3.8739 | 3.6937 | 4.0184 | 4.9916 | 3.8433 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 304 / 22 Kv Kalyan east

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.21 | | 2.2862 | | 1.829 | 2.2862 | 2.3624 |
| 2 | 2.0957 | | 2.21 | | 1.7528 | 2.21 | 2.2862 |
| 3 | 1.9814 | | 2.0957 | | 1.6766 | 2.1719 | 2.0957 |
| 4 | 1.9052 | | 2.1338 | | 1.6004 | 2.0957 | 1.9052 |
| 5 | 1.9814 | | 2.0957 | | 1.5242 | 1.9814 | 1.9433 |
| 6 | 2.0195 | | 2.0195 | | 1.6004 | 2.0576 | 2.0195 |
| 7 | 1.6004 | | 1.829 | | 1.5623 | 1.9052 | 1.9052 |
| 8 | 1.4098 | | 1.7528 | | 1.448 | 1.6004 | |
| 9 | 1.4098 | 1.829 | 1.9052 | | 1.9052 | 1.7528 | 1.829 |
| 10 | 1.4861 | 2.0957 | 1.9814 | | 2.21 | 1.9814 | 1.9052 |
| 11 | 1.5623 | 2.1719 | 2.1719 | | 2.0957 | 2.21 | 2.0957 |
| 12 | 1.5623 | 1.9052 | 2.1719 | | 2.2862 | 2.21 | 1.8671 |
| 13 | 1.6385 | 2.1719 | 2.0957 | | 2.1338 | 2.1338 | 1.9433 |
| 14 | 1.6766 | 2.21 | 2.0957 | | 2.21 | 2.0957 | 1.9052 |
| 15 | 1.6766 | 2.2481 | 2.4387 | | 2.3624 | 2.1719 | 2.0195 |
| 16 | 1.6766 | 2.1719 | 2.2481 | | 2.3624 | 2.2481 | 2.1338 |
| 17 | 1.6004 | 2.1719 | 2.21 | 1.7147 | 2.21 | 2.0957 | 2.1338 |
| 18 | 1.5242 | 1.9433 | 2.1338 | 1.5623 | 2.21 | 2.2481 | 2.1338 |
| 19 | 1.6766 | 2.21 | 2.21 | 1.6766 | 2.3243 | 2.2481 | 1.9433 |
| 20 | 1.829 | 2.4006 | 2.3624 | 1.7909 | 2.4387 | 2.3243 | 2.1338 |
| 21 | 1.7528 | 2.4006 | 2.2862 | 1.8671 | 2.2862 | 2.1719 | 2.1719 |
| 22 | 1.829 | 2.3624 | 2.3624 | 1.9814 | 2.4768 | 2.4387 | 2.21 |
| 23 | 1.9052 | 2.4006 | 2.5149 | 1.9433 | 2.4387 | 2.3624 | 2.3243 |
| 24 | 2.2862 | 1.829 | 2.3243 | 2.3624 | 1.8671 | 2.3624 | 2.3624 |
| Max | 2.2862 | 2.4006 | 2.5149 | 2.3624 | 2.4768 | 2.4387 | 2.3624 |
| Min | 1.4098 | 1.829 | 1.7528 | 1.5623 | 1.448 | 1.6004 | 1.829 |
| Avg | 1.7623 | 2.1576 | 2.1640 | 1.8623 | 2.0338 | 2.1402 | 2.0709 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 305 / 22kV SHREE MALANG feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 6.592 | | | | 5.7918 | 6.4777 | 2.3624 |
| 2 | 6.4777 | | | | 5.7156 | 6.4015 | 6.0966 |
| 3 | 6.3634 | | | | | 6.2872 | 5.7537 |
| 4 | 6.1347 | | | | 5.4108 | 6.2872 | 5.6394 |
| 5 | 6.0966 | | | | 5.7918 | 6.0966 | 6.0204 |
| 6 | 6.1728 | | | | 5.868 | 6.211 | 6.3634 |
| 7 | 6.5158 | | | | 5.7918 | 6.4015 | 6.2872 |
| 8 | 5.5251 | 5.3346 | | 4.8392 | 5.1821 | 5.2965 | |
| 9 | 4.6868 | 4.9535 | | 4.6487 | 4.763 | 4.9916 | 4.9154 |
| 10 | 4.6868 | 5.1821 | | 4.6487 | 4.5725 | 5.2965 | 5.1821 |
| 11 | 4.4963 | 5.0678 | 1.6385 | 4.4963 | 4.7249 | 5.144 | 4.9154 |
| 12 | 4.382 | | 5.0678 | | 4.5725 | 5.2584 | 4.7249 |
| 13 | 4.3058 | | 4.6487 | | 4.4201 | 4.4963 | 4.3058 |
| 14 | 4.382 | | 4.5725 | 5.2584 | 4.7249 | 4.382 | 4.3058 |
| 15 | 4.4201 | | 4.6487 | 5.1821 | 4.9535 | 4.7249 | 4.6106 |
| 16 | 4.382 | | 4.9154 | 4.4582 | 5.7156 | 5.2584 | 5.1059 |
| 17 | 4.3439 | | 4.763 | 4.4582 | 5.3727 | 4.8392 | 4.763 |
| 18 | 4.039 | | 4.6487 | 5.1821 | 4.8392 | 4.9916 | 4.7249 |
| 19 | 5.1821 | | 5.0678 | 6.3634 | 5.868 | 5.5251 | |
| 20 | 6.0966 | | 6.5158 | 6.0966 | 6.211 | 6.4396 | 6.592 |
| 21 | 5.9061 | | 6.8587 | 6.3253 | 6.211 | 6.2872 | 6.4015 |
| 22 | 5.9442 | | 6.8587 | 6.2491 | 6.6301 | 6.1347 | 6.5158 |
| 23 | 5.9061 | | 6.7825 | 5.9823 | 6.7825 | 6.4777 | 4.9916 |
| 24 | 6.7444 | 5.868 | | 6.4777 | 5.9823 | 6.5539 | 6.1728 |
| Max | 6.7444 | 5.868 | 6.8587 | 6.4777 | 6.7825 | 6.5539 | 6.592 |
| Min | 4.039 | 4.9535 | 1.6385 | 4.4582 | 4.4201 | 4.382 | 2.3624 |
| Avg | 5.4076 | 5.2812 | 5.1528 | 5.3778 | 5.4737 | 5.6775 | 5.3068 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 306 / 22 Kv Nandivali new
Feeder KV- 22 / OUTGOING

SHEDDABLE URBAN

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.9823 | | 8.8401 | | 5.9823 | 6.0966 | 5.9061 |
| 2 | 5.7918 | | 8.7639 | | 5.868 | 6.0204 | |
| 3 | 5.7156 | | 8.4591 | | 5.7156 | 5.7918 | |
| 4 | 5.6394 | | 8.0018 | | 5.3727 | 5.7156 | |
| 5 | 5.0297 | | 7.6589 | | 5.144 | 5.0297 | |
| 6 | 4.6868 | | 7.2398 | | 4.8011 | 4.8011 | |
| 7 | 4.4963 | | 7.3541 | | 4.8392 | 4.6487 | |
| 8 | 4.4201 | 4.4582 | 6.592 | | 4.382 | 4.4963 | |
| 9 | 4.3439 | 4.1914 | 6.4396 | 4.1533 | 4.2676 | 4.3058 | 4.3058 |
| 10 | 4.4963 | 4.2295 | 4.0771 | 4.6487 | 4.2676 | 4.4582 | 4.0771 |
| 11 | 4.3439 | 4.2295 | 4.2295 | 4.1533 | 4.3439 | 4.763 | 4.1914 |
| 12 | 4.3439 | 4.2295 | 4.039 | 4.1533 | 4.1914 | 4.7249 | 4.1152 |
| 13 | 4.4201 | 6.4777 | 4.2295 | 4.2295 | 4.2676 | 4.6868 | 4.0771 |
| 14 | 4.4963 | 6.2872 | 4.2295 | 4.1533 | 4.4963 | 4.8773 | 3.9628 |
| 15 | 4.8392 | 6.211 | 4.4963 | 4.3058 | 4.6487 | 4.9154 | 4.1914 |
| 16 | 7.1636 | 6.211 | 4.3058 | 4.2295 | 4.8773 | 4.9916 | 4.2295 |
| 17 | 4.382 | 5.9823 | 4.2295 | 3.8485 | 4.3058 | 4.6487 | 3.8485 |
| 18 | 4.3439 | 6.0966 | 4.1914 | 3.8866 | 4.2676 | 4.4963 | 3.7342 |
| 19 | 4.763 | 6.8968 | 4.3439 | 4.1533 | 4.763 | 4.6487 | 4.1152 |
| 20 | 5.4108 | 8.0399 | 5.2584 | 4.9535 | 5.2202 | 5.3346 | 4.8773 |
| 21 | 5.5632 | 8.3829 | 5.5251 | 5.1821 | 5.4489 | 5.5251 | 5.1821 |
| 22 | 5.7918 | 8.802 | 5.7918 | 5.6013 | 5.7156 | 5.7537 | 5.6394 |
| 23 | 6.2491 | 9.0688 | 6.3253 | 5.7156 | 6.0966 | 6.0966 | 6.0204 |
| 24 | 6.0585 | 6.0204 | 8.8401 | | 6.0585 | 6.1347 | 6.0966 |
| Max | 7.1636 | 9.0688 | 8.8401 | 5.7156 | 6.0966 | 6.1347 | 6.0966 |
| Min | 4.3439 | 4.1914 | 4.039 | 3.8485 | 4.1914 | 4.3058 | 3.7342 |
| Avg | 5.1155 | 6.2244 | 5.9776 | 4.4912 | 4.9726 | 5.1234 | 4.6218 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 307 / 22 KV Shil feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.4294 | | 3.1626 | | 3.2388 | 3.4294 | |
| 2 | 3.3532 | | 3.0483 | | 3.0483 | 3.1245 | |
| 3 | 2.8959 | | 2.7816 | | 2.9721 | 3.0483 | |
| 4 | 2.8197 | | 2.6673 | | 2.8578 | 2.9721 | |
| 5 | 2.6673 | | 2.553 | | 2.8959 | 2.8197 | |
| 6 | 2.7054 | | 2.5911 | | 2.8578 | 2.8578 | |
| 7 | 2.6292 | | 2.553 | | 2.4768 | 2.7054 | |
| 8 | 2.6673 | 2.5149 | 2.5911 | | 2.553 | 2.7054 | |
| 9 | 2.5149 | 2.4768 | 2.4768 | 2.4387 | 2.5149 | 2.6292 | 2.5911 |
| 10 | 2.4387 | 2.5149 | 2.6673 | 1.4098 | 2.553 | 2.7816 | 2.7054 |
| 11 | 2.5149 | 2.5911 | 2.6673 | 1.5623 | 2.21 | 2.8197 | 2.7435 |
| 12 | 2.5911 | 2.6673 | 2.5911 | 1.4861 | 2.3624 | 2.934 | 2.7816 |
| 13 | 2.6673 | 2.6673 | 2.6673 | 1.6385 | 2.2862 | 2.8959 | 2.5149 |
| 14 | 2.8578 | 2.6673 | 2.7054 | 1.6385 | 2.7435 | 2.8959 | 2.7054 |
| 15 | 2.8578 | 2.7816 | 2.8578 | 3.2769 | 3.0483 | 3.0102 | 2.8959 |
| 16 | 2.6673 | 2.7816 | 2.8578 | 3.0102 | 2.7435 | 3.2007 | 2.934 |
| 17 | 2.5149 | 2.6292 | 2.6673 | 2.7054 | 2.8578 | 3.1245 | 2.7435 |
| 18 | 2.5149 | 2.5911 | 2.5911 | 2.5149 | 2.8578 | 2.7816 | 2.7435 |
| 19 | 2.8197 | 2.8578 | 2.8197 | 2.6292 | 3.1626 | 2.934 | 2.8578 |
| 20 | 3.1245 | 3.0864 | 3.1245 | 3.2007 | 3.2388 | 3.2769 | 3.1245 |
| 21 | 3.3532 | 3.1626 | 3.3532 | 3.2388 | 3.315 | 3.3532 | 3.315 |
| 22 | 3.2769 | 3.2388 | 3.5056 | 3.2007 | 3.5437 | 3.3532 | 3.315 |
| 23 | 3.4294 | 3.3913 | 3.5056 | 3.4675 | 3.5437 | 3.0483 | 3.5437 |
| 24 | 3.4675 | 3.2769 | 3.3532 | 3.4294 | 3.3532 | 3.5437 | |
| Max | 3.4675 | 3.3913 | 3.5056 | 3.4675 | 3.5437 | 3.5437 | 3.5437 |
| Min | 2.4387 | 2.4768 | 2.4768 | 1.4098 | 2.21 | 2.6292 | 2.5149 |
| Avg | 2.8658 | 2.8175 | 2.8483 | 2.5530 | 2.8848 | 3.0102 | 2.9010 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 308 / 22 kv Metro Mall feeder

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .3429 | | .4572 | | | .4191 | .4572 |
| 2 | .3048 | | .3429 | | .0381 | .3429 | .381 |
| 3 | .3048 | | .3429 | | .3429 | .3429 | .3048 |
| 4 | .3048 | | .3048 | | .3429 | .3429 | .3048 |
| 5 | .3048 | | .3048 | | .1905 | .3429 | .3429 |
| 6 | .3429 | | .3048 | | .3429 | .4191 | .381 |
| 7 | .3429 | | .381 | | .3429 | .381 | .3429 |
| 8 | .3048 | .3048 | .4191 | | .3429 | .4572 | |
| 9 | .6097 | .3429 | .5716 | .4191 | .4191 | .6097 | .6478 |
| 10 | 1.2193 | 1.0669 | 1.1431 | 1.1431 | 1.0669 | 1.2955 | 1.2574 |
| 11 | 1.7528 | 1.5242 | 1.4861 | 1.4861 | 1.7528 | 1.829 | 1.5623 |
| 12 | 2.2481 | 1.5623 | 1.9433 | 2.0957 | 2.1338 | 2.2481 | 2.1338 |
| 13 | 1.9433 | 2.0957 | 1.7528 | 1.9433 | 1.9814 | 2.2862 | 2.21 |
| 14 | 2.0957 | 1.7528 | 2.0957 | 1.6766 | 1.9052 | 2.0195 | 1.829 |
| 15 | 2.4387 | 1.6385 | 1.829 | 1.9433 | 2.0957 | 2.3243 | 2.21 |
| 16 | 1.9433 | 1.9052 | 1.829 | 1.7528 | 2.1338 | 2.2481 | 1.7147 |
| 17 | 2.1338 | 1.5242 | 1.9814 | 1.6385 | 1.9814 | 2.0957 | 1.6766 |
| 18 | 1.829 | 1.5623 | 1.6004 | 2.0576 | 1.7528 | 2.1719 | 1.7147 |
| 19 | 2.0957 | 1.7909 | 1.829 | 1.7528 | 1.9433 | | 2.1719 |
| 20 | 2.3624 | 1.7528 | 1.7528 | 1.8671 | 1.9052 | 2.3243 | 1.7528 |
| 21 | 2.2862 | 1.7909 | 1.7147 | 1.9052 | | 2.0957 | .6097 |
| 22 | 1.7528 | 1.448 | 1.2193 | 1.2955 | 1.2955 | 1.5623 | 2.0576 |
| 23 | 1.3717 | .6478 | .6478 | .6859 | .7621 | .8383 | .6859 |
| 24 | .4954 | .7621 | .4954 | .5335 | .6097 | .5335 | .7621 |
| Max | 2.4387 | 2.0957 | 2.0957 | 2.0957 | 2.1338 | 2.3243 | 2.21 |
| Min | .3048 | .3048 | .3048 | .4191 | .0381 | .3429 | .3048 |
| Avg | 1.2971 | 1.3807 | 1.1145 | 1.5123 | 1.1674 | 1.2839 | 1.1961 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 309 / 22 KV KDMC Express feeder NON SHEDDABLE WATER SUPPLY AND
Feeder KV- 22 / OUTGOING UTILITY

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0381 | | .0381 | | .0381 | .0381 | .0381 |
| 2 | .0381 | | .0381 | | | .0381 | .0381 |
| 3 | .0381 | | .0381 | | .0381 | .0381 | .0381 |
| 4 | .0381 | | .0381 | | .0381 | .0381 | .0381 |
| 5 | .0381 | | .0381 | | .0381 | .0381 | .0381 |
| 6 | .0381 | | .0381 | | .0381 | .0381 | .0381 |
| 7 | .0381 | | .0762 | | .0381 | .0381 | .0381 |
| 8 | .0381 | .0381 | .0762 | | .0381 | .0381 | .0762 |
| 9 | .0381 | .0762 | .0381 | .0762 | .0762 | .0381 | .0381 |
| 10 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0762 |
| 11 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 | .0762 |
| 12 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 13 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 14 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 15 | .0381 | .0381 | .0762 | .0381 | .0381 | .0381 | .0381 |
| 16 | .0381 | .0381 | .0381 | .0762 | .0381 | .0381 | .0762 |
| 17 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 18 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 19 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 20 | .0381 | .0381 | .0762 | .0381 | .0381 | .0381 | .0381 |
| 21 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 22 | .0381 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 |
| 23 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 24 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Max | .0381 | .0762 | .0762 | .0762 | .0762 | .0762 | .0762 |
| Min | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Avg | .0381 | .0403 | .0445 | .0429 | .0414 | .0397 | .0445 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 310 / Netivali swiching station
tran Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .4572 | | .4572 | | .5716 | .5335 | .4572 |
| 2 | .4572 | | .4572 | | .5716 | .5335 | |
| 3 | .4572 | | .4572 | | .5716 | .5335 | |
| 4 | .4572 | | .4572 | | .5716 | .5335 | |
| 5 | .4572 | | .4572 | | .5716 | .5335 | |
| 6 | .4572 | | .4572 | | .5716 | .5335 | |
| 7 | .4572 | | .1905 | | .1905 | .1905 | |
| 8 | .381 | .1905 | .1905 | | .1905 | .1905 | |
| 9 | .1905 | .4572 | .1905 | .2667 | .1905 | .1905 | .1905 |
| 10 | .381 | .5335 | .5335 | .4572 | .3048 | .1905 | .2667 |
| 11 | .2667 | .7621 | .8002 | .724 | .4191 | .1905 | .381 |
| 12 | .381 | .6097 | .724 | .8002 | .381 | .1905 | .381 |
| 13 | .1905 | .8002 | .9526 | .7621 | .4191 | .1905 | .381 |
| 14 | .1905 | .8002 | 1.0288 | .8764 | .381 | .2667 | .381 |
| 15 | .2667 | .9526 | .9526 | .9526 | .4954 | .2286 | .381 |
| 16 | .2667 | .8764 | .8764 | .9526 | .5716 | .2667 | .381 |
| 17 | .1905 | .5335 | .381 | .7621 | .5716 | .1905 | .381 |
| 18 | .1524 | .381 | .3048 | .5716 | .5716 | .3048 | .381 |
| 19 | .1905 | .381 | 3.2769 | .381 | .5716 | .3429 | .5716 |
| 20 | .3048 | .4572 | .381 | .5716 | .5716 | .381 | .5716 |
| 21 | .381 | .5335 | .381 | .5716 | .5716 | .6097 | .5716 |
| 22 | .381 | .4954 | .4572 | .5335 | .4954 | .724 | .5716 |
| 23 | .4572 | .4572 | .4572 | .5716 | .4954 | .5335 | .5716 |
| 24 | .4572 | .4572 | .4572 | .4191 | .5716 | .5335 | .4572 |
| Max | .4572 | .9526 | 3.2769 | .9526 | .5716 | .724 | .5716 |
| Min | .1524 | .1905 | .1905 | .2667 | .1905 | .1905 | .1905 |
| Avg | .3429 | .5693 | .6366 | .6359 | .4747 | .3715 | .4281 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283046 / 22 Kv Netivali Sw stn

Feeder No / Name : 311 / 22 Kv MIDC netivali new SHEDDABLE FEEDER HAVING WEEKLY
Feeder KV- 22 / OUTGOING STAGGERING (MIDC, EQUIVALENT)

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 6.0204 | | 5.3346 | | 2.8197 | 5.3346 | 5.3346 |
| 2 | 5.9061 | | 5.2584 | | 2.7435 | 5.2584 | 5.1821 |
| 3 | 5.4489 | | 5.144 | | 2.7816 | 5.0297 | 4.9535 |
| 4 | 5.0678 | | 5.0297 | | 2.8197 | 5.0297 | 4.8773 |
| 5 | 4.9916 | | 5.3346 | | 2.8578 | 5.0297 | 4.763 |
| 6 | 4.9535 | | 5.4108 | | 2.8959 | 5.2965 | 4.6487 |
| 7 | 4.3439 | | 4.8011 | | 2.9721 | 4.4963 | 4.763 |
| 8 | 3.6199 | 4.0009 | 6.0204 | | 3.6199 | 11.0502 | 5.144 |
| 9 | 3.6199 | 6.7063 | 6.5539 | 3.0102 | 5.7156 | 5.5251 | 6.0966 |
| 10 | 3.9628 | 7.5827 | 7.3922 | 3.5437 | 6.8587 | 6.5158 | 8.0018 |
| 11 | 4.2295 | 8.1543 | 7.9256 | 2.6673 | 7.697 | 7.1254 | 8.3067 |
| 12 | 3.9628 | 7.8494 | 8.6877 | 2.8578 | 7.8113 | 7.1254 | 7.697 |
| 13 | 3.9628 | 7.3922 | 7.3922 | 1.9814 | 6.7063 | 5.0297 | 7.316 |
| 14 | 4.039 | 8.3448 | 8.1543 | 1.9052 | 7.5065 | 6.973 | 7.3922 |
| 15 | 3.9628 | 7.7732 | 8.1543 | 1.9814 | 7.8113 | 7.0492 | 8.1924 |
| 16 | 4.2295 | 8.3448 | 8.0018 | 1.9814 | 15.8512 | 6.7825 | 7.5827 |
| 17 | 4.1914 | 8.1543 | 7.6208 | 2.0957 | 7.3541 | 13.6412 | 8.1924 |
| 18 | 3.7723 | 7.1254 | 6.8968 | 2.4768 | 6.7825 | 11.8884 | 6.8206 |
| 19 | 3.6961 | 6.4396 | 6.5158 | 2.2862 | 5.9061 | 11.5074 | 6.1347 |
| 20 | 3.3913 | 6.0204 | 5.7537 | 2.2862 | 5.487 | 5.6775 | 5.7537 |
| 21 | 3.2388 | 5.487 | 6.0966 | 2.2862 | 5.4489 | 5.1059 | 5.2584 |
| 22 | 3.5818 | 5.3346 | 5.6775 | 2.4006 | 5.5632 | 5.7537 | 5.5251 |
| 23 | 3.4294 | 5.3727 | 6.2491 | 2.7435 | 5.8299 | 5.144 | 6.7063 |
| 24 | 6.0966 | 3.6199 | 5.3346 | 5.7156 | 2.7435 | 5.6013 | 5.5632 |
| Max | 6.0966 | 8.3448 | 8.6877 | 5.7156 | 15.8512 | 13.6412 | 8.3067 |
| Min | 3.2388 | 3.6199 | 4.8011 | 1.9052 | 2.7435 | 4.4963 | 4.6487 |
| Avg | 4.3216 | 6.6884 | 6.4475 | 2.6387 | 5.6076 | 6.7904 | 6.2586 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 301 / 22 KV Netiwali Incomer

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 11.2788 | 11.2407 | 11.355 | 11.5836 | 12.0028 | 11.5836 | 11.6598 |
| 2 | 10.25 | 10.4786 | 10.5548 | 10.7453 | 11.2026 | 11.1264 | 10.8215 |
| 3 | 10.0214 | 10.2881 | 10.2881 | 10.3643 | 10.3262 | 10.7453 | 10.3262 |
| 4 | 9.526 | 9.8308 | 9.7546 | 9.9832 | 9.8308 | 10.0595 | 9.8689 |
| 5 | 9.3355 | 9.3736 | 9.2974 | 9.4498 | 9.526 | 9.4498 | 9.3736 |
| 6 | 8.802 | 9.2593 | 9.2212 | 9.1831 | 9.4117 | 9.3355 | 9.2212 |
| 7 | 8.2686 | 8.6877 | 9.145 | 8.802 | 8.7639 | 8.9544 | 8.421 |
| 8 | 8.1162 | 8.6115 | 8.5734 | 8.5353 | 8.6115 | 8.6496 | 8.1924 |
| 9 | 8.1543 | 8.3067 | 8.1924 | 8.1543 | 8.3829 | 8.6496 | 7.8875 |
| 10 | 8.2686 | 8.2686 | 8.2686 | 4.7249 | 8.421 | 8.5353 | 7.8875 |
| 11 | 8.4591 | 8.2305 | 8.2686 | | 8.4972 | 8.6115 | 7.7732 |
| 12 | 8.5734 | 8.3067 | 8.0399 | | 8.4591 | 8.7258 | 7.8113 |
| 13 | 8.6115 | 8.2686 | 8.1543 | | 8.6877 | 8.802 | 7.8875 |
| 14 | 9.0306 | 8.1162 | 8.1162 | | 8.421 | 9.0688 | 8.0018 |
| 15 | 9.3355 | 8.2686 | 8.6877 | | 9.1069 | 9.8308 | 8.1543 |
| 16 | 8.7258 | 8.078 | 8.5353 | | 8.9163 | 9.526 | 8.2305 |
| 17 | 8.3448 | 8.1924 | 8.1162 | 8.2686 | 8.7258 | 8.8401 | 7.697 |
| 18 | 8.2305 | 8.2686 | 9.0688 | 8.6496 | 8.078 | 8.802 | 7.1254 |
| 19 | 9.3736 | 10.0595 | 10.1357 | 9.8308 | 9.8689 | 10.3262 | 8.421 |
| 20 | 10.8596 | 11.2026 | 11.355 | 11.0883 | 11.2407 | 11.355 | 10.0595 |
| 21 | 11.0883 | 11.5074 | 11.5455 | 11.3169 | 11.2407 | 11.5455 | 10.4024 |
| 22 | 11.1264 | 11.4693 | | 11.5455 | 11.5074 | 11.5455 | 11.0502 |
| 23 | 12.1933 | 12.1933 | 12.4981 | 12.7267 | 12.3076 | 12.4981 | 12.1933 |
| 24 | 11.8884 | 12.2695 | 12.2314 | 12.7267 | 12.7267 | 12.7267 | 12.5362 |
| Max | 12.1933 | 12.2695 | 12.4981 | 12.7267 | 12.7267 | 12.7267 | 12.5362 |
| Min | 8.1162 | 8.078 | 8.0399 | 4.7249 | 8.078 | 8.5353 | 7.1254 |
| Avg | 9.4943 | 9.5324 | 9.5393 | 9.8711 | 9.7610 | 9.9705 | 9.2085 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 302 / 22 Kv Harmon mohata

Feeder KV- 22 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 15.8132 | 15.8132 | 15.8513 | 16.3085 | 16.3085 | 16.4609 | 16.2704 |
| 2 | 14.5557 | 14.8987 | 14.8987 | 15.2416 | 15.0892 | 15.394 | 15.2416 |
| 3 | 14.0985 | 14.0985 | 14.4414 | 14.6319 | 14.4033 | 14.5938 | 14.3271 |
| 4 | 13.4888 | 13.4888 | 13.3745 | 13.8699 | 13.4888 | 13.7936 | 13.3745 |
| 5 | 13.0316 | 13.2602 | 13.2602 | 13.4507 | 13.1078 | 13.2221 | 12.9935 |
| 6 | 12.3457 | 12.841 | 12.6886 | 12.6886 | 12.9554 | 12.8792 | 12.9935 |
| 7 | 11.5836 | 11.8503 | 12.3076 | 12.2314 | 11.9266 | 12.0409 | 11.9266 |
| 8 | 11.2407 | 11.1264 | 11.5836 | 11.5836 | 11.6217 | 11.736 | 11.3931 |
| 9 | 10.974 | 10.8977 | 11.1264 | 11.0502 | 11.3169 | 11.4693 | 11.0121 |
| 10 | 11.2407 | 10.7834 | 11.0502 | 11.5074 | 11.6217 | 11.9266 | 11.2788 |
| 11 | 11.3169 | 10.9358 | 10.8215 | 18.0613 | 11.1645 | 11.6598 | 10.974 |
| 12 | 10.9358 | 10.8215 | 9.8689 | 16.8039 | 11.2407 | 11.355 | 10.2881 |
| 13 | 10.8596 | 10.3262 | 10.2881 | 17.0325 | 10.7453 | 12.079 | 10.4405 |
| 14 | 11.736 | 10.6691 | 10.8596 | 16.1942 | 11.3169 | 12.3838 | 10.5167 |
| 15 | 12.1933 | 11.0883 | 11.6598 | | 11.8884 | 13.3745 | 10.7453 |
| 16 | 11.1264 | 10.9358 | 11.0121 | 15.1273 | 12.079 | 13.1459 | 10.9358 |
| 17 | 10.9358 | 10.8596 | 11.1264 | 9.145 | 11.4693 | 12.2314 | 10.4405 |
| 18 | 10.5548 | 10.7453 | 11.8884 | 6.5158 | 11.5455 | 11.7741 | 9.6784 |
| 19 | 11.9647 | 12.4981 | 12.7267 | 12.2314 | 12.9935 | 13.5269 | 10.8215 |
| 20 | 14.0604 | 14.3271 | 14.67 | 14.1366 | 14.4795 | 14.7081 | 13.3745 |
| 21 | 14.5557 | 14.9749 | 15.3559 | 14.8225 | 15.394 | 15.2797 | 14.1366 |
| 22 | 15.394 | 15.6988 | | 15.5464 | 15.5464 | 16.0799 | 11.0121 |
| 23 | 17.2611 | 17.1087 | 17.8327 | 17.4897 | 16.842 | 17.3754 | 16.7658 |
| 24 | 17.0706 | 17.1849 | 17.3754 | 18.0613 | 17.7565 | 17.6422 | 17.7565 |
| Max | 17.2611 | 17.1849 | 17.8327 | 18.0613 | 17.7565 | 17.6422 | 17.7565 |
| Min | 10.5548 | 10.3262 | 9.8689 | 6.5158 | 10.7453 | 11.355 | 9.6784 |
| Avg | 12.8474 | 12.8013 | 12.8725 | 14.0753 | 13.1792 | 13.5888 | 12.4457 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 305 / 22 kv LOKDHARAFEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.8959 | 2.934 | 3.0864 | 3.0864 | 3.0102 | 3.2007 | 2.9721 |
| 2 | .2286 | 2.8197 | 2.8197 | 2.8578 | 2.7435 | 2.8578 | 2.7435 |
| 3 | 2.5911 | 2.6673 | 2.6673 | 2.6673 | 2.5911 | 2.6292 | 2.4768 |
| 4 | 2.2862 | 2.5911 | 2.2862 | 2.4768 | 2.2862 | | 2.2862 |
| 5 | 2.21 | 2.2862 | 2.2862 | 2.1719 | 2.1719 | 2.1719 | 2.1719 |
| 6 | 2.0195 | 2.1338 | 2.1719 | 2.0195 | 2.0957 | 2.0957 | 2.0957 |
| 7 | 1.829 | 1.9814 | 1.9814 | 1.9814 | 1.9814 | 1.9814 | 1.829 |
| 8 | 1.8671 | 1.829 | 1.9433 | 1.8671 | 1.8671 | 2.0195 | 1.9433 |
| 9 | 1.7528 | 1.7528 | 1.8671 | 1.8671 | 1.7909 | 1.9814 | 1.8671 |
| 10 | 1.829 | 1.7909 | 1.9433 | 1.9052 | 1.7909 | 2.0576 | 1.9052 |
| 11 | 1.829 | 1.7147 | 1.6385 | 1.7909 | 1.6766 | 2.0576 | 1.9052 |
| 12 | 1.8671 | 1.7147 | 1.7147 | 1.7909 | 1.7909 | 1.829 | 1.8671 |
| 13 | 1.8671 | 1.6766 | 1.7147 | 1.7909 | 1.6766 | 1.8671 | 1.8671 |
| 14 | 2.0576 | 1.7147 | 1.7528 | 1.829 | 1.829 | 1.9814 | 1.829 |
| 15 | 2.0957 | 1.7147 | 1.9433 | | 2.0195 | 2.0957 | 1.8671 |
| 16 | 2.0195 | 1.8671 | 1.829 | 1.9433 | 2.0576 | 2.21 | 1.9052 |
| 17 | 1.9052 | 1.829 | 1.829 | 1.829 | 1.9814 | 2.0195 | 1.7909 |
| 18 | 1.829 | 1.829 | 1.9433 | 1.7528 | 1.9433 | 1.9052 | 1.4861 |
| 19 | 1.9052 | 1.9814 | 1.9814 | 1.9052 | 2.1338 | 2.0957 | 1.6766 |
| 20 | 2.0957 | 2.1338 | 2.2862 | 2.2481 | 2.1719 | 2.1338 | 2.0576 |
| 21 | 2.21 | 2.3243 | 2.4768 | 2.4006 | 2.4387 | 2.2862 | 2.2481 |
| 22 | 2.5149 | 2.5911 | | 2.5911 | 2.7435 | 2.4387 | 2.6292 |
| 23 | 3.2007 | 3.0483 | 3.1245 | 3.1245 | 3.2007 | 3.0102 | 3.2007 |
| 24 | 3.1245 | 3.2007 | 3.2769 | 3.4294 | 3.4294 | 3.5437 | 3.2388 |
| Max | 3.2007 | 3.2007 | 3.2769 | 3.4294 | 3.4294 | 3.5437 | 3.2388 |
| Min | .2286 | 1.6766 | 1.6385 | 1.7528 | 1.6766 | 1.829 | 1.4861 |
| Avg | 2.0846 | 2.1719 | 2.1984 | 2.2316 | 2.2259 | 2.2813 | 2.1608 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 306 / Station transformer

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .0381 | .0381 | .0381 | .0381 | .1143 | .0381 | .1143 |
| 2 | .0381 | .0381 | .0381 | .0381 | .1143 | .0381 | .1143 |
| 3 | .0381 | .0381 | .0381 | .0381 | .1143 | .0381 | .1143 |
| 4 | .0381 | .0381 | .0381 | .0381 | .1143 | .0381 | .1143 |
| 5 | .0381 | .0381 | .0381 | .0381 | .1143 | .0381 | .1143 |
| 6 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 | .1143 |
| 7 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 | .1143 |
| 8 | .0381 | .0381 | .0381 | .0381 | .0762 | .0381 | .0381 |
| 9 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 10 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 11 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 12 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 13 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 14 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 15 | .0381 | .0381 | .0381 | | .0381 | .0381 | .0381 |
| 16 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| 17 | .0381 | .0762 | .0762 | .0762 | .0381 | .0381 | .0381 |
| 18 | .0381 | .0762 | .0762 | .0762 | .0381 | .0381 | .0381 |
| 19 | .0381 | .0762 | .1143 | .0762 | .0381 | .0381 | .0381 |
| 20 | .0381 | .0762 | .1143 | .1524 | .0381 | .0381 | .0381 |
| 21 | .0381 | .1143 | .1143 | .1524 | .0381 | .1143 | .0381 |
| 22 | .0381 | .1143 | | .1524 | .0381 | .1143 | .0381 |
| 23 | .0381 | .0381 | .0381 | .1524 | .0381 | .1143 | .0381 |
| 24 | .0381 | .0381 | .0381 | .0381 | .1524 | .0381 | .1143 |
| Max | .0381 | .1143 | .1143 | .1524 | .1524 | .1143 | .1143 |
| Min | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 | .0381 |
| Avg | .0381 | .0508 | .0514 | .0629 | .0635 | .0476 | .0635 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 307 / KOLSHEWADI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.0297 | 4.9916 | 5.0678 | 5.144 | 5.4108 | 5.1821 | 5.2202 |
| 2 | 4.5344 | 4.6106 | 4.6868 | 4.6487 | 5.0297 | 4.9916 | 4.8773 |
| 3 | 4.2676 | 4.5725 | 4.5725 | 4.4963 | 4.5344 | 4.8011 | 4.6106 |
| 4 | 4.0771 | 4.1914 | 4.2295 | 4.2676 | 4.2295 | 4.4963 | 4.4201 |
| 5 | 4.0009 | 4.1152 | 4.0771 | 4.0771 | 4.1533 | 4.2295 | 4.1914 |
| 6 | 3.8866 | 4.039 | 4.039 | 3.8866 | 4.1533 | 4.0771 | 4.1152 |
| 7 | 3.658 | 3.8104 | 3.9247 | 3.7342 | 3.7723 | 4.0009 | 3.7342 |
| 8 | 3.5437 | 3.8104 | 3.7342 | 3.5818 | 3.7723 | 3.8104 | 3.6199 |
| 9 | 3.6199 | 3.5056 | 3.5437 | 3.4294 | 3.5818 | 3.658 | 3.3913 |
| 10 | 3.7342 | 3.6199 | 3.6199 | | 3.6199 | 3.7342 | 3.5056 |
| 11 | 3.8485 | 3.5056 | 3.658 | 4.1533 | 3.7342 | 3.7723 | 3.4294 |
| 12 | 3.8485 | 3.5818 | 3.5437 | 4.0009 | 3.7723 | 3.8104 | 3.4675 |
| 13 | 3.8866 | 3.5056 | 3.4294 | 3.9247 | 3.7342 | 3.8485 | 3.4675 |
| 14 | 4.0771 | 3.5818 | 3.4294 | 3.8104 | 3.7723 | 4.0009 | 3.5056 |
| 15 | 4.1914 | 3.658 | 3.8104 | | 4.0009 | 4.3439 | 3.4294 |
| 16 | 3.9247 | 3.5818 | 3.7723 | | 4.0009 | 4.2676 | 3.3532 |
| 17 | 3.6961 | 3.5818 | 3.5818 | 3.5056 | 3.8866 | 3.9628 | 3.1626 |
| 18 | 3.7342 | 3.5818 | 3.7342 | 3.8485 | 3.7723 | 3.9628 | 3.0483 |
| 19 | 4.1914 | 4.2676 | 4.3058 | 4.3439 | 4.1914 | 4.4201 | 3.5056 |
| 20 | 4.8011 | 4.763 | 4.9916 | 4.8392 | 4.9535 | 4.9535 | 4.1533 |
| 21 | 4.9154 | 4.9916 | 5.0678 | 5.0678 | 4.9154 | 5.0678 | 4.382 |
| 22 | 5.0297 | 5.0678 | | 5.2202 | 5.144 | 5.1059 | 4.5725 |
| 23 | 5.5632 | 5.5632 | 5.7156 | 5.7918 | 5.5632 | 5.6775 | 5.1059 |
| 24 | 5.3346 | 5.5632 | 5.3727 | 5.9061 | 5.7537 | 5.6775 | 5.6394 |
| Max | 5.5632 | 5.5632 | 5.7156 | 5.9061 | 5.7537 | 5.6775 | 5.6394 |
| Min | 3.5437 | 3.5056 | 3.4294 | 3.4294 | 3.5818 | 3.658 | 3.0483 |
| Avg | 4.2248 | 4.1692 | 4.1699 | 4.3656 | 4.3105 | 4.4105 | 3.9962 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 283214 / Lokdhara switching stn

Feeder No / Name : 309 / 22 KV Jari Mari Feeder

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.2574 | 1.2574 | 1.2574 | 1.3336 | 1.3336 | 1.3336 | 1.2955 |
| 2 | 1.1812 | 1.1812 | 1.1812 | 1.2574 | 1.2574 | 1.2574 | 1.2193 |
| 3 | 1.1431 | 1.1431 | 1.1431 | 1.1812 | 1.2193 | 1.1812 | 1.1431 |
| 4 | 1.105 | 1.1431 | 1.1431 | 1.1431 | 1.1431 | 1.0288 | 1.105 |
| 5 | 1.105 | 1.105 | 1.105 | 1.105 | 1.105 | .9526 | 1.0669 |
| 6 | 1.0288 | 1.0669 | 1.0669 | 1.0669 | 1.0288 | .9145 | 1.0669 |
| 7 | 1.0288 | 1.0288 | 1.0669 | 1.0288 | 1.0669 | 1.0288 | .9907 |
| 8 | .9907 | 1.0288 | 1.0288 | .9907 | 1.0288 | 1.0288 | .9526 |
| 9 | .9526 | .9526 | .9526 | .9526 | .9526 | .9907 | .8764 |
| 10 | .9145 | .8764 | .8764 | .9145 | .9145 | .9145 | .8764 |
| 11 | .8764 | .8764 | .8383 | .8383 | .8764 | .8764 | .8002 |
| 12 | .9145 | .8383 | .8002 | .8383 | .8764 | .9145 | .7621 |
| 13 | .8383 | .8002 | .8002 | .8764 | .8383 | .9145 | .8002 |
| 14 | .9526 | .8383 | .8764 | .8764 | .9526 | .9526 | .8383 |
| 15 | 1.0288 | .8764 | .9907 | | 1.0288 | 1.0669 | .8002 |
| 16 | .9526 | .9145 | .9145 | .8764 | .9526 | .9907 | .8764 |
| 17 | .8764 | .8383 | .6478 | .9526 | .8764 | .9145 | .8002 |
| 18 | .8002 | .7621 | .7621 | .7621 | .8002 | .9145 | .5716 |
| 19 | .8764 | .9526 | .9907 | .8764 | .9526 | .9526 | .8764 |
| 20 | 1.0669 | 1.0669 | 1.105 | 1.0669 | 1.105 | 1.105 | 1.0669 |
| 21 | 1.105 | 1.1812 | 1.1431 | 1.105 | 1.1431 | 1.1431 | 1.1431 |
| 22 | 1.1812 | 1.2574 | | 1.1812 | 1.2574 | 1.1812 | 1.2193 |
| 23 | 1.3336 | 1.4098 | 1.4098 | 1.448 | 1.3717 | 1.3336 | 1.3336 |
| 24 | 1.3336 | 1.3717 | 1.3717 | 1.2955 | 1.4098 | 1.4098 | 1.3336 |
| Max | 1.3336 | 1.4098 | 1.4098 | 1.448 | 1.4098 | 1.4098 | 1.3336 |
| Min | .8002 | .7621 | .6478 | .7621 | .8002 | .8764 | .5716 |
| Avg | 1.0352 | 1.0320 | 1.0205 | 1.0421 | 1.0621 | 1.0542 | .9923 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 286050 / TATA NETIVALI

Feeder No / Name : 301 / KB1 I/C

Feeder KV- 22 / INCOMING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO

STAGGERING)

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 12.4585 | 12.5701 | 12.7188 | 12.7932 | 12.3343 | 13.3798 | 13.5742 |
| 2 | 11.3428 | 11.5778 | 11.7147 | 11.9006 | 11.6775 | 12.1238 | 12.5701 |
| 3 | 10.785 | 11.1197 | 10.9337 | 11.2312 | 10.7478 | 11.5287 | 11.5659 |
| 4 | 10.0823 | 10.1899 | 10.2643 | 10.785 | 10.2271 | 10.9337 | 10.9337 |
| 5 | 10.269 | 10.1155 | 10.004 | 10.6734 | 9.8552 | 10.5618 | 10.4131 |
| 6 | 10.0076 | 9.7065 | 9.7437 | 10.1052 | 9.7437 | 10.1155 | 9.9668 |
| 7 | 8.738 | 9.9296 | 5.6156 | 10.0412 | 9.2602 | 9.818 | 9.818 |
| 8 | 8.5711 | 9.8924 | 10.2271 | 10.3759 | 10.3759 | 10.3759 | 9.818 |
| 9 | 9.1114 | 8.5908 | 10.6362 | 10.5881 | 9.8552 | 10.9337 | 10.3759 |
| 10 | 10.4344 | 12.3097 | 12.4585 | 12.5572 | 12.161 | 11.38 | 12.161 |
| 11 | 12.2232 | 14.4667 | 14.318 | 14.489 | 13.6485 | 13.351 | 13.9833 |
| 12 | 13.1548 | 14.6899 | 14.0948 | 15.2321 | 14.2064 | 12.4585 | 14.5783 |
| 13 | 13.4902 | 14.6527 | 14.6899 | 14.7863 | 14.3551 | 14.4667 | 14.2808 |
| 14 | 14.0492 | 14.2436 | 15.3593 | 15.3064 | 15.4336 | 15.2477 | 14.4295 |
| 15 | 14.1465 | 14.318 | 15.3221 | 15.8265 | 16.4006 | 15.6196 | 14.8606 |
| 16 | 14.072 | 14.0576 | 15.0246 | 17.0525 | 15.9915 | | 14.4519 |
| 17 | 13.0669 | 13.6857 | 13.9089 | 14.1547 | 15.8797 | 13.5742 | 13.4117 |
| 18 | 12.7318 | 12.9419 | 13.8717 | 10.6996 | 14.6899 | 14.0576 | 12.3714 |
| 19 | 13.8114 | 14.318 | 14.4295 | 14.0061 | 15.3965 | 14.3551 | 12.5943 |
| 20 | 14.2582 | 14.727 | 15.3965 | 14.1918 | 15.4336 | 15.1361 | 13.3374 |
| 21 | 13.5881 | 14.0432 | 14.2808 | | 14.8758 | 14.5411 | 13.0401 |
| 22 | 12.6946 | 12.3343 | 13.2023 | 13.8345 | 13.6485 | 13.2767 | 12.4457 |
| 23 | 13.3647 | 13.4488 | 13.6485 | 13.4998 | 13.8345 | 14.132 | 13.3745 |
| 24 | 13.8717 | 13.7601 | 13.7089 | 13.9089 | 13.2395 | 14.0576 | 14.6899 |
| Max | 14.2582 | 14.727 | 15.3965 | 17.0525 | 16.4006 | 15.6196 | 14.8606 |
| Min | 8.5711 | 8.5908 | 5.6156 | 10.0412 | 9.2602 | 9.818 | 9.818 |
| Avg | 12.0968 | 12.5704 | 12.7322 | 12.9582 | 13.0530 | 12.8446 | 12.6269 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (EAST) DIVISION[399]

KALYAN (E) S/DN.II[169] BU 4169

Substation No/ Name :- 286050 / TATA NETIVALI

Feeder No / Name : 312 / TATA I/C

SHEDDABLE URBAN

Feeder KV- 22 / INCOMING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 14.7844 | | 8.3829 | | 14.0223 | 15.0892 | 14.0985 |
| 2 | 14.67 | | 8.1924 | | 13.565 | 14.9368 | 13.7174 |
| 3 | 14.4795 | | 7.6589 | | 13.4888 | 14.5557 | 12.7648 |
| 4 | 13.3364 | | 7.2398 | | 13.1459 | 13.4126 | 11.9266 |
| 5 | 12.6124 | | 6.8968 | | 12.2314 | 13.2983 | 12.3076 |
| 6 | 12.3076 | | 6.2491 | | 11.8884 | 12.8029 | 12.6886 |
| 7 | 11.736 | | 5.7156 | | 11.2407 | 12.4981 | 11.8884 |
| 8 | 10.3262 | 10.5167 | 6.0966 | 9.9832 | 10.5167 | 7.6208 | 11.1264 |
| 9 | 10.2119 | 10.6691 | 6.0204 | 9.9832 | 10.8215 | 11.355 | 10.974 |
| 10 | 10.9358 | 12.1933 | 6.7825 | 9.3736 | 11.5836 | 12.1552 | 12.2695 |
| 11 | 11.4312 | 12.6505 | 8.9544 | 9.4498 | 12.46 | 12.4981 | 12.1933 |
| 12 | 11.355 | 6.8587 | 12.5362 | 9.7165 | 12.4981 | 13.4888 | 12.2314 |
| 13 | 11.4312 | 7.8113 | 12.0409 | 5.2584 | 12.1933 | 12.4981 | 12.1552 |
| 14 | 12.1171 | 7.4684 | 12.1171 | 5.1821 | 12.8792 | 12.7648 | 12.0409 |
| 15 | 12.5362 | 7.7351 | 12.841 | 11.0883 | 13.1078 | 13.8318 | 13.0697 |
| 16 | 11.8503 | 8.078 | 12.9554 | 20.8048 | 14.289 | 14.2509 | 14.2128 |
| 17 | 11.8503 | 7.4684 | 12.8029 | 22.2528 | 13.184 | 13.8318 | 12.1933 |
| 18 | 10.974 | 7.1254 | 12.0409 | 22.5576 | 12.3076 | 13.1459 | 11.8884 |
| 19 | 12.9554 | 7.697 | 12.9554 | 24.0818 | 14.3271 | 14.0223 | 7.6208 |
| 20 | 14.3652 | 8.2305 | 14.8606 | *** | 15.013 | 15.6226 | 14.7462 |
| 21 | 14.3271 | 8.5734 | 15.3178 | 14.0604 | 14.7844 | 15.1273 | 14.6319 |
| 22 | 13.7174 | 8.6496 | 15.394 | 14.289 | 15.2416 | 14.9368 | 14.3652 |
| 23 | 14.1366 | 8.6877 | 15.5464 | 14.2128 | 15.1654 | 15.4321 | 15.0892 |
| 24 | 14.8606 | 13.6412 | 8.5734 | 15.0892 | *** | 15.0511 | 15.0892 |
| Max | 14.8606 | 13.6412 | 15.5464 | 28.4256 | 28.2732 | 15.6226 | 15.0892 |
| Min | 10.2119 | 6.8587 | 5.7156 | 5.1821 | 10.5167 | 7.6208 | 7.6208 |
| Avg | 12.6378 | 9.0620 | 10.3405 | 14.4594 | 13.6762 | 13.5095 | 12.7204 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING

ST

Feeder No / Name : 309 / SHIVAJI CHOWK

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.5242 | 1.4712 | 1.5466 | 1.5844 | 1.5844 | 1.542 | 1.5844 |
| 2 | 1.3336 | 1.3216 | 1.4335 | | 1.4712 | 1.4291 | 1.4712 |
| 3 | 1.2193 | 1.2461 | 1.3203 | 1.3203 | 1.3203 | 1.3539 | 1.3957 |
| 4 | 1.105 | 1.1328 | 1.2071 | 1.2071 | 1.2826 | 1.2787 | 1.2826 |
| 5 | 1.0669 | 1.2084 | 1.1694 | 1.2071 | 1.2071 | 1.2411 | 1.2449 |
| 6 | 1.0288 | 1.0573 | 1.1317 | 1.1694 | 1.1694 | 1.053 | 1.1694 |
| 7 | 1.0288 | 1.1328 | 1.1694 | 1.1317 | 1.2449 | 1.0552 | 1.0306 |
| 8 | .9858 | 1.2084 | 1.2449 | 1.2826 | 1.358 | 1.0862 | 1.1694 |
| 9 | 1.1363 | 1.3594 | 1.3203 | 1.358 | 1.5089 | 1.4335 | 1.1694 |
| 10 | 1.4 | 2.0769 | 2.0748 | 2.1125 | 1.9616 | 1.5844 | 1.9993 |
| 11 | 1.7801 | 2.5678 | 2.5652 | 2.6029 | 2.2634 | 1.9616 | 2.4143 |
| 12 | 1.9297 | 2.681 | 2.6783 | 2.7915 | 2.452 | 2.2634 | 2.4897 |
| 13 | 1.9675 | 2.6433 | 2.6783 | 2.7538 | 2.3765 | 2.1879 | 2.5652 |
| 14 | 1.9656 | 2.5678 | 2.7161 | 2.9047 | 2.452 | 2.452 | 2.4897 |
| 15 | 1.9656 | 2.7188 | 2.6783 | 3.0933 | 2.452 | 2.3388 | 2.5652 |
| 16 | 1.9656 | 2.6783 | 2.6029 | 2.8292 | 2.9047 | 2.4897 | 2.5859 |
| 17 | 1.9278 | 2.5652 | 2.452 | 2.6783 | 2.6783 | 1.9616 | 2.452 |
| 18 | 1.89 | 2.3765 | 2.6029 | | 2.5274 | 2.0748 | 2.2234 |
| 19 | 2.0412 | 2.452 | 2.4897 | 2.5274 | 2.4897 | 2.1879 | 2.1857 |
| 20 | 2.1546 | 2.3388 | 2.3011 | 2.3765 | 2.3765 | 2.3388 | 2.148 |
| 21 | 2.079 | 2.1502 | 2.1502 | 2.1502 | 2.2257 | 2.2257 | 1.9973 |
| 22 | 1.6237 | 1.6221 | 1.5844 | 1.6975 | 1.773 | 1.6975 | 1.7335 |
| 23 | 1.5482 | 1.6221 | 1.6598 | 1.7353 | 1.6958 | 1.6975 | 1.6958 |
| 24 | 1.5828 | 1.5466 | 1.6221 | 1.6598 | 1.7353 | 1.6172 | 1.7353 |
| Max | 2.1546 | 2.7188 | 2.7161 | 3.0933 | 2.9047 | 2.4897 | 2.5859 |
| Min | .9858 | 1.0573 | 1.1317 | 1.1317 | 1.1694 | 1.053 | 1.0306 |
| Avg | 1.5938 | 1.9061 | 1.9333 | 2.0079 | 1.9379 | 1.7730 | 1.8666 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING
ST

Feeder No / Name : 310 / STATION ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.0601 | 2.1061 | 2.2144 | 2.2497 | 2.3246 | 2.3996 | 2.3223 |
| 2 | 1.9477 | 1.918 | 2.0643 | 2.2122 | 2.1372 | 2.2565 | 2.2099 |
| 3 | 1.8354 | 1.918 | 1.9142 | 2.0997 | 1.9872 | 2.0997 | 2.0975 |
| 4 | 1.7979 | 1.8052 | 1.8016 | 2.0247 | 1.9497 | 1.9872 | 1.9477 |
| 5 | 1.7997 | 1.8804 | 1.8016 | 1.9872 | 1.8747 | 1.9497 | 1.9103 |
| 6 | 1.7622 | 1.8034 | 1.9142 | 1.9497 | 1.8372 | 1.9122 | 1.9103 |
| 7 | 1.6123 | 1.8785 | 1.8391 | 2.0247 | 1.9122 | 1.8747 | 1.8728 |
| 8 | 1.6804 | 1.9912 | 1.9142 | 2.0997 | 2.1747 | 2.0601 | 1.9477 |
| 9 | 1.841 | 2.1415 | 2.2519 | 2.2497 | 2.3246 | 2.2848 | 2.135 |
| 10 | 2.2542 | 2.6273 | 2.89 | 2.7371 | 2.7746 | 2.3972 | 2.7315 |
| 11 | 2.5924 | 3.1935 | 3.1903 | 3.2995 | 3.262 | 2.8092 | 3.1463 |
| 12 | 2.9305 | 3.3062 | 3.1903 | 3.412 | 3.4232 | | 3.3711 |
| 13 | 2.8583 | 3.3813 | 3.3779 | 3.0745 | 3.4232 | 3.1089 | 3.4039 |
| 14 | 3.0432 | 3.2686 | 3.5656 | 3.2245 | 3.5336 | 3.1463 | 3.4085 |
| 15 | 3.0087 | 3.2311 | 3.5656 | 3.5245 | 3.644 | 3.1463 | 3.5583 |
| 16 | 2.9711 | 3.1935 | 3.2278 | 3.487 | 3.5704 | 3.1838 | 3.3336 |
| 17 | 2.783 | 3.1559 | 3.1903 | 3.337 | 3.4495 | 2.8092 | 3.034 |
| 18 | 2.783 | 3.1184 | 3.1903 | 3.2995 | 3.276 | 2.959 | 2.9216 |
| 19 | 2.8206 | 3.2686 | 3.3029 | 3.2995 | 3.3864 | 3.0714 | 2.9216 |
| 20 | 2.9335 | 3.3813 | 3.4905 | 3.412 | 3.412 | 3.187 | 3.0714 |
| 21 | 2.8583 | 3.0026 | 3.1527 | 3.2245 | 3.262 | 2.9995 | 2.8841 |
| 22 | 2.407 | 2.5522 | 2.7023 | 2.6246 | 2.7371 | 2.5496 | 2.5096 |
| 23 | 2.3317 | 2.4771 | 2.5147 | 2.6246 | 2.5871 | 2.4721 | 2.4347 |
| 24 | 2.3223 | 2.3317 | 2.3645 | 2.3996 | 2.5121 | 2.5121 | 2.4746 |
| Max | 3.0432 | 3.3813 | 3.5656 | 3.5245 | 3.644 | 3.187 | 3.5583 |
| Min | 1.6123 | 1.8034 | 1.8016 | 1.9497 | 1.8372 | 1.8747 | 1.8728 |
| Avg | 2.3848 | 2.6222 | 2.6930 | 2.7449 | 2.7823 | 2.5729 | 2.6483 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING
ST

Feeder No / Name : 311 / PATRI POOL

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.432 | 3.0791 | 3.4161 | 3.3829 | 3.4528 | 3.6072 | 3.6072 |
| 2 | 3.1708 | 3.0791 | 3.0887 | 3.1623 | 3.3426 | 3.276 | 3.276 |
| 3 | 2.9097 | 2.9049 | 2.9416 | 2.9416 | 3.1957 | 3.1655 | 3.1655 |
| 4 | 2.7577 | 2.7945 | 2.7945 | 2.7945 | 2.8681 | 2.9815 | 3.0183 |
| 5 | 2.7577 | 2.721 | 2.7578 | 2.8313 | 2.7945 | 2.7974 | 2.8711 |
| 6 | 2.1285 | 2.6842 | 2.721 | 2.7578 | 2.7238 | 2.7606 | 2.7606 |
| 7 | 2.385 | 2.6475 | 2.6107 | 2.6842 | | 2.6134 | 2.7238 |
| 8 | 2.1987 | 2.3926 | 2.8313 | 2.721 | 2.9815 | 2.7974 | 2.5766 |
| 9 | 2.3801 | .8834 | 2.5004 | 2.6842 | 2.4662 | 2.9079 | 2.687 |
| 10 | 2.5263 | 2.8681 | 2.721 | 3.0519 | 2.7974 | 3.0919 | 2.9079 |
| 11 | 2.6694 | 3.0519 | 2.9784 | 3.0152 | 2.9079 | 3.1655 | 3.0919 |
| 12 | 2.8859 | 2.9049 | 2.8313 | 3.199 | 2.8711 | 3.7913 | 3.2023 |
| 13 | 3.0277 | 2.7945 | 2.9784 | 3.2324 | 2.9815 | 3.5336 | 2.8372 |
| 14 | 3.2057 | 2.6842 | 3.3093 | 3.159 | 3.0919 | 3.6072 | 2.8284 |
| 15 | 3.3162 | 2.5739 | 3.2421 | 3.5263 | 3.46 | 3.6808 | 2.9784 |
| 16 | 3.2425 | 2.5372 | 3.3461 | 3.3059 | 3.2391 | 3.6072 | 2.9815 |
| 17 | 3.0214 | 2.3509 | 3.0887 | 3.0488 | 3.0551 | 3.3496 | 2.7974 |
| 18 | 2.8372 | 2.0937 | 2.7945 | 2.4978 | 2.9447 | 3.3864 | 2.503 |
| 19 | 3.132 | 2.6815 | 2.9049 | 2.9018 | 2.9447 | 3.276 | 2.503 |
| 20 | 2.9846 | 3.012 | 3.0152 | 2.8651 | 2.9447 | 3.2023 | 2.7606 |
| 21 | 2.9109 | 2.9722 | 3.0519 | 3.012 | 3.0551 | 3.1655 | 2.7606 |
| 22 | 2.9846 | 3.0089 | 3.2726 | 3.5998 | 3.1655 | 3.3128 | 2.9079 |
| 23 | 3.409 | 3.3392 | 3.199 | 3.6365 | 3.4232 | 3.644 | 3.276 |
| 24 | 3.3093 | 3.5556 | 3.6327 | 3.4564 | 3.6365 | 3.7177 | 3.6808 |
| Max | 3.432 | 3.5556 | 3.6327 | 3.6365 | 3.6365 | 3.7913 | 3.6808 |
| Min | 2.1285 | .8834 | 2.5004 | 2.4978 | 2.4662 | 2.6134 | 2.503 |
| Avg | 2.8993 | 2.7340 | 3.0012 | 3.0612 | 3.0584 | 3.2683 | 2.9460 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-III[751] BU 4751

Substation No/ Name :- 283515 / 22/22 KV VALLIPER SWITCHING
ST

Feeder No / Name : 312 / SANTOSHI MATA ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.387 | 5.6412 | 5.5128 | 5.5441 | 4.9579 | 5.7154 | 5.9938 |
| 2 | 4.9411 | 5.233 | 5.1059 | 5.0636 | 4.6619 | 5.0474 | 5.5128 |
| 3 | 4.7182 | 5.037 | 4.7359 | 4.694 | 4.1809 | 4.6763 | 4.8839 |
| 4 | 4.3467 | 4.4445 | 4.4399 | 4.4353 | 4.0699 | 4.5278 | 4.4769 |
| 5 | 4.0867 | 4.1482 | 4.2549 | 4.2505 | 3.9219 | 4.3794 | 4.2919 |
| 6 | 3.9752 | 4.0741 | 3.9589 | 3.9179 | | 4.1938 | 3.9959 |
| 7 | 3.7113 | 4.2179 | | 4.0287 | 3.4779 | 4.0825 | 3.9219 |
| 8 | 3.6371 | 4.2549 | 4.2179 | 4.3244 | 3.8849 | 4.2179 | 3.9959 |
| 9 | 3.7446 | 4.2179 | 4.5509 | 4.2875 | 3.4409 | 4.2919 | 4.1809 |
| 10 | 4.2636 | 4.731 | 4.7729 | 4.6571 | 4.3794 | 4.3289 | 4.3659 |
| 11 | 5.1905 | 5.655 | 5.6238 | 5.5811 | | 5.4758 | 5.2169 |
| 12 | 5.413 | 5.8088 | 5.7348 | 5.8398 | 5.2539 | 6.5118 | 5.3279 |
| 13 | 5.6354 | 5.8458 | 5.8088 | 5.7289 | 5.2909 | 5.8088 | 5.3279 |
| 14 | 5.8148 | 5.7348 | 5.9938 | 6.0246 | 6.0308 | 5.9568 | 5.5128 |
| 15 | 5.8579 | 5.8088 | 5.9938 | 5.692 | 6.6228 | 6.1788 | 5.5868 |
| 16 | 5.8579 | 5.6608 | 5.8458 | 7.4368 | 6.1048 | 6.0678 | 5.3649 |
| 17 | 5.413 | 5.6238 | 5.5498 | 5.1059 | 6.0308 | 5.5498 | 5.1376 |
| 18 | 5.2647 | 5.3649 | 5.6238 | 4.8839 | 5.6608 | 5.6238 | 4.731 |
| 19 | 5.7467 | 5.9198 | 6.0678 | 5.2909 | 6.2528 | 5.8088 | 4.9897 |
| 20 | 5.9938 | 5.9938 | 6.4748 | 5.5498 | 6.4748 | 6.3268 | 5.3593 |
| 21 | 5.6978 | 5.9137 | 6.2158 | 5.4389 | 6.1048 | 5.9938 | 5.3963 |
| 22 | 5.4019 | 5.1376 | 5.5498 | 4.8839 | 5.7526 | 5.6238 | 5.2854 |
| 23 | 5.7348 | 5.9877 | 5.9938 | 5.2169 | 6.0124 | 6.1418 | 5.9507 |
| 24 | 5.901 | 5.9752 | 6.0678 | 6.0616 | 5.2909 | 6.0495 | 6.3268 |
| Max | 5.9938 | 5.9938 | 6.4748 | 7.4368 | 6.6228 | 6.5118 | 6.3268 |
| Min | 3.6371 | 4.0741 | 3.9589 | 3.9179 | 3.4409 | 4.0825 | 3.9219 |
| Avg | 5.0723 | 5.2679 | 5.3954 | 5.1641 | 5.1754 | 5.3575 | 5.0472 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 302 / 22 KV BUNDER ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.8578 | 2.5149 | 2.6673 | 2.7435 | 2.6673 | 2.7435 | 2.6337 |
| 2 | 2.6673 | 2.3624 | 2.6292 | 2.5911 | 2.5911 | 2.553 | 2.4874 |
| 3 | 2.4387 | 2.2862 | 2.5149 | 2.4768 | 2.4768 | 2.4768 | 2.3411 |
| 4 | 2.3624 | 2.21 | 2.3624 | 2.2862 | 2.2862 | 2.4387 | 2.2314 |
| 5 | 2.2862 | 2.0957 | 2.2862 | 2.21 | 2.2862 | 2.4006 | 2.1216 |
| 6 | 2.21 | 2.0576 | 2.3243 | 2.1338 | 2.1338 | 2.3243 | 2.0485 |
| 7 | 2.1338 | 2.0576 | 2.21 | 2.0957 | 2.1338 | 2.2481 | 1.9022 |
| 8 | 1.9052 | 2.1338 | 2.1719 | 2.3624 | 2.0119 | 2.0957 | 1.6827 |
| 9 | 1.7147 | 1.9814 | 2.0576 | 2.0957 | 1.829 | 2.1338 | 1.829 |
| 10 | 1.829 | 1.9052 | 2.5911 | 2.0195 | 1.7924 | 2.0195 | 1.8656 |
| 11 | 1.9433 | 1.7909 | 1.9052 | 1.9052 | 1.7924 | 1.9814 | 1.9022 |
| 12 | 1.8671 | 1.829 | 1.9433 | 1.7147 | 1.8656 | 1.9052 | 1.8656 |
| 13 | 1.9052 | 1.7147 | 1.7909 | 1.9052 | 1.6461 | 1.9433 | 1.7924 |
| 14 | 1.9433 | 2.0576 | 1.9814 | 1.9433 | 1.9753 | 1.9814 | 1.7924 |
| 15 | 2.21 | 2.0957 | 2.21 | 2.21 | 2.0485 | 2.2862 | 2.0119 |
| 16 | 2.2481 | 1.9814 | 2.1216 | | 2.1582 | 2.1948 | 1.9387 |
| 17 | 1.9814 | 1.848 | 2.0851 | 1.7909 | 2.1338 | 2.0485 | 1.7558 |
| 18 | 1.9052 | 1.7372 | 1.7558 | | 1.9052 | 1.829 | 1.5364 |
| 19 | 1.9433 | 1.922 | 2.0119 | 1.829 | 1.9052 | 2.0485 | 1.829 |
| 20 | 2.0576 | 2.1068 | 2.1216 | 2.0195 | 2.1719 | 1.9753 | 1.9387 |
| 21 | 2.0195 | 2.1216 | 2.1216 | 2.1338 | 2.2481 | 2.0851 | 2.1216 |
| 22 | 2.2481 | 2.1582 | 2.21 | 2.2862 | 2.2862 | 2.1582 | 2.1216 |
| 23 | 2.553 | | 2.4768 | 2.6673 | 2.6673 | 2.4508 | 2.4508 |
| 24 | 2.7435 | 2.6292 | 2.8197 | 2.6673 | 2.7435 | | 2.6703 |
| Max | 2.8578 | 2.6292 | 2.8197 | 2.7435 | 2.7435 | 2.7435 | 2.6703 |
| Min | 1.7147 | 1.7147 | 1.7558 | 1.7147 | 1.6461 | 1.829 | 1.5364 |
| Avg | 2.1656 | 2.0694 | 2.2237 | 2.1858 | 2.1565 | 2.1879 | 2.0363 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 303 / 22 KV AGRA ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.9628 | 3.9628 | 4.039 | 4.0771 | 4.0771 | 4.1533 | 3.9872 |
| 2 | 3.658 | 3.8104 | 3.6961 | 3.7342 | 3.6199 | 3.8866 | 3.5482 |
| 3 | 3.3913 | 3.7342 | 3.4294 | 3.5818 | 3.4294 | 3.5437 | 3.3653 |
| 4 | 3.1245 | 3.5056 | 3.1626 | 3.4294 | 3.2007 | 3.315 | 3.1824 |
| 5 | 2.8959 | 3.2769 | 2.934 | 3.1245 | 3.0864 | 3.1245 | 2.9995 |
| 6 | 2.7435 | 3.0483 | 2.8197 | 2.9721 | 2.9721 | 2.7435 | 2.8898 |
| 7 | 2.6292 | 2.8959 | 2.7435 | 2.8197 | 2.8197 | 2.7435 | 2.6337 |
| 8 | 2.5149 | 2.7435 | 2.934 | 2.8578 | 2.8898 | 2.9721 | 2.5972 |
| 9 | 2.4768 | 2.7816 | 2.6673 | 2.6673 | 2.5606 | 2.6673 | 2.4874 |
| 10 | 2.5911 | 2.8959 | 2.7435 | 2.7816 | 2.6703 | 2.8578 | 2.1216 |
| 11 | 2.8197 | 3.0483 | 2.8959 | 3.0483 | 2.963 | 3.1245 | 2.8898 |
| 12 | 2.6673 | 2.7816 | 2.9721 | 3.2007 | 2.8532 | 3.0864 | 2.7801 |
| 13 | 3.0483 | 3.2769 | 3.0483 | 3.1245 | 2.963 | 3.1245 | 2.8898 |
| 14 | 3.1245 | 3.0864 | 3.1245 | 3.2388 | 3.2556 | 3.2769 | 2.9995 |
| 15 | 3.3913 | 3.2007 | 3.4294 | 3.5056 | 3.4019 | 3.5818 | 5.2202 |
| 16 | 3.7342 | 3.0864 | 3.1459 | | 3.4019 | 3.3288 | 3.0361 |
| 17 | 3.0483 | 2.8166 | 2.9995 | 3.0483 | 3.1626 | 3.0361 | 2.7801 |
| 18 | 2.934 | 2.7801 | 2.8898 | | 3.0864 | 2.8898 | 2.7069 |
| 19 | 3.1626 | 3.1093 | 3.0361 | 2.8959 | 3.3532 | 3.0361 | 2.7801 |
| 20 | 3.3532 | 3.1824 | 3.3653 | 3.3532 | 3.3913 | 3.219 | 3.0727 |
| 21 | 3.1626 | 3.219 | 3.2556 | 3.3532 | 3.3532 | 3.219 | 3.1093 |
| 22 | 3.4294 | 3.2922 | 3.5437 | 3.5437 | 3.3913 | 3.3653 | 3.2922 |
| 23 | 4.0009 | 4.0771 | 4.2676 | 4.2676 | 4.4201 | 3.8775 | 4.1701 |
| 24 | 4.1533 | 4.2676 | 4.3058 | 4.382 | | | 4.2433 |
| Max | 4.1533 | 4.2676 | 4.3058 | 4.382 | 4.4201 | 4.1533 | 5.2202 |
| Min | 2.4768 | 2.7435 | 2.6673 | 2.6673 | 2.5606 | 2.6673 | 2.1216 |
| Avg | 3.1674 | 3.2450 | 3.2270 | 3.3185 | 3.2314 | 3.2249 | 3.1576 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 304 / 22 KV ADHARWADI

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.868 | 3.3532 | 3.2769 | 3.3532 | 3.3532 | 3.4294 | 3.219 |
| 2 | 5.4108 | 3.1245 | 2.8959 | 3.1245 | 3.1245 | 3.1245 | 2.9995 |
| 3 | 4.9916 | 2.8959 | 2.8197 | | 2.8959 | 2.8578 | 2.8532 |
| 4 | 4.7249 | 2.6673 | 2.5911 | 2.7435 | 2.6292 | 2.7435 | 2.5972 |
| 5 | 4.4963 | 2.5911 | 2.5149 | 2.4768 | 2.5149 | 2.5911 | 2.4143 |
| 6 | 4.039 | 2.4768 | 2.3624 | 2.21 | 2.3243 | 2.21 | 2.268 |
| 7 | 3.7342 | 2.2862 | 2.0576 | 2.0957 | 2.0957 | 2.21 | 2.0851 |
| 8 | 3.8104 | 2.0576 | 2.0957 | 2.0957 | 2.0119 | 2.2862 | 2.1582 |
| 9 | 3.9247 | 1.9814 | 2.1338 | 2.21 | 2.1582 | 2.4006 | 2.524 |
| 10 | 3.9247 | 2.0576 | 2.1719 | 2.3624 | 2.268 | 2.3243 | 2.1216 |
| 11 | 3.9628 | 2.1338 | 1.9814 | 2.4006 | 2.1948 | 2.3624 | 2.268 |
| 12 | 4.0009 | 1.829 | 2.0195 | 2.2862 | 2.1216 | 2.553 | 2.1582 |
| 13 | 4.039 | 2.0957 | 2.0957 | 3.8866 | 2.1216 | 2.5911 | 4.9749 |
| 14 | 4.3439 | 2.21 | 2.3624 | 4.2676 | 2.3411 | 2.8578 | 4.7188 |
| 15 | 4.6106 | 2.2862 | 2.5911 | 5.7918 | 2.5972 | 2.9721 | 5.0114 |
| 16 | 4.8011 | 2.2481 | 2.3777 | | 2.4508 | 2.7801 | 5.048 |
| 17 | 4.1152 | 2.0851 | 2.2314 | 2.2862 | 2.4768 | 2.3045 | 4.353 |
| 18 | 4.039 | 2.0485 | 2.0119 | | 2.2862 | 2.268 | 4.1335 |
| 19 | 2.4768 | 2.2314 | 2.1582 | 2.4387 | 2.4768 | 2.268 | 4.2433 |
| 20 | 2.5911 | 2.7435 | 2.6703 | 2.8959 | 2.8578 | 2.5606 | 2.5606 |
| 21 | 2.7435 | 2.8532 | 2.7069 | 2.9721 | 2.8959 | 2.7801 | 2.7069 |
| 22 | 2.8959 | 2.9995 | 3.0864 | 3.1626 | 3.2769 | 2.9264 | 2.9264 |
| 23 | 3.3913 | 3.5437 | 3.5056 | 3.8104 | 3.5437 | 3.3653 | 3.4385 |
| 24 | 6.0966 | 3.4294 | 3.6961 | 3.658 | 3.7342 | 3.7342 | 3.5117 |
| Max | 6.0966 | 3.5437 | 3.6961 | 5.7918 | 3.7342 | 3.7342 | 5.048 |
| Min | 2.4768 | 1.829 | 1.9814 | 2.0957 | 2.0119 | 2.21 | 2.0851 |
| Avg | 4.1263 | 2.5095 | 2.5173 | 2.9775 | 2.6146 | 2.6875 | 3.2206 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-II[696] BU 4696

Substation No/ Name :- 283049 / 22/22 KV DURGADI SWITCHING

STN

Feeder No / Name : 306 / 22 KV WADEGHAR

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.9535 | 4.9535 | 5.0678 | 5.3727 | 5.1821 | 5.2584 | 4.8651 |
| 2 | 4.6487 | 4.6487 | 4.6487 | 4.763 | 4.8011 | 4.8011 | 4.5725 |
| 3 | 4.2676 | 4.4963 | 4.382 | 4.4963 | 4.039 | 4.4582 | 4.3164 |
| 4 | 4.1152 | 4.2676 | 4.1533 | 4.2676 | 4.1914 | 4.0771 | 4.0969 |
| 5 | 4.039 | 4.0009 | 3.9247 | 4.039 | 4.039 | 3.9628 | 3.914 |
| 6 | 3.8104 | 3.8104 | 3.8104 | 3.8104 | 3.8485 | 3.5056 | 3.7677 |
| 7 | 3.5056 | 3.5818 | 3.5056 | 3.5818 | 3.658 | 3.5818 | 3.4019 |
| 8 | 3.1626 | 3.2769 | 3.3532 | 3.3913 | 3.3288 | 3.3532 | 3.2556 |
| 9 | 3.0483 | 3.1245 | 3.1245 | 3.2388 | 3.1459 | | 3.0727 |
| 10 | 3.0864 | 3.2388 | 3.1626 | 3.1245 | 2.963 | 3.2388 | 2.1216 |
| 11 | 2.8959 | 3.0102 | 2.8578 | 2.8959 | 2.8532 | 3.2769 | 2.0485 |
| 12 | 2.934 | 3.0102 | 2.8959 | 3.1245 | 3.1093 | 3.315 | 2.0485 |
| 13 | 2.9721 | 3.0483 | 2.8197 | 2.8578 | 2.963 | 3.2007 | 3.3913 |
| 14 | 3.3532 | 3.1245 | 3.1245 | 3.0864 | 3.4751 | 3.5437 | 3.3288 |
| 15 | 3.5437 | 3.2388 | 3.2388 | 3.4675 | 3.8409 | 4.0009 | 3.219 |
| 16 | 3.5818 | 3.3913 | 3.1459 | | 3.8043 | 3.7677 | 3.1093 |
| 17 | 3.2388 | 3.0727 | 3.1824 | 3.1626 | 3.5818 | 3.5117 | 3.0361 |
| 18 | 3.0102 | 2.9264 | 2.963 | | 3.1626 | 3.1459 | 2.6337 |
| 19 | 3.4675 | 3.1459 | 3.219 | 3.3532 | 3.315 | 3.3653 | 2.9264 |
| 20 | 3.9247 | 3.807 | 3.8775 | 3.9628 | 4.0009 | 3.914 | 3.6946 |
| 21 | 4.0009 | 3.8409 | 3.9872 | 4.039 | 3.8104 | 3.9506 | 3.8043 |
| 22 | 4.1914 | 4.2433 | 4.5344 | 4.3439 | 4.2295 | 4.2067 | 4.0969 |
| 23 | 4.9154 | 4.9916 | 5.2584 | 5.2584 | 4.8392 | 4.8651 | 4.9383 |
| 24 | 5.2202 | 5.144 | 5.2584 | 5.4108 | 5.4108 | 5.2202 | 5.1943 |
| Max | 5.2202 | 5.144 | 5.2584 | 5.4108 | 5.4108 | 5.2584 | 5.1943 |
| Min | 2.8959 | 2.9264 | 2.8197 | 2.8578 | 2.8532 | 3.1459 | 2.0485 |
| Avg | 3.7453 | 3.7248 | 3.7290 | 3.8658 | 3.8164 | 3.8922 | 3.5356 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 302 / CHHAYA TALKIES

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 1.829 | 1.8671 | 1.829 | 1.9433 | 2.21 | 2.0957 | 1.9433 |
| 2 | 1.7909 | 1.829 | 1.7147 | 1.829 | 2.0576 | 2.0576 | 1.8671 |
| 3 | 1.6385 | 1.7528 | 1.5623 | 1.6766 | 1.9433 | 1.9814 | 1.6766 |
| 4 | 1.5242 | 1.6766 | 1.5242 | 1.5623 | 1.829 | 1.9052 | 1.5242 |
| 5 | 1.4861 | 1.5242 | 1.4098 | 1.4861 | 1.7528 | 1.829 | 1.5242 |
| 6 | 1.448 | 1.4098 | 1.4098 | 1.448 | 1.6385 | 1.7147 | 1.4861 |
| 7 | 1.3336 | 1.4861 | 1.4098 | 1.4098 | 1.5623 | 1.6385 | 1.3336 |
| 8 | 1.2574 | 1.5623 | 1.4098 | 1.5242 | 1.6004 | 1.6385 | 1.4861 |
| 9 | 1.3717 | 1.5623 | 1.5242 | 1.6385 | 1.6004 | 1.6004 | 1.4861 |
| 10 | 1.448 | 1.6766 | 1.6385 | 1.6766 | 1.7147 | 1.5623 | 1.5242 |
| 11 | 1.6004 | 1.7528 | 1.6004 | | 1.829 | 1.5242 | 1.4861 |
| 12 | 1.6385 | 1.829 | 1.8671 | | 1.829 | 4.763 | 1.448 |
| 13 | 1.6766 | 1.8671 | 1.8671 | | 1.8671 | 1.5242 | 1.7909 |
| 14 | 1.7147 | 1.8671 | 1.9433 | | 1.9433 | 1.6766 | 1.8671 |
| 15 | 1.7909 | 1.8671 | 2.0195 | 2.553 | 2.1719 | 1.7147 | 2.1338 |
| 16 | 1.829 | 1.829 | 2.0195 | 2.4387 | | 1.6766 | 3.9628 |
| 17 | 1.6766 | 1.829 | 1.8671 | 2.2481 | 1.3336 | 1.6385 | 1.9052 |
| 18 | 1.5242 | 1.829 | 1.6766 | | 1.8671 | | 1.829 |
| 19 | 1.5623 | 1.829 | 1.6385 | 1.9433 | 1.9814 | 1.5242 | 1.7147 |
| 20 | 1.7147 | 1.829 | 1.829 | 2.0576 | 1.9814 | 1.7528 | 1.9433 |
| 21 | 1.6766 | 1.829 | 1.9052 | 2.21 | 2.0957 | 1.9052 | 2.0957 |
| 22 | 1.7528 | 1.8671 | 1.9052 | 2.1338 | 2.1338 | 1.829 | 2.1719 |
| 23 | 1.829 | 1.9433 | | 2.21 | 2.1719 | 2.0195 | 2.3243 |
| 24 | 1.9433 | 1.9433 | 2.0576 | 2.0576 | 2.3624 | 2.2481 | 2.0576 |
| Max | 1.9433 | 1.9433 | 2.0576 | 2.553 | 2.3624 | 4.763 | 3.9628 |
| Min | 1.2574 | 1.4098 | 1.4098 | 1.4098 | 1.3336 | 1.5242 | 1.3336 |
| Avg | 1.6274 | 1.7607 | 1.7230 | 1.8972 | 1.8903 | 1.9052 | 1.8576 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 303 / PORNIMA CHOWK

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.4006 | 2.4006 | 2.4387 | 2.5911 | 2.5149 | 2.4006 | 2.5911 |
| 2 | 2.21 | 2.2481 | 2.3243 | 2.2862 | 2.3243 | 2.3243 | |
| 3 | 1.9433 | 1.9814 | 1.9052 | 2.0576 | 2.1719 | 2.2862 | 2.1338 |
| 4 | 1.7909 | 1.829 | 1.829 | 1.9433 | 1.9814 | 2.21 | 1.9814 |
| 5 | 1.6004 | 1.6385 | 1.7528 | 1.8671 | 1.829 | 2.0957 | 1.9433 |
| 6 | 1.5242 | 1.5623 | 1.7528 | 1.7528 | 1.7909 | 1.9433 | 1.9052 |
| 7 | 1.3717 | 1.5242 | 1.6766 | 1.7147 | 1.7528 | 1.9052 | 1.6385 |
| 8 | 1.448 | 1.6766 | 1.6004 | 1.6385 | 1.5623 | 1.6004 | 1.5623 |
| 9 | 1.4098 | 1.5623 | 1.5242 | | 1.6385 | 1.6766 | 1.6004 |
| 10 | 1.4861 | 1.7528 | 1.7147 | 1.9052 | 1.7909 | 1.6385 | 1.7528 |
| 11 | 1.7909 | 1.8671 | 1.6385 | 1.9052 | 1.9814 | 1.829 | 1.6766 |
| 12 | 1.7528 | 1.9052 | 1.9052 | 1.9052 | 1.9814 | 1.829 | 1.8671 |
| 13 | 1.7528 | 1.9433 | 1.8671 | 1.9433 | 1.9433 | 1.9052 | 1.9052 |
| 14 | 1.829 | 1.9052 | 2.0195 | 1.9814 | 2.1719 | 2.0195 | 1.9433 |
| 15 | 2.0957 | 1.9814 | 2.0957 | 2.1719 | | 2.1338 | 2.0576 |
| 16 | 2.0195 | 1.9433 | 2.0195 | 2.0576 | | 2.1338 | 4.039 |
| 17 | 1.829 | 1.9052 | 1.9052 | 1.9052 | 1.5623 | 1.9814 | 1.9433 |
| 18 | 1.6385 | 1.9814 | 1.9052 | 1.829 | 2.2481 | | 1.9052 |
| 19 | 1.7909 | 2.0576 | 2.0576 | 1.9433 | 2.2862 | 1.829 | 1.829 |
| 20 | 2.0195 | 2.1719 | 2.21 | 2.1338 | 2.2862 | 2.0195 | 2.0957 |
| 21 | 2.0195 | 2.21 | 2.0195 | 2.0957 | 2.2481 | 2.1719 | 2.0957 |
| 22 | 2.4387 | 2.2862 | 2.21 | 2.21 | 2.2862 | 2.3243 | 2.1719 |
| 23 | 2.6292 | 2.6673 | | 2.6673 | 2.4387 | 2.7435 | 2.6292 |
| 24 | 2.6673 | 2.6673 | 2.7435 | 2.7816 | 2.8197 | 2.4387 | 2.8578 |
| Max | 2.6673 | 2.6673 | 2.7435 | 2.7816 | 2.8197 | 2.7435 | 4.039 |
| Min | 1.3717 | 1.5242 | 1.5242 | 1.6385 | 1.5623 | 1.6004 | 1.5623 |
| Avg | 1.8941 | 1.9862 | 1.9615 | 2.0560 | 2.0732 | 2.0626 | 2.0924 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 305 / KARNIK ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.0483 | 3.1245 | 3.0864 | 3.2007 | 3.2769 | 3.1245 | 3.2769 |
| 2 | 2.7816 | 2.7816 | 2.8578 | 2.9721 | 2.9721 | 3.1245 | 3.0483 |
| 3 | 2.5149 | 2.553 | 2.7054 | 2.7435 | 2.7054 | 3.0102 | 2.7816 |
| 4 | 2.2862 | 2.3243 | 2.5911 | 2.553 | 2.4768 | 2.8578 | 2.6673 |
| 5 | 2.1719 | 2.21 | 2.2862 | 2.2481 | 2.4387 | 2.6673 | 2.3243 |
| 6 | 2.0195 | 2.1338 | 2.0957 | 2.21 | 2.2862 | 2.4768 | 2.2481 |
| 7 | 1.9433 | 2.0957 | 2.0195 | 2.1338 | 2.21 | 2.3624 | 2.3243 |
| 8 | 1.9433 | 2.0957 | 1.9814 | 2.0576 | 2.1719 | 2.2481 | 2.1719 |
| 9 | 1.9052 | 1.9433 | 2.0195 | 2.0957 | 2.1719 | 2.1338 | 2.0957 |
| 10 | 1.9052 | 2.0576 | 2.0195 | 2.21 | 2.0957 | 2.1338 | 2.0576 |
| 11 | 1.9814 | 2.2862 | 2.1338 | 2.2862 | 2.3624 | 2.2481 | 2.0957 |
| 12 | 2.1719 | 2.2862 | 2.3243 | 2.3243 | 2.4768 | 2.3624 | 2.0957 |
| 13 | 2.3243 | 2.2481 | 2.21 | 2.2862 | 2.4387 | 2.4006 | 2.0195 |
| 14 | 2.4387 | 2.2862 | 2.5911 | 2.3624 | 2.553 | 2.553 | 2.1719 |
| 15 | 2.5911 | 2.4006 | 2.553 | 2.553 | 2.7816 | 2.7054 | 2.3624 |
| 16 | 2.553 | 2.4387 | 2.4006 | | | 2.7435 | 2.553 |
| 17 | 2.3243 | 2.4768 | 2.2862 | | 2.1719 | 2.553 | 2.4768 |
| 18 | 2.1338 | 2.5911 | 2.4006 | 2.3624 | 2.2862 | | 2.3243 |
| 19 | 2.3243 | 2.7435 | 2.4768 | 2.6673 | 2.8197 | 2.553 | 2.2862 |
| 20 | 2.6292 | 2.8197 | 2.7435 | 2.8197 | 2.8197 | 2.8578 | 2.4387 |
| 21 | 2.6292 | 2.8578 | 2.7816 | 2.8197 | 2.8197 | 2.8959 | 2.6673 |
| 22 | 3.1245 | 2.8959 | 2.7435 | 2.8578 | 2.9721 | 3.0102 | 2.8197 |
| 23 | 3.2769 | 3.2388 | | 3.4294 | 3.0864 | 3.5818 | 3.0483 |
| 24 | 3.315 | 3.3532 | 3.4675 | 3.4675 | 3.5818 | 3.1245 | 3.6199 |
| Max | 3.315 | 3.3532 | 3.4675 | 3.4675 | 3.5818 | 3.5818 | 3.6199 |
| Min | 1.9052 | 1.9433 | 1.9814 | 2.0576 | 2.0957 | 2.1338 | 2.0195 |
| Avg | 2.4307 | 2.5101 | 2.4685 | 2.5755 | 2.6076 | 2.6838 | 2.4990 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283513 / TEJSHREE SWITCHING STATION

Feeder No / Name : 306 / RAMDASWADI SHEDDABLE URBAN
Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.0195 | 3.1626 | 3.1245 | 3.1626 | 3.2388 | 3.0483 | 3.2007 |
| 2 | 1.8671 | 2.8197 | 3.0483 | 3.0102 | 3.0102 | 3.0483 | 3.0102 |
| 3 | 1.7909 | 2.7435 | 2.9721 | 2.8197 | 2.8578 | 2.9721 | 2.8197 |
| 4 | 1.7147 | 2.6673 | 2.7435 | 2.6673 | 2.6673 | 2.8578 | 2.6673 |
| 5 | 1.6004 | 2.5911 | 2.6673 | 2.5911 | 2.6292 | 2.7054 | 2.5911 |
| 6 | 1.5242 | 2.5149 | 2.553 | 2.4768 | 2.5911 | 2.5911 | 2.5911 |
| 7 | 1.4098 | 2.4006 | 2.2862 | 2.3243 | 2.3243 | 2.4768 | 2.2481 |
| 8 | 1.3336 | 2.3624 | 2.21 | 4.6486 | 2.3243 | 2.2862 | 2.5149 |
| 9 | 1.3336 | 2.1719 | 2.1338 | 2.21 | 2.21 | 2.2862 | 2.2481 |
| 10 | 1.3336 | 2.1338 | 2.1338 | 2.2481 | 2.2481 | 2.2481 | 2.2481 |
| 11 | 1.4098 | 2.21 | 2.4387 | 2.2862 | 2.3243 | 2.3243 | 2.2481 |
| 12 | 2.21 | 2.2862 | 2.1719 | 2.3624 | 2.4006 | 2.3624 | 2.2481 |
| 13 | 2.2862 | 2.3624 | 2.3624 | 2.4387 | 2.4006 | 2.4006 | 2.2481 |
| 14 | 2.4006 | 2.3243 | 2.4006 | 2.4768 | 2.4387 | 2.5911 | 2.3624 |
| 15 | 2.4768 | 2.3624 | 2.5149 | 2.553 | 2.7054 | 2.6292 | 2.5149 |
| 16 | 2.3243 | 2.4768 | 2.5149 | 2.5149 | | 2.6673 | 4.9536 |
| 17 | 2.2481 | 2.4768 | 2.4006 | 2.3243 | | 2.5149 | 2.4768 |
| 18 | 2.4006 | 2.5911 | 2.2862 | 2.21 | 2.4768 | | 2.4006 |
| 19 | 2.5149 | 2.8197 | 2.553 | 2.2862 | 2.6292 | 2.553 | 2.4006 |
| 20 | 2.8578 | 2.934 | 2.9721 | 2.8197 | 2.7435 | 2.9721 | 2.8578 |
| 21 | 2.8959 | 2.9721 | 3.0102 | 2.8959 | 2.9721 | 2.8959 | 3.0483 |
| 22 | 3.0483 | 3.0483 | 3.0102 | 3.0864 | 3.0102 | 3.0864 | 3.1245 |
| 23 | 3.2388 | 3.3532 | | 3.5056 | 3.1245 | 3.4675 | 3.2769 |
| 24 | 2.1719 | 3.315 | 3.4294 | 3.4294 | 3.5056 | 3.1245 | 3.4675 |
| Max | 3.2388 | 3.3532 | 3.4294 | 4.6486 | 3.5056 | 3.4675 | 4.9536 |
| Min | 1.3336 | 2.1338 | 2.1338 | 2.21 | 2.21 | 2.2481 | 2.2481 |
| Avg | 2.1005 | 2.6292 | 2.6060 | 2.7228 | 2.6742 | 2.7004 | 2.7403 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 301 / GODREJ HILL

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 3.5437 | 3.9628 | 3.5437 | 4.0009 | 3.8104 | 3.8104 | 3.8866 |
| 2 | 3.2007 | 3.8104 | 3.2007 | 3.8104 | 3.6961 | 3.658 | 3.658 |
| 3 | 2.9721 | 3.6199 | 3.0483 | 3.6199 | 3.5437 | 3.4294 | 3.3532 |
| 4 | 2.7435 | 3.0864 | 2.7816 | 3.2769 | 3.2388 | 3.2388 | 3.0483 |
| 5 | 2.5911 | 2.7054 | 2.5149 | 2.8959 | 2.5149 | 3.1245 | 2.8197 |
| 6 | 2.2862 | 2.553 | 2.21 | 2.5149 | 2.4768 | 2.3624 | 2.3624 |
| 7 | 1.9814 | 2.7435 | 2.0957 | 2.0576 | 2.2862 | 2.21 | 2.0957 |
| 8 | 1.829 | 2.1719 | 1.4861 | 2.0576 | 2.0957 | 2.0957 | 2.0195 |
| 9 | 1.8671 | 2.2862 | 1.9433 | 2.1338 | 2.0957 | 2.3624 | 2.0957 |
| 10 | 2.21 | 2.2481 | 2.0576 | 2.2862 | 2.5149 | 2.3624 | 2.21 |
| 11 | 2.1719 | 2.2481 | 2.0957 | 2.21 | 2.7054 | 2.4006 | 2.1719 |
| 12 | 2.21 | 2.2481 | 2.21 | 2.4768 | 2.553 | 2.4768 | 2.21 |
| 13 | 2.6673 | 2.1338 | 2.1338 | 2.2862 | 2.6673 | 2.4768 | 2.0576 |
| 14 | 2.6673 | 2.4006 | 2.4006 | 2.4387 | 2.7816 | 2.4768 | 2.2481 |
| 15 | 2.8197 | 2.4768 | 2.8197 | 2.7816 | 3.0102 | 2.8578 | 2.553 |
| 16 | 2.8578 | 2.4387 | 2.6673 | 2.6673 | 3.3913 | 2.1719 | 2.4387 |
| 17 | 2.8959 | 2.3243 | 2.6673 | 2.8578 | 2.6673 | | 2.4387 |
| 18 | 2.4768 | 2.1719 | 2.2862 | 2.4006 | 2.4006 | 2.1719 | |
| 19 | 2.5911 | 2.2481 | 2.1719 | 2.5911 | 2.4006 | | 2.1719 |
| 20 | 2.7435 | 2.4387 | 2.5911 | 2.7816 | 2.6292 | 3.0483 | 2.2862 |
| 21 | 2.9721 | 2.5149 | 2.7054 | 2.8197 | 2.4387 | 3.1245 | 2.6292 |
| 22 | 3.1245 | 2.8959 | 3.3913 | 3.3532 | 2.8578 | 3.2388 | 2.8959 |
| 23 | 3.6199 | 3.5437 | 3.658 | 3.6199 | 3.4675 | 3.6199 | |
| 24 | 3.658 | 4.1533 | 4.0009 | 4.0771 | 4.0771 | 4.0009 | 4.039 |
| Max | 3.658 | 4.1533 | 4.0009 | 4.0771 | 4.0771 | 4.0009 | 4.039 |
| Min | 1.829 | 2.1338 | 1.4861 | 2.0576 | 2.0957 | 2.0957 | 2.0195 |
| Avg | 2.6959 | 2.7260 | 2.6117 | 2.8340 | 2.8467 | 2.8509 | 2.6222 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 302 / MURBAD ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 4.4582 | 4.4201 | 4.5725 | 4.763 | 4.5725 | 4.5725 | 4.6487 |
| 2 | 4.039 | 4.1914 | 4.3439 | 4.5725 | 4.2295 | | 5.2584 |
| 3 | 3.8485 | 3.8104 | 4.1533 | 3.8104 | 4.1152 | | 4.3439 |
| 4 | 3.6961 | 3.6199 | 3.658 | 3.8104 | 3.8485 | 4.382 | 4.1533 |
| 5 | 3.3532 | 3.4294 | 3.4675 | 3.6199 | 3.6199 | 4.1533 | 3.8485 |
| 6 | 3.0864 | 3.3532 | 3.2769 | 3.4294 | 3.4675 | 3.6199 | 3.5056 |
| 7 | 2.8959 | 3.0483 | 2.9721 | 3.1626 | 3.315 | 3.2388 | 3.1245 |
| 8 | 3.0483 | 2.7816 | 2.8578 | 2.8197 | 3.1245 | 3.0483 | 2.9721 |
| 9 | 2.8959 | 2.7816 | 2.8578 | 3.0864 | 3.0102 | 3.0483 | 3.0102 |
| 10 | 3.0102 | 2.934 | 2.9721 | 3.0483 | 3.0864 | 3.1626 | 3.2007 |
| 11 | 2.8959 | 2.934 | 2.7435 | 2.8959 | 3.1245 | 3.1626 | 3.0483 |
| 12 | 3.0102 | 2.8959 | 2.7816 | 2.9721 | 3.1245 | 3.1245 | 2.934 |
| 13 | 3.0483 | 2.8197 | 2.7054 | 2.8197 | 2.9721 | 3.2388 | 2.8578 |
| 14 | 3.0483 | 2.934 | 2.9721 | 3.1245 | 3.0102 | 3.2388 | 2.9721 |
| 15 | 3.5818 | 3.1626 | 3.3532 | 3.2769 | 3.2388 | 4.039 | 3.3532 |
| 16 | 3.5056 | 3.1245 | 3.2388 | 3.315 | 3.6199 | 3.8104 | 3.4294 |
| 17 | 3.2769 | 3.2769 | 3.2388 | 3.2388 | 3.4294 | 3.658 | 3.4294 |
| 18 | 3.0483 | 3.2007 | 3.1245 | 3.1245 | 3.3913 | 3.3913 | 3.0864 |
| 19 | 3.0102 | 3.4294 | 3.3532 | 3.4294 | 3.3532 | 3.4294 | 3.2388 |
| 20 | 3.315 | 3.5437 | 3.5818 | 3.5437 | 3.6199 | 3.7342 | 3.315 |
| 21 | 3.6199 | 3.658 | 3.6199 | 3.5818 | 3.5818 | 3.7342 | 3.5056 |
| 22 | 3.8485 | 3.9628 | 4.5725 | 4.6106 | 4.4201 | 4.039 | 3.8485 |
| 23 | 4.4582 | 4.5344 | 4.6868 | 4.6487 | 4.4201 | 4.6868 | |
| 24 | 4.6487 | 4.8011 | 4.8011 | 4.9535 | 4.9916 | 4.8773 | 5.0297 |
| Max | 4.6487 | 4.8011 | 4.8011 | 4.9535 | 4.9916 | 4.8773 | 5.2584 |
| Min | 2.8959 | 2.7816 | 2.7054 | 2.8197 | 2.9721 | 3.0483 | 2.8578 |
| Avg | 3.4436 | 3.4437 | 3.4960 | 3.5691 | 3.6119 | 3.6995 | 3.5702 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 303 / COLLEGE ROAD

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 5.2202 | 5.0297 | 5.1821 | 5.487 | 5.3727 | 5.4489 | 5.487 |
| 2 | 4.6487 | 4.1914 | 4.6106 | 5.144 | 4.9916 | 5.0297 | 5.0297 |
| 3 | 4.3439 | 4.0009 | 4.3439 | 5.0297 | 4.6487 | 4.9535 | 4.7249 |
| 4 | 4.039 | 3.9628 | 4.0771 | 4.9535 | 4.3058 | 4.9535 | 4.3439 |
| 5 | 3.7342 | 3.8866 | 3.8485 | 3.8104 | 4.1152 | 4.5725 | 4.1533 |
| 6 | 3.4294 | 3.8485 | 3.6961 | 3.7342 | 3.8485 | 3.8104 | 3.9247 |
| 7 | 3.2007 | 3.6961 | 3.4294 | 3.658 | 3.8104 | 3.6199 | 3.5818 |
| 8 | 3.1245 | 3.5056 | | 3.5056 | 3.4675 | 3.5056 | 3.4294 |
| 9 | 3.1626 | | 2.9721 | 3.2007 | 3.315 | 3.3913 | 3.315 |
| 10 | 3.1245 | 3.2769 | 3.2388 | 3.315 | 3.4675 | 3.4294 | 3.2007 |
| 11 | 3.2769 | 3.2769 | 3.4294 | 3.4294 | 3.5056 | 3.4294 | 3.315 |
| 12 | 3.3913 | 3.3913 | 3.4294 | 3.4294 | 3.4675 | 3.5056 | 3.2388 |
| 13 | 3.5818 | 3.4675 | 3.4675 | 3.5056 | 3.5818 | 3.5818 | 3.4294 |
| 14 | 3.5818 | 3.5056 | 3.5818 | 3.7342 | 3.9628 | 3.5818 | 3.4675 |
| 15 | 4.0771 | 3.6199 | 4.1914 | 4.1533 | 4.1914 | 4.4963 | 3.7723 |
| 16 | 3.8485 | 3.658 | 3.9628 | 4.0771 | 4.3439 | 4.4963 | 3.7342 |
| 17 | 3.6961 | 4.382 | | 3.5818 | 3.8485 | 4.0009 | 3.7342 |
| 18 | 3.3913 | 3.5437 | 3.9628 | 3.2388 | 3.5818 | 3.5056 | 3.4294 |
| 19 | 3.6199 | 3.658 | 3.6199 | 3.5056 | | 3.8866 | 3.3532 |
| 20 | 3.7723 | 4.0009 | 4.1152 | 3.8485 | 4.1152 | 4.1533 | 3.6199 |
| 21 | 4.039 | 4.1914 | 4.2676 | 4.1914 | 4.1914 | 4.1533 | 4.039 |
| 22 | 4.2676 | 4.4963 | 5.144 | 5.0297 | 4.4201 | 4.4201 | 4.382 |
| 23 | 5.2202 | 5.3346 | 5.5251 | 5.4489 | 5.144 | 4.4201 | |
| 24 | 5.5251 | 5.6775 | 5.6394 | 5.868 | 5.8299 | 5.8299 | 5.7918 |
| Max | 5.5251 | 5.6775 | 5.6394 | 5.868 | 5.8299 | 5.8299 | 5.7918 |
| Min | 3.1245 | 3.2769 | 2.9721 | 3.2007 | 3.315 | 3.3913 | 3.2007 |
| Avg | 3.8882 | 3.9827 | 4.0789 | 4.1200 | 4.1533 | 4.1740 | 3.9347 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 304 / BARAVE FEEDER

SHEDDABLE URBAN

Feeder KV- 22 / OUTGOING

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | 2.5149 | 1.448 | 1.4861 | 1.6385 | 1.5242 | 1.5242 | 1.448 |
| 2 | 2.3243 | 1.2193 | 1.3336 | 1.5242 | 1.4098 | 1.3717 | 1.4861 |
| 3 | 2.2481 | 1.1431 | 1.2574 | 1.5242 | 1.2955 | 1.3336 | 1.3717 |
| 4 | 2.0957 | 1.1431 | 1.1812 | 1.4861 | 1.1812 | 1.3336 | 1.2955 |
| 5 | 1.9814 | 1.0669 | 1.1431 | 1.3336 | 1.1431 | 1.2955 | 1.1812 |
| 6 | 1.829 | 1.0669 | 1.0669 | 1.0669 | 1.2193 | 1.2574 | 1.105 |
| 7 | 1.7147 | .9907 | .9907 | 1.0288 | 1.1431 | 1.1431 | 1.0288 |
| 8 | 1.7147 | .9145 | .9145 | .9526 | .9907 | 1.0288 | .9526 |
| 9 | 1.6766 | .9145 | .9145 | .8764 | .9526 | .9526 | .9145 |
| 10 | 1.6385 | .8002 | .8002 | | .8764 | .9145 | .8383 |
| 11 | 1.5623 | .8002 | .8002 | .9907 | .8002 | .9145 | .8764 |
| 12 | .8002 | .8764 | .8002 | .8764 | .9145 | .9145 | .8764 |
| 13 | .8383 | .9145 | .8002 | .9145 | .8383 | .9145 | .8764 |
| 14 | .8383 | .8764 | .9145 | 1.0288 | 1.0288 | .9145 | .9145 |
| 15 | 1.0669 | .9145 | 1.0288 | 1.1431 | 1.0288 | 1.0669 | 1.0288 |
| 16 | 1.0288 | .9145 | .9907 | .9907 | 1.0669 | 1.1812 | 1.0669 |
| 17 | .9145 | .8764 | .9907 | .9907 | 3.5056 | 1.0288 | 1.0669 |
| 18 | .8002 | .8764 | .7621 | .8002 | .8764 | .9907 | .8764 |
| 19 | .9145 | .9145 | .8764 | .9145 | .9526 | .9145 | .8383 |
| 20 | 1.0288 | 1.0288 | 1.0669 | .9145 | 1.105 | 1.105 | 1.0288 |
| 21 | 1.1431 | 1.0288 | 1.1812 | 1.105 | 1.1431 | 1.1431 | 1.1431 |
| 22 | 1.2193 | 1.1812 | 1.448 | 1.4098 | 1.2955 | 1.2574 | 1.2574 |
| 23 | 1.4098 | 1.4861 | 1.4861 | 1.448 | 1.4861 | 1.5623 | |
| 24 | 2.6292 | 1.6004 | 1.5623 | 1.6385 | 1.6385 | 1.6385 | 1.6766 |
| Max | 2.6292 | 1.6004 | 1.5623 | 1.6385 | 3.5056 | 1.6385 | 1.6766 |
| Min | .8002 | .8002 | .7621 | .8002 | .8002 | .9145 | .8383 |
| Avg | 1.4972 | 1.0415 | 1.0749 | 1.1564 | 1.2257 | 1.1542 | 1.0934 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD

Feederwise Load Information for All Feeders

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 305 / WATER SUPPLY

NON SHEDDABLE WATER SUPPLY AND
Feeder KV- 22 / OUTGOING UTILITY

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .9526 | 1.2193 | 1.1431 | 1.6004 | 1.4861 | 1.448 | 1.2193 |
| 2 | .8764 | 1.2193 | 1.2193 | 1.5242 | 1.448 | 1.4861 | 1.5242 |
| 3 | .8764 | 1.3336 | 1.1812 | 1.4861 | 1.4098 | 1.448 | 1.4861 |
| 4 | .0229 | 1.2193 | 1.105 | 1.4861 | 1.1431 | 1.4861 | .6859 |
| 5 | .0152 | 1.3336 | 1.2955 | 1.448 | 1.2193 | 1.448 | .381 |
| 6 | .0191 | 1.3717 | 1.4098 | 1.448 | 1.4098 | 1.4861 | .0305 |
| 7 | .0343 | 1.448 | 1.4098 | 1.448 | 1.4098 | 1.448 | .0267 |
| 8 | .0343 | 1.448 | 1.448 | 1.448 | 1.448 | 1.4861 | .0229 |
| 9 | .0419 | | .0191 | 1.4861 | 1.448 | 1.5242 | .0191 |
| 10 | .0572 | | .0152 | 1.4861 | 1.2574 | 1.2193 | .0152 |
| 11 | .0229 | | .0152 | 1.1431 | 1.2574 | 1.3717 | .0152 |
| 12 | .0229 | | .0152 | 1.448 | 1.5623 | 1.448 | .0152 |
| 13 | .0267 | | 1.448 | 1.3717 | 1.5242 | 1.4098 | .0229 |
| 14 | .0267 | 1.1431 | 1.4861 | 1.105 | 1.1812 | 1.4098 | .0533 |
| 15 | | 1.2574 | 1.2574 | 1.105 | 1.2193 | 1.1431 | .0495 |
| 16 | .0343 | 1.2574 | 1.2574 | 1.2193 | 1.2574 | 1.2574 | .0267 |
| 17 | .0267 | 1.2193 | 1.2574 | 1.1812 | 1.2193 | 1.2193 | .0267 |
| 18 | .0343 | 1.1812 | 1.5623 | 1.4861 | 1.5242 | 1.5242 | .0229 |
| 19 | .0305 | 1.4098 | 1.5623 | 1.4861 | 1.4861 | 1.448 | .9145 |
| 20 | .522 | 1.448 | 1.5623 | 1.5242 | 1.4861 | 1.4861 | 1.2193 |
| 21 | .5335 | 1.448 | 1.448 | 1.5623 | 1.448 | 1.4861 | 1.2193 |
| 22 | .5563 | 1.1431 | 1.5242 | 1.5242 | 1.2193 | 1.1812 | 1.2193 |
| 23 | 1.2193 | 1.2574 | 1.6004 | 1.5242 | 1.2574 | 1.2955 | |
| 24 | 1.2193 | 1.2193 | 1.2574 | 1.6004 | 1.4861 | 1.2574 | 1.2574 |
| Max | 1.2193 | 1.448 | 1.6004 | 1.6004 | 1.5623 | 1.5242 | 1.5242 |
| Min | .0152 | 1.1431 | .0152 | 1.105 | 1.1431 | 1.1431 | .0152 |
| Avg | .3133 | 1.2935 | 1.1458 | 1.4226 | 1.3670 | 1.3924 | .4988 |

MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD**Feederwise Load Information for All Feeders**

From 01-MAY-18 and 07-MAY-18

KALYAN ZONE[054]

KALYAN CIRCLE - I[550]

KALYAN (W) DIVISION[401]

KALYAN (W) S/DN-I[168] BU 4168

Substation No/ Name :- 283514 / BARAVE SWITCHING STATION

Feeder No / Name : 306 / MILESTONE ESTATE

Feeder KV- 22 / OUTGOING

NON SHEDDABLE EXPRESS HV FEEDERS

(NON-CONTINUOUS PROCESS)(NO
STAGGERING)

| DATE | 01-MAY-18 | 02-MAY-18 | 03-MAY-18 | 04-MAY-18 | 05-MAY-18 | 06-MAY-18 | 07-MAY-18 |
|------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| HR | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) | Load (MW) |
| 1 | .1143 | .08 | .08 | .0914 | .1181 | .1677 | .1181 |
| 2 | .0457 | .0267 | .0762 | .0381 | .0457 | .0991 | .0838 |
| 3 | .0419 | .0191 | .061 | .0381 | .0343 | .0914 | .0762 |
| 4 | .0457 | .0114 | .0457 | .0381 | .0076 | .0419 | .0686 |
| 5 | .0572 | .0152 | .0495 | .0381 | .0267 | .0381 | .061 |
| 6 | .0686 | .0191 | .0686 | .0914 | .0343 | .0381 | .0572 |
| 7 | .0876 | .0457 | .0724 | .141 | .0991 | .0914 | .0648 |
| 8 | .1029 | .0838 | .0838 | .1219 | .0953 | .1296 | .0914 |
| 9 | .1296 | .1219 | .1677 | .1486 | .0953 | .16 | .1486 |
| 10 | .1905 | .1334 | .1181 | .2096 | .1981 | .2401 | .2058 |
| 11 | .1905 | .2439 | .2324 | .2858 | .2172 | .2401 | .1981 |
| 12 | .2515 | .2058 | .202 | .2286 | .2629 | .2934 | .2134 |
| 13 | .2286 | .2058 | .2096 | .2477 | .2515 | .2896 | .1943 |
| 14 | .2134 | .2134 | .2324 | .2743 | .2667 | .3201 | .1943 |
| 15 | .1753 | .2134 | .2362 | .2591 | .2743 | .3467 | .2591 |
| 16 | .2515 | .2058 | .221 | .2705 | .301 | .2553 | .2629 |
| 17 | .2172 | .1981 | .1981 | .282 | .282 | .2591 | .2629 |
| 18 | .2096 | .2477 | .2477 | .2972 | .2401 | .2782 | .2058 |
| 19 | .1943 | .2172 | .202 | .2743 | .2629 | .2782 | .2667 |
| 20 | .1981 | .2134 | .2286 | .2667 | .3125 | .2515 | .2515 |
| 21 | .221 | .2172 | .2362 | .301 | .3201 | .301 | .2324 |
| 22 | .2172 | .2591 | .2362 | .2553 | .3201 | .282 | .2058 |
| 23 | .1867 | .1677 | .1677 | .1981 | .2591 | .1677 | |
| 24 | .1334 | .08 | .1448 | .141 | .202 | .2058 | .1753 |
| Max | .2515 | .2591 | .2477 | .301 | .3201 | .3467 | .2667 |
| Min | .0419 | .0114 | .0457 | .0381 | .0076 | .0381 | .0572 |
| Avg | .1572 | .1435 | .1591 | .1891 | .1886 | .2028 | .1695 |